BUTE

SEPTEMBER 1988

A McGRAW-HILL PUBLICATION

New Top-of-the-Line

Micro Channel Systems

First Impressions of IBM Model 70 and Tandy 5000 MC

IN DEPTH

Display Technology

CRT, Gas-Plasma, LCD, EL, and TI's New 34020 Chip

PLUS

Mac 25-MHz Accelerators
Turbo Prolog 2.0
SOTA MotherCard
Choice Words
Konan Disk Controller



REVIEWS 386s from

GRiD, Toshiba, AST PC Fax Boards ADA for Mac Soft-ICE **PRODUCT FOCUS**




\$3.50 U.S.A./\$4.50 IN CANADA 0360-5280



The Critics Agree: Borland's







"Turbo C ... will stun you with in-RAM compilations that operate at warp speed."



Turbo C's* sleek compiler is so fast and powerful, we used it to write our equation solver, Eureka.** Even better, all that muscle is wrapped in a smooth,

integrated environment with everything you need to make writing, editing and compiling your programs a snap:

- Compiles 10,000 lines per minute*
- · Online, context-sensitive help
- ANSI compatible
- Six memory models—tiny to huge
- 450 library functions
- Utilities: Librarian, Make, GREP
- Source code for MicroCalc spreadsheet
- Command-line version of the compiler
- Inline assembly that lets you mix C and assembler

-Richard Hale Shaw, PC Magazine

- Professional-quality graphics library supporting VGA, CGA, EGA, Hercules, and IBM 8514
- Interfaces with Turbo Pascal 4.0 and Turbo Prolog

Just \$99.95

66 A lightning fast, fully featured C compiler suitable for almost everything ... Borland's Turbo C compiler is flexible, fast and friendly.

-Peter Feldman, PC Week 99

Heap Sort

	Turbo C 1.5	Microsoft C 5.0
Compile time	4.7 sec.	16.3 sec.
Compile & link time	7.4 sec.	19.5 sec.
Execute time	10.5 sec.	15.5 sec.
Object code size	1119	1313
Execution size	6392	7891

Sort benchmark run on an 8 MHz IBM AT using Turbo C version 1.5 and the Turbo Linker version 1.1; Microsoft C version 5.0 and the MS overlay linker version 3.61.

"Turbo Pascal 4.0 flies 14.0 is ballistic!" —Tom Swan, I



Almost from its introduction, Turbo Pascal* has been the worldwide Pascal standard. It's fast. It's flexible. It's affordable. And it

gives you full control.

Compile more than 27,000 lines of code per minute*. And work in a complete, integrated programming environment with pull-down menus and a full-featured editor.

You don't have to swap code in and out to beat the 64K barrier; it's designed for large programs. Break your code into convenient modules and work with them swiftly and separately. If there's an error in one, you can see it and fix it.

System Requirements For the IBM PS/2™ and the IBM® family of personal computers and all 100% compatibles. PC-DOS (MS-DOS) 2.0 or later. 384K RAM.

† Customer satisfaction is our main concern; if within 60 days of purchase this product does not perform in accordance with our claims, call our customer service department, and we will arrange a refund.

All Borland products are trademarks or registered trademarks of Borland International, Inc. Other brand and product names are trademarks of their respective holders. Copyright © 1988 Borland International, Inc. BI 1230A

Turbo Languages are Super!







ike a rocket ...

987 Programmer's Journal

Powerful features include:

- Producing EXE files
- Separate compilation
- · Built-in project management
- Graph unit including support for IBM CGA, EGA, VGA, and 3270, Hercules and ATT 6300
- Online, context-sensitive help

Add expertise: The Turbo Pascal Toolboxes

Start with Turbo Pascal Tutor for just \$69.95 and add the others as your interests and expertise grow:

- · Database Toolbox
- · Editor Toolbox
- · Graphix Toolbox
- · Numerical Methods Toolbox
- GameWorks

Toolboxes require Turbo Pascal 4.0

Just \$99.95 each

66 Each new Turbo Pascal 4.0 Toolbox is a virtual treasure of programming methods and tips.

—Giovanni Perrone, PC Week 99

"Turbo Basic compiles faster than anything I have seen." —Ethan Winer, PC Magazine



Turbo Basic® is the lightning-fast Basic compiler with a total development environment that puts you in full control. Even novices can

write professional programs with Turbo Basic's full-screen windowed editor, pull-down menus, and trace debugging system. You also get a long list of innovative Borland features like binary disk files, true recursion, and increased compilation control. Plus the ability to create programs as large as your system's memory can hold—not just a cramped 64K.

The choice is basic: Turbo Basic!

Just \$99.95!

66 Turbo Basic, simply put, is an incredibly good product ... Not only is this the most advanced BASIC ever, but Borland has lived up to its Turbo tradition.

—William Zachmann, Computerworld 39

Add another Basic advantage: The Turbo Basic Toolboxes

- The Database Toolbox
- The Editor Toolbox

Toolboxes require Turbo Basic 1.1

Just \$99.95 each.

System Requirements For the IBM PS/2™ and the IBM® family of personal computers and all 100% compatibles, PC-DOS (MS-DOS) 2.0 or later. 384K RAM. 640K to compile toolboxes.

Compare the BASIC differences

	Turbo Basic 1.1	QuickBASIC 4.0 Compiler	QuickBASIC 4.0 Interpreter	
Compile & Link to stand-alone EXE	3 sec.	7 sec.		
Size of .EXE	28387	25980		
Execution time w/80287	0.16 sec.	16.5 sec.	21.5 sec.	
Execution time w/o 80287	0.16 sec.	286.3 sec.	292.3 sec.	

The Elkins Optimization Benchmark program from March 1988 issue of Computer Language was used. The Program was run on an IBM PS/2 Model 60 with 80287. The benchmark tests compiler's ability to optimize loop-invariant code, unused code, expression and conditional evaluation.

Circle 30 on Reader Service Card (DEALERS: 31)

^{*}Run on an 8 MHz IBM PC AT.





Turbo Prolog 2.0: Powerful Artificial Intelligence for your real-world applications!



New Turbo Prolog* 2.0 lets you harness powerful AI techniques. And you don't have to be an expert programmer or artificial intelligence genius!

You get an all-new Prolog compiler that's been optimized to produce smaller and more efficient programs than ever before. An improved full-screen, completely customizable editor with easy pull-down menus. All-new documentation, including a tutorial rich with examples and instructions to take you all the way from basic programming to advanced techniques. Even online help!

System Requirements For the IBM PS/2[™] and the IBM® family of personal computers and all 100% compatibles. PC-DOS (MS-DOS) 2.0 or later 3844 PAM

More new features!

- An external database system for developing large databases.
 Supports B+ trees and EMS
- Source code for a fully-featured Prolog interpreter written entirely in Turbo Prolog. Plus step-by-step instructions to adapt it or include it as is in your own applications!
- Support for the Borland Graphics Interface, the same professional-quality graphics in Turbo Pascal, Turbo C, and Quattro
- Improved windowing
- Powerful exception handling and error trapping features
- Full compatibility with Turbo C so the two languages can call each other freely
- Supports multiple internal databases
- · High-resolution video support

Just \$149.95!

60-Day Money-back Guarantee †

For the dealer nearest you Call (800) 543-7543

Turbo Prolog Toolbox is 6 toolboxes in one!

More than 80 tools and 8,000 lines of source code help you build your own Turbo Prolog applications. Includes toolboxes for menus, screen and report layouts, business graphics, communications, file-transfer capabilities, parser generators, and more!

Toolbox requires Turbo Prolog 2.0

Just \$99.95

66 If I had to pick one single recommendation for people who want to try to keep up with the computer revolution. I'd say, 'Get and learn Turbo Prolog.'

—Jerry Pournelle, Byte 1/88

An affordable, fast, and easy-to-use language.

—Darryl Rubin, AI Expert 99




BYTE

SEPTEMBER 1988

VOL. 13/NO. 9

PRODUCTS IN PERSPECTIVE

- 67 What's New
- 89 Short Takes
 TSI-020MX and Radius
 Accelerator 25, two 25-MHz
 Mac SE accelerator boards
 Turbo Prolog 2.0, adding
 a number of features
 SOTA MotherCard 5.0 and
 Microsoft Mach 20, running
 OS/2 on an IBM PC
 Choice Words, Webster's
 dictionary on a hard disk drive
 Tentime, Konan's new hard
 disk drive controller



Cover Story/154

FIRST IMPRESSIONS

Cover Story:

154 IBM and Tandy—
Same Channel, Same Plan
for Growth
by Rich Malloy
and Tom Thompson
IBM's PS/2 Model 70-A21
and Tandy's 5000 MC
provide extra computing
power in an open design.



Face to Face/243

- **REVIEWS**
- 164 Product Focus:
 PostScript Printers
 Come of Age
 by Steve Apiki and Stan Diehl
 New printers that are tops
 in quality and versatility.
- 183 Two for the Road
 by Mark L. Van Name
 The Toshiba T5100
 and GRiDCase 1530 prove
 that portable computers
 have come a long way.
- 195 An 80386 with a Twist by Jeff Holtzman
 The AST Premium/386
 approaches the Compaq
 386/20 in power—
 but not in price.




Between Man and Machine/288

- 203 Fax Board Faire
 by Brock N. Meeks
 A look at the strengths
 and weaknesses of 10
 microcomputer fax cards.
- 213 Ada Comes to the Mac by Namir Clement Shammas Does the Mac make a reasonable development system?
- 219 Software for Hardware-Style Debugging
 by Namir Clement Shammas
 Soft-ICE extends breakpoint capabilities and protects
 against reentrancy.
- 225 Total Word by Lamont Wood Does it offer the total solution for word processing and desktop publishing?
- 231 Data Entry Goes High-Tech by Lamont Wood DataPlex provides data conversion and a "universal front end" for data entry.
- 237 Review Update

IN DEPTH

- 240 Introduction: Display Technology
- 243 Face to Face
 by Gene Smarte
 and Nicholas M. Baran
 A look at the four major
 display technologies—where
 they are now and where
 they're going.



257

Killebrew Jr., Tom Albers, and Karl Guttag A new 32-bit graphics microprocessor from Texas Instruments lets you build a powerful workstation on a small board.

275 Lighting the Way by Rolland Von Stroh and Brian Dolinar Electroluminescence is becoming a heavyweight contender among display technologies.

282 **Monitor Makers** A guide to manufacturers

FEATURES

- Between Man and Machine 288 by Ernest R. Tello New advances in user-interface technology could change the way we interact with our computers.
- 295 The BASIC Revival by Namir Clement Shammas The "beginner's" language has significant new features and a structured approach.

HANDS ON

- 303 Ciarcia's Circuit Cellar: Why Microcontrollers?, Part 2 by Steve Ciarcia The DDT-51 is a low-cost software development system with many features of more expensive systems.
- **Some Assembly Required:** Floating-Point without a Coprocessor by Rick Grehan High-precision floating-point emulation for your personal computer.

Fax Board Faire/203

EXPERT ADVICE

- **Computing at Chaos Manor:** The Edge of the Envelope by Jerry Pournelle Jerry combines his right stuff with the right hardware and the right software.
- **Applications Plus:** A Wolf and a Killer Shark by Ezra Shapiro The wolf is Word 3.01; the killer shark is FullWrite Professional.
- **Down to Business:** Is More Always Better? by Wayne Rash Jr. Too often, companies make installations on the basis of comfort rather than functionality.
- **Macinations:** Comebacks, Backups, and Updates by Don Crabb Some Mac software is born great, some is made great, and some is merely updated.
- OS/2 Notebook: All Together Now by Mark Minasi Under OS/2, your programs don't step all over each other.
- COM1: Computer Conferencing Homecoming by Brock N. Meeks Although computer conferencing is still in its infancy, it's locked into a niche market.

DEPARTMENTS

- Editorial: Mac Clones and OS/2 Trends
- 11 Microbytes
- 24 Letters
- 33 Chaos Manor Mail
- 38 Ask BYTE
- 51 **Book Reviews**
- 359 Coming Up in BYTE

READER SERVICE

- Editorial Index by Company
- 360 Alphabetical Index to Advertisers
- Index to Advertisers by Product 362 Category

Inquiry Reply Cards: after 364

PROGRAM LISTINGS

From BIX: see 286 From BYTEnet: call (617) 861-9764 On disk or in print: see card after 320

BYTE (ISSN 0360-5280) is published monthly with an additional issue in October by McGraw-Hill Inc. Founder: James H. McGraw (1860-1948). Executive, editorial, circulation, and advertising offices: One Phoenix Mill Lane, Peterborough, NH 03458, phone (603) 924-9281. Office hours: Monday through Thursday 8:30 AM-4:30 PM, Friday 8:30 AM-1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions, P.O. Box 7643, Teaneck, NJ 07666-9866. Postmaster: Send address changes, USPS Form Teaneck, NJ 07666-9866. Postmaster: Send address changes, USPS Form 3579, undeliverable copies, and fulfillment questions to BYTE Subscriptions, P.O. Box 7643, Teaneck, NJ 07666-9866. Second-class postage paid at Peterborough, NH 03458 and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Subscriptions are \$22.95 for one year, \$39.95 for two years, and \$55.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$25.95 for one year, \$45.95 for two years, \$64.95 for three years. \$75 for one-year air delivery to Japan, Y14,400 for one-year surface delivery to Japan, Y14,400 for one-year surface delivery to Japan, Y14,400 for one-year surface. Y.28,800 for one-year air delivery to Japan, Y14,400 for one-year surface delivery to Japan, \$40 surface delivery to Selsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the U.S. and its possessions, \$3.95 in Canada, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America.

on the United States of America.

Address editorial correspondence to: Editor, BYTE, One Phoenix Mill Lane, Peterbrough, NH 03458. Unacceptable manuscripts will be returned if accompanied by sufficient postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Copyright © 1988 by McGraw-Hill Inc. All rights reserved. Trademark registered in the United States Patent and Trademark Office. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/83, \$1.50. Copying done for other than personal or internal reference use without the permission or bulk orders should be addressed to the publisher. BYTE is available in microfrom from University Microfilins International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WCIR 4EJ, England.

Subscription questions or problems should be addressed to:



Subscription questions or problems should be addressed to: BYTE Subscriber Service, P.O. Box 7643, Teaneck, NJ 07666-9866

EDITOR IN CHIEF Frederic S. Langa

Glenn Hartwig Associate Managing Editor

REVIEWS (Hardware, Software, Product Focus)

REVIEWS (Hardware, Software, Product record Cathryn Baskin Associate Managing Editor, Dennis Allen Senior Technical Editor, Software, Curtis Franklin Jr. Senior Testing Editor, BYTE Lab, Stephen Apiki Testing Editor, BYTE Lab, Stanford Diehl Testing Editor, BYTE Lab

NEWS AND TECHNOLOGY (Microbytes, What's New, Short Takes) Rich Malloy Associate Managing Editor, D. Barker Senior Editor, News and Technology, Anne Fischer Lent Senior Editor, New Products

Peterborough: Roger Adams Associate News Editor, David Andrews Associate News Editor, Martha Hicks Associate News Editor

West Coast: Gene Smarte Bureau Chief, Costa Mesa, Nicholas Baran Technical Editor, San Francisco, Frank Hayes, Associate News Editor, Jeffrey Bertolucci Editorial Assistant, San Francisco

SENIOR TECHNICAL EDITORS Ken Sheldon Features, Jane Morrill Tazelaar In Depth, Richard Grehan At Large, Tom Thompson At Large

Janet J. Barron, Janet Fiderio, Jon Udell, Stanley Wszola

ASSOCIATE TECHNICAL EDITOR Robert Mitchell

CONSULTING EDITORS

Steve Ciarcia, Jerry Pournelle, Ezra Shapiro, Don Crabb, Brock N. Meeks, Mark Minasi, Wayne Rash Jr.

CONTRIBUTING EDITORS

Jonathan Amsterdam Programming Projects, Mark Dahmke Video, Operating Systems, Mark Haas At Large, Rik Jadrnicek CAD, Graphics, Spreadsheets, Robert T. Kurosaka Mathematical Recreations, Alastair J. W. Mayer Kurosaka Mathematical Hecreations, Alastair J. W. Maye Software, Stan Miastkowski New Technology, Alan R. Miller Languages and Engineering, Dick Pountain Algorithms, Roger Powell Computers and Music, Phillip Robinson Semiconductors, Jon Shiell High-Performance Systems, Ernest Tello Artificial Intelligence

COPY EDITORS

Cory Editors Lauren Stickler Chief, Susan Colwell, Judy Connors-Tenney, Jeff Edmonds, Nancy Hayes, Cathy Kingery, Margaret A. Richard, Warren Williamson

EDITORIAL ASSISTANTS
Peggy Dunham Office Manager, Linda C. Ryan, June N. Sheldon, Lynn Susan Valley

Nancy Rice Director, Joseph A. Gallagher Assistant Director, Jan Muller Assistant, Alan Easton Technical Artist

PRODUCTION

David R. Anderson Director, Virginia Reardon Senior Editorial Production Coordinator, Denise Chartrand Editorial Production Coordinator, Michael J. Lonsky Editorial Production Coordinator

TYPOGRAPHY Sherry Fiske Systems Manager, Donna Sweeney Applications Manager, Christa Patterson

ADVERTISING/PRODUCTION (603) 924-6448

Lisa Wozmak Director, Lyda Clark Senior Account Coordinator, Karen Cilley, Linda Fluhr, Jeanne Gatcombe, Brian Higgins, Rod Holden, Wai Chiu Li Quality Control Manager, Julie Murphree Advertising/Production Coordinator

MARKETING COMMUNICATIONS

MARKETING COMMUNICATIONS
HOrace T. Howland Director, Pamela Petrakos-Wilson
Promotion Manager, Wilbur S. Watson Marketing Services
Manager, Dawn Matthews Marketing Events Coordinator,
Lisa Jo Steiner Marketing Assistant, Stephanie Warnesky
Marketing Art Director, Sharon Price Associate Art Director, Julie Perron Market Research Analyst

PLANNING AND RESEARCH Michele Perron Director

Faith Kluntz Copyrights Coordinator, Cynthia Damato Sands Reader Service Coordinator

FINANCIAL SERVICES

Philip L. Penny Director of Finance and Services, Kenneth A. King Business Manager, Christine Monkton Assistant, Marilyn Haigh, Diane Henry, JoAnn Walter, Jaime Huber

Dan McLaughlin Director
James Bingham Newsstand Sales Manager, Vicki Weston Assistant Manager, Karen Desroches Distribution
Coordinator, Donna Healy, Direct Accounts Coordinator, Louise Menegus Back Issues

Patricia Burke Personnel Coordinator, Beverly Goss

BUILDING SERVICES

Tony Bennett Manager, Cliff Monkton, Mark Monkton, Agnes Perry

BYTE INFORMATION EXCHANGE

DIRECTOR Stephen M. Laliberte

EXECUTIVE EDITOR George Bond

ASSOCIATE EDITOR Tony Lockwood

MICROBYTES DAILY

D. Barker Coordinator, Peterborough, Rich Malloy New York, Gene Smarte Costa Mesa, Nicholas Baran San rork, Gene Smarte Costa Messa, Nicnoias Baran San Francisco, Pilck Cook Phoenix, Frank Hayes San Francisco, Jason Levitt Austin, TX, Larry Loeb Wallingford, CT, Brock N. Meeks La Mesa, CA, Stan Miastkowski Peterborough, Wayne Rash Jr., Sue Rosenberg Washington, DC, David Reed Lexington, KY

GROUP MODERATORS

David Allen Applications, Frank Boosman Artificial Intelligence, Leroy Casterline Other, Marc Greenfield Intelligence, Long Castelmine Orler, Maic Greenment Programming Languages, Jim Howard Graphics, Gary Kendall Operating Systems, Steve Krenek Computers, Brock N. Meeks Telecommunications, Barry Nance New Technology, Donald Osgood Computers, Sue Rosenberg Other, Jon Swanson Chips

Doug Webster Director (603) 924-9027, Patricia Bausum Secretary, Denise A. Greene Customer Service, Brian Warnock Customer Service, Tammy Burgess Customer Credit and Billing

Technology, Clayton Lisle Director, Business Systems Technology, MHIS, Bill Garrison Senior Business Systems Analyst, Jack Reilly Senior Business Systems Analyst, Bob Dorobis Business Systems Analyst, Fred Strauss Senior Business Systems Analyst

PUBLISHER/GROUP VICE PRESIDENT J. Burt Totaro

ADVERTISING SALES

Dennis J. Riley Director, (603) 924-9281 Sandra Foster Administrative Assistant

NEW ENGLAND ME, NH, VT, MA, RI, ONTARIO, CANADA & EASTERN CANADA John C. Moon (617) 262-1160

ATLANTIC NY, NYC, CT, NJ (NORTH) Leah G. Rabinowitz (212) 512-2096 (203) 968-7111

PA, KY, NJ (SOUTH), MD, VA, W.VA, DE, DC (215) 496-3833

SOUTHEAST NC, SC, GA, FL, AL, TN (404) 252-0626

Jennifer L. Bartel West Coast Sales Manager, (214) 644-1111

IL, MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, MS, OH Bob Denmead (312) 751-3740

SOUTHWEST, ROCKY MOUNTAIN CO, WY, OK, TX, AR, LA Karl Heinrich (713) 462-0757

SOUTH PACIFIC SOUTHERN CA, AZ, NM, LAS VEGAS Jack Anderson (714) 557-6292 Tom Harvey (213) 480-5243

NORTH PACIFIC NORTH PAULIC HI, WA, OR, ID, MT, NORTHERN CA, NV (except LAS VEGAS), UT, WESTERN CANADA Mike Kisseberth (415) 362-4600 Bill McAfee (415) 349-4100

TELEMARKETING L. Bradley Browne Director Susan Boyd Administrative Assistant

BYTE BITS (2x3)
Dan Harper (603) 924-6830

THE BUYER'S MART (1x2) Mark Stone (603) 924-3754

REGIONAL ADVERTISING SECTIONS MID-ATLANTIC, METRO NY & NEW ENGLAND, SOUTHERN CALIFORNIA Elisa Lister (603) 924-6830

MIDWEST, PACIFIC NORTHWEST. METRO NY & NEW ENGLAND Scott Gagnon (603) 924-6830

SOUTHEAST, SOUTHWEST Denise Vernier (603) 924-9281

BYTE DECK MAILINGS National Ed Ware (603) 924-6166

A/E/C COMPUTING DECK COMPUTING FOR ENGINEERS DECK Mary Ann Goulding (603) 924-9281

INTERNATIONAL ADVERTISING SALES STAFF See listing on page 361.

EDITORIAL AND BUSINESS OFFICE:

One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.

West Coast Branch Offices: 425 Battery St., San Francisco, CA 94111, (415) 954-9718; 3001 Red Hill Ave., Building #1, Suite 222, Costa Mesa, CA 92626, (714) 557-6292.

New York Branch Editorial Office: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.

BYTEnet: (617) 861-9764 (set modem at 8-1-N or 7-1-E; 300 or 1200 baud). Fax: (603) 924-7507. Telex: (603) 924-7861. SUBSCRIPTION CUSTOMER SERVICE: Non-U.S. (201) 837-1315; inside U.S. (outside NJ) 1-800-423-8272; (inside NJ) 1-800-367-0218.

Officers of McGraw-Hill Information Services Company: President: Walter D. Serwatka. Executive Vice Presidents: Kenneth E. Gazzola, Aerospace and Defense; Ira Herenstein, Computers and Communications; Russell C. While, Construction; Robert P. McGraw, Healthcare; Brian H. Hall, Legal. Senior Vice Presidents-Publishers: Laurence Altman, Data Communications; David J. McGrath, Engineering News-Record. Senior Vice Presidents: Bobert D. Daleo, Finance; Michael J. Koeller, Human Resources. Group Vice Presidents: J. Burt Totaro, BYTE; Norbert Schumacher, Energy/Process Industries. Vice Presidents: George Elsinger, Circulation; Julia Lenard, Systems Planning and Technology.

Officers of McGraw-Hill Inc.: Joseph L. Dionne, Chairman and Chief Executive Officer; Robert N. Landes, Executive Vice President, General Counsel, and Secretary; Robert J. Bahash, Executive Vice President and Chief Financial Officer; Shel F. Asan, Senior Vice President, Manufacturing; Frank D. Penglase, Senior Vice President, Treasury Operations; Ralph R. Schulz, Senior Vice President, Editorial.

BYTE and BYTE are registered trademarks of McGraw-Hill Inc.

sm4RTUORK® Keeps Getting Smarter

Smarter Artwork

Three years ago, Wintek engineers created smARTWORK to reduce the time and tedium of laying out their own printed-circuit boards. Thousands of engineers have since discovered the ease of use and sophistication that makes smARTWORK the most popular PCB CAD software available. And thanks to them, smARTWORK keeps getting better.



smARTWORK transforms vour IBM PC into a PCB CAD system


Interactive routing, continual design-rule checking, pad shaving, and production-quality 2X artwork have always been a part of smARTWORK. And now that many customer suggestions have become a part of the software, smARTWORK is an even better

value. That's why we offer it with a thirtyday money-back no-nonsense guarantee.

Using an Epson or IBM dot-matrix printer, you can create 2X artwork and 1X or 2X checkplots in a fraction of the time hand-taping requires

New smARTWORK Features

- ☐ Silkscreen layer for component placement and identification
- ☐ Text capabilities for all three layers
- □ Selectable trace widths and pad shapes and sizes
- ☐ User-definable library
- ☐ Ground planes created with a single command
- □ Solder-mask and padmaster plots generated automatically
- ☐ Quick printer 2X checkplots
- ☐ Additional drivers for printers and plotters
 - ☐ Optional drill-tape and Gerber photoplotter utilities
 - ☐ AutoCAD® .DXF file output
 - ☐ Completely updated manual
 - □ 800 number for free technical assistance



2" by 4" section of a 10" by 16" doublesided board with silkscreen layer

Current Versions

HIWIRE V1.1r1 smARTWORK



Camera-ready 2X artwork from an HI or HP pen plotter

The Smart Buy. Guaranteed.

Still priced at \$895, smARTWORK is proven, convenient, and fast. Our money-back guarantee lets vou try smARTWORK for 30 days at absolutely no risk. Call toll free (800) 742-6809 today and put smARTWORK to work for you tomorrow. That's smart work.

System Requirements

- ☐ IBM PC, PC XT, or PC AT with 384K RAM, and DOS V2.0 or later
- ☐ IBM Color/Graphics Adapter with RGB color or B&W monitor
- ☐ IBM Graphics Printer or Epson FX/MX/RX-series printer, and/or
- ☐ Houston Instrument DMP-40, 41, 42, 51, 52, or Hewlett-Packard 7470, 7475, 7550, 7580, 7585, 7586 pen plotter
- □ Optional Microsoft Mouse

Wintek Corporation 1801 South St. Lafayette, IN 47904 Telephone: (800) 742-6809 In Indiana: (317) 742-8428 Telex: 70-9079 WINTEK CORP UD



MAC CLONES AND OS/2 TRENDS

The "Happy Joiner" Mac is up and running; and some early OS/2 users voice surprising opinions

t this year's Hannover Faire in Europe (the world's largest computer show), we got a sneak peek at a Taiwanese Macintosh clone. This summer, at Taiwan's Computex show, the clone was openly displayed, and it attracted

The clone is not for sale—yet. In fact, the prototype Mac knockoff was built primarily as a demonstration device for Mac-compatible gate-array chip setschips built in the U.S. by an unnamed

The story gets murky here. According to the generally reliable AsiaTrends newsletter, the company displaying the clone-its name translates as Happy Joiner Co., Ltd.—did as its name implies by acting as an intermediary between an offshore chip-design house and the U.S. manufacturer.

"Our gate array doesn't violate any existing copyrights," said a company spokesperson. "In fact, there is no copyright on gate arrays."

By themselves, the chips are at most only the foundation of a complete Mac clone; for example, you'd still need a legal ROM (a major stumbling block, considering Apple's recent litigiousness). AsiaTrends quotes the spokesperson as saying, "We met many people at the show who were very interested, including major Australian and Taiwanese software houses. The people we talked to

said they were very interested in writing a functionally compatible legal [ROM] BIOS.'

Although the gate arrays are made in the U.S., Happy Joiner has no plans to sell them here. Instead, it plans to work with clone makers in Hong Kong, South Korea, and Singapore to produce finished machines that would be sold in North America and elsewhere.

While I am sympathetic to Apple's desire to maintain control of its market, I'd also welcome a legitimate, inexpensive Macintosh-one that would do for the Apple side of the market what the lowcost IBM PC clones did for Intel-family machines: expand the user base, and spur vigorous growth in third-party hardware and software development.

The best kind of low-cost Mac would be one with an authentic Apple logo on it. Apple surely could produce such a machine: I've seen estimates that place Apple's manufacturing costs for a hard disk drive-equipped Mac SE as low as about \$500. (The list price for such a machine is about \$3600.) Yes, Apple has a healthy R&D budget, and both Apple and its dealers deserve fair profits, but surely these prices could come down some.

If it chose to, Apple could employ the strategy once used successfully by General Motors in offering a family of products ranging from Chevys to Cadillacsfrom some kind of a true entry-level, lowball Mac up to Mac IIs, and beyond.

If Mac prices stay high, we may see a strange new kind of machine: a Mac-like box with American chips, an Australian ROM, a Hong Kong motherboard, and a brand name that's something like Happy Joiner.

OS/2 Trends

Datapro, one of BYTE's computer-oriented siblings within McGraw-Hill, recently completed a survey of early purchasers of the OS/2 Software Developer's Kit (SDK). The survey results make for fascinating reading.

The survey culled out software developers and hardware companies in order to target the heavy-hitting end usersnondevelopers who were interested enough in OS/2 to shell out the \$3000 for the SDK.


One surprise was the glacial pace these earliest adopters predicted OS/2 would take in becoming the operating system of choice for Intel-based machines. Many believe it will be well into 1989 or even 1990 before significant OS/2 applications are available: Unlike some industry gurus, these end users don't believe there will be an end-of-theyear blitz of OS/2 software this year.

A full third of the respondents see Unix as a serious alternative to OS/2. But Unix has its own perception problems. One participant said, "If Unix gets onto a commodity hardware platform so the end user can go down to the corner store or mail-order house and get [Unix] software, then Unix may make it in the enduser environment....But if that doesn't happen, then OS/2 is going to wipe it

OS/2's major strengths were seen to be its screen-handling ability (assuming Presentation Manager lives up to its claims) and-strangely-its DOS compatibility. Vaunted features like Dynamic Data Exchange and the LAN Manager were cited far less frequently. The respondents saw OS/2's major weaknesses as stemming not so much from OS/2 itself, but from its timing: Lack of applications and delays in release were the two most-cited negatives.

All in all, the report is an eye-opening glimpse into the real world of OS/2 users. (Individual copies of "An Inside View of OS/2" at \$695 can be ordered through Datapro, 1805 Underwood Blvd., Delran, NJ 08075.)

> -Fred Langa Editor in Chief (BIX name "flanga")



Never before has this level of Reliability and Durability been available in floppy disks. Introducing the new RD Series from Maxell. Twice the durability of the disks you're now using. Twice the resistance to dust and dirt. And the RD Series is ten times more reliable than conventional floppy disks. The Gold Standard has always meant maximum safety for your data. Now it means even more.



"The ALR 20MHz FlexCache 20386 proves that you don't have to be based in Texas to build the world's fastest PCs.

"The ALR FlexCache 20386 will make a name for itself as a heavy-duty file server. ...the FlexCache is destined for success."

March 29,

1988



excerpts from Editors Choice MAGAZINE June 28, 1988

The ALR FlexCache 20386 Model 150 achieved a rating of 19.7 in Byte Lab. "Tops in price and performance'

Byte June, 1988

" The performance they achieve sets a new standard for PCs."

" Well, for once the answer isn't to run right out and get your hands on a Compag Deskpro 386/20.™ Rather, it's to get your hands on an ALR FlexCache 20386."

"ALR has come out of

nowhere over the last two years to

- Jim Seymour January 12, 1988

earn a spot in the sun among important PC-compatible makers."

> First Looks March 15, 1988



Doheny State Be

400%

annual growth since 1984

" ... the FlexCache 20386 yields the highest number of MIPS (million instructions per second) per dollar."







In July of '86 Advanced Logic Research was the world's first manufacturer to release an 80386 based PC, adding to a long list of California firsts.

Today at ALR, we manufacture the world's fastest PCs. Industry peers have recognized the FlexCache 386 series as the ultimate NOVELL

tool for the most demanding business applications in network, multi-user and







Redefining PC Speed

Although we can't go any further west, ALR is claiming new frontiers in PC performance and processing speeds. Now, fast is even faster. The ALR FlexCache 25386 breaks every current speed record. Our proprietary 64Kbyte Extended Emulation 82385 ™is the key to 25386 Cache speed.

	FlexCache	FlexCache	70 386	FlexCache	70 386
Models	20386DT-R66	20386-150	8570-121	25386-150	8570-A21
Microprocessor	80386 20MHz 32KB, 82385 Memory Cache (35ns)	80386 20MHz 32KB, 82385 Memory Cache (35ns)	80386 20MHz 0-2 wait-	80386 25MHz 64KB Extended Emulation 82385 Memory Cache (25ns)	80386 25MHz 64KB Memory Cache (30ns)
Bench Mark Data Base Power Meter Ver. 1.2	4.71 Mips	4.71 Mips	3.53 Mips	6.09 Mips	5.74 Mips
Optional Math CoProcessor	80387 20MHz	80387 20MHz	80387 20MHz	80387 25MHz	80387 25MHz
Memory (RAM)	11 4D (00)	2MB (80ns)	2MB (85ns)	2MB (60ns)	2MB (80ns)
TVICITIOTY (RAIVI)	1MB (80ns)	2110 (00113)	2110 (00113)	21410 (00113)	21410 (00112)
Storage 1.2MB, 5 1/4" FD 1.44MB, 3 1/2" FD Fixed Disk std. Opt. Internal Full	1 Optional (\$225.00) 66MB (28ms)	1 Optional (\$225.00) 150MB (18ms)	Not Available 1 120MB (23ms)	1 Optional (\$225.00) 150MB (18ms)	Not Available 1 120MB (23ms)
Storage 1.2MB, 5 1/4* FD 1.44MB, 3 1/2* FD Fixed Disk Std.	1 Optional (\$225.00)	1 Optional (\$225.00)	Not Available	1 Optional (\$225.00)	

Now that things are get'n kind'a slow in Texas...

...go West young man. Call ALR for the world's fastest PCs, under the California Sun.

1-800-444-4ALR



Advanced Logic Research, Inc. 9401 Jeronimo, Irvine, CA 92718 Phone: 714-581-6770 FAX: 714-581-9240 Telex: 510-601-4525

Answer back Advanced Logic Circle 9 on Reader Service Card

(DEALERS: 10)



PC performance is redefined.

MPUTERS FROM IOWA

caleway 2000 is centrally located in order to efficiently serve the entire country. We are honest, hard working, well educated people, committed to succeeding and growing in the highly competitive micro-computer market.

Gateway 2000 is a full-service and support organization that realizes the key to our success lies in a satisfied customer base.

One look at the configuration we have listed below and you will see that we have high quality equipment at an incredible price. We have many different configurations available, so call one of our knowledgeable sales people, if you have any questions.

We look forward to doing busines establishing a long term business re th you, and onship.



16 Mhz 286 EGA SYSTEM

80286-16 Processor 1 Meg 80NS Ram 1.2 Meg Floppy 1.44 Meg Diskette Drive 40 Meg Seagate ST251 Samsung EĞA Monitor w/Card 2-Parallel/2-Serial Ports 101 Key Enhanced Keyboard DOS 3.3 w/GWBasic 1 Year Warranty 30 Day Money Back Guarantee



20 Mhz 386 VGA SYSTEM

80386 Processor Running at 20MHZ

VS Ram (Expandable to 8 Megs)

44 Meg Diskette Dr

80 Meg Seagate ST4096 (28MS) WD 1006 Controller (1 to 1 Interleave) Samsung Multisynch Monitor w/VGA Board

VGA/EGA/CGA/MDA/Hercules and 800x600 Modes

2-Parallel/2-Serial Ports

101 Key Enhanced Keyboard Tower Case w/275 Watt Power Supply 80287 and 80387 Sockets

DOS 3.3 w/GWBasic

1 Year Warranty 30 Day Money Back Guarantee



Gateway 2000 • P.O. Box 2414 • Sioux City, IA 51107
800-233-8472/712-255-7899

Due to the volatility in the DRAM market, all prices are subject to change.

MICROBYTES

Staff-written highlights of developments in technology and the microcomputer industry

Study of Coordination Leads to New Groupware

oordination is one of those things that you don't notice until it's not there. But Anatol Holt has noticed it; in fact, he's developed a new technology around it. Holt, who has worked at places such as Remington Rand and Boston University, developed a science called coordination mechanics. And next year, Holt's company, Coordination Technology, Inc. (Trumbull, CT), will release a computer implementation of coordination mechanics. The company claims that the new product will help groups of people on networked personal computers work together more effectively. And many routine tasks that have steadfastly resisted being computerized will soon be more efficiently done on a PC, CTI officials say.

The CTI product works

by assigning each person to a number of groups. Each person then interacts with the other people in the group according to pairs of coordination patterns. For example, one person might be a requester, the other a responder. Other possible pairs are submitter/ approver and provider/ consumer. Any personal relationship can be represented by combining coordinationpattern pairs.

Once the relationships have been established, the program can guide and monitor the electronic mail communication between the members of the group. If you request a piece of information from someone else, the product will continue to remind that person to provide the information and will remind you that it has not been provided. Or if you submit an E-mail proposal to your

boss, and your boss in turn submits it to his or her boss, the CTI product will keep you up to date on the status of the proposal.

The product, which does not yet have a name or a price, will not be available until August of next year, a CTI spokesperson said. It will run under IBM's OS/2 Extended Edition or Microsoft's OS/2 and LAN Manager. According to CTI, the product will function as an environment and will be compatible with application software such as Lotus 1-2-3. A prototype version of CTI's program currently runs under DOS, but the company says it wants to wait until OS/2's Presentation Manager is available. CTI also says that OS/2's memory management techniques will considerably speed up the product, which currently is somewhat slow.

NANOBYTES

- We'd like to see more of this modesty in our industry. At a Sony Microsystems (Palo Alto, CA) press conference announcing a twin-68030 Unix-running workstation, company president Mas Morimoto said it would be inappropriate for Sony to take sides in the current AT&T/Open Software Foundation fight over control of Unix standardization. "In this market, Sony cannot create a standard-we follow the standard. Sony is not that big an influence," he said.
- At the same press conference, Murray Goldman of Motorola confirmed that Motorola will be producing a 68040 processor, but he refused to comment on a time frame or specific features of the chip.
- Matsushita (Secaucus, NJ) says it has developed a digital optical disk recording system that can put 2.6 gigabytes of information on each side of a 12-inch write-once optical platter. The system has a read and write speed of 18 megabits per second, a spokesperson said. In an audiovisual application, for example, all that storage space could hold 500 still pictures and an hour of stereo sound, according to Matsushita specs.
- MicroPro International (San Rafael, CA) plans to ship its Word-Star for the Macintosh this month. The \$495 Mac WordStar is a completely new product

continued

Ansa Develops Cooperative Processing Model with Paradox

ne of the promising features of local-area networks (LANs) is the possibility of cooperative processing, with CPUs on the network sharing the processing tasks and "balancing the load" on the system. This is particularly useful in networked database applications that require compute-intensive tasks such as sorts, queries, and preparation of reports. Ideally, if a single workstation on the network is overloaded with tasks, it should be able to send some of its tasks to nodes that are less utilized.

Borland's Ansa Software division (Belmont, CA) has written an application in the Paradox PAL programming language, running under OS/2, that allows cooperative processing in Paradox. In a demonstration for BYTE, Paradox OS/2 was running on a beta version of 3Com's 3+ network. The PAL application controlling the cooperative processing uses a standard Paradox table that tracks the sessions running on each workstation of the network. As more sessions are activated (another report or sort operation, for example), the PAL application uses an algorithm to decide which workstation should execute the session, depending on current workloads. The PAL application is

made possible by the new SESSION command in the OS/2 version of Paradox, which performs the function of the OS/2 task selector in PAL scripts.

The cooperative processing application represents an "architectural concept" that software developers can use in their Paradox applications, said Borland's Richard Schwartz. Borland will make the application available to Paradox developers, he said. The application is a good example of the potential of multitasking capabilities combined with LANs for increasing the efficiency of CPUs on the system.

continued

NANOBYTES

rather than a port from the MS-DOS version. President Leon Williams said the program will provide virtually every feature of WordStar Professional, WordStar 2000, and Microsoft Word, and much of what's in Aldus's PageMaker. Among the advanced features are ability to wrap text around graphics, text rotation, text routing, and grammar-checking. All the new WordStars are pushing hard into the low end of the desktop publishing market and will help push high-end desktop publishing "back into the art department," said product manager Dave Cannon. Versions for Unix and OS/2 are in the works, he said.

- Toshiba (Irvine, CA) is offering a new display and a new storage device for its T1200 laptop computer. For \$475, you can get a backlit supertwist display swapped in. For \$1200, you can have one of the T1200's two 31/2inch floppy disk drives replaced with a 20-megabyte hard disk drive.
- NCR Microelectronics (Dayton, OH) has a new SCSI host adapter chip that can interface the IBM PC series, PS/2 Model 30, and compatibles to any small-computer-system-interface (SCSI) peripheral. NCR claims that the chip has a higher level of integration and greater versatility than its competitors. Product marketing engineer Prasan Pai declined comment regarding which companies would be the first to use the new chip. The CMOS 53C400 uses two rotating 128-byte buffers and a Move Block instruction to pro-

Chip Set Will Yield 80-MFLOPS PC Cards, Company Says

ow about an 80-million-floating-pointoperations-per-second (MFLOPS) coprocessor card for about \$3000? Sound too good to be true? Interstate Electronics (Anaheim, CA) says it will introduce a wavefront array processor chip set by the end of next year that will pack performance of 80 MFLOPS onto a PCsize card. Cost of the cards will probably be around \$3000 each, and the company claims that you'll be able to hook four of them together to produce 320 MFLOPS of computing power for less than \$20,000.

Those will be rather specialized MFLOPS. A wavefront array processor is designed to work on problems best solved by highly parallel methods. This means applications such as CAD, imaging, engineering and scientific simulation, computational fluid dynamics, and signal processing—the classes of problems often worked on by supercomputers.

The Interstate chip set will be based on the QUEN architecture, developed at Johns Hopkins University. OUEN uses an array of processors, with each pair of ad-

jacent processors sharing a dual-port memory. Information is passed via the memories, and the memory units also handle memory-address generation and control data flow. The design produces a fast parallel processing system with minimum computational overhead.

The first OUEN-based processors are being built using Analog Devices' 32bit digital signal processing (DSP) chip sets. Like many DSP chips, the Analog Devices sets are limited to fixed-point arithmetic, but like DSP chips in general, they are extremely fast.

Falling Prices, Changing Techniques Could Put GaAs in Your Next Personal Computer

allium arsenide (GaAs) chips have been considered an exotic but expensive technology. Microprocessor experts have agreed that until costs come down and yields go up, the chips will not find their way into personal computers. Costs have been coming down slightly, and several chip makers now say they're able to raise reliable output.

"Most of the groups working on it wanted to build the fastest devices they could," said David MacMillan, one of the founders of Gazelle Microcircuits (Santa Clara, CA). "They tended to have low yields, and since the fabrication plants were not heavily utilized, costs were high. GaAs chips were also historically difficult to use; they required multiple power supplies, had nonstandard logic switching levels, and required unique ceramic circuit boards to handle the microwave switching levels," he said. "We wanted to take GaAs's high speed and make it available."

Gazelle is one of the chip designers trying to solve

some of the problems and lower the costs of putting GaAs in personal computers. The company recently announced its GA22V10, a GaAs version of the 22V10 programmable logic device. The 22V10 isn't a household name with most computer users, but according to Mac-Millan it's commonly used in memory caching systems for high-performance systems based on the 80386, 68020, and newer reducedinstruction-set-computer (RISC) chips. The PLD is used for custom logic that interfaces the fast processor to slower dynamic RAM and a fast RAM cache.

The GA22V10 uses standard TTL logic levels for all inputs and outputs and runs from a 5-volt power supply. But inside, the gates are all GaAs. As a result, the propagation delay is 10 nanoseconds or less; that means the GA22V10 can run at speeds of 90 MHz or faster. The fastest silicon 22V10 runs at a top speed of around 50 MHz.

MacMillan explained that because Gazelle engineers chose a high-volume standard part for its first chip, they were able to design it conservatively. "We traded off a little speed for reliability," he said. The result is that Gazelle is already getting good chip yields, MacMillan claimed. The company uses outside foundries to manufacture the chips.

The GA22V10 is more than three times as expensive (\$55 each in 100 quantities) as silicon chips with about half the performance (around \$16 in 100 quantities), which makes it too expensive for most PC-type applications. The advantages of GaAs-high speed and steady performance across a wide range of temperatures and voltagesmake such chips worth the price for some designers. But MacMillan said that with improving yields and volume, within 3 or 4 years GaAs chips should fall to around \$10. The company will be introducing several products by the end of this year-more PLDs, as well as "other standard parts," MacMillan said.

continued

continued



The Block -- Natural Selection For Software Protection



Inventor and entrepreneur Dick Erett explains how "The Activator" provides sane protection for your intellectual property.

In any industry, just as in nature, the process of natural selection raises one solution above another. Natural selection is the most elegant of engineers.

In the area of software protection The Block has been selected by the market-place as the solution that works. Over 500,000 packages are protected by our device.

For the past 4 years our philosophy has been; 'You have the right and obligation to protect your intellectual property.'

A New Ethic For Software Protection

In allowing end-users unlimited copies of a software package and uninhibited hard disk and LAN operation, The Block has created a new ethic for software protection.



By removing protection from the magnetic media we remove the constraints that have plagued legitimate users.

They simply attach our key to the parallel port and forget it. It is totally transparent, but the software will not run without it.

A New Technology For Software Protection

Our newest model, The Activator, builds on our current patented design, and establishes an unprecedented class of software protection.

We have migrated and enhanced the circuitry of The Block to an ASIC (Application-Specific Integrated Circuit) imbedded in The Activator.

This greatly improves speed and performance, while reducing overall size. Data protection can also be provided.

Programmable Option

The Activator allows the software **developer** the option to program serial numbers, versions, or other pertinent data known only to the developer, into the circuit, and access it from the program.

Once you program your part of the chip, even we have no way to access your information.

The ASIC makes emulation of the device

virtually impossible. It also presents an astronomical number of access combinations.

Full 100% Disclosure

Since The Activator is protected by our patent we <u>fully disclose</u> how it works. Once you understand it, endless methods of protection become evident.

Just as no two snowflakes are the same, no two implementations of The Activator are identical. And like the snowflake the simplicity of The Activator is its greatest beauty.



We never cramp your programming style or ingenuity. Make it as simple or complicated as you desire.

Let us help safeguard what's rightfully yours. Please call today for additional information or a demo unit. *It's only natural to protect your software.*"


1-800-333-0407 In Connecticut 203-329-8870 Fax 203-329-7428



870 High Ridge Road Stamford, CT 06905

Unlimited Copies • Programmable • Small Size • Fast • Patented • Data Protection

Introducing Mic for OS/2



The people who co-developed the industry's most powerful personal computer operating system are now proud to announce programming languages to match.

Introducing Microsoft® Macro Assembler 5.1, C 5.1, Pascal 4.0, FORTRAN 4.1 and

BASIC Compiler 6.0.

Five industrial-strength, stand-alone languages that combine the implementation flexibility you've enjoyed under MS-DOS® (which, of course, they still support) with the advanced capabilities you've anticipated from OS/2.

Capabilities such as the ability to develop


large, sophisticated applications which go beyond the 640K barrier, taking advantage of up to 16MB of RAM, and utilizing the potential of today's microprocessors.

Just like their MS-DOS predecessors, these five new languages are equipped with powerful, professional features you work with, not around:

Support of direct calls to the operating system, and inter-language calling for mixing multiple languages on the same project.

Access to OS/2 system calls and a full complement of utilities, including an incredibly fast incremental linker and the

rosoft Languages systems.



first protected mode programmer's editor that works equally well in real mode.

Microsoft CodeView, our popular, advanced debugger that lets you untangle program logic at the source code level, no matter what code you're using.

(It even lets you debug protected mode programs up to 128MB of virtual memory, and larger programs than ever before in real mode.)

As the perfect complement to our new languages, we're also offering the Microsoft OS/2 Programmer's Toolkit.

It contains a parameter-by-parameter

breakdown of all OS/2 system calls and samples to get you started.

All the tools you need for turning out larger, more powerful, more complex OS/2 applications.

(And, incidentally, all the tools we rely on for creating our own commercial software.)

For the name of your nearest Microsoft professional languages dealer, simply call 800-541-1261, Dept. B96.

Ask him for some more information on our OS/2 family.

He'll show you some languages you can really swear by.

NANOBYTES

vide data burst rates of up to 1 megabyte per second, NCR says. Control over data burst rates permits matching speeds between a host bus and a SCSI peripheral.

- Researchers at Stanford University (with support from the U.S. Air Force) have developed a device called a "nanoindenter" for testing the strength and frictional resistance of thin films with thicknesses of less than 1 micron. The results from submicron materials testing can help engineers determine the wear resistance and corrosion characteristics of ICs and other applications using thin films.
- National Instruments (Austin, TX), which makes a variety of IEEE-488 test and analysis devices, is now running seminars on data acquisition and analysis using personal computers, like IBM PCs and Mac IIs. Besides how to choose and use a data acquisition system, the lessons will include training sessions on hooking up sensors; capturing and graphing points; and formatting, filtering, compressing, and displaying waveforms. The seminars run until November in locations throughout the U.S. For more information, phone (800) 531-4742; in Texas, dial (800) 433-3488.
- For everyone who's waiting for a new desktop presentation program for the Macintosh, Software Publishing Corp. (Mountain View, CA) plans to release one next year sometime. The company is developing the program in conjunction with Three D Graphics (Pacific Palisades, CA),

continued

Currently, the company can put about 10,000 gates on a chip, and the number of gates per chip is roughly doubling every year, he said.

MacMillan would not comment on the prospect of GaAs CPUs except to say that

in 2 to 3 years, the number of gates on a chip will be high enough to support such a processor.

Engineers at chip giant Texas Instruments have fashioned ICs containing GaAs and silicon transistors, combining the former's high speed with the latter's high density and low power use. With an innovator like TI behind such a project, desktop PCs powered by GaAs are likely within the next couple years.

DRI Hopes to Out-DOS MS-DOS with DR DOS

igital Research, Inc. (Monterey, CA), is hoping a new operating system will help it regain some of the ground it lost to Microsoft. DRI says its MS-DOS workalike, called DR DOS, is a better operating system than Microsoft's. The new operating system is ROMable, offers 512-megabyte disk partitions and password protection, and costs up to 50 percent less than its competition. But though DRI says DR DOS can run all MS-DOS software, the system's commands aren't exactly the same—and, at least initially, it will be sold only to OEMs.

The new operating system wasn't his company's idea, according to DRI's Michael Malloy. OEM customers asked for an "entrypoint" operating system that would ease the migration to DRI's Concurrent DOS. "It

wasn't designed as a clone [of MS-DOS]. What we've done is used our own commands and command structure to create a wholly proprietary, unique product."

DR DOS can be put into ROM and executed from ROM. "These days, RAM chips are a precious commodity," Malloy said. "A ROMable operating system is valuable for laptops, because it gives you 'instant on' capability, and another use is in diskless PCs that function as nodes to a network." At 64K bytes, DR DOS is also slightly smaller than current versions of MS-DOS. DRI will also offer version 3 of its GEM mouse-andmenu graphical interface as an option for DR DOS; like the operating system, GEM can run entirely from ROM.

Malloy said some of the commands in DR DOS will

be familiar to MS-DOS users. "Some commands are generic; for example, FOR-MAT and COPY. And others date back to CP/M or earlier, such as DIR," he said.

Though DRI claims DR DOS can run all MS-DOScompatible software, DR DOS isn't being presented as an inexpensive MS-DOS copy. Malloy emphasized DR DOS's extensions beyond MS-DOS: large hard disk partitions (up to 512 megabytes, compared to MS-DOS's 32 megabytes); password protection for all files and subdirectories; and a built-in help system behind each utility. "You can bring up help at any time with a single key combination," said Malloy.

Although DRI will initially sell DR DOS only to OEMs, the company is looking at the end-user market.

Company Claims to Cut Cost and Time of Prototyping Custom Chips

ne of the fastest-growing areas in the computer business is the application-specific integrated circuit (ASIC). ASICs are custom-designed chips for specific applications. However, ASICs typically are expensive to produce; chip makers need high volumes to justify the investment.

United Silicon Structures (US2), a San Jose, CA-based subsidiary of a European-based ASIC manufacturer, hopes to change all that with an ASIC manufacturing

method that allows "shortterm prototyping" and lowvolume production of ASIC designs. The company uses "E-beam" technology to write circuits directly onto the silicon wafer rather than using traditional photomasking techniques. With Ebeam technology (variablewidth electron beams), multiple ASIC designs can be produced on a single wafer. US2 claims that as many as 21 designs have been prototyped on a single wafer. In contrast, traditional photomasking allows only a single design per wafer. With the E-beam method, a customer can get 10 guaranteed prototypes in about 8 weeks for a cost of around \$20,000, US2 says.

As the cost of prototyping ASIC designs comes down, ASICs will be used more frequently in production computers. According to US2's Jacques Castaillac, "until now the main use of ASICs has been for logic replacement. The new trend

continued

Take the \$67.95

PROFESSIONAL TOOLS SET

for only \$4


as your introduction to the **Library of Computer and Information Sciences.**

You simply agree to buy three more books—at handsome discounts—within the next 12 months.

Be a consultant in your spare time. Write effective user manuals. Manage projects successfully. It's easy if you know the tricks of the trade.

The step-by-step approach in

these three softcover books—over 650 idea-filled pages in all—helps you apply proven techniques and methods so you can refine your professional skills.



The Secrets Of Consulting A Guide to Giving and **Getting Advice Successfully** Gerald M. Weinberg

An experienced consultant shows you how to avoid common consulting pitfalls, establish trust, market your services, and more. Also explores the art of effectively hiring and managing a consultant.


Publisher's price: \$25.00

How To Write A Usable **User Manual**

Edmond H. Weiss

This expert guide shows you how to write a manual using a five-step structured approach that parallels the methodology you use in developing a computer program: analysis, design, assembly, editing, and maintenance.

Publisher's price: \$14.95



Practical Project Management **Restoring Quality to DP Projects and Systems** Meilir Page-Iones

This idea-filled guide walks you through effective project management. Covers estimating resources, costs, and benefits; reporting, as well as deadlining. project methodologies; project review, and more.

Publisher's price: \$28.00

MEMBERSHIP BENEFITS • In addition to getting The Professional Tools Set for only \$4.95 when you join, you keep saving substantially on the books you buy. • Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings of 65% off the publishers' prices. • At 3-4 week intervals (16 times per year), you will receive the Library of Computer and Information Sciences News, describing the coming Main Selection and Alternate Selections, together with a dated reply card. • If you want the Main Selection, do nothing, and it will be sent to you automatically. • If you prefer another selection, or no book at all, simply indicate your choice on the card and return it by the date specified. • You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage.

The Library of Computer and Information Sciences is the oldest, largest book club especially designed for computer professionals. In the incredibly fast-moving world of data processing, where up-to-the-moment knowledge is essential, we make it easy to keep totally informed on all areas of the information sciences. What's more, our selections offer you discounts of up to 30% or more off publishers' prices.

If reply card is missing, please write to The Library of Computer and Information Sciences, Dept. 7-ER9-00882, Riverside, NJ, 08075, for membership information and an application.

NANOBYTES

which brought us Boeing Graph, aka Perspective.
• 3Com (Santa Clara, CA) has trimmed the prices of its adapters for connecting PCs to Ethernet and token-ring networks. EtherLink II will now sell for \$445 instead of \$495, and Token-Link will sell for \$595 instead of \$650.

• CMS Enhancements (Tustin, CA) will soon start selling an external 30-megabyte SCSI hard disk drive for the Apple IIe and IIGS and a similar-size unit for the Mac Plus, SE, and II. The half-height 3½-inch units have an access time of 30 milliseconds, a spokesperson said. The IIe/IIGS model will have

continued

is to put entire systems on silicon."

Castaillac predicts that by 1990, the volume of ASIC production will match that of printed circuit boards. By the end of 1989, US2 will be offering 1-micron CMOS ASICs (current designs are 1.5 microns). US2 also offers ASIC design software that runs on Sun Microsystems workstations, Apollo workstations, and IBM PC AT computers.

Weitek Says New Math Chip Cures "Anemic" 386ers

alling 80386 machines "anemic number crunchers," Weitek has designed a single-chip floating-point coprocessor for machines based on the Intel 80386. The new Weitek Abacus 3167 coprocessor is object code-compatible with the Weitek 1167 coprocessor chip set and is available in 20- and 25-MHz versions.

In sustained performance at 25 MHz, the Abacus measures 0.7 MFLOPS double-precision LINPACK and 1.0 MFLOPS single-precision LINPACK, the company

claims. These figures represent floating-point performance comparable to that of a VAX 8560 and about triple that of the 80387 math coprocessor, according to Weitek official John Rizzo. In a demonstration, a three-dimensional image screen refresh appeared significantly faster with the Abacus than with an Intel 80387—1.4 seconds versus 4 seconds, according to Weitek.

Weitek president Art Collmeyer said that present 80386 systems, even with 80387 coprocessors, "fall well short of the performance standards for engineering platforms. PCs make up less than 20 percent of the CAD/CAM market." Weitek hopes to raise that percentage with Abacus.

The chip plugs into the 121-pin Extended Math Coprocessor (EMC) socket supported on many 80386 system boards, including those from Compaq, AT&T, Dell, NCR, Sun, and Hewlett-Packard. An optional daughterboard allows installation of both the Abacus and the 80387 coprocessor, for maximum flexibility.

continued

With *MapInfo*, More Ways Than Ever To Map Your Data



Pin Map. Automatically use your existing database (from dBASE III or others) with street maps that we can supply. Maps from over 300 U.S. cities and towns contain all addresses, accurate to the correct block and side of the street. Type any address and MapInfo will find it for you. Call to the screen your complete record.



Thematic. Use our boundaries (state or county) or draw your own (sales regions, election districts, etc.). Create a database for the region (population, average income, etc.) Color code boundaries or entire regions based on parameters you define.



Presentation. Use powerful graphics commands to add your own titles, legends and text. Create arrows, windows or callouts. Turn on or off labels of points, streets, bridges, regions, etc.




Visual Database. Draw anything from a floor plan to aircraft design. Store data on any point or region. Create multiple layers to add flexibility to your display.

And that's just a sample. If you need to map your data, MapInfo can do it for as little as \$750. IBM PC or 100% compatibles, with 640K memory, a hard disk drive, and graphics capability.

To order, call 1-800-FASTMAP. In New York State, call 1-518-274-8673 (Telex 371-5584). Mapinfo Corp., 200 Broadway, Troy, NY 12180

dBASE III is a trademark of Ashton-Tate. IBM and IBM PC are trademarks of International Business Machines Corp.





Now You're Talking

Communicate with anyone anywhere in the world. Whether you use E-Mail or bulletin boards. information services like The Source and CompuServe.® or data file transfer, Everex modems meet all your communications needs.

Working at your desk or on the road, Everex offers you a complete range of modem solutions. We have 1200 or 2400 bps internal and external modems, modems that send and receive FAX communications, modems with MNP error correction, and a miniature modem that fits in your shirt pocket.

EVER for EXcellence is a registered trademark and EVEREX is a trademark of Everex Systems, Inc. IBM, AT and PS/2 are registered trademarks and PC and XT are trademarks of International Business Machines Corp. Hayes is a registered trademark of Hayes Microcomputer Products, Inc. BitCom is a trademark of Bit Software, Inc. Apple is a registered trademark and Macintosh is a trademark licensed to Apple Computer, Inc. CompuServe is a registered trademark of CompuServe Information Services. The Source is a trademark of Source Telecomputing Corporation. © Copyright 1988 Everex Systems, Inc. All rights reserved.

All Everex modems offer worldwide compatibility with Bell, CCITT or Hayes® standards. And, our modems are compatible with compatibles, PS/2s,® Apple® II and Macintosh[™] computers.

Features like automatic data-to-voice switching, tone or pulse dialing, built-in diagnostics, helpscreens, adaptive dialing, software-adjustable volume control, and auto-dialing all



combine to increase the flexibility and ease-of-use of Everex modems. The powerful communications package BitCom[™] is included with every modem. Complete hardware and software manuals make setting up and using Everex modems quick and simple.

You can rely on Everex modems to deliver superb performance at an affordable price. So, when you need a modem for your PC/XT/AT or compatible, PS/2, or Apple II and Macintosh computers, Everex has the Answer.

For more information or the name of your nearest Everex dealer please call:

in Calif. 1-800-821-0807

in U.S.A. 1-800-821-0806



NANOBYTES

a list price of \$955. The Mac model will list for \$895.

 The Thing That Would Not Die, Part II:

"Home business" was again the magic phrase of computer makers and other equipment manufacturers at the Summer Consumer Electronics Show in Chicago. Nearly every manufacturer who sells a combination of desktop PCs, typewriters, personal copiers, one- or two-line telephones, or low-cost facsimile machines is trying to peddle them for the home business market. There are about 13 million home businesses in the country, says the American Home Business Association.

The Abacus or 1167 chips do not support the 80387 instruction set, however. Applications written for the 80387 must be recompiled to run on Weitek's chips.


IBM does not currently support the EMC socket in its 80386 systems, but Far Point Engineering (Atlanta, GA) has announced a Micro Channel expansion board that uses the Abacus chip. Rizzo said Weitek hopes IBM will support the EMC socket but declined to comment further.


Several major engineer-

ing software and compiler vendors said they'll support the Abacus coprocessor. These companies include CadKey, MCS, MacNeal-Schwendler, Swanson Analysis, Lahey Computer Systems, MetaWare, and other developers of engineering, statistical, and CAD/ CAM software. However, the Abacus chip poses difficult problems for companies that have traditionally relied on mainframe and minicomputer customers for the bulk of their revenues. For example, MacNealSchwendler is porting its lower-priced PAL2 finiteelement software but is reluctant to port its high-priced NASTRAN software, since that would undercut the company's minicomputer business, where prices and profit margins are higher than in the microcomputer industry.

The Abacus chip can be sampled now but won't be widely available until the end of the year. The chip is being manufactured for Weitek by Matsushita Electric Co. of Japan. The OEM price in quantities of 5000 is \$445 for the 20-MHz chip and \$882 for the 25-MHz chip; the daughterboard with a 20-MHz chip is \$595. At the retail level, these prices translate into \$1200 to \$2500 added to the cost of an 80386 system, or at least three times the cost added by an 80387.

TECHNOLOGY NEWS WANTED. The news staff at BYTE is interested in hearing about new technological and scientific developments that might have an impact on microcomputers and the people who use them. If you know of advances or projects relevant to microcomputing, please contact the Microbytes staff at (603) 924-9281, send mail on BIX to Microbytes, or write to us at One Phoenix Mill Lane, Peterborough, NH 03458. An electronic version of Microbytes, which offers a wider variety of computer-related news on a daily basis, is available on BIX.









Circle 171 on Reader Service Card OUTSTANDING SOFTWARE PER DISK **Small Quantities** For Ten or More SHIPPED WITHIN 24 HOURS! Satisfaction Guaranteed or Money Back! BUSINESS 1—EZ-FORMS business form eration, completion and printing program. CAD 3—The PC-Flow 1.0 computer aided flow-chart generation program. Color graphics required. COMM 4a,b,c,d,e—(5 disks) Join the world of sysops with RBBS Bulletin Board System 14.1D. 2 DATABASE 1a,b—(2 disks) File Express 3.8 menu driven general purpose database manager. EDUCATION 1—Interactive DOS tutorial for new PC users. Makes learning DOS painless. [2] FINANCE 1a,b—(2 disks) PC Accountant 2.0 personal bookkeeping and finance management. GAMES 1—3-D Pacman, Kong, Spacewar, Janit-Joe, futuristic Flightmare and more. Color required. GAMES 2—Qubert, Pango, Centipede, dungeons and dragons style Zoarre, etc. Color req. GAMES 3-Blackjack with customizable rules, rmchair Quarterback (you call plays), and more. GAMES 4—Star Trek, the Castle adventure game, and the original Colossal Caves Adventure. GAMES 5-The Hack adventure game from the universities. Like Rogue, only much richer. **GAMES 6**—Pinball, Othello, Dragons, Sopwith (fly a Sopwith Camel) and more. Color required. 2 INFO 1a,b—(2 disks) Cooking recipes database with keyword/ingredient retrieval. Add your own. MUSIC 2a,b—(2 disks) PianoMan 3.0 polyphonic music recording and playback program. ORGANIZER 1-DeskTeam, a Sidekick clone, and the Judy personal calendar program. PRINTER 1-Resident print control and font

UTILITIES 3—A comprehensive set of debugging nd diagnostic utilities for monitoring your co NEW RELEASES/UPDATES

tility, intelligent spooler, banner maker, and more

SIMULATION 1—Maze making program, MIT's

ife simulation, starfields, etc. Color graphics req.

LITILITIES 1-A collection of invaluable general purpose DOS utilities. An absolute must for all

UTILITIES 2-More invaluable DOS utilities in-

cluding screen burnout, ram disk, and more

- BUSINESS 2—Expressgraph business graphics. Chart your data and find trends. Color graphics req. CAD 1a,b—(2 disks) Fingerpaint 1.2 advanced painting and Altamira object oriented design. Color. CAD 2a.b-(2 disks) DanCad3d, an advanced /3D drafting program w/animation. 640K, color COMM 2a,b—(2 disks) Procomm 2.42, an excellent modem program with terminal emulation. EDUCATION 3—PC-Fastype 1.20 typing tutor. deal for beginners and advanced students alike **FINANCES 3a,b**—(2 disks) Express Calc 3.12, a powerful and user friendly spreadsheet program. GAMES 8—Striker helicopter attack and Risk, the game of world domination. Color required. **GAMES 12**—Backgammon (play the computer) and Wheel of Fortune based on the gameshow. GRAPHICS 1-Record and play back screen imes! Excellent for demo, etc. Color required. **GRAPHICS 2a,b,c**—(3 disks) An excellent 3-D surface modelling and shading program. Color. INFO 2a,b-(2 disks) Zip-Phone, national reacode/prefix to zip-code cross reference 2 LANGUAGE 3a,b—(2 disks) The A86 3.09 macro assembler and debugger for 8088/86/286s SHELL 4a,b-(2 disks) Automenu and HDM II 1.04 hard disk prog. for custom full-screen menus. UTILITIES 5-Hard disk utilities for verifying, foratting, parking and optimizing your disk drives UTILITIES 6-Advanced utilities including Mark/Release (remove resident progs w/o reboot!)
- Most software listed is shareware or user-supported. 3.5" format add \$1/disk. 125 page directory, add \$2.

UTILITIES 7—More advanced utilities including

WORD 1a,b—(2 disks) PC Write 2.71, a powerful word processing system w/spell checker, laser supt.

Masterkey (undeletes files from hard disks)

MicroCom Systems 3673 Enochs Street Santa Clara, CA 95051

Cost of items Shipping \$3.00 CA res tax Total encl.

(408) 737-9000 Mon-Fri 7am-9pm, Sat-Sun 8am-5pm



LETTERS

Recursion vs. Iteration

In "Problems and Pitfalls" (June), Alfred A. Aburto Jr. compares the usual Fibonacci benchmark to a "nonrecursive form" and says that "the performance differs by a factor of over 4500. Apparently, recursive function calls are highly inefficient" (page 224). This is incorrect. In the Fibonacci benchmark, when fib(24) is called once, it turns out that fib(23) is called once, fib(22) twice, fib(21) three times, fib(20) five times, fib(19) eight times, and so on, down to 28,657 procedure calls to fib(2). This redundancy causes the efficiency loss.

This and similarly inefficient recursive procedures often lead to the conclusion that recursion is necessarily bad compared to iteration. (That is the real comparison here, not recursion versus "nonrecursive" procedure calls.) However, any recursive routine can be written iteratively, and vice versa; it's easy to write a recursive fib() with no redundancy. The only reason recursion is usually singled out as worse is that it's easier to overlook redundancy in procedure calls than in a FOR...NEXT loop.

The benchmark tests procedure calls and addition. (It would be nice to remove the addition, but then there would be no answer to test.) It's difficult to compare recursive procedure calls to nonrecursive procedure calls, because it's difficult to write a program with one that does exactly the same as a program with the other, but the Fibonacci benchmark does a good job of comparing procedure calls under one compiler on one machine to those under another.

Daniel J. Bernstein Bellport, NY

Rounding Calculations

In "Error-Free Fractions" (June), Peter Wayner discusses a weakness in digital computing. His proposed solution, factorial-base fractions, is more open-ended than some alternative schemes of fractional representation. However, regardless of the storage method, the results of most calculations need to be rounded.

Seldom do we consider that between

any two of the exactly representable digital values, there are infinitely many rational numbers.

In general, after multiplying two fractions, as many bits are required to exactly represent the result as are required to represent the two fractions. I call this "doubling the denominator." Adding terms with denominators that are mutual primes also doubles the denominator. Recursive operations, such as those used in modeling or in producing fractal approximations, soon overflow any scheme of representation.

For example, using factorial arithmetic, the Mandelbrot Set recursion z = $z^{2} + c$, with c = 0.25 (.012f), requires 5, then 9, then 17, then 33 factorial terms, for the first four iterations. If you were to use a 256-byte array for the factorial fractions, the result of the seventh iteration of this series would not be representable. In spite of the fact that 256 factorial terms can exactly represent an enormous quantity of values (about 10507), seven or eight multiplications are sufficient to find a number outside the scope of the method.

I think we'll be living with rounding errors for some time to come.

> Larry Van Stone Stillwater, OK

Rave Review


I am not a subscriber to any personal computer magazine, although I pick one up occasionally. I want you to know that from the few BYTEs I've picked up, I have been impressed with your articles

continued

WE WANT TO HEAR FROM YOU. Please double-space your letter on one side of the paper and include your name and address. We can print listings and tables along with a letter if they are short and legible. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough,

Because of space limitations, we reserve the right to edit letters. Generally, it takes four months from the time we receive a letter until we publish it.

Who Says FoxBASE+ is Better than dBASE?



The Best Just Got Better—Now Shipping New FoxBASE+ Version 2.10!

Nicholas Petreley, InfoWorld Review Board:

"FoxBASE+ has outdone itself. Once again, FoxBASE+ earns an "excellent" in performance, with kudos for responding to user suggestions. For sheer productivity, there is no other choice." *InfoWorld* "Editor's Choice" for 1987 and 1988!

P.L. Olympia, Founder & President, National Dbase Users Group / Government Computer News:

"FoxBASE+ is a supercharged dBASE, with all the features Ashton-Tate forgot. If you're into serious dBASE development and have not tried FoxBASE+, you are living in the dark ages and wasting your company's money."

George F. Goley IV, Cont. Editor, <u>Data Based Advisor</u>: "The product is fast, very compatible, fast, easy to use, fast, relatively inexpensive, and very fast. In every test, FoxBASE+outperformed the other products. And people who answer the phone at Fox know what they are talking about."

David Irwin, Former President/CEO, <u>Data Based Advisor:</u>
"From the dBASE compatibility standpoint, FoxBASE+ is flawless. From the speed standpoint, FoxBASE+ is unbelievable.
From the "lazy factor" standpoint, FoxBASE+ is perfect."

Glenn Hart, Contributing Editor, PC Magazine:

"Initial tests of FoxBASE+ were simply stunning. In many ways, FoxBASE+ gives you the best of both worlds: all the benefits of interactive development and debugging, plus the speed and code protection of a compiler."

Adam Green, Contributing Editor, <u>Data Based Advisor</u>, dBASE Author:

"For the PC, FoxBASE+ has consistently set the performance standard for dBASE compatible languages. For the Macintosh, FoxBASE+/Mac will set standards for innovation and leadership in a new dBASE implementation."

Don Crabb, Contributing Editor, InfoWorld:

"You can expect blazing speed on the Mac. FoxBASE+/Mac breezes past tests that have proven stumbling blocks for Macintosh databases in the past. FoxBASE+/Mac combines complete dBASE compatibility with a genuine Macintosh user interface."

This is what they said about Version 2.00 of FoxBASE +. Imagine what The Experts will say about New Version 2.10 with these added features: Menu-Driven Interface, Program Documentor, Screen Painter and Template-Based Application Generator . . . and Version 2.10 is even faster than 2.00!

Join The Experts. Get your copy of the New FoxBASE + Version 2.10 today! Now available at your nearest, quality software retailer, or directly from us by calling (419) 874-0162 Ext. 320.


Because, when it comes to speed, compatibility and value, nothing runs like the New FOX—Version 2.10!

Fox Software

Nothing Runs Like a Fox.

Fox Software 118 W. South Boundary Perrysburg, OH 43551 (419) 874-0162 Ext. 320. FAX: (419) 874-8678 TELEX: 6503040827 FOX

FoxBASE and FoxBASE+ are trademarks of Fox Software. dBASE and dBASE III PLUS are trademarks of Ashton-Tate. Macintosh is a trademark of Apple Computers, Inc.



only your customers to operate the protected software.

Software Protection

HASP-II is "transparent" to the user. It does not interfere with the operation of other programs nor does it require actual connection of the printer to the computer.

our customer can create backup copies of his programs but these copies cannot be used on another "HASPless" computer.

Implementation is easy. You won't need the source program in order to protect your software, and yet if you have the source, we offer you the option to check for the HASP-II from within the program at any time. Software drivers are supplied

o automatic copying program or device will be able to crack the HASP-II, since no such tools can duplicate the plug. The HASP-II software is sophisticated and encrypted. The code returned from the HASP-II is algorithm dependent.

For further information contact us at

P.O.B. 11141 Tel-Aviv, 61110, Israel Tix. 35770/1 COIN IL Ext. JBL Tel: 972-3-226286 Fax: 972-3-299170/1 Ext. JBL

In USA: M-Systems Inc. 920 Grand Blvd. Deer Park NY 11729 Tel: (800) 2228887 (516) 242 3344/5

Ltd.

Aladdin Knowledge Systems

þ

1987

What is a Best Western?



The right place at the right price.

Make reservations at any Best Western, see your travel agent, or call toll-free

1-800-528-1234

independently owned and operated hotels, motor inns and resorts" on numeric methods and calculations methods.

I just read "Error-Free Fractions" by Peter Wayner (June). This was something completely new to me, even though I have taken a course on numeric analysis and my occupation as an engineer requires me to deal with numerically intensive applications.

BYTE seems to be unique among personal computing magazines in carrying such articles, and the articles that I have read intensively seem to reflect the state of the art. I hope you continue to carry such articles and continue the same high quality. It makes your magazine a standout among personal computer magazines.

> James Larson Minneapolis, MN

Don't Reorder the Alphabet

As a programmer and student of computer science, I must comment on Billy R. Pogue's letter ("Reordering the Alphabet," June). Pogue claims that "a few moments' thought shows that if our alphabet were arranged in descending order of frequency of occurrence of the letters, any search based on alphabetic order should go much faster, whether done by humans or computers.


In fact, computer search and sort algorithms are completely insensitive to the coding of the information that they operate on. That is, if you changed the order of the alphabet and therefore its representation as numbers inside the computer, the search or sort would produce the same results in the same time. The only change you would be able to see would be the order of sorted information, which always follows the order in which characters occur in the alphabet.

The reason for this behavior is simple. With very few exceptions, character data in a computer is represented as 8 bits per character. Therefore, the search or sort algorithms operate on the same amount of data, regardless of the coding of the characters. It is the number of bits of data rather than the coding of characters that dictates the amount of time an algorithm takes to run.

For a more rigorous proof of this principle, refer to "Sorting and Searching" by Donald Knuth (The Art of Computer Programming, Volume 3, Addison-Wesley, 1973), in which run times of various algorithms are derived. In each case, the run times are dependent on the length of the information being searched or sorted and are independent of the encoding of the information.

continued

THERE ARE FOUR WAYS TO MEASURE THE SPEED OF A LAN.



Ours only wins in three of them.

1. How fast does it install.

We have no competition in this category, LANLink 5X installs in about fifteen minutes, and it doesn't take a technician to do it. Since LANLink 5X uses standard parallel or RS-232 serial ports, installing a network means little more than connecting the cable and loading the software.

With hardware LANs, installation can easily take two daysone to set it up and one to tweak it. And it also takes someone who really knows what he's doing. That is, someone expensive.

2. How fast does it transmit.

Okay, this is the category we don't win; the hardware LANs are generally a little quicker. At least, they are under optimal conditions, which is how they rate themselves.

But LANLink 5X is pretty quick, too. At half a megabit per second, it's way out ahead of any other software LAN, and right at the heels of the hardware types. Which, of course, are far more expensive.

5. How fast does it maintain.

The real cost of a network is not so much the initial price as it is the continuing outlay for maintenance–adapting it to changing needs. That's something LANLink 5X does practically on its own.

Running under PC-MOS/386™ or PC-DOS, it turns your server PC into a multi-tasking controller, driving a truly expandable LAN that is easily and quickly upgradable.

is easily and quickly upgradable.

A hardware LAN, on the other hand, becomes obsolete as new technology is introduced. And, to keep the network up and running as applications change, you need the attentions of a technician, on a continuing basis. A very well-paid technician.

4. How fast can you pay for it.

Now we've arrived at the bottom line, where LANLink 5X is toughest to beat. You can install a five-user LANLink network for about the same cost as the LAN board in a board-driven network. On top of that, factor in what you save on installation and maintenance time, and the difference is pretty dramatic.

LANLink 5X is available immediately, and it comes with a moneyback guarantee. Its price of \$595 includes a server and a satellite

module plus the network operating system. Additional satellites are available for \$125.

For complete details on the fastest software-driven network available, call 800-451-LINK.

LANLink 5X. Because three out of four ain't bad.

THE SOFTWARE LINK

3577 Parkway Lane, Norcross, GA 30092 (404) 448-5465 FAX (404) 263-6474





A simple experiment proves the point: Write a program that codes a file, giving each character its order in the "new" alphabet. Then use the DOS SORT command to sort some large text file, once for the uncoded version and once for the coded one. I tried it and found no difference in the run time.

Search and sort algorithms are complex and easily misleading. A few moments' thought about how computers work, however, should convince readers

that there is no benefit to reordering our arbitrarily ordered alphabet.

> Brad Brown Toronto, Ontario, Canada

Minds vs. Programs

I read with interest the comments made by Shawn Corey (May, page 24) in response to my original letter (January, page 30). I would like the chance to address the issues Mr. Corey raised.

To begin with, he seems to be under

the impression that I am against all research in the field of artificial intelligence (AI). I regret that I may not have made myself clear on this matter, since nothing could be further from the truth. AI research has made significant progress in many areas and added considerably to the body of human knowledge. We have also realized a number of tangible benefits from this research, which in some cases has been in the form of commercial products.

The point I was originally attempting to make was that there are some inherent limits to what AI is capable of realizing, and that these limitations are not technical but philosophical. Researchers in AI need to take a step back from the technical aspects and examine the enormous body of philosophical work pertaining to the nature of conceptual thought and how

it relates to physical substance.

That this is necessary is demonstrated by Mr. Corey himself in that he appeals to a philosophical argument drawn from the school of thought known as materialism. Materialism contends that we are essentially "meat machines," and if this were true, his assumption that one day we will invent a "nonmeat machine" capable of conceptual thought would be entirely reasonable.

However, there is an opposing school of thought called, appropriately enough, immaterialism, which is further divided into dualism (the idea that we are "meat puppets") and hylomorphism (the idea that we have a nonmaterial component necessary for conceptual thought but that cannot be separated from the material component; there is no convenient and clever analogy for this one).

The immaterialist school has been held by such philosophical giants as Aristotle, the Stoics, Aquinas, Descartes, Pascal, Locke, Rousseau, Kant, and Hegel. If these thinkers are correct—and one would be obstinate to totally disregard the work of such an august bodythen there cannot be a purely mechanical explanation for conceptual thought.

Even without appealing to ancients who are frequently believed to have nothing important to say to our age, I suggest that a number of modern scholars have demonstrated the value of philosophy to AI research. A persuasive argument was put forth by John Searle. This argument is briefly stated as follows:

1. Programs are purely formal (i.e., syntactical).

2. Syntax is neither equivalent to nor sufficient by itself for semantics.

continued

If you think you can buy a better C compiler, don't. We'll buy it for you.

Buy Let's C[®] with csd[™] for just \$75. If you're not satisfied, get Turbo C or QuickC. Free.*



Why are we making this incredible offer? Because we're absolutely certain Let's C and csd C Source Debugger are the best C programming tools you can own.

Rest assured that, like its competition, Let's C features incredibly fast in-memory compilation and produces extremely tight, high quality code. The differences lie in how much faster you can perform other programming

Our debugger, for example, can cut development time in half. But that's not all:

"csd is close to the ideal debugging environment... a definite aid to learning C and an indispensable tool for program development. -William G. Wong, BYTE

And comparatively speaking: "No debugger is included in the Turbo C package ... a serious shortcoming.

-Michael Abrash, Programmer's Journal Unlike our competition. Let's C includes its own full-featured assembler, features documentation with complete examples and technical support with complete answers-the first time you call.

- Now compiles twice as fast
 Integrated edit-compile cycle; editor automatically points to errors
 Includes both small and large memory
- model Integrated environment or command
- line interface

 8087 sensing and support

LET'S C AND csd FEATURES

- . Full UNIX compatibility and complete
- ibraries

 Many powerful utilities including make, assembler, archiver
 • MicroEMACS full screen editor with
- source code included
 Supported by dozens of third party libraries

- Debug in C source code, not assembler Provides separate source, evaluation, program and history windows Ability to set trace points and monitor
- variables

 Can interactively evaluate any C expression
 Can execute any C function in your program
 Trace back function

So if you're thinking about buying any other C compiler, think again. But this offer is only available for a limited time. So think fast. And see your software dealer or call 1-800-MWC-1700 soon. (1-312-689-2300 in Illinois.)

To exchange Let's C and csd for Turbo C or QuickC. return registration card within 15 days of purchase date, notify Mark Williams Company that you are returning products and receive a return authorization number. Products must be returned within 30 days of purchase date or within 30 days of shipping date on telephone orders.



601 North Skokie Highway, Lake Bluff, Illinois 60044, 312-689-2300

© 1988 Mark Williams Company

The Intelligent Tool for Intelligent Application Development: So Powerful, Yet so Easy to Use.

An Ounce of Innovation is Worth a Pound of Code.


As well as being an expert system tool, Intelligence/Compiler is a very high level language. Programs written in it are 20 to 50 times shorter than typical database or programming languages, and a lot more intelligent.

6 Intelligence/Compiler is an excellent product. Its unique and advanced features have proven extremely effective in our financial applications. 99 Dr. Barry Glasglow, Vice President and Ms Elizabeth Graham, Knowledge Engineer, Shearson Lehman Hutton. 6 6 After comparing many shells for the US Department of Transportation, we chose the Intelligence/Compiler. It was clearly the best choice. Dr. Jeffrey Dillingham, Vice President, Off-Shore Technology Corporation. 66 The Intelligence/Compiler's combination of rule-based programming and frame-based representation makes it a powerful state-of-the-art system for advanced real-world applications. Its intelligent editing and debugging facilities are a bonus. Review in Al Expert Magazine, February 1988. 66 The Intelligence/Compiler tutorial is so well done that it should be released as a separate product. The development environment can save huge amounts of time otherwise spent on debugging. Review in Computer Language Magazine,


Expert Systems as High Level Programming Tools.

Intelligence/Compiler gives you unprecedented power, flexibility and ease of use for building intelligent applications.

It is the first and only intelligent database system to uniformly combine logic programming, object oriented programming and intelligent interfaces.



An Open Architecture for Open Minds



March 1987.

The underlying technology of Intelligence/Compiler is so outstanding, we have written a book about it. It is being used in many leading universities as the standard text book. Ask for the book "Expert Systems for Experts" by K. Parsaye and M. Chignell, published by John Wiley, at your local book store.

Painless Application Development

Don't look any further. Intelligence/Compiler is the tool you need to build <u>royalty free</u> applications. Find out how easy and painless it is to build intelligent applications, now!

Intelligence Ware, Inc.

Leading in Artificial Intelligence Applications TM

1	YES! I WANT TO DEVELOP INTELLIGENT
	APPLICATIONS FAST.
Int	sh me copies of elligence/Compiler at \$490 each.
	me:
4	mpany:
	dress:
	lephone:
	Check or Money order is enclosed Visa ☐ Mastercard ☐ AMX
Ex	piration Date:
Hav	pping and handling; US: \$9.00, Canada/ waii Air: \$20.00, Overseas Air: \$50.00. ifornia residents please add 6.5% tax.
	tem Requirements: IBM PC, PC/XT, AT or PS2 with 640K memory.
Ple	ease send coupon to:
	elligenceWare, Inc.
	00 S. Sepulveda Blvd. Suite 730,
	s Angeles, CA 90045.
	XX: (213) 417-8897. lephone: (213) 417-8896.

3. Minds have mental contents (i.e., semantic contents).

Conclusion: Having a program—any program by itself-is neither sufficient for nor equivalent to having a mind.

Mr. Searle is, I believe, a materialist, and therefore he's likely to contend that some kind of machine can-in principle—be built that is capable of conceptual thought. However, his argument with respect to computers is difficult to refute. I

would again suggest that those involved in AI research make every effort to examine the body of philosophical work pertaining to their subject in order to discover what the most fruitful avenues of their research will be.

> Marin David Condic Parsippany, NJ


Nonrecurrent Steps

I am writing to correct an error in Gary Bricault's article ("Juggling Multiple Processes," May). The article introduces five operations in a code fragment:

- (S1) x := y + z;
- (S2) a := (b+3) * c;
- (S3) d := e * a:
- (S4) w := d x;
- (S5) writeln(d, w);

Clearly, S4 cannot execute until S3 has completed, since S4 requires a value for d, which is calculated by S3. Bernstein's second requirement— $O(Si) \cap I(Sj) =$ {}—leads to the same conclusion. The output of S3 = $\{d\}$; the input of S4 = $\{d,x\}$, and the intersection of these sets is not null

Thus, S3 and S4 cannot be concurrent. However, Mr. Bricault's precedence diagram (figure 3, page 317) for this code fragment incorrectly shows S4 as concurrent with S3. The correct diagram is as follows:



Charles E. M. Dunlop Yellow Springs, OH

FIXES


• Megahertz Corp. alerted us to some incorrect information that we published in our July 1988 Short Take of the Easy-Talk board.

The list price of the board is \$999.95. It runs on the Toshiba T3100 in addition to the T1100 Plus and the T1200.

After our July issue went to press, the company moved to 4505 South Wasatch Blvd., Salt Lake City, UT 84124, (801) 272-6000.

• The price of Spot from Flagstaff Engineering (Computing at Chaos Manor, August, page 108) should be \$995.

WHY SETTLE FOR THIS?...



.WHEN WHAT YOU REALLY WANT IS THIS.

$$\int_{-\infty}^{nZ} \frac{X^{y \cdot Z} dt}{X - tY} = \sum_{i=1}^{n} \left(\frac{\frac{(x^4 - i)^3}{\sqrt{Z^3 + y^{10}}}}{Z - X^5 Y} \right)$$

TRY THIS:

Quality work should look high-quality. What better reason to try PcTEX®-the full implementation of Prof. D. Knuth's revolutionary TFX formatting/typesetting program.

pcT_FX offers professional typesetting capabilities & advantages to PC users. It gives you control-of format, type, symbols, quality-for complex mathematical &



To order or for information, call:

415/388-8853

or write: Personal TEX, Inc. 12 Madrona Avenue Mill Valley, CA 94941 USA

PCTEX is a registered TM of Personal TEX, Inc TEX is an American Mathematical Society TM.

engineering material, statistical tables or straight matter.

So whether you're writing the next starshot manual or a thesis on relativity, you get camera/publisher-ready manuscripts to be proud of, quick & simple. Don't settle for less.

From Personal TFX, Inc., starting at \$249; VISA/MC welcome. Satisfaction guaranteed.

PCTEX FORMATTING/TYPESETTING SYSTEM • FINE TYPESET QUALITY from dot matrix or laser printers, or phototypesetters. • A COMPLETE PRODUCT. Includes • our specially written PCTEX Manual that lets you use TEX immediately • custom 'macro package' formats for letters, manuals, technical documents, etc. • the LaTeX document preparation system (with user's manual) macro package for article, book, report preparation • AMS-TEX, developed by the American Mathematical Society for professional mathematical typesetting.

OUTPUT DEVICE DRIVERS available for Epson FX, LQ • Toshiba • HP LaserJet Series • Apple LaserWriter • Screen preview, with EGA, VGA or Hercules card. REQUIRES: IBM PC/XT, AT or compatible, DOS 2.0 or higher & 512K RAM; hard disk for printer drivers & fonts

This ad is typeset & composed using PCTeX Bitstream® fonts & laser printer. Longityne & black backgrounds done photographical

Accelerate.



Now there's room for everyone on the fast track.

Compaq introduces the best of 80386 technology for every computer user.



The new 16-MHz COMPAQ DESKPRO 386s The 16-MHz COMPAQ DESKPRO 386

When Compaq pioneered high-performance personal computing and introduced the industry's first 32-bit PC's based on the Intel® 386* chip, we gave performance-hungry business users, engineers, analysts and software developers the tools they needed to run complex applications faster and better.



Now, we're introducing the new COMPAQ DESKPRO 386s and COMPAQ DESKPRO 386/25. And extending our high-performance 80386 line in both directions. To meet the increasing demands of today's general business users and to provide our power users with more power than ever. So everyone can enjoy the speed and future capabilities of 80386 computing.

In each COMPAQ 80386 PC, our exclusive design lets every component operate at optimum speed. Giving COMPAQ personal computers a considerable edge in system performance, ensuring compatibility with industry-standard software and hardware, and providing what may well be the ultimate in connectivity for

high-performance, network environments. The new COMPAO DESKPRO 386s

is the first personal computer designed specifically to let general business PC users head straight for the performance and potential of 80386 personal computing.

For more advanced applications, the original COMPAO DESKPRO 386 and the COMPAO DESKPRO 386/20 deliver even higher levels of performance.

And now at the top of our line is the COMPAQ DESKPRO 386/25. The most powerful personal computer available.

With our two newest machines, we're not just pushing 80386 technology forward; we're widening it. To let every personal computer user take advantage of everything COMPAQ 80386 power has to offer.

COMPAQ

It simply works better.

Now, breakthrough technology from Compaq brings the power and potential of 80386-based personal computing to millions of business PC users. The first personal computer powered by the new Intel 386SX* microprocessor, the new COMPAQ DESKPRO 386S is designed specifically as an affordable, high-performance alternative to 80286-based PC's.

Surrounding its revolutionary microprocessor are high-performance components and a 32-bit architecture that run your current software up to 60% faster than most 10-MHz 80286 PC's. Plus give you the power to run 32-bit software that 80286 PC's won't run at all. And exciting new multitasking software such as

Microsoft[®] Operating System/2 from Compaq and Microsoft Windows/386.

With its sleek, "small footprint" design, the COMPAQ DESKPRO 386s takes up far less room than its competition.

But it gives you room for four internal storage devices.



So you can easily tailor it to your exact needs. Choose from fast 20-, 40-, and 110-Megabyte Fixed Disk Drive options; 5¹/₄-inch and 3¹/₂-inch diskette drives; even tape backup options.

We give you one full megabyte of high-speed memory standard. And you can expand to 13 megabytes without using an expansion slot. This will come in handy when you're ready to thoroughly exploit the MS* OS/2 operating system and advanced 80386 business software.


We even built features like advanced VGA graphics and standard interfaces for a mouse, printers and other peripherals into the system. This saves your slots for modems, network boards and much more.

You'll also find two more standard features: the same sophisticated engineering and uncompromising quality that set all COMPAQ 80386 computers apart. So head for the performance you really need for today's applications. And the 80386 potential you'll need for tomorrow's. With the new COMPAQ DESKPRO 386s.

Get into the passing lane.

Introducing the COMPAQ DESKPRO 386s. New technology delivers affordable 80386 performance for anyone considering 80286 PC's.

COMPAG



Once again, Compaq introduces a personal computer that leaves every other PC in the dust. With its unsurpassed Intel 25-MHz 386* microprocessor, exclusive COMPAQ Flexible Advanced Systems Architecture, and up to 1.2 gigabytes of storage, the new COMPAQ DESKPRO 386/25 is the ultimate expression of 80386 technology.

Its FLEX Architecture uses separate memory and peripheral buses operating in concert to reach maximum system performance, while maintaining compatibility with industry-standard hardware and software. By splitting

the work, they also prevent information bottlenecks in the system. The 25-MHz cache memory controller keeps data instantly accessible, and that lets the processor tear through applications with 0 wait states 95% of the time.

All this translates into performance that's up to 60% faster than most 20-MHz 80386-based PC's.

And, with the optional Intel 387* or Weitek™ coprocessor, you'll even be able to match the numeric processing power of a dedicated engineering workstation at a fraction of the cost.

fasten your seat belt.

Introducing the 25-MHz COMPAQ DESKPRO 386/25. The most powerful personal computer available.

You can go from one megabyte of standard, high-speed memory all the way to 16 megabytes. And for storage-hungry applications, such as networks using disk fault tolerance and multiuser systems, the COMPAQ DESKPRO 386/25, with two optional COMPAQ 300-/600-Megabyte Fixed Disk Drive Expansion Units, is able to provide up to a massive 1.2 gigabytes of high-performance storage. With an average access time as low as 20 milliseconds.

Of course, we give you a choice of 51/4" or 31/2" diskette drives and high-capacity tape backup options.

For sophisticated PC users who require the ultimate in power, compatibility, connectivity and overall system performance, no other personal computer comes close to the new COMPAQ DESKPRO 386/25.

It's simply the most powerful personal computer available. But then, that's what Compaq users have come to expect. Again and again and again.

COMPAG

It simply works better.

Full speed ahead

Next to high performance, the advantage of COMPAQ 80386 computing is compatibility with both today's and tomorrow's software. From MSDOS* to the exciting new MSOS/2 operating system. And beyond.

Thanks to a close and longstanding working relationship between Compaq and the industry's independent software developers, the COMPAQ line of 80386 personal computers is especially capable of letting you tap the full potential of all the new multitasking software.

You'll run MS-DOS 3.3, plus MS OS/2, Microsoft Windows/386, XENIX*, UNIX* and the thousands of applications written for them. And with any computer from the COMPAQ 80386 line, you'll run them all faster.

Take one for a quick spin and you'll see why COMPAQ computers earn unsurpassed satisfaction ratings from users and industry experts. For the location of the nearest Authorized COMPAQ Computer Dealer or for more details, call 1-800-231-0900. Ask for Operator 63. In Canada, call 1-800-263-5868, Operator 63.

MS. Windows/386

COMPAQ® and COMPAQ DESKPRO 386® are trademarks of Compaq Computer Corporation. Microsoft® MS-DOS®, XENIX® and MS® are trademarks of Microsoft Corporation. MS® OS/2 and MS® Windows/386 are products of Microsoft Corporation. Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies. *Registered U.S. Patent and Trademark Office. COMPAQ DESKPRO 386/25 graphics ©1988 Accent Software, Inc. ©1988 Compaq Computer Corporation. All rights reserved.

*Hereafter referred to as 80386SX, 80386 and 80387 respectively.

COMPAG

It simply works better.

CHAOS MANOR MAIL

Jerry Pournelle answers questions about his column and related computer topics

BASIC Pilgrimage

Dear Jerry,

I was amused by your comments concerning Turbo Basic from Borland International. When some things didn't work as you expected, you patiently read the manual and went on to declare the product a "success." In contrast, however, you couldn't be bothered with reading the manual when doing a previous review of True BASIC and went on to declare the product a failure, referring to it as "True Madness."

Now that Microsoft has just released QuickBASIC 4.0, I expect you'll soon be raving about its separately compiled program modules, calling them an "exciting development in BASIC programming." Of course, the program modules available in version 2.0 of True BASIC for the past 12 months "just don't seem like BASIC and will never be accepted by users of GWBASIC."

Have you noticed that each new version of QuickBASIC looks more and more like True BASIC and less and less like GWBASIC? The very features you condemn in True BASIC are being copied into QuickBASIC and Turbo Basic—the ANSI BASIC standards. (Thomas Kurtz of True BASIC and Dartmouth College served as chairman of the standards committee.) Whether you like it or not, Kemeny and Kurtz are dramatically changing the language. You detest their influence while unwittingly praising Turbo Basic and QuickBASIC for copying most of the ANSI standards.

In 1985, Apple Computer came very close to releasing MacBASIC, which included many features similar to True BASIC. The language was developed by Apple's own software engineers. However, according to the Wall Street Journal (September 25, 1987), Apple president John Sculley killed MacBASIC and signed over the rights to the MacBASIC name when Microsoft's Bill Gates demanded the product be withdrawn and threatened to cut off Apple's license to use Microsoft's program for the company's best-selling Apple II machine. Several of Apple's key software engi-

neers resigned in disgust. The *Journal* quoted an Apple employee as saying, "He insisted that Apple withdraw what was an exceptional product. He held the gun to our head."

Sybex Publishing actually released a book on the MacBASIC language—a book that suddenly had no market. Tell me, is Mr. Gates a man we should all admire and hero-worship?

Alan F. Tomala St. Clair Shores, MI

Well, to begin with, True BASIC had all the defects of a compiled language without the speed and convenience; it "compiled" into p-code and interpreted that. Why would anyone want to do that? Turbo and QuickBASIC compile into stand-alone code that you can give your friends or sell for jujubes.

I will also admit that the name True BASIC and the arrogant letters denouncing "street BASIC" that accompanied it had a good bit to do with the attitude with which I approached True BASIC.

And whether you like it or not, the marketplace seems to have accepted Turbo Basic and QuickBASIC.

I hadn't heard the story about Apple and Bill Gates. I must have missed that issue of the Journal.—Jerry

Proof Positive

Dear Jerry,

Once again, I take keyboard in hand to perpetrate correspondence. You often wonder if you have any effect on the computer industry. You do. I offer the following as proof.

Some months ago, you reviewed the NEC MultiSync monitor. Your main complaint was that the adjustments were completely automated. (I'll pass over

continued

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. He can be reached c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "jerryp."

Three ways to build better Turbo Pascal programs...

NEW' POWER SCREEN \$129

Screen I/O manager.
Features: Screen painter Virtual screens
data validation Context sensitive help
unlimited screens definable keys
& much more!

Power Tools Plus

Full featured function library.
Features: ◆ TSR support ◆ direct video
access ◆ VGA and EGA support ◆ windows
and menus ◆ DOS memory allocation
◆ interrupt service routines
◆ & much more!

ASYNCH PLUS \$129

Asynchronous communication manager.
Features: • speeds to 19.2K baud
• XON/XOFF protocol • hardware
handshaking • XModem file transfer • I/O
buffers up to 64K • & much more!

We're Blaise Computing, manufacturers of high quality function libraries designed to reduce the time and technical expertise required for serious applications development.

All of these packages include Peter Norton's Online Instant Access Program, a comprehensive user reference manual with extensive examples, and full sample programs.

Satisfaction guaranteed or return within $30~{\rm days}$ for a full refund.

We have a full line of products for C and Pascal. For a free brochure or to order call

800-333-8087!



2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441 SEPTEMBER 1988 • B Y T E 33

db_VISTA III*

Database Development System



The db_VISTA III Difference





db_VISTA III takes your C programs as far as you dare to go.

Powerful applications require powerful tools. That's the idea behind db_VISTA III from Raima. db_VISTA III gives you powerful, high performance DBMS capabilities in any environment—VMS, ULTRIX, UNIX, XENIX, OS/2, DOS and Macintosh.

Our combination of a network model database, B-tree indexing, and SQL-based relational query, provide a superior system for data organization, manipulation and access.

db_VISTA III comes from a proven mainframe DBMS design. Because db_VISTA III is written in C for portability, we deliver this same power to minis and PCs.

The best of both worlds... network performance and relational flexibility.

db_VISTA III is a network model database. SQL-based db_QUERY is a rela-

tional interface. You can redesign existing databases with db_REVISE. An interface to Lotus 1-2-3 worksheets is also available.

For more information or to order call **800-327-2462** or **(206)828-4636**. Find out how you can go as far as you dare.

The Raima db VISTA III **Database Development** System Technical Information:

All components feature royalty-free run-time distribution, full source code availability and our commitment to customer service. That's why corporations like ARCO, AT&T, Hewlett-Packard, IBM, Northwestern Mutual Life, UNISYS and others use db VISTA III.

1. db VISTA: The High Performance DBMS

- Multi-user support
- Multiple database access
- Record and file locking. Automatic database recovery
- Transaction processing/logging.
- Timestamping.
 Database consistency check.
- Fast database access network model database B-tree indexing Virtual memory disk caching
- An easy-to-use interactive database access program.
- File transfer program for importing/ exporting ASCII
- A Database Definition Language patterned after C.

2. db QUERY: The SQL-based Query.

- ▶ Relational interface to db_VISTA
- C linkable or stand-alone usage. Embed queries or run ad-hoc
- Redesign your database easily. Converts all existing data to revised

3. db REVISE: The Database Restructure Program.

- Send customized db_REVISE to end user locations for easy upgrades.
- 4. WKS Library for Lotus 1-2-3.
- C-linkable interface to Lotus files. Reads and writes WKS, WK1 Worksheets and .dbf files.
- Control 1-2-3 from inside your C
- program. Use 1-2-3 as data entry and report

Operating Systems:

> VMS, ULTRIX, UNIX, XENIX, OS/2, DOS and Macintosh

C Compilers:

VAX, UNIX, XENIX, Microsoft, Lattice, Turbo C, MPW, and LightspeedC.

LAN systems:

LifeNet, NetWare, PC Network, 3Com, and other NET-BIOS compatible

1-800-db-RAIMA (1-800-327-2462)

(206) 828-4636 In Washington State call: (214) 239-3267 In Texas call: In the U.K. call: (0992) 500919 07127/5244 In Germany call: 01 725 04 10 In Switzerland call: In France call: (1) 46 09 28 28 (02) 720.96.57 In Belgium call: In Benelux Countries call: +31(2159)46 814

3055 112th Ave. N.E. #100, Bellevue, WA 98004 USA Telex: 6503018237 MCI UW FAX: (206) 828-3131



your gripe about the size of the screen. Maybe you should consider hooking your current word processor to a projection TV set.) The new MultiSync II has a full set of manual controls. Except for the mode selectors, everything is handily located under a door in front.

Also, I would like to enter a comment on your taste in text editors. You prefer WordPerfect because it is "transparent." I would call it "invisible." Admittedly, I cut my teeth on WordStar 3.31. Further, I actually like WordStar. Maybe that implies something about my sanity, but at least my old faithful has a useful help facility. WordPerfect does not. If you ever lose that blasted keyboard template, you may as well buy a supply of goose quills.

WordPerfect's on-screen "help" comes in two flavors; you either specify the key with which you want help or give the initial letter of the function you want. This assumes you know what the various keys do and at what level of shift they do it. The "organization" of the function keys might best be described as antimnemonic. (WordStar, at least, groups similar operations under the same Control-key menu.) Finding the letter that will call up help for a specific operation is mostly luck. It took me two tries before I could find the command to exit a file. Even DisplayWrite, a program widely regarded as the joke of the industry, has an index of help screens. If WordPerfect has such a feature, it is well hidden.

Finally, how can anyone with your notoriously poor vision even use that blasted template? My optometrist whistles in awe whenever I bring him my new lens prescription, but I don't need an oversize monitor. What I do need is a blowup of the template.

If you insist on a transparent editor with automatic paragraph reformat, try PC-Write 2.71. It is faster, much more helpful, and does windows. Its worst feature is its documentation, which tends toward the dense side of understandable. If I could find a book on PC-Write that's half as good as Arthur Naiman's book on WordStar, I would switch in a minute.

> Bryan Edenfield Allendale, SC

One thing that isn't generally known: when Art Naiman wrote his excellent book on WordStar, he used WRITE, the text editor I used for so many years.

BRIEFly Speaking

Dear Jerry,

—Jerry

Last year, you casually mentioned that you have problems running BRIEF with

SideKick and SuperKey ("In the Chips," September 1987).

We recently started using BRIEF here in the office, and we had similar problems. We tried to run BRIEF with Super-Key and our own memory-resident software and found that the machine locked up just as you described. We were using an IBM PC AT with 3 megabytes of memory.

Our solution was to set two switches when starting BRIEF. We set -k (lowercase, no numbers) and the -p (lowercase). The first is a keyboard-compatibility switch. It's odd to have to set this when using a true IBM machine, but it seems that these memory-resident programs hang off the keyboard interrupt and can affect timings.

The second switch is a video-pagecompatibility toggle. Apparently, BRIEF uses the second video page to display text, and if some software doesn't support multiple video pages (such as SideKick or SuperKey), this can cause problems.

After setting these switches, we have experienced no problems in running BRIEF.

> Terence J. Griffin Washington, DC

I find I don't need the power of BRIEF, and I've gone over to the Logitech Point editor for most of my programming. If I worked at programming full-time, I'd reconsider, but BRIEF had just enough commands that I'd keep forgetting them, while Point is totally intuitive. - Jerry

Avoiding Custom Programming


At my law office, we had a very large relational database written in dBASE III. But we had to change it all the time because the attorneys and the judges would always be asking for new reports that had not been set up previously. We ran into custom programming costs because dBASE III is too difficult for ad hoc queries and custom reports to be designed by the secretaries and the data entry-level people.

So, we rewrote the entire system in Paradox. Now data entry and secretarial personnel can create ad hoc queries and custom reports with minimal time from our high-priced computing consultant. This saved us money. I thought you'd like to know.

Daniel J. Ashley Chicago, IL

I did want to know, and thank you for telling me.—Jerry ■

CAN THIS BE DONE?



A COMMUNICATION

DEVICE FOR THE

SPEECH - DEAF

EXECUTIVE AUDIAL REHABILITATION SOCIETY....

the EARS design competition

FIRST PRIZE - \$100,000 PLUS A % OF ROYALTY

SECOND PRIZE - \$50,000 PLUS A % OF ROYALTY

THIRD PRIZE - \$25,000 PLUS A % OF ROYALTY

EXECUTIVE AUDIAL REHABILITATION SOCIETY

500 AMERICAN BANK TOWER P.O. BOX 2703 CORPUS CHRISTI, TEXAS 78475 (512)882-6557

JUDGES COMMITTEE

JACK S. KILBY, Dallas, Texas, Electronics Engineer HOWARD H. ARNOLD, Lewisville, North Carolina, Electronics Engineer JAMES S. NEWCOMB, St. Paul, Minnesota, Electronics Engineer **HUBERT W. UPTON**, Arlington, Texas, Electronics Engineer — Alternate PROFESSOR HUGH TOMLINSON, Corpus Christi, Texas — Coordinator

WINNERS 1986 SUGGESTION CONTEST

MILDRED CRUICKSHANK, Telephone connection **ED POTTHARST, Multichannel memory**

WE THINK YOU CAN!

HERE ARE 17,000,000 speech-deaf persons, i.e. do not understand speech, in the U.S. The objective is to provide a communication device that will allow one-on-one communication. The final EARS design, incorporating all possible operational advantages and economies of production, may be the composite of the prize winners' designs and may also incorporate features of the designs submitted by non-prize winners. Winners will be accorded cash and royalties. All royalties negotiated by EARS will be passed through to the contestants. The royalties will be apportioned by the Judges on the basis of their evaluation of the importance of each element submitted by any contestant which is included in the Final Production Design.

Those desiring to participate should apply (by mail or phone) for a registered entry blank to the Executive Audial Rehabilitation Society shown. Each entry shall include design, programming instruction and an operating "bread board" model which need not conform to the size goals. EARS will compensate those contestants (whose entries are adjudged to be operationally feasible) for the current cost of the components used to build the bread board operational model. The entries will be evaluated by the Judges on the basis of merit, i.e. operationally effective that can be produced at a reasonable cost.

Detailed conditions of the competition will be set out on the entry form. DEADLINES: Entry forms must be procured and returned to EARS not later than October 31, 1988. Designs and bread board models must be received by 5 P.M. on May 1, 1989.

All designs submitted and accepted by the Judges shall be the property of EARS. No essential conceptual element of a design shall constitute a conflict with an existing patent. Conceptual protection of the device has been established as of date of origin. Formal application for patents on pertinent features will be applied for by EARS. A firm of patent attorneys specializing in electronics is retained. All decisions by the Judges as to the award or non-award of prizes or royalty shall be final and shall not be subject to change, review or amendment by EARS., its Officers, Executive Committee or the design contestants.

DESIGN GOALS

The goal is a design for a hand-held, lightweight real time communication device capable of being produced at economical cost. The design should allow a speaking person to communicate on a one-on-one real time basis with the hearing-impaired person in any situation where normal conversa-tion occurs and will provide for filtration of extraneous noise. The goal is a device contained in approximately 6" x 8" x 1½". A 5" x 7" screen will be on one side. The speech-deaf person can place it on a desk or hold it in hand. The speaker will first read a text identifying his phonetic alphabet in the memory. A multi-position switch would allow storage of the phonetic alphabets of different persons. For telephone calls, the speech of a person (whose phonetic alphabet is in one of the memory channels or who reads the text into a new channel) will enter the communication device through a standard telephone plug. The device will be battery-powered with rechargeable batteries but provide for alternative operation with a voltage converter. Intensive electronic speech analysis combined with the personal phonetic alphabet of the speaker will result in the "real-time" production of the spoken words on the screen. The speech of the hearing-impaired person not fitting the phonetic alphabet of the memory should be filtered out automatically if possible, otherwise manually.

Equally important is a design for this device that can be manufactured economically so that the cost is within the means of this group of people, many of whom may be economically disadvantaged.

ASK BYTE

Circuit Cellar's Steve Ciarcia answers your questions on microcomputing

Clipped by Clipper

Dear Steve,

I have a problem with my Clipper application, but perhaps it's a general problem. I can't find any way to access more than 15 files in my application because of the restrictions of MS-DOS. I think the only way I can solve this problem is to open another process, but maybe you could suggest something else.

Michael Stöckel Berlin, Germany

Your problem is not so much a restriction of MS-DOS as it is a configuration problem.

Examine the contents of your CON-FIG.SYS file if you have one. It should be in the root directory of whatever disk you boot the computer from (if not, add this file with the following). See if there is a FILES=?? statement, where ?? is a number that indicates the maximum number of files any application can have open at one time. You can increase this number to whatever you like, but each open file takes some memory, so the sky is not the limit. You should also add a BUFFERS=?? statement to speed processing if you have lots of open files. However, remember that all this takes memory, and if Clipper takes too much to allow more open files, then you're stuck because of Clipper, not MS-DOS.

Set the number of files and buffers to the smallest value that accommodates your requirements. Typically, 20 is a good number. All this is listed in the MS-DOS manual in greater detail. - Steve

Seeing Digital

Dear Steve.

Since June of 1987 I have been considering purchasing a digitizer/transmitter and receiver system for several small systems that I deal with on a regular basis. The unfortunate part of the whole thing is that all I know of how the system works is what I could catch up to in the June 1987 Circuit Cellar.

What I'm looking for is a total rundown on the system, including both its good points and bad points. I plan on setting up a series of these in external cases and using my own telecommunications network. Would you be willing to give me some information on this system and your own thoughts on how it can be applied?

> Jason S. Beam Saco. ME

The definitive works on the ImageWise video digitizing system are in "Build a Gray-Scale Video Digitizer," Parts 1 and 2 (May and June 1987). The two subsequent articles ("Using the ImageWise Video Digitizer," Parts 1 and 2, July and August 1987) went into some depth on applications for the hardware, featuring some image processing and colorization

IN ASK BYTE, Steve Ciarcia, a computer consultant and electronics engineer, answers questions on any area of microcomputing and his Circuit Cellar projects. The most representative questions will be answered and published. Send your inquiry to

> Ask BYTE One Phoenix Mill Lane Peterborough, NH 03458

Due to the high volume of inquiries, we cannot guarantee a personal reply. All letters and photographs become the property of Steve Ciarcia and cannot be returned.

The Ask BYTE staff includes manager Harv Weiner and researchers Eric Albert, Tom Cantrell, Bill Curlew, Ken Davidson, Jeannette Dojan, Jon Elson, Frank Kuechmann, Tim McDonough, Edward Nisley, Dick Sawyer, Robert Stek, and Mark Voorhees.

programs that demonstrated how to write a software interface to the boards.

For your telecommunications applications, you'll need to think about transmission time and hardware control problems. The transmitter uses run-length encoding to reduce the volume of data, but you'll still have about 30K to 40K bytes for each image. Transmitting an uncompressed 62K-byte image at 1200 bits per second can take up to 9 minutes.

The transmitter and receiver will work

when connected together, either directly or through modems, but you'll probably need to use a computer at each end to handle dialing, selecting options, and so forth. We've used BCC-52s and BCC-180s, as well as ordinary PCs and ATs, with success. Teaming a BCC-180 with a 9600-bps modem gives you quite a bit of power. This is exactly what I have done in a subsequent ImageWise project in the fifth issue of Circuit Cellar Ink magazine. There are some sample programs and images on the Circuit Cellar bulletin board system (BBS) that may be of some use. Give it a call at (203) 871-1988 and see what we've got for you. -Steve

Teaching an Old Board New Tricks Dear Steve,

Upgrading to a new system (from an IBM PC to an AT, or from an AT to an 80386 system) costs not only the purchase price of the new system, but also the replacement cost for the boards. Could you design an adapter so that old PC boards would fit into an AT bus or so that PC or AT boards fit into a Micro Channel bus? Are such adapters already being marketed?

James P. Eshleman Jr. Philadelphia, PA

Using your old PC 8-bit expansion boards in the AT bus is just a matter of plugging them into any available expansion slot. Actually, ATs and all the clones I know of provide 8-bit slots for video cards, serial ports, parallel ports, and so on, but 8-bit cards will work in any AT expansion slot. Of course, 8-bit memoryexpansion cards won't be of much use, and while it would be possible to design an adapter, the result would be slot performance at a high price. You could also use the PC XT 8-bit hard disk drive controllers in an AT, but the 16-bit controllers are considerably faster and worth the extra money for most people.

Adapting PC or AT cards to the Micro Channel is another story, however. There are system requirements built into the Micro Channel architecture that

continued

in'de-pen'dent (in'di-pen'dent) adi. 1. not influenced by others in opinion, conduct, etc. 2. not affiliated; sovereign in authority. -n. (in'de-pen-dence) someone or something independent.

FACT:

Many major dealers specializing in programming tools for personal computers are legal affiliates of companies who also publish development software.

FACT:

Programmer's Connection is not a publisher and is not affiliated to any company that has ever been in the business of publishing software.

When you come to Programmer's Connection. vou'll find our knowledgeable, non-commisioned salespeople and technical consultants will give you an unbiased look at the products we carry.

Please join us in our Declaration of Independence. Call Programmer's Connection today and be sure to ask for your FREE subscription to the Connection, our 120 page comprehensive buyer's quide. It contains descriptions for over 750 products by more than 250 manufacturers, and informative articles by leaders in the programming industry.

CALL for Products Not Listed Here

USA...... 800-336-1166

Canada	800-225-1166
Ohio & Alaska (Collect)	216-494-3781
International	216-494-3781
FAX	216-494-5260
TELEX	9102406879

Business Hours: 8:30 AM to 8:00 PM EST Monday through Friday Prices, Availability, Terms and Conditions are subject to change ©Copyright 1988 Programmer's Connection Incorporated

digitalk products

PROGRAMMER'S

20C mundusts	List	Ours
386 products		
386 ASM/386 LINK by Phar Lap Software	495	389
386 DEBUGGER by Phar Lap Software	195	145
NDP C-386 by MicroWay	595	529
NDP ForTran-386 by MicroWay	595	529
PC-MOS/386 Single-User by The Software Link	195	179
PC-MOS/386 5-User by The Software Link	595	539
PC-MOS/386 25-User by The Software Link	995	869
VM/386 by IGC	245	219
blaise products		
ASYNCH MANAGER Specify C or Pascal	175	135
C TOOLS PLUS/5.0	129	99
PASCAL TOOLS/TOOLS 2	175	135
POWER SCREEN Supports C and Pascal	129	99
Turbo ASYNCH PLUS/4.0	129	99
Turbo C TOOLS	129	99
Turbo POWER TOOLS PLUS/4.0	129	99
borland products		
EUREKA Equation Solver	167	115
Paradox 2.0 by Ansa/Borland	725	525
Paradox 386 by Ansa/Borland	895	639
Paradox Network Pack by Ansa/Borland	995	725
Quattro: The Professional Spreadsheet	247	179
Sidekick Plus	200	125
Turbo Basic Compiler Turbo Basic Support Products All Varieties	100 100	68 68
Turbo C Compiler	100	68
Turbo Pascal Compiler	100	68
Turbo Pascal Database Toolbox	100	68
Turbo Pascal Developer's Toolkit	395	285
Turbo Pascal Editor Toolbox	100	68
Turbo Pascal Gameworks Toolbox	100	68
Turbo Pascal Graphix Toolbox	100	68
Turbo Pascal Numerical Methods Toolbox	100	68
Turbo Pascal Tutor	70	49
Turbo Prolog Compiler	150	115
Turbo Prolog Toolbox	100	68
Other Borland products	CALL	CALL
c language		
C_talk by CNS	150	129
Eco-C88 Modeling Compiler by Ecosoft	100	69
Lattice C Compiler from Lattice	450	289
Mark Williams Let's C with FREE csd	75	54
WATCOM C6.5 by WATCOM GroupNew Version	295	269
database management		
Clarion Development System by ClarionNew	695	639
Clipper by Nantucket	695	519
dBASE IIÍ Plus by Ashton-Tate	695	439
dBFast dBASE III Plus Comp by dBFast	99	89
FoxBASE+ by Fox Software	395	249
FoxBASE+/386 by Fox Software	500	359
FrontRunner by Ashton-Tate	195	175
Genifer by bytel	395	249
Circle 212 on Reader Service Card		

digitalk products				
Smalltalk/V	100	84		
Smalltalk/V 286	200	175		
Smalltalk/V Support Utilities All Varieties	CALL	CALL		
golden bow products				
Vcache	60	55		
Vfeature Hard Disk Utility	80	74		
Vieature Deluxe Hard Disk Utility	120	111		
Vopt Hard Disk Optimization Utility	60	55		
lahey computer products	3			
F77L-EM/16	695	639		
F77L-EM/32	895	799		
F77L-FORTRAN Compiler	477	429		
Lahey Personal Fortran 77	95	85		
with Toolkit	119	99		
logitech products				
Logitech HI REZ Mouse	149	119		
Logitech Mouse with Plus Software	119	98		
With LOGICADD	189	153		
With LOGICADD and LOGIPAINT	219	179		
With LOGIPAINT	149	119		
Logitech Series 2 Mouse with Plus Software	99	79		
Other Logitech Products	CALL	CALL		
microsoft products				
Microsoft BASIC Compiler	295	219		
Microsoft C Compiler 5 w/CodeView	450	299		
Microsoft COBOL Compiler w/ToolsNew Version	900	659		
Microsoft FORTRAN Optimizing Comp	450	299		
Microsoft Macro Assembler	150	105		
Microsoft Mouse All Varieties	CALL	CALL		
Microsoft OS/2 Programmer's Toolkit	350	239		
Microsoft Pascal Compiler	300	199		
Microsoft QuickBASIC 4	99	69		
Microsoft QuickC	99	69		
Microsoft Windows	99	69		
Microsoft Windows 386	195	129		
Microsoft Windows Development Kit	500	329		
Other Microsoft products	CALL	CALL		
persoft products				
SmartMOVE	149	135		
SmarTERM 220	195	179		
SmarTERM 240	345	309		
periscope products				
Periscope I with Board	455	369		
Periscope II with NMI Breakout Switch	175	139		
Periscope II-X Software only	145	105		
Periscope III 10 MHz version	1395	1119		
peter norton products		4 4.6.5		
Advanced Norton Utilities	150	89		
Norton Commander	75	55		
Norton Editor	75 75	59		
Norton Guides Specify Language	100	65		
For OS/2	150	109		
Norton Utilities	100	59		
	.00	-		

ORDERING INFORMATION

FREE SHIPPING. Orders within the USA (lower 48 states only) are shipped FREE via UPS Ground. Call for APO, FPO, PAL, and express shipping rates. NO CREDIT CARD CHARGE. VISA, MasterCard and Discover Card are accepted at no extra cost. Your card is charged when your order is shipped. Mail orders please include expiration date and authorized signature

NO COD OR PO FEE. CODs and Purchase Orders are accepted at no extra cost. No personal checks are accepted on COD orders. POs with net 30-day terms (with initial minimum order of \$100) are available to qualified US accounts only

NO SALES TAX. Orders outside of Ohio are not charged sales tax. Ohio customers please add 5% Ohio tax or provide proof of tax-exemption.

30-DAY GUARANTEE. Most of our products come with a 30-day documentation evaluation period or a 30-day return guarantee. Please note that some manufacturers restrict us from offering quarantees on their products. Call for more information.

SOUND ADVICE. Our knowledgeable technical

staff can answer technical questions, assist in comparing products and send you detailed product

information tailored to your needs.

INTERNATIONAL ORDERS. Shipping charges for International and Canadian orders are based on product weight. The standard rates used are published in the Fall 1988 issue of our Buyer's Guide. If you do not have a copy, please call or write for the exact cost. All payments must be made with US funds drawn on a US bank. Please include your telephone number when ordering by mail. Due to government regulations, we cannot ship to all countries.

MAIL ORDERS. Please include your telephone number and complete street address on all mail orders. Be sure to specify computer, operating system, diskette size, and any applicable compiler or hardware interface(s). Send mail orders to:


> Programmer's Connection Order Processing Department 7249 Whipple Ave NW North Canton, OH 44720

other products

1st-CLASS by 1st-CLASS Expert System	495	399
Actor by The Whitewater Group	495	439
APL*PLUS PC by STSC	695	529
Brief by Solution Systems	195	CALL
Carbon Copy Plus by Meridian Technology	195	135
Desqview from Quarterdeck	130	115
Desqview API Products All VarietiesNew	CALL	CALL
Epsilon EMACS-type Text Editor by Lugaru	195	149
Flow Charting II + by Patton & Patton	229	189
HALO 88 by Media Cybernetics	325	CALL
Instant Replay III by Nostradamus	150	129
TopSpeed Modula-2 by Jensen & PartnersNew	99	89
Mace Utilities by Paul Mace Software	99	85
MathCAD by MathSoft	349	319
Microport Products All Varieties	CALL	CALL
MICROSTAT-II Statistics Pack by Ecosoft	395	359
Opt-Tech Sort by Opt-Tech Data Proc	149	129
PC Tools Deluxe by Centeral Point SoftNew	79	69
STATGRAPHICS by STSC	895	699
TLIB Version Control by Burton Systems Software	100	89
5 Station LANNew	300	269
Turbo Plus by Nostradamus	100	89
Turbo Programmer for Turbo Pascal, by ASCII	389	309
Turbo Programmer/C by ASCIINew	499	399
XENIX System V All Varieties by SCO	CALL	CALL



Established 1984



Use DataSaver

standby uninterruptible power supply, and protect your microcomputer against costly data loss and hardware damage.

- Constant AC line protection against power disturbances and interruptions.
- Built-in spike/transient suppression and EMI noise filtering
- Powerful sizes to protect any system from the earliest Apples to the latest PS/2's.
 International models, also.

For more information, call: **TOLL-FREE 800/332-3440.** In California, call 805/541-4160. Or write to us at the address below.

GSA No. GS 00K-87-AGS5393 PS01 Dealer/VAR inquiries invited



would make adapting these cards difficult and expensive. In addition to all the electrical problems, AT and XT cards are too big to fit into the PS/2 boxes. All in all, adapters to fit PC and AT cards into the PS/2 probably won't happen.—Steve

Translation, Please

Dear Steve,

I ran across some long FORTRAN source code recently that has what the author refers to as Warnier-Orr diagrams in place of the more generic English comment lines. As near as I can fathom, these diagrams appear to be a sort of condensed truth table outlining the program logic flow.

I'd like to know more about these diagrams so I can make some sense out of the cryptic symbols they contain. Could you or your knowledgeable readership offer any references?

James T. Himer Calgary, Alberta, Canada

Your question seemed easy until I started looking for an answer. Apparently, programmers must have stopped using Warnier-Orr diagrams. Searching through back issues, I found two articles in BYTE: "Structured Programming with Warnier-Orr Diagrams" by David A. Higgins (December 1977) and "Warnier-Orr Diagrams: Some Further Thoughts" by G. T. Wedemyer (May 1978).

The only recent reference I found was the book Diagramming Techniques for Analysts and Programmers by James Martin and Carma McClure (Prentice-Hall, 1985).—Steve

Hebrew Word Processing

Dear Steve,

What can you recommend as a current data book for information about software? I once had a copy of *The Whole Earth Software Catalog*, and *The Data-Pro Report* was highly recommended to me, but apparently neither is up to date.

I'm hoping to get specific information about word-processing programs in Hebrew and a shopping guide to word-processing systems with scientific notation and plotting capability.

Ellen Dean Cambridge, U.K.

I can readily understand your desire to have a truly current software directory. I'd like to know where to find one myself.

Unfortunately, in a business that grows and changes as rapidly as the microcomputer trade, any compendiums are dated before they're published.

The most current information sources

are magazines such as BYTE, PC Tech Journal, and PC Magazine. These magazines contain the most current software/hardware reviews, as well as manufacturers' advertisements, product notices, and other useful information. The manufacturers themselves are frequently the most useful information sources, although one must be wary of hype. Of the directory-type publications, the one published annually by PC Tech Journal is frequently the most useful.

Although I can't provide all the information you need, I can offer some sources for information on Hebrew word-processing software for IBM-type PCs. Two companies advertising PC software with multilingual text capabilities, including Hebrew, are Gamma Productions, Inc. (710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401) and MegaChomp Co. (3524 Cottman Ave., Philadelphia, PA 19149).—Steve

Pictures, Hexes, and the Weather Dear Steve,

I have three unrelated questions.

For a long time, I've been seeing ASCII characters used to make some very good printer pictures. These pictures are found on BBSes all over the country. I was wondering how these pictures are made—some cannot even be listed to the screen and viewed. It takes an 80-column printer set to condensed mode and a small line spacing to make any sense out of the image data. Is there a software or hardware package available that can produce these picture files?

I have access to an ÉPROM programmer. It has its own card that goes into one of the slots in an IBM PC (it's not a serial-type programmer; it's like the \$179 ones that many of the clone suppliers sell), and it programs up to four EPROMs at once. I've seen ads for EPROM data on a disk that is in the Intel Hex format. I am not sure if my programmer will accept this Intel Hex format. Can you describe the Intel Hex format so I can determine whether or not it is compatible with my programmer?

Now for the hard question. A long time ago, you wrote an article entitled "Build a Computerized Weather Station" (February 1982). You used a Heathkit anemometer and a temperature sensor connected to a computer to tell you of the changes in weather conditions. I'm also interested in predicting the weather. In fact, I purchased a program that, when supplied with a few readings (data such as date, location, average temperature, and current atmospheric pressure), will

continued

New diskdoubler™ doubles the storage capacity doubles the storage capacity of your bard disk



for \$189

Upgrade the disk drive in your PC the easy way!

Datran's new DiskDoubler dd2000 is a short card that simply fits into any available slot on an IBM, PC, XT, AT, 386 or compatible, DOS 2.0 or greater.

Upgrade a 20 MB disk into a 40 MB. The DiskDoubler lets you double the storage capacity of any hard disk without loss of performance. No matter what size hard disk you have, the Disk-Doubler will double it.

Works With All Data. The DiskDoubler compresses data stored on a hard disk, including application programs, program files, COM and EXE files. You will appreciate the doubling of capacity for word processing, spreadsheets, and database files.

Powerful dBASE Capacity. The Disk-Doubler is especially powerful when handing dBASE II, III and III Plus files, storing on the average three times as much data on your hard disk, i.e., your 20 MB hard disk will perform like a 60 MB disk . . . an 80 MB disk will act like a 240 MB model. It works equally well for any size hard disk . . . and for only \$189.00.

Principle of Operation. At the heart of the DiskDoubler is a new, powerful high-speed data compression microprocessor that incorporates Datran's data state-of-the-art compression technology, which represents years of research and development.

Totally Transparent Operation. Datran's high speed data compression technology coupled with our extensive operating software allows the DiskDoubler to process data at speeds compatible with disk operating speeds. It looks as though you've added a disk drive of double the capacity to your PC.

Breaks the 32 MB DOS Barrier. Because the DiskDoubler doubles the amount of data your disk drive stores, it effectively increases the 32 MB DOS barrier to 64 MB without any special software.

Simple Installation. Once the simple, fast installation is complete, the Disk-Doubler operates in the background and is completely user transparent. The dd2000 works with yours existing hard disk controller.

No Formatting Required as is necessary with RLL controllers. DiskDoubler will even double the capacity of a drive already using RLL technology.

Low Power Consumption. The 1/2 watt DiskDoubler eliminates the need for upgrading your power supply, as would be needed if an additional disk drive were added pulling 15 to 30 watts.


Long Life Performance. With a long three-year limited warranty, DiskDoubler is a simple, inexpensive and reliable way to double your disk storage.

Satisfaction Guaranteed. Datran backs the DiskDoubler with s 30-day no questions asked money back guarantee.



Leadership in Data Compression Technology

Datran Corporation/2505 Foothill Blvd./La Crescenta/CA 91214/Phone (818) 248-8780/FAX (818) 248-8788/Telex 4932115/TurboCorn (818) 248-8789





MultiSync Plus
For superior business
graphics, desktop
publishing and CAD.

Or construct a bridge. Or design a circuit. Or even create a pie chart. With the MultiSync® Plus, high resolution graphics are well within reach. When used with the graphics board that was designed for it—the MVA 1024 from NEC—it may well be the ultimate value for all your CAD and business graphics applications.

MultiSync Plus has a 15" diagonal flattened CRT and a tilt-swivel base to make you more comfortable. It works with boards for a variety of systems, from PC/XT/AT/386 (or 100% compatibles) to MAC II and PS/2. It automatically adjusts its scanning frequency from EGA to VGA, and on up to even higher standards with our MVA 1024 in AT/386 based systems.

Whether your plans are as big as a skyscraper or as small as a memory chip, MultiSync Plus makes the world of high resolution graphics more accessible. For literature or a dealer call

1-800-447-4700. For technical details call NEC Home Electronics

(USA) Inc. 1-800-826-2255.





forecast the next three days' weather and even draw a local weather map. I was going to rely on the local weather radio and the cable TV weather channel for the data, but when they said for three straight days that the high was 9°F (in summer), I knew I needed my own source for this data. I remembered your old article and decided that it should provide some guidance for putting together a computer-controlled system to take readings every hour or so.

I'm not a programmer, but I figure that with trial and error I can make a program that will do what I want. The actual instruments and the interface to the computer is a bigger problem. Can you give me any clues on this? Also, is there a better or cheaper way for measuring wind speed and direction?

> Donald P. Bolton Richland, WA

The "printer pictures" you mention are reminiscent of pictures I used to create when I was in school (before personal computers). The technique used involved creating the drawing (on graph paper), determining the shading or gray scale, and assigning characters to represent the shading or gray-scale levels.

The character assignments followed the concept of using the density of a character that is essentially centered in the character space. You can easily see that a + symbol has a lesser density than a # or a @. It would then be a simple matter to code in the lines of character (even using backspacing to increase density). I haven't experimented in this area in quite some time, but since you can create the rules necessary to code the character lines, you should be able to create a program to automate the process. This should be fairly easy, given that paint and video capture programs are available to get the image into the computer. I don't know of a commercial program, however, that creates these pictures.

As to your question about the Intel Hex format for files, this format differs from the normal Hex file in that the data is transmitted in record blocks, with necessary control and checksum codes. There are two types of records. The data record is formatted as

:BCAAAAOOHH<data>.... CC<cr><lf>

where: is the start character, BC is the byte count of the record data (inclusive of control info), AAAA is the starting address of this record, 00 indicates that this is a data record, and CC is the two's complement checksum of the binary summation of all the previous bytes.

The end-of-file record is formatted as

:BCAAAAO1CC

where: is the start character, BC is the byte count of the record's data, AAAA is the starting address of this record, 01 indicates that this is an end-of-file record. and CC is the two's complement checksum of the binary summation of all the previous bytes.

As you can see, it would be a simple process either to append or delete the control information. A short BASIC program would do the trick.

Regarding your third question, the methods for data collection of weather information have improved dramatically in recent years. Several devices are available to aid construction of these tools. Among them are the following:

- Temperature measurement: National Semiconductor's LM135-series precision temperature transducers
- Barometric pressure: National Semiconductor's LX05xxA series Monolithic Pressure transducers
- Wind directions: Hall-effect sensors and magnets

You'll need to use the transducers in an analog environment, then convert the signals to digital information with an A/D circuit (National's ADC0802 is a fairly easy device to use). You can use the Halleffect sensors digitally for count or direction. National Semiconductor can provide information on these and other devices in its linear and digital families (including sample application data). Contact National Semiconductor Corp., 2900 Semiconductor Dr., Santa Clara, CA 95051.

You might consider buying a new instrument system that Heath is marketing. The Digital Weather Master is portable and has the ability to monitor temperature, barometric pressure, wind speed and direction, and rainfall. It also has some "history" functions built in. Perhaps you could investigate adapting this type of unit to your needs (it might be easier to start with a functional and calibrated unit, then create the interface).

Concerning weather forecasting programs: I have investigated some programs (in fact, one of my associates went to great lengths to determine the reliability of one package). Unfortunately, most of them use NOAA-derived formulas that are so generic in nature that their reliability is highest in the midwest area of

the country. Extreme northern, southern, and coastal users will find that they need to fine-tune the algorithms to their native area. Consequently, it's always best for a new user to determine if the program can be modified (source code is provided) or allows for some form of area-dependent offsets. - Steve

Have ROM Will Travel

Dear Steve.

I have received conflicting information as to the possibility of removing the ROM BIOS chip from a Western Digital hard disk controller card and inserting it into an empty ROM socket on a PC XTclone motherboard. Removing the W3 jumper on the controller card would then tell the board that it should look to the motherboard for its BIOS. The purpose of these modifications is to remap the memory address of the hard disk BIOS from its normal C800 address in memory segment C into a location in memory segment F, along with the regular system BIOS. If the hard disk BIOS were in segment F, I could set up 128K bytes of my HiCard board (similar to the Max-It board advertised in BYTE) memory in segments C and D and put my 64K-byte Lotus/Intel/Microsoft Expanded Memory Specification (LIM/EMS) window in segment E.

This chip-transfer scheme was suggested to me by someone in technical support at RYBS Electronics (which supplies the HiCard board); he claimed to have done this himself. However, someone at Western Digital technical support said that he had never heard of this and did not believe it could be done.

My computer is an XT clone assembled from parts primarily from JDR Microdevices. The turbo motherboard has seven sockets for 64K-byte ROMs. Only one of these sockets is currently used by the ROM BIOS chip. Can the suggested modification be done? I especially have a problem figuring out how two 64K-byte ROMs on the motherboard map into the 64K-byte space of segment F. If this modification is possible, would I have any problems with application or utility programs such as Norton Utilities, Fastback, or Coretest?

Franklin Chase Boston, MA

Maybe I don't quite understand what you're trying to do, but it seems to me that if you're using EMS 3.2 or EMS 4.0 with the small frame option, you only need 64K bytes of space somewhere in the first megabyte of memory in which to put the

continued

"An exceptional value

"I was impressed. It wins the costeffective award."

John Dvorak, PC Magazine

"This program has all the features and capabilities of money management programs costing 10 times as much."

Leonard Hyre, PCM Magazine

We appreciated those kind words. They helped make MONEYCOUNTS® 4.0 one of today's most popular accounting/money management programs for home and business. But we couldn't leave well enough alone. So we're introducing new

MONEYCOUNTS 5.0

...an unbelievable buy at just \$29!

MONEYCOUNTS® 5.0 balances your checkbook... prepares your budget... manages your cash, checking, savings, credit cards... prints 5 types of financial statements including net worth...3 types of inquiry reports... general ledger, accountant's trial balance, and graphics. Its fast financial data base handles up to 999 accounts and 100,000 transactions a year.

MONEYCOUNTS® 5.0 is a CPA-designed money management/accounting system you can use for home or business. It's easy to use, requires no accounting knowledge, is menu-driven with on-line help, has a fast financial calculator, works with monochrome or color monitors, comes with a printed manual and is not copy protected.

SAME DAY SHIPPING. Order today and own MONEYCOUNTS® 5.0 for only \$29! Add \$5 shipping/ handling (outside North America, add \$10). lowa residents please add 4% sales tax.



375 Collins Road NE Cedar Rapids, IA 52402

MONEYCOUNTS*5.0 now also...

- · prints any type of pin-feed check and updates your records automatically
- estimates your 1988 income tax
- · analyzes financing options, savings programs...computes interest rates, loan payments...prints amortization schedules
- · manages mail lists—zip and alpha sorts—and prints labels and index cards
- provides password protection, fiscal year support, and pop-up notepad.


VISA, MASTERCARD & COD ORDERS CALL

1-800-223-69

(In Canada, call 319/395-7300)

Tarsons Technology			
CITY			
STATE/ZIPPH	ZIPPHONE		
CHECK MONEY ORDER WISA	MASTER	CARD 🗖	
CARD #	CARD # EXP. DA		
No. of Copies Product	Price Each	Total	
MONEYCOUNTS [®] 5.0 (Needs IBM or compatible computer, at least 256k memory, DOS 2.0 or more, two disk drives or hard disk)	\$ 29.00		
Shipping & Handling TOTAL AMOUNT	\$ 5.00	.\$ 5.00	

QuickBASIC Supercharged!



Want even more power, speed, and creativity out of your QuickBASIC programs? Here's THE MICROSOFT® OUICKBASIC PROGRAM-MER'S TOOLBOX—an essential library of more than 250 subprograms, functions, and utilities designed to supercharge your QuickBASIC programs. The subprograms and functions created by author John Clark Craig address: ANSI.SYS screen control ■ mouse support ■ pop-up windows ■ graphics ■ string manipulations ■ bit manipulation editing routines engineering, mathematical, and statistical functions

game programming ■ interlanguage calling ■ and more. Each is practical and inventive, not gimmicky. And each takes maximum advantage of QuickBASIC's capabilities. If you're new to QuickBASIC or a QuickBASIC pro, you're guaranteed to turn to this superb collection again and again. \$22.95

Microsoft Press Hardcore Computer Books

Available wherever books and software are sold.

Or call in your credit card order. **800-638-3030** (In MD 824-7300). Refer to ad BM78.

Book Code 86-96403.

page frame. The expanded memory does not go into this space.

Moving the hard disk BIOS might work, but I think you might then have to boot with a floppy disk. The BIOS is programmed to scan for ROM programs in the memory range from C800:0000 to F400:0000, so if you address it at F800; the hard disk routines won't be found during system start-up. If it turns out that the 800 part of the segment address isn't sacred, you might be able to locate it at F000: and boot without trouble. If the ROM is relocated to F800:, you may be able to boot from a floppy disk and reset the interrupt vector to point to F800 and operate the hard disk, but I don't know for sure.

The empty ROM sockets on the motherboard are for ROM BASIC (cassette BASIC), and inserting the hard disk BIOS into that area shouldn't interfere with the normal BIOS, which is only 8K bytes (the chip is 8K bytes by 8 bits).

Would this cause any problems with utility programs that do special things with the hard disk? Probably. I haven't done this, and it is impossible to predict how various programs will react to a change of this type. If you really want to do this, I think you should call RYBS Electronics again and see if you can get the full scoop. Maybe someone there can tell you exactly how to set it up.—Steve

Fishing for IIGS Info

Dear Steve,

I'm looking for information on the Apple IIGS. It's pretty hard finding anything. Can you help?

Todd Daugherty Chicago, IL

Your shortage of information on the IIGS isn't unusual or unexpected, although the people at Apple Computer aren't as open with information as they used to be 10 years ago.

The best source I'm aware of for information is the A.P.D.A. (Apple Programmers' and Developers' Association), which has membership dues of \$20 per year and can supply development software, as well as hard-to-find manuals and such, all at reasonable cost. You can contact A.P.D.A. at 290 Southwest 43rd St., Renton, WA 98055.

Another good source of Apple information is Don Lancaster. See his columns in Computer Shopper magazine and Radio Electronics magazine for specifics on his hotline and mailing address. His hotline number is (602) 428-4703 (business hours, weekdays, Mountain Standard time).—Steve



We've got a whole new family of tape backup systems.

Whether you've got an IBM, a compatible, or a Macintosh, you can count on Tallgrass. We back you with all the storage capacity you could ask for, plus all the features, all the support, and all the speed you'll ever need. And we make it easy to protect your valuable data. Since all operations are automatic

and unattended, you can just set it, and forget it.

Best of all, we stand behind our products with the industry's only 3-year warranty.

But there's one other reason why so many more people are asking for Tallgrass. It's because the competition is asking so much more for their products. Let Tallgrass start backing you up. Call 1-800-TAL-GRAS. Or write to: Tallgrass Technologies, Inc. 11100 West 82nd St. Overland Park, KS 66214



When it's worth saving, it's worth Tallgrass

To some people, the difference is obvious.



Send my FREE SMART demo.

NAME:	LAS	Γ		
COMPANY:				
ADDRESS:				
CITY:	ST	CATE:ZII	P:	
DAYTIME TELEPHONE: (REQUIRED FOR FULFILLMENT OF ORDER)				
Check only ONE of the following:	CURRENT OR PL. Check all that apply:	ANNED ENVI	RONMENTS	
 □ Individual computer user □ Work in an organization with many computers (number of computers) 	□ NCR Tower Family □ AT&T 3B Series □ Microport UNIX System V □ SCO XENIX System V □ Macintosh	☐ IBM PS/2 ☐ DOS single user ☐ DOS LAN	□ Apollo □ Sun	
 3. □ Storefront retailer 4. □ VAR or consultant 5. □ Independent developer 6. □ Student 	Are you directly involved in infl Plan to purchase software? □ Y □ Within 3 mos. □ Within	uencing the purchase of es No 6 mos. Within 12 m		
	C	T =		



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

Idlandandaladaladaladaladalamadla

FIRST CLASS


PERMIT NO. 2502

SHAWNEE MISSION, KS

POSTAGE WILL BE PAID BY ADDRESSEE

INFORMIX SOFTWARE INC. P. O. BOX 15998 LENEXA, KS 66215-0998





66 For sheer power, ease of use, speed, and flexibility, you would be hardpressed to find a more capable product, es-

pecially if you need advanced features. It works just as well with a half-dozen spreadsheets simultaneously as it does with one.

—InfoWorld




66 Integrated systems have come a long way, and Smart has...the widest array of powerful MAGAZINE features...strong points include intelligent data sharing and good file security, intuitive ease

of use, a powerful programming language, and consistently good performance...Smart can fill the bill for a total, integrated software system. "


-PC Magazine

hether you're just getting started as a lone computer user, or you're the Manager of Information Systems supporting thousands of PC users, discover easy-to-use applications your office won't outgrow. Single user and Multi-user software for DOS, LANs, UNIX or XENIX systems: Word Processing, Spreadsheet & Graphics, Database Management and Communications. For additional information, including a Free Smart Demo, simply return the reply card or call toll-free (800) 331-1763. In Kansas or Alaska call (913) 492-3800, in Canada call (800) 233-6905.




299 For 3-D CAD ou can't bea spendir thousands more.





DESIGN



You can spend thousands of dollars for three dimensional CAD software and still not get the power and capability that DesignCAD 3-D

offers for a remarkable \$299! DesignCAD 3-D is proof positive that you don't have to spend a fortune for quality.

DesignCAD 3-D allows you to develop and advance any design in 3 dimensional space, while providing you with features such as shading, hidden line removal, printer and plotter support. DesignCAD 3-D's extensive file transfer utilities allow you to: transfer documents to and from IGES, DXF HPGL, transfer to GEM and Post Script and to read ASCII text files and X, Y, Z coordinate files. It allows up to 4 simultaneous views (any angle or perspective) on the screen. Complex extrusions, extensive 3-D text capabilities, auto dimensioning and a host of other

features are all included with DesignCAD 3-D, all at no extra charge.

PC Resource Magazine has listed DesignCAD 3-D as one of the six new computer products worth watching in 1988.

The compatibility that DesignCAD 3-D offers you means that it can be used with almost any PC compatible system. It supports

more than 200 dot matrix printers, more than 80 plotters and most digitizers and graphic adapters. DesignCAD 3-D can read drawings from most other CAD systems.

The best reason to buy DesignCAD 3-D is not the low price, the performance or the compatibility. The best reason is the amazing ease of use. DesignCAD 3-D's powerful commands mean that you can produce professional 3-D drawings in less time than you thought possible. In fact, we think you'll agree that DesignCAD 3-D is easier to learn and easier to use than any 3-D CAD system for IBM PC, at any price!

See your local computer dealer for DesignCAD 3-D, or contact:



Small Business Computers, Inc.

327 S. Mill St., Pryor, OK 74361 (918) 825-4844 FAX 918-825-6359 Telex 9102400302

BOOK REVIEWS

The First Electronic Computer: The Atanasoff Story

by Alice R. Burks and Arthur W. Burks

University of Michigan Press, Ann Arbor, MI: 1988, 387 pages, \$30


Reviewed by G. Michael Vose

istory books tell us that the ENIAC machine was the first true electronic computer. Its principal inventors, John W. Mauchly and J. Presper Eckert, rightfully occupy a niche as pioneers in the annals of computing. But a successful 1973 court challenge to the ENIAC's patents showed that Mauchly developed much of the ENIAC's theory from information obtained from another man: John V. Atanasoff.

The trial in 1973 set the record straight about Atanasoff's contributions to digital computing theory. But the passage of time has obscured Atanasoff's seminal ideas. Mauchly and Eckert's work stays memorialized in dozens of history texts, while the pioneering efforts of Atanasoff are mostly forgotten.

Like the early work of the brilliant English mathematician Alan Turing, John Atanasoff's innovations were swallowed up by the turmoil of a world war. Unlike Turing, though, Atanasoff never returned to research in computing after his wartime stint as a researcher for the United States Naval Ordnance Laboratory in Washington, DC. Both Turing's and Atanasoff's contributions to the science of computing needed a chronicler to secure them their rightful place in history.

Turing's story became a major biography in 1984 (Alan



Turing: The Enigma by Andrew Hodges). Atanasoff's story unfolds in The First Electronic Computer: The Atanasoff Story, written by a member of the ENIAC design team, Arthur Burks, and his wife Alice, a longtime technical writer. Their book sets the record straight about Atanasoff's contribution to comput-

The ABC Computer

Atanasoff did not set out to invent a general-purpose com-

ing theory.

ALSO REVIEWED

UNIX System Readings and Applications, Volumes I and II

Programming Windows: The Microsoft Guide to Programming for the MS-DOS Presentation Manager

Software Engineering: A Beginner's Guide

Expert Systems for Experts

Artificial Intelligence Programming with Turbo Prolog

puter. His original purpose was to automate the calculation of problems in physics, a subject he taught and researched at Iowa State College. Specifically, he sought to mechanize the solving of large sets of simultaneous linear equations. To build such a device, he first had to develop a method for solving these algebraic equations that would lend itself to mechanization. He decided that he needed to solve sets of up to 29 equations with 29 unknowns at an accuracy of 15 decimal places.

Then, the task became one of putting together the pieces that would allow the execution of the algorithm. Atanasoff modified the standard Gaussian algorithm for solving simultaneous linear equations. His modified Elimination Algorithm required only addition and subtraction operations, avoiding the more complex multiplications and subtractions used in standard Gaussian calculation.

This simplified algorithm lent itself nicely to a digital calculation mode like that found in desk calculators used widely in the late 1930s. The Burkses' description of Atanasoff's algorithm makes it easy to understand how it led naturally to many of the decisions that resulted in Atanasoff's computer.


Atanasoff's assistant during the creation of the machine was Clifford Berry, a graduate student. When the patent issued in 1964 to Mauchly and Eckert came under challenge in the 1970s, Atanasoff began referring to his early computer as the ABC, for Atanasoff-Berry Computer.

Once Atanasoff created his elimination algorithm, he and Berry proceeded to build a specialized computing device to execute his algorithm. One

continued

FULL POWER AT YOUR FINGERTIPS.

Discover two Worlds with the advanced screen generating Facility for "C" Programming Environments, STAGEHAND, and its comprehensive demo facility **PLAYWRITE**.



Create your screens with STAGEHAND:

- · Full screen editor.
- User definable edit function keys.
- Set multiple color text & prompts.
- Define window borders, size and position.
- Create full screen & context sensitive help.
- Extensive printouts for documentation.
- Define valid function keys, pageup/ pagedown.
- Define internal/external help screens.
- Idle and active input sequence.
- Define default prompt values.
- Full input field definitions including:

Protected Must Fill

Auto Clear Keystroke Edit Upper Case Lower Case

Cursor Type Cursor Positioning Data Types Sequencing Auto Move

Full runtime support with STAGEMANAGER:

- · Full library support routines w/source code.
- Multiple overlapping windows.
- Scrollable regions.
- Auto scrolling windows.
- User idle time routine support.
- User prompt routine support. User keystroke routine support.
- User function key routine support.
- User pageup/pagedown routine support.
- · Hot key to user printer handler.
- Auto screen timeout.

Powerful demo generating PLAYWRITE:

- · Create quick display demos.
- Create quick interface demos.
- Create powerful full featured intensive demos.

Total product support for:

- · Microsoft 4.x, 5.x, Quick C, Turbo C.
- No royalties or runtime fees.
- FREE updates to registered users.
- FREE telephone support.
- FREE STAGEMANAGER source code.
- Comprehensive manual including library routine definitions and examples.

SPECIAL PACKAGE PRICE \$ 199.00! Call for FREE Demo Disk.

TO ORDER CALL 1 800 - DATACODE OR (516) 331-7848 C.O.D. or AMERICAN EXPRESS.

DEALER INQUIRES WELCOME!

LOOK FOR MS/OS2, UNIX AND VAX VERSIONS THIS SUMMER!

DATACODE INCORPORATED 1085 ROUTE 112, PORT JEFFERSON STATION, N.Y. 11776 of the research team's primary constraints was money. They had only a little more than \$5000 to work with at a time when electronic components were scarce and expensive. Since capacitors, resistors, and wire were cheaper than vacuum tubes. Atanasoff

invented a memory system using capacitors mounted on a drum: that mechanism further led to the invention of an electronic switching addsubtract circuit.

Along the way, Atanasoff developed several other important ideas: a way to regenerate or refresh the charge to the memory capacitors; calculating in binary rather than decimal; and performing arithmetic with logic functions instead of counting.

The Burkses describe the development of these ideas in the context of Atanasoff's attempt to build a machine to execute his algorithm. This motivation is contrasted with the early work of Mauchly, who was building machines to perform meteorological calculations. Mauchly's machine, called a harmonic analyzer, was an analog device. The kind of problem to be automated dictated the kind of machine needed.

Today, we live in an era of 1-megabit dynamic RAM memory chips in computers with circuitry to refresh memory on a regular basis. But in 1939, refreshing an electrical charge to a capacitor was a breakthrough idea. John Atanasoff intended to apply for a patent on this and the other ideas that went into the ABC machine. But wartime duty called, and that administrative task fell through the cracks.

Bones of Contention

The Burkses' book not only recounts the early work of Atanasoff, Mauchly, and Eckert and describes the machines they built but examines these efforts in the context of the 1973 trial of Honeywell v. Sperry Rand. In this trial, Honeywell challenged the patent granted in 1964 to Mauchly and Eckert and Sperry Rand for the ENIAC in hopes of avoiding the high royalties being charged by Sperry Rand.

The court case provides a dramatic backdrop for the Burkses' narrative. The authors pored over the trial transcripts and examined every document submitted as evidence. They quote the trial transcript on many occasions to reveal how the Honeywell attorneys extracted from Mauchly testimony revealing that much of his ENIAC knowledge had come from letters exchanged with Atanasoff and from a 1941 visit to Iowa to see the ABC machine.

Mauchly did not intentionally steal Atanasoff's ideas. In the manner of many scientists, he attempted to make himself aware of all the research on a given subject and to synthesize his own inventions given the current state of the art. Borrowing and using ideas developed elsewhere is not uncommon. Later, the absence of patent applications from Atanasoff no doubt made Mauchly and his employers think that the ideas they wanted to patent were available for claim. The social turmoil of an ongoing war only served to add to the confusion.

But the trial finally established who invented what. The authors' use of the trial as a device to frame the historical narrative makes an otherwise dry read much more exciting.


An Ax to Grind

It seems a truism to say that the people best qualified to record events are those who were involved-unless, of course, they lack objectivity. Coauthor Arthur Burks helped to build the ENIAC and well knew the other people involved with it. Only someone so intimately involved could care enough to want to make sure that the historical record was accurate.

But Burks's intimate involvement in the events raises some questions. While he

continued

New Release-New Performance New Price





NEW IN VERSION 2.5®

KMAN/2® AND ALL OF ITS SEAMLESSLY INTEGRATED DECISION SUPPORT CAPABILITIES ARE AVAILABLE IN ONE PACKAGE FOR \$695.* THIS UNBELIEVABLE CONSOLIDATION OF COMPONENTS PREVIOUSLY RETAILED FOR \$2,240.

Featured in Version 2.5 are improved debugging aids, screen management capabilities, SQL compliant Data Dictionary, an on-line tutorial, as well as, many new functions and environmental controls. (For a complete list of 2.5 enhancements, return the coupon in the bottom right corner).

Plus

- Relational DBMS
- 4GL Programming Language
- C Language Routines
- Forms Management
- Graphics
- Forms Painting
- Text Processing
- Convenient Data Import/Export
- SQL Inquiry
- Extensive Environmental Controls
- Full Featured Spreadsheet
- Custom Report Generation

- Remote Communications
- Natural Language Interface
- Context Sensitive Help
- PC, LAN, VAX**

Call today for update information.

- *PC Single user version only.
- **Your applications will port trouble free to our new VAX release. Prices start as low as \$3,995





KnowledgeMan/2*, Guru* and MDBS III* are registered trademarks of mdbs, Inc. Other trademarks are proprietary of their respective manufactures.

Sales offices in: Chicago, Dallas, New York, Los Angeles, Canada, Australia, Denmark, Finland, France, Germany, Japan, Netherlands, Norway, Sweden, Switzerland, and United Kingdom.

800-344-5832 317-463-2581 FAX 317-448-6428

TELEX 510601/48/ (MDBS LAF UQ)
For more information attach your business card and mail to:
mdbs, Inc. P.O. Box 248 Lafayette, IN 47902
Please send information on the following: Kman/2 update Information Seminars Professional Services Training I am enclosing \$695 + \$10 shipping in payment for one PC single user KMan/2 version 2.5 (in IN, IL, CA, TA, NY and Toronto Canada add appropriate sales tax) Please charge my MasterCard VISA American Exp. Card #: Expiration date: Signature:





Finally! A Keyboard Protector That:

- PROTECTS CONTINUOUSLY 24 HOURS A DAY -Against computer downtime due to liquid spills, dust, ashes, staples, paper clips and other environmental hazards.
- REMAINS IN PLACE during the operation of your keyboard.
 SafeSkin is precision molded to fit each key-like a "second skin."
- EXCELLENT FEEL The unique design eliminates any interference between adjacent keys, allowing smooth natural operation of your keyboard.
- SafeSkin IS VIRTUALLY TRANSPARENT Keytops and side markings are clearly visible. In fact, SafeSkin is so clear, sometimes you may not know it's there!
- DURABLE LONG LASTING SafeSkin is not a "throwaway" item. Many of our protectors have lasted over 3 years under continuous daily use, without failure.

SafeSkin is available for most popular PC's and portables including: IBM, APPLE, AT&T, COMPAQ, DEC, EPSON, KEYTRONICS, NEC, TANDY, TOSHIBA, WANG, WYSE, ZENITH. Specify computer make and model. Send \$29.95, Check or M.O., VISA & MC include exp. date. Dealer inquiries invited. Free brochure available.

Merritt Computer Products, Inc. 4561 S. Westmoreland / Dallas, Texas 75237 / 214/339-0753 worked with Mauchly and Eckert to build the ENIAC, he had no qualms about encouraging his later employer, Honeywell, to challenge his old comrade's patent claims. Setting the historical record straight is an admirable ideal, so long as that is the only motivation. The fact that there was a strong economic motivation taints ever so slightly Burks's role in telling the story.

Maybe Burks's 1988 book is intended to leave the world with the impression that his motives in 1973 were pure. Whatever the motivation, the resulting volume is another fascinating glimpse of the genesis of one of this century's major scientific accomplishments.

BRIEFLY NOTED

UNIX System Readings and Applications, Volumes I and II by AT&T Bell Laboratories, Prentice-Hall, Englewood Cliffs, NJ: 1987, 416 pages (Volume I), 336 pages (Volume II), \$19 each. From Aho to Weinberger, these volumes are the who's who of Unix research.

Unix originated at Bell Laboratories, and these books, originally published as Bell System Technical Journals in 1978 and 1984, contain about 20 insightful research papers each. Nearly everyone associated with the initial design and development of the Unix operating system contributes.

Volume I covers the early to mid-1970s, a time when Unix was already firmly entrenched in government and university installations. The papers discuss topics that are now commercial realities: "Unix on a Microprocessor," "The C Programming Language," and "Document Preparation."

Volume II introduces research from the late 1970s and early 1980s that relies heavily on ideas presented in Volume I. The original paper on C++, an extension to the C programming language that is

rapidly gaining favor, is here, as are papers describing the historical development of Unix: "The Evolution of the Unix Time-Sharing System"; "The Evolution of C—Past and Future"; and "The Evolution of Unix System Performance."

There's little here for the programmer that isn't covered well in recent books, but for someone interested in the design philosophies and original applications of Unix, there's no better resource.

Most of the papers require a general knowledge of computer operating systems and hardware to be fully appreciated; however, the writing style is so uniformly accessible that anyone with even a cursory interest in Unix and its origins and design will find addictive reading in each volume.—Jason Levitt

Programming Windows: The Microsoft Guide to Programming for the MS-DOS Presentation Manager by Charles Petzold, Microsoft Press, Redmond, WA: 1988. 852 pages, \$24.95. Three vears after Microsoft introduced Windows, Charles Petzold has produced the official guide to Windows programming. Written for Windows developers, prospective Windows developers, or the just plain curious, this book offers a solid foundation in Windows program development. Covering a wide topic with very few omissions, Programming Windows teaches the whys as well as the hows of programming for Windows.

The book's major strength is its examples. The author assumes that you are fluent in the lingua franca of Windows—the C language—so be prepared for all examples to be written in C. Petzold starts with simple examples and adds detail until functional programs have been created.

Unless you have a good foundation in the basics of window procedures, painting, event loops, and other con-

continued

Ultimate Power. Ultimate Confidence. Ultimate Freedom.



Experience 20 MHz 386 Power, AST Style

The sky's the limit. That's how you might describe the power-packed capabilities of the AST Premium™386 ...and how far we'll go to provide outstanding products, service and support.

Only the 20 MHz, Premium/386, with its advanced bus technology (SMARTslot™) and uncompromising compatibility, eliminates the traditional restrictions placed on an AT®'s performance and speed while providing future upgradeability.

You also get the comfort that comes from choosing a company with a solid worldwide reputation for reliable,

high-quality technology.

So while others are caught up in compatibility and support problems, you're completely free to enjoy the highest AT-compatible '386 system performance available today... and take advantage of performance-oriented upgrades in the future using SMARTslot architecture.

And because of our many years of working with key leaders in the industry, we're able to maximize the capabilities of the most advanced operating systems and application software available, including MS® OS/2 from AST, IBM®'s OS/2,™UNIX,™ Windows™ 386 and MS-DOS.®

For more information call **(714) 863-0181** and ask for operator AA15, or fill out the coupon below.

🗌 Please have an	AST represer	ntative call me.
Name		
Title		
Company		
Address		
City	State	Zip
Phone		
AST Research, Inc., 21, 4992, Attn. M.C.	21 Alton Ave., Ir	vine, CA 92714-
		BYTE 9/8

AST markets products worldwide—in Europe and the Middle East call: 44 1568 4350; in the Far East call: 852 5717223; in Canada call: 416 826 7514. AST and AST logo registered and AST Pennium and SMARTIslot trademarks AST Research, Inc. IBM and AT registered and OSI2 trademark International Business Machines Corp. MS-DOS and MS registered and Windows trademark Microsoft Corp. UNIX trademark AT&T Bell Laboratories. Copyright © 1988 AST Research, Inc. All rights reserved. Screen display courtesy VersaCAD.





...AND IT ALL ADDS-UP TO THE BEST PRICES AND

Clipper
dBase III Plus 369
dBase III LAN 599
DB-XL Diamond 105
Eureka 88
Genifer 188
Nutshell 72
Paradox 2.0 415
PFS: Professional File 119
Q & A 185
Quickcode Plus 119
Rapid File 179
Revelation 459
Revelation Bump Disk 239
R:Base Clout (New Ver.) 175
R:Base For DOS 425
Reflex 88
VP Expert Call
VP Info 56
PROJECT MANAGEMENT
VP Info
Harvard Total Project Mgr. II \$ 309
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS Easy Extra \$ 52
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57 Webster New World Writer 53
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57 Webster New World Writer 53 Webster Spell Checker 32 Webster Thesaurus 37 Word Perfect Call
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57 Webster New World Writer 53 Webster Spell Checker 32 Webster Thesaurus 37
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57 Webster New World Writer 53 Webster Spell Checker 32 Webster Thesaurus 37 Word Perfect Call Word Perfect Executive Call
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57 Webster New World Writer 53 Webster Spell Checker 32 Webster Thesaurus 37 Word Perfect Call
Harvard Total Project Mgr. II \$ 309 Microsoft Project 4.0 287 Timeline 2.0 259 WORD PROCESSORS \$ 52 Easy Extra \$ 52 Word (Microsoft) 185 Multimate Advantage II 249 PFS: Professional Write 102 Volkswriter 3 132 Volkswriter Deluxe Plus 57 Webster New World Writer 53 Webster Spell Checker 32 Webster Thesaurus 37 Word Perfect Call Word Perfect Executive Call Word Perfect Library Call

DATA BASE MANAGEMENT

Energraphics \$186 Freelance Plus 309 Generic CAD w/Dot Plot 3.0 . . . 72 Harvard Graphics 2.1 239 In-A-Vision 259 Microsoft Chart 3.0 229 News Room Professional 42 Printmaster Plus PrintShop Turbo Graphix Tool Box 58 Windows Draw!! w/Clip Art 159 MICE PC Mouse w/Paint (Buss or Serial) PC Mouse w/Autosketch (Buss or Serial) . Microsoft Buss Mouse 1.0 92 Microsoft Serial Mouse 1.0 92 MS Buss Mouse w/CADD 107 MS Serial Mouse w/CADD 107 MS Buss Mouse w/Windows . . . 122 MS Serial Mouse w/Windows . . 122 Optimouse (PC Mouse) w/Dr. Halo III . . . 78

GRAPHICS

INTEGRATIVE SOFTWA	RE
bility Plus\$	137
nable 2.0	352
ramework II	399
IS Works	113
PFS: 1st Choice	76
Smart Software System Best I	Price
Symphony	435
4000111171110	
ACCOUNTING	
ACCPAC	Cal
Computer Associates	Cal
DAC Easy Accounting	52
DAC Easy Payroll	38

In-House Accountant 105

One Write Plus 2.0 117

One Write A/R, A/P, Payroll . . . 117

Time Slips III 105

011211120	
1 DIR Plus \$ 46	6
Bookmark 56	6
Brooklyn Bridge 69	9
Carousel 2.0 43	3
Copy II PC 18	3
Copywrite 39	9
Corefast	
Cruise Control 29	9
Cubit Cal	I
Disk Optimizer 2.0 Cal	
Disk Technician 56	7
Double DOS 4.0 Cal	
DS Back-Up Plus 46	
Fastback 75	_
Fastback Plus 86	-
Keyworks 53	_
Mace Utilities 4	•
Microsoft Windows 2.03 5	
Norton Commander 3	-
Norton Editor 3	
Norton Utilities 4.0 4	_
Note It Plus 4	_
PC Tools Deluxe 3	_
Printworks for Lasers 6	
Referee 3	_
Sidekick Plus Ca	
Sideways 3	
Smart Notes 4	_
SQZ Plus 5	~
coponio, i i i i i i i i i i i i i i i i i i	8
Take Two MGR 6	
Talbo Ballot Tool Ball Times	8
Official Pride Transfer .	9
XTree Professional 6	1
ACCESSORIES	
Copy II Option Board Deluxe \$ 9	9

UTILITIES

ACCESSORIE	S	
Copy II Option Board Deluxe		
Masterpiece		
Masterpiece Plus		
Masterpiece Remote		
MousePad by Mousetrac .		
Summasketch 12x12 Plus .		

LAI	VGU	AGES	

Basic Compiler (Microsoft) \$	175
C Complier (Microsoft)	259
Cobol Compiler (Microsoft)	415
Fortran Compiler (Microsoft) 4.0.	259
Lattice C Compiler	209
Macro Assembler (Microsoft)	86
Pascal Compiler (Microsoft)	175
Quick Basic 4.0	57
Quick C	57
Ryan McFarlan Fortran	379
Ryan McFarlan Cobol	609
Turbo Basic	58
Turbo C	58
Turbo Pascal 4.0	58
Turbo Prolog	58
Turbo Prolog Toolbox	58
TRAINING	
Chuck Yeager	

Mastertype

Adv. Flight Simulator \$ 25

Lets C

Mavis Beacon Typing	29
MS Learning DOS	29
MS Flight Simulator	29
PC Logo	79
Turbo Tutor 4.0	12

SPREADSHEETS

Typing Instructor II Typing Tutor IV

OI HENDOHELIO	
Cambridge Analyst	79
4 Word	55
HAL	89
Lotus 1-2-3 Ver. 2.01	295
Lotus Manuscript	309
Lotus Report Writer	67
MS Excel	285
Multiplan 3.0 (Microsoft)	109
PFS Professional Plan	52
Quattro	116
Supercalc 4	269
Twin Classic	32
VP Planner	47
VP Planner Plus	Call





Ventura Publishing

Newsmaster II \$ 39

Pagemaker Call

PFS: First Publisher 65



475

- No Charge for VISA and Mastercard
- We Do Not Charge Your Card Until Your Order is Shipped You Pay the Ground Shipping \$6.00 (except Alaksa and Hawaii) We Pay the Air Difference
- Free Air applies ONLY to orders up to 10 lbs. & Over \$50.
- Add 5% for C.O.D. Orders
- We Do Not Guarantee Machine Compatibility
- All products carry only manufacturer's warranties. We do not honor guarantees, rebates, trial period priviledges or promotional programs offered by manuafactures.
- No APO, FPO, or international orders, please.

79

92

107

359

9

- Call before submitting P.O.'s Ask for National Accounts
- Personal and Company Checks Will Delay Shipping 3 weeks Prices, Terms & Availability Subject to Change Without Notice

Silicon Specialties

PRINTERS	DISK DRIVES
Alps All models Call	Bernoulli Box
Allegro	10 Meg \$
ALQ218 409	20 Meg
ALQ224 479	40 Meg
ALQ318 610	Beta Ext
ALQ324 679	Beta Int
2418 885	Bota in Control Control
2424 955	Seagate
Other Models Call	20 MG w/WD Controller
AST Turbo Lazer 4310	251-1
Citizen Printers	AT 40 MEG Full Height
120D 145	Other Models
180D 159	Teac
MSP 40	1.2 MEG AT
MSP 45	Floppy F55 BR
MSP 50	гюрру гээ вн
	Toshiba
	3.5 Dr 720K
Premier 35	3.5 Dr 1.4MB
Tribute 124 Call	
Diconix 150 309 300 385	HARD CARDS
300 385 Epson Printers Call	Plus 20 MG
Hewlett-Packard	Plus 40 MG
50 TO A SEC. A S	1 105 40 Wa
Desk Jet	KEYBOARDS
Paint Jet	
NEC	Keytronics
P2200 329	KB5151
850 Silent Writer 1539	KB5153
	KB101
P5200 520 P5300 685	
Other Models Call	MONITORS
Okidata Call	Amdek 410
292	432
294	V210A
Lazerline 6 1325	NEC
Panasonic	Multisync II
1080 I M2 159	Multisync Plus
1091 I M2 199	Multisync XL
	Monographic System
	Other Models
3151 475 Lazer 4450 1635	Princeton Ultrasync
	Samsung
Star Micronics Call Toshiba	Sony Multiscan (1303)
321 SL 489	Mitsubishi
341 SL 655	Diamond Scan
351 SX 945	Zenith
Page Lazer 2415	1490
. ago 2a201 2415	

DISK DRIVES
Bernoulli Box 10 Meg \$ 889 20 Meg 1255 40 Meg 1559 Beta Ext 1019 Beta Int 775
Seagate 20 MG w/WD Controller 275 251-1 469 AT 40 MEG Full Height 550 Other Models Call
Teac 89 1.2 MEG AT 89 Floppy F55 BR 79
Toshiba 3.5 Dr 720K 95 3.5 Dr 1.4MB 125
HARD CARDS Plus 20 MG \$ 525 Plus 40 MG 659
KEYBOARDS
Keytronics KB5151
MONITORS
Amdek 410 \$ 130 432 149 V210A 85
NEC \$ 589 Multisync Plus 899 Multisync XL 2069 Monographic System 1259 Other Models Call Princeton Ultrasync 485 Samsung Call Sony Multiscan (1303) 545 Mitsubishi
Diamond Scan 499

BOARDS

AST

Paradise

Video-7

609

Six Pack Plus	345 115 545 225 Call
ATI EGA Wonder	175 265
Graphics Card Plus	145 175 209
Inboard 386 w/cable	719 979 375 175 555
Tiny Turbo	265 359 359 220

TERMINALS

Autoswitch 350

VGA +

VGA Professional

VGA

Vega Deluxe

Wyse								
30.					ž			285
50.								355
85.								

AIR EXPRESS SHIPPING You Pay The Ground Shipping

AST
Model 80 \$1695
Model 140 2815
Model 340 4205
Model 390 5839
Other Models Call
NEC
Multispeed EL II 1495
Powermate Call
Toshiba
T-1000 749
T-1200F 1565
T-1200H 2285
1200FB 2415
T-3120 3068
T-3200 3789
T-5100 4899
Wyse
386 2480
Zenith Supersport/2 1655
Supersport 20 MG 24798
Oupersport 20 MG 24/96

		ı	VI	0)[1	VI	S			
Hayes												
1200											\$	280
1200B												245
2400B												385
Promethe	eus	6										
1200B	w/S	30	ftv	Na	are	9			١.			75
2400B	w/S	60	ft۷	Na	are	9						119
Other N	100	le	s									Call
US Robo												
Passwo												149
Courier	24	0)									299
Courier												335
HST 96	00											635

Supersport 286/Model 2 . . . 3445

- To Place an Order: 1-800-528-1054
- Order Processing (602) 944-1037 To Follow Up on an Order: (602) 944-2552 10:00 a.m-3:00 p.m. Mon.-Fri. Order Line Hours: Monday-Friday 7:00 a.m.-6:00 p.m.
- Saturday 9:00 a.m.-1:00 p.m Mailing Address:

8804 N. 23rd Avenue / Phoenix, Arizona 85021



130

239

355

269

180



(version 2.0)

for the IBM® PC, PC/XT and PC/AT

- No royalties
- IBM PC DOS® support
- C language support
- Preemptive scheduler Time slicing available
- Source code of the C interface and device drivers is included
- Intertask message passing
- Dynamic operations:
 - task create/delete
 - task priorities
- memory allocation
- Event Manager
- Semaphore Manager

AMX86[™] operates on any 8086/88, 80186/88, 80286 system.

Demo package Manual only AMX 86 system \$25 US \$75 US

\$2195 US

(shipping/handling extra)


Also available for 8080, Z80, 68000

206-1847 W. Broadway Vancouver, B.C., Canada

KADAK Products Ltd.

Telephone: (604) 734-2796

Telex: 04-55670



cepts, understanding Windows is impossible. Fortunately, the book's development of these topics is excellent. Once the basics are presented, the pace and level of treatment accelerates into high gear.

Windows provides a rich graphical environment, and Programming Windows contains many fine examples for graphics programming. Mastering the many service routines provided by Windows is just as important, and these topics are presented carefully and thoroughly.

As witness to the richness of Windows, 852 pages still doesn't provide space to cover several important advanced topics, like dynamic data exchange and rich text format.

Programming Windows is filled with details and inside information that make it worthwhile reading. The layout integrates charts, tables, and source code in a way that does not interrupt the flow of the text. Broad in scope and omitting little, this book is a must for anyone who is serious about Windows.

—Philip Taylor

Software Engineering: A Beginner's Guide by Roger S. Pressman, McGraw-Hill, New York: 1988, 294 pages, \$49.95. This book is a sweeping but measured overview of modern software design principles for students and entrylevel professionals. Roger S. Pressman uses the requisite buzzwords: "prototyping," "data design/flow," "transform/transaction mapping," "abstraction," "program description language," and "white-box testing," and he provides supporting technical details and brief examples.

The author never loses sight of the real applications his theory will be put to, ending each chapter with a section entitled "What This Means to You." The text flows relentlessly but easily from analyzing the problem to designing the solution, coding the program, and testing and making changes. The book's noteworthy conclusion is an exhaustive software engineering checklist and comprehensive example.

-Darrow Kirkpatrick

Expert Systems for Experts by Kamran Parsaye and Mark Chignell, John Wiley & Sons, New York: 1988, 462 pages, \$29.95. The role played by domain experts in the development of expert systems has expanded as the tools for building such systems have become higher-level and easier to use. Parsaye and Chignell's book is aimed at domain experts who might be thinking of implementing an expert system (with or without the help of a knowledge engineer), yet who are unfamiliar with artificial intelligence (AI) terms and concepts.

The authors provide a good, solid discussion of a broad range of technologies and methodologies currently in use in the development of expert systems. Chapters are devoted to logic and logic programming, knowledge and knowledge representation, uncertainty, the inference process, building expert systems, and knowledge acquisition and validation. The discussions are uniformly good and sufficiently detailed. The chapter on uncertainty, for example, covers traditional probability theory, fuzzy logic, certainty theory, exact and semiexact inference, and quantification of uncertain knowledge. I found the chapter on knowledge acquisition and validation to be valuable.

Detailed as the discussion may be, it is nevertheless fairly high level: There is no consideration of hardware, nor of specific expert-system building tools (despite an offer to refund the book's price upon purchase of one of several products from Intelligence-Ware, of which Parsaye is chairman). Although this book would be a valuable resource for anyone developing an expert system on his or her

continued



cosoft developed the original version of Microstat in 1978 and it has grown to become the most widely-used statistics package ever written for a personal computer. **Microstat-II** has been redesigned from the ground up to reflect almost 10 years of user feedback. The result of this synergism is a statistics package that is easy to use, fast, accurate.

Microstat-II has everything for your statistical needs:

- Descriptive statistics: mean, sample-population stardard deviation and variance, moments about the mean, sums, minmax, kurtosis, skewness coefficient of variation, standard error, sums of squares, deviation sums of squares
- Probability Distributions: Binomial, Hypergeometric, Poisson, Normal, Exponential, F. Student t, Chi-square
- Frequency Distributions: value or range, cumulative, percents with bar graph
- Scatterplots: With overlapping points

- Hypothesis testing: mean or proportion, large and small sample
- ANOVA: Oneway, Twoway, Twoway with replication
- Nonparametrics: Wald-Wolfowitz, Cox-Stuart, Kruskal-Wallis, Wilcoxon Rank Sum, Friedman Twoway ANOVA, Kolmogorov-Smirnov (one-two sample), Kendall's Coefficient of Concordance, Spearmans-Rank Correlation, Signs Test, Normal Scores, Mann-Whitney U
- Correlation Analysis: matrix and cross products table
- Regression Analysis: Multiple and Stepwise, forward and backward
- Time Series: moving average, centered moving average, deseasonalization, exponential smoothing
- Permutations, Combinations, Factorials, Contingency Tables and Chi-square

Exclusive Features

We have also added features that make Microstat-II the easiest, most flexible statistics package you've ever used:

- Up to 8 times faster than older versions of Microstat without any loss in accuracy—up to twice as fast as the competition
- 8087 support
- Online help with a single keystroke and moveable help screens
- No complex command language to learn
- Interactive or batch modes of operation
- Import-export data files
- Keyboard or mouse input
- Scrollable output—review results without rerunning the test
- Configurable—change colors, file types, even set the mouse speed
- Variables may have missing data, aliased values, and unequal sizes
- New data administration: full screen editor for the utlimate in ease of data entry, new transforms (with conditionals) for creating new variables from existing data, range checking, and external file processing
- Expanded user's manual

\$395.00.

Ecosoft, Inc.


6413 N. College Ave. Indianapolis, IN 46220 orders: 1-800-952-0472 info: 1-(317) 255-6476





SAMPLE O	UTPUT				
Regression	Analysis		from JASA vol.	.62, pp. 819-41.	
Forwards Reproportion:	egression	0 Tole	cance:	0 F enter:	o
Step: 6	5	Dependent V	/ariable: Total	Degrees o	f Freedom: 9
Ind Var C	Coefficie	nt Std Eri	or Beta Coe	eff F Statistic	Probability
GNP Unemploy - Military - Popltion Year	-2.020229 -1.033226 051104 1829.151	179 .03349 804 .48839 867 .21427 106 .22607 465 455.478		1.14387 2578 17.11003 2692 23.25154 1114 .05110 4383 16.12737	.312681061 .002535092 .000944367 .826211796 .003036803
		Ar	alvsis of Vari	r^2: . r: . r (d.f.): . rtion Reduced: . ative Reduced: . iance ares F Ratio 00.32 330.28533	
10ca1	18500	Posiduals	Durbin-Watser		
	served			-2s -1s 0	
1 6 6 6 6 6 7 6 8 6 6	50323.00 51122.00 50171.00 50187.00 53221.00 53221.00 53639.00 54989.00 56019.00 57857.00	60055.66 61216.00 60124.77 61597.13 62911.25 63888.33 65153.05 63774.18 66004.76	267.34 -94.01 46.29 -410.11 309.71 -249.31 -164.05 -13.18	. *	.*

ECOSOFT



EIA - 530 TO **RS-232** CONVERTER

- Supports 10 Category 1 & 3 Category II circuits
- Full EIA 530 compliance

1-800-835-3298

- DTE & DCE models
- Meets Mil-Std-188-114 Type 2
- Up to 1 MBS data rate

(516) 423-3232 TWX 510-226-0449

Doubles as RS-422 converter TELEBYTE

TECHNOLOGY, INC.

270 E. Pulaski Road Greenlawn, NY 11740 A Public Company

-IBM PC® COMPATIBLE SINGLE BOARD COMPUTER

Quark/PC°+

4" x 6"



From quantity one

- Low Power Less than 3 Watts
- **Optional on-board Video LCD Driver**
- Ideal for any PC compatible OEM product which is not a personal computer

includes: 1. Powerful V40® CPU (Faster than a PC)
2. Math Co-Processor Socket 3. 5 Volt Only Operation
(3 watts) 4. Speaker Port 5. Keyboard Port 6. Parallel
Printer Port 7. PC Bus 8. PC Compatible BIOS ROM 9. 1 Serial Port

On board Options Include: 1.5 Mode Video Controller Option (Monochrome, Hercules® Graphics, CGA, High Res CGA, LCD Driver) 2. Floppy Disk Controller (3.5"/15.25", 360K/720K/1.2 MB) 3. SCSI Bus Interface (Hard Disk etc.) 4. Up to 768K RAM 5. Battery-Backed-up Real-Time-Clock 6. 2 Additional RS232C Serial Ports To order or enquire call us today.

Megatel Computer Corporation (416) 745-7214 FAX (416) 745-8792 174 Turbine Drive, Weston, Ontario M9L 2S2

U.S. Address: 1051 Clinton St., Buffalo, N.Y. 14206 Distributors:

Germany: V&C Computers (06074) 25666 Italy and Southern Europe: NCS Computers (0331) 256-524 FAX (0331) 256-018 U.K.: Densitron (0959) 76331 FAX (0959) 71017 Australia: Asp Microcomputers (02) 500-0628

Quark is a registered trademark of F.B.K. Manutacturing Company, Hercules is a registered trademark of Hercules Corporation. V40 is a registered trademark of NEC Corp. IBM PC is a registered trademark of IBM Corporation.

- megatel

own, it could not serve as the only resource.

The authors present the material logically, with good use of accompanying figures and summaries at the end of each chapter. The appendixes expand on selected topics introduced in the main text, including search, general-purpose reasoning, propositional logic, and relational databases. A 33-page bibliography and index complete the end material.

Expert Systems for Experts has a broader audience than its title implies. I recommend it for students of AI and novice knowledge engineers, and as a valuable reference for more advanced AI practitioners.

—Alex Lane

Artificial Intelligence Programming with Turbo Prolog by Keith Weiskamp and Terry Hengl, John Wiley & Sons, New York: 1988, 262 pages, \$22.95. Turbo Prolog books with the term "artificial intelligence" on the cover have gotten a bad reputation. A number of them merely rehash the user's manual or provide lengthy tutorials on fundamental Turbo Prolog concepts, paying only lip service to AI applications. Happily, this book bucks that trend, providing useful code and ideas for the beginning-tointermediate AI or Turbo Prolog programmer.

Authors Weiskamp and Hengl try to teach fundamental AI programming concepts and to show how to write useful programs in Turbo Prolog. After providing the reader with the obligatory opening chapters on the fundamentals of the language and its Turbo implementation, they progress from general-purpose toolbox code to specific AI applications.

The chapter on building an AI toolbox is deceptively easy to overlook in a first reading if you're at all familiar with Prolog and looking only at the code, or if you're a beginner looking only for Prolog programs to run. The chapter,

however, contains many interesting ideas on how to write portable Prolog predicates.

The discussion of inference engines is ambitious, beginning with a discussion of formal reasoning and predicate logic, continuing with a description of forward- and backward-chaining control strategies, and ending with the development of a simple inference engine.

Despite a whirlwind introduction, I found the discussion of natural-language processing quite meaty. Code is developed to implement recursive transition network (RTN) and augmented transition network (ATN) natural-language parsers. The final sections of the book attempt to deal with knowledge representation and expert systems; however, there just isn't enough room to give either subject sufficient coverage.

Although the scope of the book is too broad for its medium size, the authors go about their business in a clear fashion with examples that stick in your mind, such as a robot riding a bicycle downstairs to illustrate commonsense reasoning. The code, which is easy to read, is available on disk for \$24.95. The book includes a glossary and an index.

While advanced AI or Prolog practitioners will find this book a bit light, others will find it a good way to learn more about AI and Turbo Prolog.—Alex Lane ■

CONTRIBUTORS

G. Michael Vose is coeditor of OS Report: News and Views on OS/2 (P.O. Box 3160, Peterborough, NH 03458). Jason Levitt is a Unix consultant living in Austin, Texas. Philip Taylor is a Windows consultant and freelance writer in the Washington, DC area. Darrow Kirkpatrick is a freelance writer and computer consultant living in New Paltz, New York. Alex Lane is a knowledge engineer for Technology Applications, Inc., in Jacksonville, Florida.

MILTERMAN UNINTERRUPTIBLE POWER SUPPLIES NUTTER WITH Fully Automatic Operation TESTEDAND APPROVED Order — Ship Same Day **Full One Year Warranty** 250 Watt to 1600 Watt Models ARA SYSTEMS TOTAL POWER PROTECTION • Blackouts — Enables user to operate during complete loss of power. MINUTE MAN 1600

- **Brownouts** User is protected from low AC voltage below 102 volts
- **Overload Protection** Automatic shutdown in overload situation to protect UPS from inverter burnout.
- Overvoltage Protection UPS runs on inverter (117 volts) when AC voltage exceeds 132 volts.
- Surges/Spikes Clamps transients above 200 volts with an energy rating of 100 joules or less.
- EMI/RFI Three stage filtering for clean AC power.
- Synchronized Sinewave *— Eliminates voltage reversal to input of your equipment.
- 1 Millisecond Transfer Time* This includes detection and transfer so your machine never notices loss of electrical power.
- **Two Audible Alarm Levels** Notifies user of battery usage and two (2) minute warning.
- **LED Display** Informs user of operation mode, power utilized on AC, plus "On Battery" and battery power status.
- **Alarm Silencer** Enables user to silence alarm for quiet continued operation during battery operation.
- Optional Signal Port Enables UPS to notify computer of loss of AC power to allow computer to backup or shut down.
- *250 watt and 500 watt units offer 4 msec transfer time, PWM wave form.

Suggested Retail

250 WATT	120 Volt	\$ 359.00
300 WATT	120 Volt	\$ 549.00
500 WATT	120 Volt	\$ 699.00
600 WATT	120 Volt	\$ 899.00
1200 WATT	120 Volt	\$1499.00
1600 WATT	120 Volt	\$1999.00

230 Volt Units Also Available




1455 LeMay Drive Carrollton, Texas 75007 Telephone: (214) 446-7363

1-800-238-7272

FAX: (214) 446-9011

TELEX: 140275 OMEGA

PRICES YOU CAN FIND ONLY



CALL PROGRAMMERS PARADISE TODAY and discover our commitment to bringing you the best software at the best prices. You'll also find software pros to help you select the product that you need plus immediate shipment on our stock of 1000 products and a 30-day money back guarantee. Paradise is ready and waiting for you.

DESQVIEW	113	
FoxBase + /386	459	
High C-386	839	
Microport		
System V/386 (complete)	759	
Runtime System	209	
MS Windows/386	130	
NDP C or Fortran-386	529	
PC-MOS 386	CALL	
Pharlap 386IASM/Link	409	
SCO Xenix		
System V 386 (complete)	1279	
Operating System	589	
VM/386	182	
ASSEMBLERS/LINKERS		
Advantage Disassembler	279	
MS Macro Assembler	99	
Optasm	109	
Plink86plus	279	
Visible Computer 80286	90	
BASIC		
db/Lib	121	
Finally!	90	
Flash-Up	80	
MS Basic Compiler 6.0	189	
MS QuickBASIC	69	1
QBase	90	1
QuickPak	60	
QuickPak Professional	105	
QuickWindows w/Source	90	
Screen Sculptor	96	
Turbo Basic	69	
Turbo Basic Toolboxes	69	
C COMPLIERS/INTERPR	ETERS	
C-Terp	232	
Lattice C	272	

386 SOFTWARE

386-to-the-Max

C Utility Library	123	DEDUGGERS	
Essential Comm Library	125	Periscope I	373
Greenleaf Comm Library	169	Periscope II	141
Greenleaf Functions	155	Periscope II-X	106
Greenleaf TurboFunctions	109	Periscope III 10 MHZ	1143
PforCe	215	Pfix 86 Plus	215
PC-Lint	101	T-Debug Plus V. 4.0	39
Pre-C	159	w/Source	80
Resident C w/Source	169		
Timeslicer	279	DISK/DOS/UTILITIES	
w/Source	899	Advanced Norton Utilities	101
Turbo C Tools	101	Command Plus V. 2.0	70
conci		Disk Optimizer	56
COBOL		Fastback Plus	142
Micro Focus		Mace Utilities	90
COBOL/2	733	Norton Commander	56
COBOL/2 Toolset	733	Norton Utilities	61
Microsoft COBOL	452	PC Tools Deluxe	70
Opt-Tech Sort	105	Vfeature	75
Realia COBOL	794	Vfeature Deluxe	111
RM/COBOL-85	999	X-Tree Pro	111
SCREENIO	382		

EDITORS Brief

w/dbrief

EDIX Epsilon KEDIT

MKS Vi

Multi-Edit

PI Editor

SPF/PC

Norton Editor



289

		vedit rius
DATABASE COMPILERS/ TOOLS		FILE MANAGEMENT Btrieve Xtrieve
Clear	90	Report Option
Clipper	399	Btrieve/N
DbFast	75	Cbtree
FoxBASE+	269	c-tree
Hi-Screen XL	129	r-tree
Integrated Development Lib.	135	d-tree
Quicksilver	369	dBC III
R & R	139	dBC III Plus
Say What!	45	dB_Vista or dB_Query
Silvercomm Library	139	Informix ESOL/C

Informix SQL	719
XQL	599
FORTRAN COMPILERS	
Lahey FORTRAN	439
Lahey Personal FORTRAN 77	86
MS FORTRAN	289
RM/FORTRAN	479
GRAPHICS	
Advantage Graphics (C)	229
Advantage Graphics (C) Essential Graphics	229
w/Source	509
GraphiC	322
GSS Graphic Dev. Toolkit	409
HALO '88	229
HALO '88 (5 Microsoft Lang.)	399
MetaWINDOW	162
MetaWINDOW Plus	232



OBJECT-ORIENTED PROGRAMMING

Actor	423
Advantage C + +	479
C-Talk	137
PforCe + +	215
Smalltalk/V	85
Communication Applic. Pack	45
EGA/VGA Color Ext. Pack	45
Goodies #1, 2 or 3 Applic. Packs	45
Smalltalk/V286	169

OPERATING SYSTEMS

	OI LIVALLING SISILING	
73	Microport:	
41	286 DOS Merge	129
)6	System V/AT	469
3	Runtime Package	169
5	Software Dev. Package	209
9	Text Preparation Package	169
0	Unlimited License Kit	209
	SCO:	
	Xenix System V (complete)	999
1	Development System	479
0	Operating System	479
6	Text Porcessing Package	149
2	Xenix for PS/2 50, 60, 80	CALL
0	Wendin Operating Sys Toolkits	80

TROPICAL TREATS

CALL

CALL

169

151

269

165

185

185

189

455

141

318

CALL

CALL

172 599 Greenleaf has added several new products to its outstanding line of development tools including a 200 functions mathematics library and a new interactive screen generator/editor for Greenleaf DataWindows. Call us to order any of these or other Greenleaf Software Products.

Greenleat Functions	155
Greenleaf Comm. Library	169
Greenleaf DataWindows	209
DataWindows for OS/2	279
TurboFunctions	109
Business Mathlib NEW	239
SuperFunctions NEW	265
Makeform NEW	125

C LIBRARIES/UTILITIES

Microsoft C

Run/C Professional

C Asynch Manager C Tools Plus/5.0

Ouick C

PARADISE 1-800-445-7899

PASCAL COMPILERS	
Microsoft Pascal	189
Professional Pascal	549
Turbo Pascal	69
Turbo Pascal Dev. Lib.	289

TURBO PASCAL ADD-ONS Flash-Up Flash-Up Toolbox Mach 2 66 Screen Sculptor 96 T-Debug Plus V. 4.0 39 w/Source Turbo Asynch Plus Turbo Halo 80 101 Turbo Magic Turbo Power Tools Plus Turbo Power Utilities 101 79 Turbo Professional 4.0

SCREENS/WINDOWS 282 Greenleaf DataWindows Panel Plus Panel/QC or /TC 209 395 99 Vitamin C 162 VC Screen Windows for C Windows for Data 149 259 w/Source

Turbo WINDOW/Pascal

ADDITIONAL PRODUCTS APL* Plus PC Dan Bricklin's Demo Prog. II FLOW CHARTING II PC Scheme Pfinish 215 PolyMake 131 PVĆS Corporate Source Print 80 Tree Diagrammer

BORLAND	
Eureka	119
Paradox 1.1	369
Paradox 2.0	529
Quattro	169
Sidekick	59
Turbo Basic Compiler	69
Database Toolbox	69
Editor Toolbox	69
Telecom Toolbox	69
Turbo C Compiler	69
Turbo Pascal	69
Turbo Pascal Dev. Lib	289
Turbo Tutor	45
Numerical Methods TB	69
Database Toolbox	69
Editor Toolbox	69
Gameworks Toolbox	69
Graphix Toolbox	69
Turbo Prolog Compiler	105
Turbo Prolog Toolbox	69

Turbo Prolog Toolbox	69
MICROSOFT	
MS Basic Compiler 6.0	189
MS Basic Compiler (XENIX)	449
MS Basic Interpreter (XENIX)	229
MS C Compiler	289
MS COBOL Compiler	452
for XENIX	649
MS Excel	329
MS FORTRAN	289
for Xenix	449
MS Learning DOS	39
MS Macro ASM	99
MS Mouse Serial or Bus	99
w/Easy Cad	119
w/MS ['] Windows	139
MS OS/2 Programmer's Toolkit	229
MS Pascal Compiler	189
for XENIX	449
MS Quick BASIC	69
MS Quick C	69
MS Sort	130
MS Windows	69
MS Windows Development Kit	319
MS Windows/386	130
MS Word	285
MS Works	129

PROGRAMMER'S PARADISE: Your source for Microsoft Products

Microsoft ® EXCEL The soul of the new machines.

Takes full advantage of the power of 286 and 386 based computers. Its unprecedented power helps you excel in three important areas: analyzing and working with your data, presenting your data, and custo-mizing the way you work. Money back guarantee thru January 1990. Ours: \$329.00



Microsoft Word

Microsoft® WORD 4.0

Designed for IBM Personal Computers and compatibles and the IBM Personal System/2 series. Gives you the power and speed to create professional output quickly. For example, use function keys to bypass menus, style sheets for the ultimate in formatting flexibility, a document management system to locate files, and macros to automate any operation. Free Pageview Bistream **Fontware**

Ours: \$285.00

Microsoft® WINDOWS/386

Lets you run several programs on your Intel 80386 based computer. Each can run in its own window or full screen. Switch from program to program, transfer information between them, and run programs in the background while you work on something else. Ours: \$130.00





Microsoft QUICK C Gives you the features that you need to learn C quickly. It's best for easy compiliation and prototyping, compiling programs at 10,000 lines per minute. Features a built in edicate the control of per minute. Features a built-in-editor with selectable insert or overtype mode, automatic MAKE file creation, context-sensitive help for easy learning and an integrated debugger.
Ours: \$69.00 CALL for Extra Savings

on Mouse Bundle

HOW WE WORK PHONE ORDERS

Hours 9 AM – 7 PM EST. We accept MasterCard, Visa, American Express. Include \$3.95 per item for shipping and handling. All shipments by UPS ground. Rush service available, ask for rates when you order.

MAIL ORDERS

POs by mail or fax are welcome. Please include phone number.

RETURN POLICY

Our "No Hassle" policy means if you're not satisfied with a product from Programmer's, simply return it within 30 days for a refund. Some manufacturer's products cannot be returned once disk seals are broken, so check before you buy.



INTERNATIONAL SERVICE

Take advantage of our International business number for details on export charges and exchange rates. Payments should be made in U.S. dollars.

DEALERS AND CORPORATE ACCOUNTS Call and ask for our catalog and special volume discounts.

UNBEATABLE PRICES

We'll match lower nationally advertised prices.

In NY: 914-332-4548 Customer Service: 914-332-0869 International Orders: 914-332-4548 Telex: **510-601-7602**

Fax: 914-332-4021 Call or Write for **Latest Free Catalog!**

1-800-445-7899



A Division of Magellan Software Corp 55 South Broadway, Tarrytown, NY 10591






with new UniLab Microprocessor Development Tools

- 64Kbytes from hard disk to emulation memory in 5 seconds. That's moving. But today you've got to be fast just to stay in the race for better microprocessor designs.
- The secret is a new, high-speed parallel interface: the Orion bus. Which zips data between your PC/AT and the 8620 analyzer-emulator, breaking the RS-232 bottleneck.
- The 8620 with O-bus gives you complete program diagnosis and solutions in real time. For more than 150 different microprocessors. Using the same command set environment.
- A generous 2730 trace-cycle buffer with selective filtering lets you cut through the clutter and display just the traces you wish. And you get 1μ sec resolution in program time measurement. Plus continuous InSight monitoring of your

program's key functions as they are performed.





InSight Display. InSight blends analyzeremulator techniques to give you continuous, real time monitoring of key processor functions. And still services user interrupts. It displays changing register contents, I/O lines, ports, user-defined memory windows. With your own labels.

- On top of that, you get UniLab's trademark ability to debug by symptom, not just by breakpoint and single step. And, to help you complete the job on time, on the spot, a stimulus generator and EPROM programmer are included.
- Ease of use, another Orion trademark, is also built in. So you have all the familiar features and formats you're used to working with. It doesn't matter if your project is a single chip controller or complex 16-bit



Analyzer Triggers. Commonly used triggers can be selected quickly from a list of standard and user-defined triggers.

microprocessor, the 8620 is the top price/performance analyzer-emulator that does it all. At just \$4380. With processor Personality Paks typically \$550 each.

UniLab 8620. Fast-lane debugging that gets you to market quicker.

Call toll-free: 800 / 245-8500. In CA: 415 / 361-8883



702 Marshall St., Redwood City, CA 94063 TLX 530942 FAX 415/361-8970

Computer Integrated Instrumentation

Circle 196 on Reader Service Card

PRODUCTS IN PERSPECTIVE

67 What's New

89 Short Takes
TSI-020MX and Radius
Accelerator 25
Turbo Prolog 2.0
SOTA MotherCard 5.0 and
Microsoft Mach 20
Choice Words
Tentime

Expert Advice:

103 Computing at Chaos Manor by Jerry Pournelle

123 Applications Plus by Ezra Shapiro

129 Down to Business by Wayne Rash Jr.

135 Macinations by Don Crabb

143 OS/2 Notebook by Mark Minasi

147 COM1: by Brock N. Meeks

First Impressions
154 IBM PS/2 Model
70-A21 and Tandy
5000 MC

Reviews

164 PostScript printers

Toshiba T5100 and GRiDCase 1530

195 AST Premium/386

203 Microcomputer fax cards

213 Ada on the Mac

219 Soft-ICE

225 Total Word

231 DataPlex


237 Review Update



IT'S TIME TO DO SOME **SERIOUS 386 BUGBUSTING!**



PROBE has source-level debugging to let you "C" your program.



Telcome to your nightmare. Your company has bet the farm on your product. Your demonstration wowed the operating committee, and beta shipments were out on time. Then wham!

All your beta customers seemed to call on the same day. "Your software is doing some really bizarre things," they say. Your credibility is at stake. Your profits are at stake. Your sanity is at stake.

THIS BUG'S FOR YOU

You rack your brain, trying to figure something out. Is it a random memory overwrite? Or worse, an overwrite to a stackbased local variable? Is it sequence dependent? Or worse, randomly caused by interrupts? Overwritten code? Undocumented "features" in the software you're linking to? And to top it off, your program is too big. The software debugger, your program and it's symbol table can't fit into memory at the same time. Opening a bicycle shop suddenly isn't such a bad idea.

THIS DEBUGGER'S FOR YOU

Announcing the 386 PROBE™ Bugbuster,*from Atron. Nine of the top-ten software developers sleep better at night because of Atron hardware-assisted debuggers. Because they can set real-time breakpoints which instantly detect memory reads and writes.

Now, with the 386 PROBE, you have the capability to set a qualified breakpoint, so the breakpoint triggers only if the events are coming from the wrong procedures. So you don't have to be halted by breakpoints from legitimate areas. You can even detect obscure, sequence-dependent problems by stopping a breakpoint only after a specific chain of events has occurred in a specific order.

Then, so you can look at the cause of the problem, the 386 PROBE automatically stores the last 2K cycles of program execution. Although other debuggers may try to do the same thing, Atron is the only company in the world to dequeue the pipelined trace data so you can easily understand it.

Finally, 386 PROBE's megabyte of hidden, write-protected memory stores your symbol table and debugger. So your bug can't roach the debugger. And so you have room enough to debug a really big program.



COULD A GOOD NIGHT'S SLEEP PUT YOU IN THE TOP TEN?

This is an

out-of-range

memory-overwrite

bug. Since it is

interrupt related,

Look at it this way. Nine of the top-ten software products in any given category were created by Atron customers. Maybe their edge is - a good night's sleep.

Call and get your free, 56-page bugbusting bible today. And if you're in the middle

of a nightmare right now, give us a purchase order number. We'll FEDEX you a sweet dream.



A division of Northwest Instrument Systems, Inc. Saratoga Office Center • 12950 Saratoga Avenue Saratoga, CA 95070 • Call 408/253-5933 today.

WHAT'S NEW

SYSTEMS

From MS-DOS to Apple and Back

wo microprocessors inside the IBM XT-compatible WPC Bridge allow it to run (without rebooting) MS-DOS as well as "proprietary Apple-booting software," according to the company. The boards connect to the IBM floppy disk drive controller and then to the monitor and serial and parallel ports. You can also load FP BASIC from Apple DOS 3.3 for better compatibility.

Inside the machine, there's a 16-bit 8088 microprocessor that runs at 4.77 MHz for normal operation or at 8 MHz for faster operations, and a 65C02 microprocessor for 1-MHz Apple DOS operation. All you do is hit Alt-Esc to go back and forth between MS-DOS and Apple software programs. The system BIOS is from Up To Date Technology.

Memory in DOS mode is 512K bytes, expandable to 768K bytes, while memory in the Apple mode is 128K bytes for the main and auxiliary banks and 16K bytes for the Apple language card. Resolution in the DOS mode is 640 by 400 pixels; Apple-mode resolution is 720 by 360 pixels.

Two internal 360K-byte 5¼-inch half-height floppy disk drives come standard and operate off the two motherboards for Apple and IBM PC compatibility. On the IBM side, there are three full-length expansion slots and a clock/calendar. Both sides support an RS-232C serial port, a parallel printer port, and CGA capabilities.

An option on the IBM PC side is a 20-megabyte 3½-inch



WPC Bridges offer a choice of MS-DOS and Apple DOS.

hard disk drive that requires one of the full-length expansion slots. There's a slot on the Apple side for an optional Apple drive; there's also an optional 8087 math coprocessor. An AT-compatible keyboard and a built-in 12-inch monochrome monitor come standard.

Price: \$1695.

Contact: Cordata Technologies, Inc., 1055 West Victoria St., Compton, CA 90220, (213) 603-2901. Inquiry 751.

25-MHz Machines with Zip!

W ith company ratings of 27 percent better performance than Compaq's Deskpro 386/20, Advanced Logic Research introduced the FlexCache 25386, a 25-MHz, zero-wait-state machine. It's based on a proprietary extended-emulation 82385 cache system, which the company claims is an enhancement of the Intel 82385 form of caching.

This proprietary caching system is enhanced by a 64K-byte, 25-nanosecond RAM-

caching memory between the central processor and the main memory; direct memory access (DMA) caching of RAM I/O; byte, word, or doubleword caching; posted write-through on all accesses, including bytes; and background refresh cycles. Such a caching system makes the main memory 80 percent faster than the Compaq Deskpro, the company claims.

The Model 150 comes standard with 80387 support, 1 megabyte of main memory, one 1.2-megabyte 5¼-inch floppy disk drive, one 150-megabyte enhanced-small-

device-interface (ESDI) hard disk drive, one serial port, and one parallel port. The Model 300 has a 300-megabyte ESDI hard disk drive with a controller.

Price: \$9499 for Model 150; \$12,499 for Model 300. Contact: Advanced Logic Research, Inc., 10 Chrysler, Irvine, CA 92718, (714) 581-6770. Inquiry 752.

ittle features that promote using Hertz Computer's new 25-MHz machine as a file server include two cooling fans and possible hookup without floppy disk drives, keyboards, or monitors, according to the company.

Three standard versions include the big features as well. System 25/70 has a zero-wait-state 64K-byte cache with 2 megabytes of 32-bit RAM that's expandable to 24 megabytes. There's a 1.2-megabyte floppy disk drive, a 72-megabyte hard disk drive, and support for all types of 5¼- and 3½-inch drives. A VGA controller is standard.

Eight expansion slots include two 32-bit, five 16-bit, and one 8-bit. There are two serial ports and one parallel port, and the system can run anything from MS-DOS to OS/2 to Unix/Xenix.

Enhanced systems have 150- (System 25/150) and 320- (System 25/320) megabyte hard disk drives.

Price: \$11,995 for System 25/70; \$13,995 for System 25/150; \$15,995 for System 25/320.

Contact: Hertz Computer Corp., 325 Fifth Ave., New York, NY 10016, (212) 684-4141.

Inquiry 753.

continued

SEND US YOUR NEW PRODUCT RELEASE

We'd like to consider your product for publication. Send us full information, including its price, ship date, and an address and telephone number where readers can get further information. Send to New Products Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Information contained in these items is based on manufacturers' written statements and/or telephone interviews with BYTE reporters. BYTE has not formally reviewed each product mentioned. These items, along with additional new product announcements, are posted regularly on BIX in the microbytes.sw and microbytes.hw conferences.

PERIPHERALS

Tallgrass Drives into the PS/2

hanging one module in the 40-megabyte tape backup system from Tall-grass Technologies upgrades the AT- and XT-compatible TG-1140 floppy disk drive to work at the faster AT and PS/2 floppy controller speed of 2.4 megabytes per minute.


You can also buy that tiny replacement module that's compatible with the 1.2-megabyte-per-minute XT-controller speed and put it into the PS/2 floppy disk drive and have a PC-compatible drive. Replacing either module takes about a minute, and you won't need any special tools.

There's also an economical 2-megabyte-per-minute tape backup subsystem in this QIC series of products that comes in Macintosh and higher storage models.

A special feature allows you to locate individual files on the tape in 20 seconds or less. Other features include automatic backup, Novell/ 3Com and Unix/Xenix compatibilities, and data sharing with other QIC-40 systems. Finally, tapes with 60-megabyte capacities, which will be available soon, will be compatible with the TG-1140. Price: \$495 for an internal PC, PS/2, or compatible; external cabinetry, \$179; replacement module, \$79 each. Contact: Tallgrass Technologies Corp., 11100 West 82nd St., Lenexa, KS 66214, (913) 492-6002 Inquiry 756.

Clearer Than Night and Day

eyond all-black and allwhite picture elements is the gray-scale level of graph-



Tallgrass PS/2, AT, or XT tape backup drives.

ic-quality that Cornerstone Technology achieves with its DualPage display.

The company's newest monitor system, which includes a custom controller, features 4 or 16 levels of gray scale. You can also view two pages simultaneously; with a 19-inch screen, the two split pages come out about 30 percent smaller than actual paper size.

The board fits into a single expansion slot on an IBM XT, AT, PS/2 Model 30, or compatible. When you couple it with Cornerstone Technology's proprietary fonts, the package is compatible with PostScript. Times Roman, Helvetica, Courier, and Symbol fonts are available.

With a standard Hercules graphics adapter in the monochrome graphics mode, you get a resolution of 720 by 348 pixels. With the enhanced, 16-gray-level adapter (which piggybacks the standard card), resolution is enhanced to 1600 by 1280 pixels.

Refresh rate is 67-Hz noninterlaced, video bandwidth is 200 MHz, and a script-driven diagnostic program is included. Microsystems' NeWS and Microsoft's Xenix are supported. Optional drivers for desktop publishing include Ventura Publisher, Auto-CAD, AutoShade, Publisher's Paintbrush, and PageMaker.

Also available is a singlepage display system, which features 768- by 1008-pixel resolution with a 15-inch portrait screen.

Price: \$2395 for 4-gray-level system; \$2795 for 16-level system; \$999 for single-page system.

Contact: Cornerstone Technology, 1883 Ringwood Ave., San Jose, CA 95131, (408) 279-1600. Inquiry 757.

Printer Races at 600 cps

dot-matrix color printer that prints in draft mode at 600 characters per second was introduced by Honeywell Bull Italia. That's faster than most laser printers.

The new 4/68 color printer can also print up to 150 cps in letter-quality mode. The reason for such speed, the company says, is a special 18-pin print head with two 9-pin vertical arrays. During draft printing, the two arrays are lined up and allow each character to be printed in half the time. In letter-quality mode, one of the arrays is staggered with respect to the other to produce a higher-quality character.

The paper-feed mechanism allows you to print both single-sheet and fanfold paper interchangeably. If you press a front-panel button, the 4/68 automatically retracts the fanfold paper and allows you to insert a single sheet of paper through a slot in the front of the printer. Pressing another button resets the fanfold paper.

Paper-handling features allow the 4/68 to handle formats from 4¾ to 17 inches wide, from 4 to 24 inches long, and up to C-size portraits. It can accommodate up to five carbon copies and has a parking feature and bottom feed.

Price: \$2450.

Contact: Honeywell Bull Italia, 120 Howard St., Suite 800, San Francisco, CA 94105, (415) 974-4340. Inquiry 762.

continued

Moniterm Conquers with the Viking


n on-board coprocessor allows the 24-inch Viking 2400 monitor to speed up certain functions and simply skip others, like slope adjustments, according to the manufacturer, Moniterm.

It's the Hitachi HD63484 ACRTC that does the work for this giant AT- and PS/2compatible monitor with a resolution of 1280 by 960 pixels, refreshed at 66 Hz. The 24-inch display and the coprocessor are specifically designed to accelerate Auto-CAD and VersaCAD. Several operating platforms are supported, including Micro-Soft Windows, DRI's GEM, GSS, Media Cybernetics' Dr. HALO, and Lotus 1-2-3.

Price: \$2995.

Contact: Moniterm Corp., 5740 Green Circle Dr., Minnetonka, MN 55343, (612) 935-4151.

Inquiry 761.



Your pad or ours?


If you perform calculations, the answer is obvious.

MathCAD 2.0. It's everything you appreciate about working on a scratchpad – simple, free-form math-and more. More speed. More accuracy. More flexibility.

Just define your variables and enter your

formulas anywhere on the screen. MathCAD formats your equations as they're typed. Instantly calculates the results. And displays them exactly as you're used to seeing them in real math notation, as numbers, tables or graphs.

MathCAD is more than an equation solver. Like a scratchpad, it allows you to add



text anywhere to support your work, and see and record every step. You can try an unlimited number of what-ifs. And print your entire calculation as an integrated document that anyone can understand.

Plus, MathCAD is loaded with powerful

built-in features. In addition to the usual trigonometric and exponential functions, it includes built-in statistical functions, cubic splines, Fourier transforms, and more. It also handles complex numbers and unit conversions in a completely transparent way.

Yet, MathCAD is so easy to learn, you'll be using its full power an hour after you begin.

Requires IBM PC® or compatible, 512KB RAM, graphics card. IBM PC® International Business Machines Corporation.
MathCAD® MathSoft, Inc.

What more could you ask for? How about the new **Advanced Math Applications Pack**? A \$55 value, it's yours free when you purchase MathCAD between August 1 and October 15, 1988. The Advanced Math Pack includes a custom binder, software and documentation for 16 advanced applications such as:

- Runge-Kutta Solution of First Order Differential Equation
- Solution of Second-Order Differential Equation
- · Eigenvalues and Eigenvectors of a Symmetric Matrix
- Convolution and Correlation of Sequences
- Convolutions using FFT's
- And many more!

If you're tired of doing calculations by hand or writing and debugging programs, come on over to MathCAD.

For more information contact your local dealer or call 1-800-MATHCAD, ext. 2775 (In MA: 617-577-1017, ext. 2775).


MathSoft, Inc., One Kendall Sq., Cambridge, MA 02139

MFLOPS for Less

floating-point array processor card for IBM PC XT-compatible computers promises to deliver from 8 to 25 million floating-point operations per second (MFLOPS) for under \$100 per MFLOP. That means it speeds up some (but not all) computationally intensive applications, like scientific computing, from hours to minutes, according to the company.

The half-length card is based on AT&T's DSP32 for the XT, a single processing chip with a floating-point digital signal processor. The DSP32-PC has 32K bytes of zero-wait-state static RAM. There's an upgrade available to 128K bytes of static RAM. Also available is a development system, including the board, an assembler, a window-based emulator, a math library, and demonstration programs.

In company benchmarks, a 1024-point complex fast Fourier transform was executed in 3.25 microseconds (μ s). A finite impulse response was executed in 80 nanoseconds per TAP, and a 3 by 3 matrix multiplication was



The DSP32-PC reduces scientific computing to minutes.

completed in $2.2\mu s$.

A C compiler will include a math library. The DSP32C, an AT board with upgrade and development system, may be available as soon as October, when AT&T ships the AT version of the chip.

Price: \$745 for XT board; \$50 for upgrade; \$995 for development system (including the board); the DSP32C version of the board will be under \$1500.

Contact: Communications Automation & Control, 1642 Union Blvd., Suite O, Allentown, PA 18103, (215) 776-6669. Inquiry 763.

31 Users on Your AT

p to 31 ASCII terminals can now be connected with RS-232C cabling to AT and compatible boards from UltraTek for distributed computing, based on Alloy Computer's NTNX operating system.

RS-232C cabling means 19.2K-bps transmission, and Alloy Computer's operating system means one Multi-Master board per terminal. Each board has an 8088 microprocessor and 512K bytes of

RAM (upgradable to 1.2 megabytes). You'll need an expansion chassis if you want to use more terminals than you have slots in your AT.

Price: \$695.

Contact: UltraTek, 400 Walnut. Suite 335. Redwood City

Contact: UltraTek, 400 Walnut, Suite 335, Redwood City, CA 94063, (415) 364-1060. Inquiry 765.

Transform Your AT into a Multiuser Master

ne full-length AT-compatible card, an interface box, a monitor, and a keyboard are now all you need to compute as far as 200 feet away from your host AT. The AT needs only full-length slots and a hard disk drive.

Add eight more cards, interface boxes, monitors, and keyboards, and you'll have the maximum number of processing stations—each with a serial and parallel port for modems and printers that can be shared by all the other stations on the network.

Each card has its own 80286, and 512K bytes of RAM running on ODOS, a DOS-compatible multiuser operating system.

Two cards are offered: The O-286H gives the stations Hercules graphics capabilities and monitor resolution up to 720 by 348 pixels; the O-286E has CGA, MGA, and EGA graphics capabilities for monitor resolutions of 640 by 200, 720 by 348, or 640 by 400 pixels, respectively. Price: \$1295 for O-286H; \$1495 for O-286E. Contact: Our Business Machines, Inc., 12901 Ramona Blvd., Suite J, Irwindale, CA 91706, (800) 433-1435; in California, (818) 337-9614. Inquiry 764.

continued

Putting on the Bits

n on-board BIOS supporting more than 60 hard disk drive types is standard with high-end floppy and hard disk controllers from Perstor Systems. Designed for use in 16-bit expansion slots of 80286 or 80386 AT-compatible computers, the controllers operate at 9 and 10 megabits per second.

Unlike standard Macintosh File System (MFM) and run-length-limited (RLL) controllers that support 17 and 26 sectors per track, the Perstor controllers use a pro-

prietary disk interface to increase the number of sectors per track to 31. So models PS180-16F and PS180-16FHP, which are MFMand RLL-compatible, are rated to increase hard disk capacity by 90 percent. Model PS200-16F (only RLL-compatible) is rated to increase hard disk capacity by 100 percent. Each controller can manage two hard disks and two floppy disks, in any combination from 360K-byte to 1.44-megabyte capacities in either 31/2- or 51/4-inch formats.

The PS180-16FHP's advantage over the PS180-16F is its resident BIOS cache, which runs in any combination of normal internal memory, Lotus/ Intel/Microsoft Expanded Memory Specification (LIM/EMS) memory, or AT extended memory.

Price: \$345 for the PS180-16F: \$375 for the

Price: \$345 for the PS180-16F; \$375 for the PS180-16FHP; \$365 for the PS200-16F

Contact: Perstor Systems, Inc., 7631 East Greenway Rd., Scottsdale, AZ 85260, (602) 991-5451. Inquiry 766.

Get Sprint and you'll never be afraid of the dark!



Nothing holds a candle to Sprint!

Features $\bullet = \text{Yes} \bigcirc = \text{No}$	Sprint 1.0	WordPerfect 4.2	MS Word 4.0	WordStar 4.0	MultiMate Adv. 1.0
Maximum file size	Disk	Disk	Disk	4MB	128K
Thesaurus (integrated)					
Windows Open (maximum)	6	2	8	1	1
Files Open (maximum)	24	2	8	1	1
Cross-Reference (dynamic)		0	0	0	Ô
Indexing Options	7	1	3	3	Ô
Columns: Parallel			•		
Snaking (chg. # same page)			Not same pg.	0	
H-P LaserJet Support	Full	Partial	Full	Partial	Full
PostScript Support	Full	Text	Full	0	Text
Mouse Support (integrated)		0		0	0
Dynamic Shortcuts		0	0	0	Ö
Alternative User Interfaces		0	. 0	0	Ö
Verify Spelling as you type		0	0	Ö	Ö
Programmable Macro lang.	•	0	0	0	0
Save File ¹	5.9	41.1	9.7	4.4	1.0
Top to Bottom ²	7.5	7.5	49.4	8.1	21.0
Search and Replace ³	1.6	6.6	4.6	17.1	13.4
Find Unique Word	3.3	6.2	7.0	13.8	20.6
Suggested List Price	\$199.95	\$495.00	\$450.00	\$495.00	\$565.00

Time tests were performed on an Acer 286 (8 MHz), 640K RAM. ¹ File size 103K. ²1636 lines. ³14 occurrences. Times shown are in seconds. (Benchmark details available upon request.)
Prices and specifications subject to change without notice.

*Customer satisfaction is our main concern; if within 60 days of purchase this product does not perform in accordance with our claims, call our customer ser department, and we will arrange a refund.

All Borland products are trademarks or registered trademarks of Borland International, Inc. Other brand and product names are trademarks of their respective holders. Copyright ©1988 Borland International, Inc.

Forgetting to "Save" is a fact of life as are power outages, and it used to be that a power outage could wipe out everything you've done. Not any more. Your work is always safe when you Sprint.*

Sprint's "Auto-Save" automatically saves your words as you type, so if the lights do go out, you may be in deep darkness but not deep trouble.

Sprint's Auto-Save is more than "insurance," it's also invisible. You know it's there, but it does its job without interrupting yours.

Sprint: It's the word processor with everything!

You name it, Sprint's got it. Incredible speed, Auto-Save, a customizable user interface, and professional output. Sprint even includes a bonus pack of alternative user interfaces that make it act like WordStar, MultiMate, WordPerfect, Microsoft Word, or other familiar word processors—a \$99 value free!

Sprint has all this and does all this for only \$199.95 instead of the up to \$600 that some companies demand. Sprint automatically saves your words; it also automatically saves your money. Sprint—The fast track to performance word processing.

60-Day Money-back Guarantee*
For the dealer nearest you
Call (800) 543-7543



HARDWARE • CONNECTIVITY

Ethernet Meets Mac with SCSI

esides becoming the floppy and hard disk controller interface of choice for both Apple and PS/2 systems, the SCSI has now become a possible local-area-networking port for industry-standard 10-megabit-per-second Ethernet connectivity.

Adaptec has introduced the Nodem, which uses the SCSI port of Apple computers this way. That means the Nodem, in the form of a 5- by 8- by 2-inch peripheral, can automatically enhance the transmission rate between Apple machines 40-fold over what was previously possible with the 230K-bit-per-second LocalTalk cabling system,



SCSI Nodem enhances AppleTalk.

while retaining Apple's connectivity operating software, AppleTalk.

Another advantage is that the Nodem doesn't use any internal slots, so you can share information more easily among the Mac Plus (which has no slots), the Mac SE (which has one slot), and the Mac II (which has five slots).

Up to eight different devices can daisy chain on the SCSI bus for connectivity with the three most popular Ethernet transmission media—coaxial, thin coaxial (Cheapernet), and twisted-

pair copper. The Nodem architecture is based on Adaptec's I/O controller ICs, rather than traditional Ethernet chip sets. And while Macintosh system disks are available now, the company says IBM-compatible system disks should be available next year.

Price: \$545 for coaxial; \$595 for Cheapernet or twisted pair. Contact: Adaptec, Inc., 691 South Milpitas Blvd., Milpitas, CA 95035, (408) 945-2520. Inquiry 768.

Hook up Your Network Through the AC Lines

owerLink is a networking system that links any two IBM PCs or Apple Macintoshes and their printers through your building's existing power lines. And, according to its maker, you'll soon be able to expand it to interconnect up to eight systems.

The system transfers data through your computer's serial port at 19.2K bits per second. You simply plug the network device into the nearest wall outlet and you're connected to the Link network. The only limitation is that devices must be on the same side of a power transformer, but this is usually no problem if they're in the same building.

The Link hardware is provided either as an add-in card for the IBM PC and compatibles or as an external 10-inch box for serial port connections.

Price: \$495 for the external unit; \$395 for the add-in card; ManyLink software for two PCs, \$165; ManyLink for up to eight PCs, \$395.

Contact: Netline, Inc., 85
West Center St., P.O. Box 3000, Provo, UT 84603, (801) 373-6000.

Inquiry 769.

continued

Voice and Data Travel Together on the Twisted Pair

wo machines compatible with AT&T and Siemens Integrated Services Digital Network (ISDN) interfaces are now available from International Computers Ltd. (ICL), a subsidiary of Standard Telephones and Cables PLC Group.

Both of the AT-compatible machines allow transmission on two 64K-bit-per-second ISDN B channels and one 16K-bit-per-second ISDN D channel (but only if you're one of the small but growing number of telephone company customers served by an ISDN central office switch).

The machines could be looked at as two luxury telephone/computer hybrids. The telephone includes more bells and whistles than the average business executive's telephone, and the manufacturer claims the 80386 version is faster than Compaq's 386/20.

The Model PWS 20 is an

8-MHz, zero-wait-state machine based on Intel's 80286 microprocessor. It comes with a 40-megabyte hard disk drive, a 720K-byte 5¼-inch floppy disk drive, and six 16-bit and two 8-bit expansion slots. Peripherals include an ISDN telephone, an EGA color monitor, and an AT-style keyboard. The Model PWS 386 has the same features, plus an Intel 80386 that runs at 20 MHz with no wait states.

Both models include MS-DOS 4.1, a multitasking Microsoft-designed DOS with a 640K-byte RAM limit per task. MS-DOS 4.1, which was designed earlier this year for ICL and to date has been sold only in the U.K., includes multitasking that ICL has used to provide telephone status on the computer screen's bottom four lines.


A single-slot add-in board with a proprietary S/T interface is used to connect the computer and telephone to your local central office over standard telephone wiring. That connection, with standard RJ-45 connectors, will handle the three channels totaling the 144K-bit-per-second transmission rate.

Several ISDN features include auto-answering; directory-, speed-, and recent-call dialing; and a status display of incoming and outgoing call information. The system includes several non-ISDN connectivity features as well, including V.120 rate adaption software and X.25 packet assembler/disassembler support over one clear 64K-bit-per-second B channel.

Price: \$8000 for PWS 20; \$10,000 for PWS 386.

Contact: International Computers Ltd., Inc., Network Systems—ISDN Group, 777 Long Ridge Rd., Stamford, CT 06902, (203) 968-7222.

Inquiry 767.



The easy way to move files between the 51/4" world of PCs, and the 3½" world of PS/2s, Laptops, and 386s: Sysgen's Bridge family.

Because your PCs, PS/2s, 386s and laptops all talk to different floppy disk sizes and formats, they can become frustrating islands of information.

For the simplest way to get files back and forth, just install Sysgen's Bridge products. Presto: Your different computers can talk to common diskettes.

Sysgen pioneered bridges. Now here are three ways to simplify your life in a multi-computer office.

Solution 1: Our Bridge-File 5.25 floppy disk drive.

A best seller, with over 50,000 installed. Attach it to your PS/2, and you can read and write files from PCs. Critics and users alike have raved

about its small footprint, ease of use, and dual density capacity of 360Kb and 1.2Mb. (IBM's drive is twice the size, yet stores only one-fourth the data.)

Every PS/2 user deserves this easy connection to the world of PCs.

Solution 2: Our Bridge-File 3.5 floppy disk drive.

You get 720Kb and 1.44Mb capacities. Connect it to any PC, and you can read and write files from PS/2s, 386s, laptops, and other 3½" machines.

Now all your PCs can share files with your newer systems.

And here's the ideal controller: The Omni-Bridge Controller.

Controls up to four drives, so you can mix and match 51/4", 31/2", and floppy tape drives as you need. This hot card gives you big storage, plus twice the floppy disk and floppy tape transfer performance rates! At only \$95, this is a winner.

Get your computers talking. Call the Sysgen Hotline for the name of your nearest dealer. 1-800-821-2151.

ORPO

556 Gibraltar Drive, Milpitas, CA 95035

Trademarks: Sysgen, Bridge-File, Omni-Bridge—Sysgen Inc.; PS/2—International Business Machines Corporation. Registered Trademark: IBM—International Business Machines Corporation. Circle 266 on Reader Service Card





PageMaker is a trademark of Aldus and Ventura Publisher is a trademark of Ventura Software Inc.

City/State/Zip

Offer valid in the U.S. only. Allow 2-3 weeks for delivery. 30-day Money Back Guarantee. DEALER INQUIRIES WELCOME. Send to: LOGITECH, Inc., attn: Coupon Redemption Program, 6505 Kaiser Drive, Fremont, CA 94555

HARDWARE • OTHER


Micro Channel on a Chip

f you're designing add-in cards for the Micro Channel, One Chip Plus can make your job easier. It's a fullfledged design system that's built around a chip.

One Chip Plus contains the decoding and logic functions to simplify the design of memory, I/O, and multifunction adapter cards for PS/2 machines. It includes programmable decoding for extended memory, expanded memory, multiple I/O ports, and ROM. It also supports Micro Channel DMA arbitration and burst-mode DMA. Programmable memory and I/O timing match slow and fast devices and can connect directly to single- and dualin-line memory modules.

A software kit includes a LIM/EMS 4.0 memory driver. A proprietary design lets you program the Micro Channel ID number rather than designing it into the hardware after being designated the number by IBM—a process that has been known to hold up the design phase.

The company's Acquisition Engine, which provides high-level programming commands for background and foreground data acquisition and I/O control in the form of a 51/4-inch floppy disk, eliminates the need for additional programming and hardware, the company says. The acquisition engine subsequently accepts software modules that interface to any I/O function. Price: \$34 for One Chip Plus; \$995 for a combined I/O and memory package; \$349 for the Acquisition Engine; \$95 for the Application Guide. Contact: Capital Equipment Corp., 99 South Bedford St., Burlington, MA 01803, (800) 234-4232; in Massachusetts, (617) 273-1818. Inquiry 770.



Capital Equipment's MCA design system.

Disk Duplicators Multiply

hile the floppy and hard disk duplicating companies have thus far concentrated on hardware for software developers, one duplicator company is offering lessexpensive products for companies with volatile, voluminous databases.

The new Datapath Technologies' Copy Manager can copy up to four 31/2-inch or 51/4-inch disks—or any combination-all at once.

The Copy Manager requires one full-length PC slot per four disks and acts as a peripheral. There's also a duplicator expansion unit that allows another four disks to be copied at one time, bringing the total to eight disks that you can copy at once, in any configuration. The Copy Manager copies 480 copies per hour in its fastest configuration.

The Model 1042 Copy Manager comes in a low-end configuration to copy four 360K-byte 51/4-inch disks. On the high end, the Model 1040 copies up to four of any combination of 31/2- or 51/4-inch

disks. The Model 1052 expands any of the six Datapath four-copy versions by four 360K-byte 51/4-inch drives. The Model 1050 expands any of the four-copy versions by four drives of any configuration-both expansions increase total copying ability to eight disks simultaneously. Price: \$1995 for Model 1042; \$2250 for Model 1040; \$1395 for Model 1052: \$1650 for Model 1050. Contact: Datapath Technologies, Inc., 46710 Fremont Blvd., Fremont, CA 94538, (415) 651-5580. Inquiry 771.

Throw Your Typing Skills into the Trash

peripheral on which to write and store handwritten information allows those who haven't mastered the art of typing to have the same computer literacy as others, according to the manufacturer

PenWriter can translate printed handwriting and hand drawings into ASCII and works with all IBM compatibles.

The peripheral is a 640-by 400-pixel backlit liquid crystal or plasma display. Accuracy with the stylus is rated at better than 0.015 inches. Four operating modes are available: stream, switched stream, point, and incremental. Price: \$1895 with LCD; \$2895 with plasma display. Contact: Scriptel Corp., 4145 Arlingate Plaza, Columbus, OH 43228, (614) 276-8402. Inquiry 772.

Storage Betters **Board Testing**

igital EGA storage of sine waves gleaned from IC boards allows technicians and engineers to more quickly test board components and circuitry, thanks to the analog signature analysis tool from Huntron Instruments.

The 5100DS allows you to send a current-limited sinewave voltage signal across two points of an add-in board, store the sine-wave traces, and then go through other boards to verify components and circuitry with an EGA graphics display of the produced sine waves. A trained eye can notice leakage and backflow problems, the company says, allowing troubleshooting of all but gate-control devices.

You need an 80286 or 80386 machine, DOS version 3.0 or higher, 640K bytes of RAM, a 3½- or 5¼-inch floppy disk drive, a 10-megabyte hard disk drive, an EGA card, an EGA monitor, and a parallel printer port.

Price: \$9500 without controller or computer; \$14,000 for an entire system.

Contact: Huntron Instruments Inc., 15720 Mill Creek Blvd., Mill Creek, WA 98012, (800) 426-9265; in Washington, (206) 743-3171. Inquiry 773.

continued





JAIL

Wait for Ashton-Tate to get their SQL act together. In the meantime, just sit here and watch the ORACLE players pass you by. Or order Professional ORACLE today. The \$199 price expires on September 30th.

ORACLE® Gives Your PC a Monopoly

- 66 ORACLE's top guns make dBASE look like a peashooter."

 Data Based Advisor, June 1988
- If it isn't in ORACLE, it probably isn't in anything else, either... For readers who want it all, this is the product to buy."

Software Digest, September 1987

for Professional ORACLE is the program of choice for those who want sophisticated forms, reports, and SQL capabilities without having to program extensively."

Software Digest Ratings Report, Advanced Relational Database Programs, September 1987

- 66 A robust, full-blown mainframe database that will run on a micro...
 ORACLE will crunch data until your eyes roll back in your head."
 Infoworld, April 1988
- ← Well constructed and powerful, Professional ORACLE is an excellent choice for... application developers."

Winner, Editor's Choice, PC Magazine, May 1988



66... provide(s) applications developers with unlimited power... Security provided by [ORACLE] on the single-user PC is as extensive as it is on the largest mainframe..."

PC Tech Journal, December 1987

The experts agree. When you buy the ORACLE database for your PC, you acquire several important ORACLE monopolies. COMPATIBILITY: ORACLE is SQL, compatible with IBMs DB2 and SQL/DS. PORTABILITY: It's the only RDBMS that runs on mainframes, minis and PCs. CONNECTABILITY: It's network ready with the unrivalled ability to make different databases on different machines — mainframes, minis and micros — appear to be one database on one machine. Finally, PRICE: Tens of thousands of copies of ORACLE for the PC have sold for \$1295. But until September 30th, 1988 you can see what made Oracle Corporation the world's largest database company, and what has the experts so excited.

Pass GO and collect Professional ORACLE for only \$199.* Or go to JAIL with some really old technology.



Call 1-800-ORACLE1, ext. 149 or an ORACLE MasterVAR today.

GO TO







GO ORACLE

PC ORACLE OFFER • Oracle Corporation 20 Davis Drive • Belmont, California 94002

□ Enclosed is my business card or latterhead,
// Ino PO. boxes, please) with a □ check or □ VISA
□ MC □ AmEX credit card authorization. I want to
pass GO and collect □ copies of Professional
ORACLE, licensed for developers, for only \$199* each.

_____ for Professional ORACLE

Please add appropriate sales tax
TOTAL enclosed or authorized

Phone ______ Exp. Date
Signature _____

PRICES VALID IN THE UNITED STATES ONLY REQUIRES AN 80286/80386 PC WITH 640KB MAIN MEMORY. 1MB EXTENDED MEMORY AND DOS 30 - © 1988 BY ORACLE CORPORATION. ORACLE IS A REGISTERED TRADEMARK OF ORACLE CORPORATION MONOPOLY IS A REGISTERED TRADEMARK OF PARKER BROTHERS, dBase is a registered trademark of parker brothers, dbase is a registered trademark of parker brothers, dbase is a registered trademark of parker brothers.

Testing Embedded Software

rchimedes calls it the first microcontroller simulator with a C source-level debugger. SimCASE is a window-based program that allows you to create software prototypes without any target hardware. It debugs C programs at the source level and locates bottlenecks in your code. The simulator consists of the Simulator Engine, the C & A Assembler Source Debugger, the Performance Analysis Tool, and the Input Stimulus Generator.

The Simulator Engine simulates the microcontroller on the computer, including the instruction set, the interrupt handling system, and all I/O ports. The Source Debugger gives you the option of symbolic and source debugging on the C or assembly level. It includes tools like trace, code and data examinations, step, and breakpoints.

Develop Al Applications Under OS/2

roduction Systems Technologies reports that OPS83 was the first language to integrate procedural and rule-based programming. Now the company has introduced OPS83 for OS/2, enabling you to develop larger artificial-intelligence applications in protected mode. Applications under OS/2 can have at least 32 times as many rules or data items as applications under MS-DOS, according to Production Systems Technologies.

OPS83 has a Pascal-like syntax. It supports separate compilation for program development efficiency and stan-



SimCASE displays and debugs microcontroller code.

The Performance Analysis Tool tests your design ideas by giving you the execution times of every block and line of code and helps you identify bottlenecks in the design.

You can graphically display the execution profile of a program with the Performance Analysis Tool. The Input Stimulus Generator takes a disk file you've created that contains a stream of input signals and tests the program for response to external stimuli. Once your code is tested

dard subroutine linkages that allow you to interface with other languages. The development environment is coded in C and assembly language. It requires the Microsoft C Compiler and an IBM PC or

with SimCASE, you can download it to EPROM or to an emulator for final testing.

The kit is available for the 8-bit Intel 8051 family. It runs on the IBM PC, XT, AT, and compatibles with at least 640K bytes of RAM and DOS 2.1 or higher. It also requires an Archimedes C cross-compiler kit. Price: \$895.

Contact: Archimedes Software, Inc., 2159 Union St., San Francisco, CA 94123, (415) 567-4010. Inquiry 779.

compatible running OS/2. Price: \$2950. Contact: Production Systems Technologies, 5001 Baum

Blvd., Pittsburgh, PA 15213, (412) 683-4000. Inquiry 776.

Programming from a Menu

ith the introduction of EngLan, computer programming is simplified to the point of choosing functions from a menu. Gentry Software reports that debugging is limited to removing logic errors, because the code you choose is already written. Each time you choose a new command, it is displayed at the bottom of the screen, and you can make changes using the view/change submenu.

The program is designed for small-business and general-application programs. It runs on the IBM PC and compatibles with 256K bytes of RAM.

Price: \$49.95.

Contact: Gentry Software, P.O. Box 4485, Springfield, MO 65808, (800) 346-9475; in Missouri, (800) 634-8439.

Inquiry 775.

C Is for Database Management

ode Base is a C library that uses the same naming conventions as dBASE and is compatible with dBASE III Plus. You can operate Code Base as a multiuser program on a network file server, with record and file locking.

According to Sequiter Software, there are 93 external Code Base routines organized into 9 modules. The program indexes three times faster than dBASE III Plus, Skip 100 is 100 times faster, and it executes Do While loops 1000 times faster, Sequiter reports.

To run Code Base you need Turbo C, Quick C, or Microsoft C 5.0 or 5.1. Price: \$149 (includes source code).

Contact: Sequiter Software, Inc., P.O. Box 5659, Station L. Edmonton, Alberta, Canada T6C 4G1, (403) 439-8171. Inquiry 774.

Modula-2 for OS/2

perating in what Logitech calls "dual mode," its OS/2 version of Modula-2 lets you port applications between DOS and OS/2, as well as develop applications that run under real and protected mode.

Included in Modula-OS/2 is Logitech's text editor. It features multiple windows and menus along with a customizable user interface. The OS/2 version of the editor lets you use it with or without a mouse and compile in the background or foreground. Price: \$349. Contact: Logitech, Inc.,

6505 Kaiser Dr., Fremont, CA

94555, (415) 795-8500.

Inquiry 778.

continued



Will The Real **VGA** Please Stand Up

It's easy to identify the leader in VGA resolution—just look to the company that brought you the first 800 x 600 EGA card.

800 x 600 VGA with 256 Colors

1024 x 768, too. Either way, Genoa's SuperVGA HiRes™ is the best way to see VGA. And your spreadsheets will look great. with 132 columns and 60 rows for your viewing pleasure.

Crash-free Windows

Yes, we do Windows-no problem. And SuperVGA HiRes is compatible with both the VGA PS/2 monitors and the EGA Multisync monitors, in VGA and EGA modes.

So don't settle for inadequate imitations. Get the highest VGA performance at the best price, in true Genoa tradition.

For the dealer nearest you, contact: Genoa Systems Corporation, 73 E. Trimble Road, San Jose, CA 95131 FAX: 408-434-0997 Telex: 172319

Telephone: 408-432-9090



Genoa Systems Limited (U.K.) Tel: 01-720-5064

© 1987 Genoa Systems Corporation. SuperVGA HiRes is a trademark of Genoa Systems Corporation. Windows is a trademark of MicroSoft, Inc. Multisync is a trademark of NEC Home Electronics.

CAD on the Mac

eneric CADD, previously running only on the PC, now runs on the Mac. The Mac program offers the same computer-aided drafting and design capabilities, according to Generic Software.

You can create drawings from a set of simple objects, including points, lines, circles, arcs, ellipses, and B-spline curves. You can draw objects in up to 256 colors, layers, and line types; and you can move, copy, erase, or break objects, rotate them at any angle, and scale them.

The Macintosh version lets you edit multiple drawings in separate windows simultaneously. You can cut and paste objects between different windows within the program and with other programs using the PICT format.

Generic CADD Level 1 for the Mac is also compatible with MultiFinder. It runs on the Mac II, SE, and Plus. **Price:** \$99.50.


Contact: Generic Software, Inc., 8763 148th Ave. NE, Redmond, WA 98052, (206) 885-5307.

Inquiry 784.

High-Speed Simulation

SIM, an event-driven, interactive, mixed-level simulator that supports switch- and gate-level simulation, now runs under OS/2. You can use the program for digital simulation, and it has special features for MOS (metal-oxide semiconductor) circuits.

The OS/2 version of DSIM can simulate a maximum of 7000 gates using 1 megabyte of memory. Under DOS, using 640K bytes, it could simulate a maximum of 2500 gates. The OS/2 version supports all the



Generic CADD makes its Macintosh debut.

version, including switch-level simulation, interactive waveform display, and tabular display functions.

Price: \$1250 for the OS/2 version; \$495 for the DOS version.

Contact: Roche Systems
Corp., 1705 North Rankin St.,
Appleton, WI 54911, (414)
733-6077.

features available in the DOS

Another CAM?

Inquiry 782.

AM. This time, it stands for computer-aided mathematics. CompMath 1.02 is a menu-driven advanced mathematics program that contains general, complex, matrix, engineering,

and statistical mathematics.

Under the general math option, you can calculate factorials, angular units, log-to-any-base conversion, and rectangular/polar conversion with graphs. You can also calculate *n*th roots. The complex math option lets you perform addition, subtraction, multiplication, and division of complex numbers raised to real powers. You can calculate complex roots and exponents and plot complex graphs.

The matrix math option offers matrix inversion, add/subtract math, multiplication, and transposition operations.

The engineering selection is an introduction to engineering math, with polynomial, quadratic, and simultaneous equation calculations, and derivative and integration.

The statistical option on the menu lets you choose to load numerical data from a keyboard or disk file and store to disk. It lets you perform basic statistical mathematics and plot bar graphs or scatter graphs with regression line plotting.

The program's graphics capabilities let you plot graphs in polar/Cartesian coordinates and a variety of other functions.

CompMath 1.02 runs on the IBM PC and compatibles with at least 256K bytes of RAM, DOS 2.0 or higher, and a CGA, EGA, or Hercules monochrome graphics card. **Price:** \$49.

Contact: Bsoft Software, 444 Colton Rd., Columbus, OH 43207, (614) 491-0832. Inquiry 786.

Statistical Software

A program that performs multiple regression analyses on data sets of up to 50 independent variables and any number of observations was announced by YakiSoft of Canada.


YREG reads data from ASCII files and can be used interactively or in batch mode. It produces the usual regression output, as well as predicted values, residuals, influence diagnostics, and a plot of residuals versus predicted values. Univariate statistics, including mean, variance, minimum, and maximum, are produced for each variable.

The program runs on the IBM PC and compatibles with 256K bytes of RAM. You'll need a CGA display for residual plots.

Price: \$33.

Contact: YakiSoft, P.O. Box 4151, Station C, Ottawa, Ontario, Canada K1Y 4P3, (613) 733-4563. Inquiry 783.

continued



Now that the best name in CAD is this affordable, why settle for a generic brand?

What's in a name? When it comes to the Autodesk name, a lot. In fact, it's the best-selling, most well-respected name in the CAD business. There simply is not another company with the credentials to make that claim.

That's why you shouldn't settle for anything less than AutoSketch,® the best way to get started in CAD. AutoSketch is the precision drawing tool from the Autodesk family of products. Not only is AutoSketch priced at just \$79.95,* but unlike some entry-level CAD products, you don't have to keep spending more to add the features AutoSketch already has. Standard features like boxes, circles, stretching, mirroring and rotating—to mathematical precision. And advanced CAD capabilities like dynamic PAN and ZOOM and automatic dimensioning and scaling, in up to 10 working layers.

Of course, if you do want to move up from AutoSketch at some point, your files can easily be uploaded into AutoCAD.*

AutoSketch runs on IBM® PC/XT™/AT® and 100% compatible computers, and supports IBM's PS/2.™

So if you're ready for CAD, why not go with the name that rates highest among both critics and users? Anything else is, well, second-rate.

To order AutoSketch call 1-800-223-2521. For the name of your nearest AutoSketch

Dealer or for more information, call 1-800-445-5415 Ext. 1 or write to AutoSketch, 2320 Marinship Way, Sausalito, CA 94965.



AUTODESK, INC.

Circle 23 on Reader Service Card

*A speed-enhanced version (9 times faster), requiring a math coprocessor, is available for \$99.95.

UserSoft/C Means Business

 ➡ Sample IMPUT & OUTPUT of Business C, S/AM, SUPERIOR and SCREEN ★★

programmed by Mr. Smith's maiden name is Anderson
Who are you Well.... I am Peter

Please enter the filename for Sales History : c:SALES

enter range of names (FROM ... TO ...) : let's start FROM Gibbens TO Maple

575-83-4990 Gibbens

----- REPORT

- sport \$44,637.00DR

486-00-1533 Hagen - cosme \$23.20CR

692-54-7311 Hamilton - retai \$191.95CR

575-72-1638 Jackson - retai \$3,144.06DR

394-50-1123 Lampman — sport \$98.63DR

105-33-6296 MacDonald - cosme \$2.45CR

*** END ***

Novem/15 1988 - TUE

UserSoft/C is the **Business C**

UserSoft Business C is the financial C compiler that makes sense to both clients and programmers. It is not just another C compiler.

Compare the functions:

UserSoft Business C is a superset of Power C, Microsoft C and Turbo C. It has over 1,000 standard and business development functions. The SuperIOR component of UserSoft Business C has the input/output features of COBOL, PL/1, FORTRAN and BASIC and yet can read financially formatted data (eg. \$2,109.87 CR). UserSoft Business C has 36 easy-to-use matrix functions for management science (operational research), business statistics, finite element and circuit analysis.

Compare the Portablity:

UserSoft Business C supports the latest features of standard ANSI C. If you already have a C compiler (MS-DOS, UNIX, VS, VMS, MVS, etc.) our Business Development Tool package will commercialize your compiler for only \$199.95 for PCs. This package is suitable for IBM, Wang, Sun, VAX and other systems.

Compare the Documentation:

The UserSoft Business C manual provides actual programming examples for every function over 1,000 of them.

Compare the Product:

UserSoft Business C is the capability union of C + COBOL + BASIC + PL/1 + FORTRAN + Make + SCREEN:PC version of UNIX's curses + database tools + graphic tools + IBM mainframe's VSAM + a multiple window graphic debugger and more.

Compare the Price:

It's a fraction of what you might expect — the complete UserSoft Business C package is available at the introductory price of \$249.95 while the Business Development Tool Package is available for \$199.95.

"In our testing, none of your claims have failed. It is to our advantage to use SUPERIOR, SAM and SCREEN for our research. I strongly recommend that all professional program developers use SUPERIOR, SAM and SCREEN for artificial intelligence, scientific, engineering, industrial, financial and especially business related applications."

Dr Paul R Schroeder, PhD (MIT) President of Maximum Storage, Inc. Co-Founder of INMOS US Sole Designer of Mostek 4116 Co-Designer of Mostek 4027

UserSoft Business C: The ultimate C language for **business & financial** applications

UserSoft Business C is a new ANSI compatible compiler that runs faster and easier than Microsoft C and has more functions than Turbo C®. It cuts coding for business and financial applications by at least 50% - 90%.

If You're Just Beginning,

Usersoft Business C makes learning C a pleasure.

If You're Programming In COBOL, BASIC or FORTRAN,

switching to UserSoft Business C will be easier than you expect. UserSoft Business C retains the best of these languages while simplifying C without loss of any standard C features.

If You're Programming in C,

you may switch to UserSoft Business C or enhance your current compiler with our Business Development Tool package. This will give you UserSoft Business C capabilities on most popular systems such as Microsoft C, Power C, Turbo C, UNIX C, and Wang VS C.

UserSoft Business C: With a new state-ofthe art C debugger

UserSoft Business C debugger will reduce the time you spend debugging your C programs by at least a factor of 10. It allows you to debug graphics programs on a single monitor.

UserSoft Business C: The World's most versatile Data Manager and **Database Tool**


Our Structured/Access Method (S/AM) allows:

- · unlimited types of key (including graphics)
- unlimited numbers of key parts
- · unlimited numbers of data fields
- · mixing of fixed and variable lengths for data fields or key parts

 data encryption from file level down to
- byte level
- · unlimited devices for storing a key part or a data field
- · unlimited size for any key part
- unlimited number of tables
- unlimited concurrently open files
- · maximum protection on data security

S/AM is well suited for applications to finance, banking, business, imaging, artificial intelligence, knowledge-based information, science, engineeering, simultation and industrial control.

Business Development Tool Package





If within 60 days of purchase, this product does not perform in accordance with our claims, call our customer service department and we will arrange a refund.

All UserSoft products are trademarks or registered trademarks of UserSoft Systems Limited. Other brand and prod uct names are trademarks or registered trademarks of their respective holders. Copyright® 1988 UserSoft Systems Limited

UserSoft Systems Limited Suite 1512, 409 Granville St Vancouver, BC, Canada V6C 1T2 Telephone 604/681.8872

Power C is a trademark of Mix Software MS-DOS, Microsoft C is a registered trademark of Microsoft Corporation Turbo C is a registered trademark of Borland International Business Machine Sun Soft International Business Machine Sun is a trademark of Sun Microsystems DEC, VMS and VAX are trademarks of Digital Equipment Corporation UNIX is a Trademark of Sun Full Laboratory VS is a trademark of WANG Laboratory

To order Call: 1-800/663-0322 60 Day Money Back Guarantee Not Copy Protected

See us at Comdex 88 at the Tropicana Booth — T617

SOFTWARE • BUSINESS

Professional Write Adds Features

f you're already a Professional Write user, you'll find that, with version 2.0, you can now read and write to files from other programs, you have a choice of many preset fonts, there's a new filefinder capability, and you have enhanced table-editing features.

Version 2.0 lets you integrate database management and spreadsheet data into your word-processing documents without converting from one format to another. You can even import Lotus 1-2-3 named ranges and coordinate ranges, and you can merge data from dBASE III, ASCII, or Professional Write's own address book into form letters without any conversion.

When it comes time to choose a font, you call up a menu of preset fonts, including those for Hewlett-Packard LaserJet and DeskJet printers, Apple LaserWriters, and other PostScript printers.

The file-finder capability lets you sort DOS directory listings by filename, extension, date, or size. If you forget the name of a file, you can search for it with a string of characters that may be contained in the file.

Professional Write 2.0 lets vou manipulate rectangular blocks of text. It also features a built-in five-function calculator that can recalculate rows of numbers.

Version 2.0 runs on the IBM PC, XT, AT, and compatibles with at least 512K bytes of RAM and DOS 2.0 or higher.

Price: \$199.

Contact: Software Publishing Corp., 1901 Landings Dr., P.O. Box 7210, Mountain View, CA 94039, (415) 962-8910.

Inquiry 791.



Professional Write 2.0: a word processor for managers.

Wordbench: Tools for Writing

ddison-Wesley's Wordbench word processor runs on the IBM PC and the Apple IIe, IIc, and IIGS.

The program is made up of an outliner, notetaker, add-in manager, writer, print manager, and folder manager. The outliner and notetaker are integrated so you can assign or reassign notes to any point in the outline. If you move headings, the program automatically moves the corresponding notes. You can then merge all the notes and the outline into a first draft.

Notetaker can also work as your information manager, allowing you to search notes by subject, key words, or priority markings. You can also edit and print notes.

The add-in manager lets you integrate future applications and features. Brainstormer is the first add-in included with Wordbench, and it includes freewriting, invisible writing, nut shelling, and goal setting. Freewriting lets you write in a continuous stream, but not edit. Invisible writing conceals words as you enter them. Nut shelling limits the amount of space in which you can write, and goal setting asks for subject, point of view, audience, and purpose of writing.

The writer facility in Wordbench manages the writing, editing, and formatting tasks and also serves as the merging point between the outliner and the notetaker. You can also use the writer to import and export information from other programs in ASCII format.

Some of the desktop tools in Wordbench include the viewer, a window that lets you see and work with two documents at once, a spelling checker, a thesaurus, word search, and a format tool.

The folder manager maintains files; it gives you access to macros and keeps track of all the documents in a folder.

Finally, the print manager contains all the commands and functions that enable you to print a document.

Wordbench runs on the IBM PC, XT, AT, and compatibles with 256K bytes of RAM and DOS 2.0 or higher. The Apple version requires 128K bytes of RAM and Pro-DOS 8.

Price: IBM version, \$189; Apple version, \$149. Contact: Addison-Wesley, One Jacob Way, Reading, MA 01867, (617) 944-3700. Inquiry 788.

continued

From Integration to Decision Support

he upgraded Framework III represents a new strategy for Ashton-Tate, which no longer views Framework as an integrated package, but as a decisionsupport program.

Enhancements to Framework include the ability to import and export files with WordPerfect or Lotus 1-2-3 version 2.01, and the ability to run other applications without leaving Framework. It also has support for memory beyond the 640K-byte limit, mouse support, a thesaurus, and electronic mail.

Better performance shows up in the more powerful outliner, easier file management, better dBASE compatibility, a spreadsheet that recalculates 50 to 100 percent faster, and verb tokenization to speed up performance of programs written with Framework's applications language.

The new telecommunications and network support in Framework III uses Action Computing's MHS (Message Handling System) message format.

A local-area-network (LAN) version of Framework III is scheduled to be released soon, according to Ashton-Tate.

Framework III runs on the IBM PC, XT, AT, and compatibles with 640K bytes of RAM and DOS 2.0 or higher.

Price: \$695; LAN version,

Contact: Ashton-Tate, 20101 Hamilton Ave., Torrance, CA 90502, (213) 329-8000.

Inquiry 787.



Emulate The Best With The Brightest.

There's no denying the availability of some outstanding dedicated terminals to access Digital, Hewlett-Packard, and Data General host systems. Which makes the task of precisely emulating the performance of those dedicated terminals on an IBM PC or compatible a rather significant challenge.

Based on the feedback we've received from SmarTerm® users, our family of terminal emulation software has met the challenge, passed every test, and surpassed, in the opinion of a host of enthusiastic users, the performance of the host system terminals being emulated.

The reasons why we shine are fundamental.

Every SmarTerm emulation is precise. So precise, in fact, that a dedicated terminal's SmarTerm counterpart fully emulates not only advanced performance features but also unique terminal quirks and bugs.

Every SmarTerm emulation is easy to use. It's one thing to make software do what hardware does. It's another challenge to minimize software's human wear. The people designing our products understand the nature of the people using them.

Every Smarlerm emulation is easy to learn. These days, training costs are a hot topic. Software intended to boost overall system efficiency must recognize the value of learning speed. We have.

It's also easy to learn more about how SmarTerm emulations can help you shine. Your software dealer can supply all the details. Or you can contact us at (608) 273-6000 to request complete specifications and a demonstration disk of the SmarTerm emulation that precisely matches your requirements.

© 1988 Persoft, Inc., 465 Science Drive, Madison, Wisconsin 53711 U.S.A. Persoft and Smafferm are registered trademarks of Persoft, Inc. All Rights Reserved. IBM is a registered trademark of International Business Machines Corporation. Digital is a registered trademark of Digital Equipment Corporation. Data General is a registered trademark of Data General Corporation.

Circle 205 on Reader Service Card SEPTEMBER 1988 • B Y T E 85

SOFTWARE • CONNECTIVITY

Have a Blast with Your Mac

with MacBlast at each end of a data transfer, you can send data to other vendors' systems from a Mac Plus, SE, or II. MacBlast uses pull-down menus that give you access to DEC VT-52, VT-100/200, and other terminal emulations. The communications program also supports MultiFinder and lets you switch back and forth between other applications.

MacBlast retains many of the features found in other products in the Blast family, including auto-dialing; autolog-in to remote systems; automated modem operations; and BlastScript, a programming language that lets you set up repetitive tasks or scripts.


MacBlast supports the MacBinary standard and uses a proprietary full-duplex protocol to send data in both directions at once. It operates through RS-232C ports with a hard-wired link or phone line and modem, or over asynchronous links over Ethernet or AppleTalk networks. It can send and receive binary files, text, and console commands. Price: \$195.

Contact: Communications Research Group, 5615 Corporate Blvd., Baton Rouge, LA 70808, (504) 923-0888. Inquiry 794.

Share and Share Alike

ou can share hard disks and printers with one to four other users with Connect-PC. The utility gives you access to the servers' disks on a file-by-file basis. And you can use it in multiuser applications, as it supports DOS file and record locking.

The utility also supports up to three serial or parallel



MacBlast performs simultaneous sends and receives.

printers at the server. It can send up to 1000 characters per second to each printer, according to Micro Advice. Using the advanced print options, your printer output is saved on disk, allowing you to generate output whenever you need it.

Micro Advice reports file transfer speeds of up to 115,000 bps for Turbo XTs, ATs, and 80386s, and 56,000 bps for XTs.

Connect-PC comes in two

varieties. The first is the software server, which has no hardware other than the COM ports. The second type is the hardware server, which includes software and a board. Price: \$199 for two PCs; \$299 for three; \$649 for four (includes board); \$749 for five (includes board). Contact: Micro Advice Corp., 400 Phillip St., Unit 9, Waterloo, Ontario, Canada N2L 5R9, (519) 884-4231. Inquiry 793.

Track Action Across a Network

rack action of workgroups with Action-Tracker, a project-management program from Information Research. The network version of Action-Tracker integrates the activity of each member of a network so everyone knows who's responsible for what and when.

The network version runs on Novell's Advanced Netware 286 and any DOS 3.1 NET-BIOS network, according to the company. It includes Project Query Language (PQL), ActionTracker's relational report writer. Price: \$1498. Contact: Information Research Corp., 2421 Ivy Rd., Charlottesville, VA 22901, (800) 368-3542; in Virginia, (804) 979-8191. Inquiry 795.

continued

Fast File Transfers

astwire II lets you exchange data between 514-inch and 31/2-inch floppy disk drives or hard disk drives on different machines. When running in parallel mode it transfers at a rate of 500K bits per second, Rupp Brothers reports.

In what the company calls Turbo Serial mode, it transfers at 200K bps using seven-wire serial cable. Fastwire II features errorchecking and three user interfaces.

With the basic version of Fastwire II, you have a choice of one 6-foot serial or parallel cable, both with thumbscrews that fit IBM PCs, laptops, and PS/2s. A 4-head serial cable comes with 25-pin and 9-pin AT- style connectors. To use Fastwire II, you connect the cable to your system and load the software onto each computer. No changes to the config.sys file are necessary, and the program automatically connects the machines and selects the proper serial or parallel ports.

The three levels of user interfaces include the splitscreen mode, which displays current directory files on both computers; macro/ script form mode, which lets you write and record customized scripts for daily or routine transfers; and advanced command mode, which provides you with a command-line interface that allows you to enter complex transfer commands with just a few keystrokes.

You can also use Fastwire II to back up and manage files on a hard disk. You can back up only the most recent files or those that have been altered since a specified date. You also have options to view, rename, or delete files on either system.


Fastwire II runs on the IBM PC and compatibles with at least 170K bytes of free memory and DOS 2.0 or higher.

Price: \$129.95 for basic version; \$159.95 for deluxe version with both serial and parallel cables.

Contact: Rupp Brothers, P.O. Drawer J, Lenox Hill Station, New York, NY 10021, (212) 517-7775. Inquiry 792.

FACT:

MORE AND MORE PEOPLE ARE SWITCHING TO



"JPI Modula-2 looks like another classic in the making. It generates code as good as or better than leading C compilers and the programming environment is a genuine pleasure to use."

Dick Pountain BYTE Magazine

"After months of frustration with Logitech Modula-2/86, I bought TopSpeed Modula-2...I am delighted with it. Not only did it perfectly compile my 10,000 lines of existing source, it's just more fun as well."

Hans U. Gerber ETH, Switzerland

"I liked all of the hard-disk space that was recovered after I deleted my BORLAND, MICROSOFT. and LOGITECH compilers, because with TopSpeed Modula-2 all the rest are obsolete."

Robert D. Randall Donnelley Marketing

The successor of Pascal: JPI TopSpeed Modula-2 produces better code than Microsoft C, Turbo C, Logitech Modula-2, and Turbo Pascal 4.0.

JPI TopSpeed Modula-2 is a professional Modula-2 development system with full support of memory models, multi-tasking, long data types, structured constants, long and short pointers, 80x87 inline code and emulator, separate compilation, direct BIOS/DOS calls, etc. The comprehensive library includes CGA, EGA and VGA graphics support, math functions, sorting, file handling, window management, a time-sliced process scheduler and more.

The Compiler Kit includes: High-speed optimizing compiler (3,000-5,000 lines/min. on a PC AT 8MHz), integrated menu-driven environment with multi-window/multi-file editor, automatic make, fast smart linker. All Modula-2 sources to libraries included. BONUS: Complete high-speed window management module included with source. 258-page User's Manual and 190-page Language Tutorial.

The TechKit includes: Assembler source for start-up code and run-time library, JPI TopSpeed Assembler (30,000 lines/min), TSR module, communications driver, PROM locator, dynamic overlays, and technical information. 72-page manual.

System Requirements: IBM PC or compatible, 384K RAM, two floppy drives (hard disk recommended).

Circle 137 on Reader Service Card



TopSpeed's seamlessly integrated



VID, the Visual Interactive Debugger, coming soon.



Sieve benchmark measured by the British Standards Institution (BSI)-25 iterations on an 8MHz AT.

Compiler Kit \$99.95 **TechKit \$59.95**

To Order:

In the US & Canada, call: 1-800-443-0100

Ext 255, 24 Hours. Or mail us your order with a check, money order, or VISA/MC information. 30-day unconditional money-back guarantee.

Shipping & handling charges: In North America: Add \$5.00 shipping & handling, plus \$2.00 for each additional product. Overseas: Add \$20.00 shipping & handling, plus \$8.00 for each additional product.



Jensen & Partners International

1101 San Antonio Rd, Suite 301 Mountain View CA 94043 Phone: (415) 967-3200

In England and Europe contact: Jensen & Partners UK Ltd., 63 Clerkenwell Rd., London EC1M 5NP. Phone: (01) 253-4333 Compiler Kit £59.95, (add £4.69 for VAT & handling in the UK: £4.00 handling in Europe). Tech-Kit £34.95 (add £4.03 for VAT & handling in the UK; £4.00 handling in Europe).

TopSpeed is a trademark of Jensen & Partners International. Other brand and product names are trademarks or registered trademarks of their respective holders.

SOFTWARE • OTHER

Maintenance Program for Your PC

ike the original Disk
Technician, the advanced
version identifies disk problems before they cause errors.
The new version tests the
overall condition of the hard
disk first and moves any data
in the unsafe spots to good locations. If it finds a reliability problem, it will perform a
low-level reformat and then
continue with testing.

Other additions include four different seek tests, an automatic screen-saver function, a data- and file-allocation table recovery for down systems, and a bundled copy of SafePark Advanced.

Disk Technican Advanced works with two hard disk drives, up to 136 megabytes each with MFM-type controllers, or 208 megabytes each with RLL-type controllers. You can partition each drive into C through Z with up to 32 megabytes in each.

The program runs on the IBM PC, XT, AT, PS/2s, and compatibles.

compatibles.
Price: \$189.95.
Contact: Prime Solutions,
Inc., 1940 Garnet Ave., San
Diego, CA 92109, (619)
274-5000.
Inquiry 799.

Remote Control for Your PC

With Remote2 you can operate PC programs from other modem-equipped IBM PCs. The program consists of the Host and Call. The Host is installed on the host computer and includes Remote2 Manager, which you use to configure the Host software and maintain the user database.



Disk Technician Advanced performs hard disk analysis.

Call is a communications program that calls Remote2 Hosts. With the Host program, Call provides you with exact screen and keyboard mapping of the host computer, file transfers, remote printer redirection, CGA graphics, and a data-compressed link.

Remote2 lets you call files and programs on LANs. It also features a chat window for typed discussions and explanations. Keyboards and screens at both ends of Remote2 are live, and either can control the host. The caller can also choose to lock out the host's keyboard.

Security is provided by individual user passwords. Each user must go through a required action at log-in time, giving control over the system to the manager.

The program also has a callback feature that lets the host call the caller back at a predetermined phone number. This not only adds another level of security but saves you money if you are calling long distance.

Remote2 runs in restart, manual, or always ready mode. Restart mode lets you reboot the host PC between calls. Manual lets the operator tell the host to accept a call. Always ready answers an incoming call with no operator intervention.

Remote2 runs on the IBM PC and compatibles with DOS

2.0 or higher and 48K bytes of free RAM for color and 36K bytes for monochrome.

Price: \$129 for Host; \$89 for Call; \$195 for both.

Contact: Digital Communications Associates, Inc., 1000 Holcomb Woods Pkwy.,
Roswell, GA 30076, (800) 241-6393; in Georgia, (404) 998-3998.

Inquiry 797.

Keeping a Watch on Your Battery

f you use a batterypowered laptop, you don't want your batteries to get low. With Battery Watch from Traveling Software, the terminate-and-stay-resident (TSR) software pops up a gas gauge-type display, showing you how much power is left in your laptop's battery. The gauge shows how much time you have left based on how you've been using the system during the current session, and the information is updated every 2 minutes.

To prevent the batteries from running low, the program has a deep discharge feature that overrides your laptop's automatic shutoff feature and discharges the battery. This is necessary to keep nickel-cadmium batteries from running low as a result of short charge/recharge cycles. Price: \$39.95.

Contact: Traveling Software, Inc., 19310 North Creek Pkwy., Bothell, WA 98011, (206) 483-8088.

Inquiry 798.

A Window on Your dBASE Files

with Q&E, you can query and edit dBASE II and III, FoxBASE, Clipper, and other dBASE-compatible files. You can view multiple dBASE files simultaneously in different windows. Its query capability supports ad hoc and stored queries, the results of which you can copy into word processors and other Windows products.

The program's editing capabilities let you update fields and delete and add records. It allows WYSIWYG editing, and you can create new database files and modify existing file definitions.

The program functions as a stand-alone database system or as an integrated Windows interface to dBASE-compatible files. You do not need a copy of dBASE to use Q&E.

To run Q&E, you need an IBM PC or compatible with at least 512K bytes of RAM and DOS 2.0 or higher. The company reports that Oracle and SQL versions of Q&E will be available soon.

Price: \$129. Contact: Pioneer Software, 4900 Waters Edge Dr., Suite 135, Raleigh, NC 27606, (919) 859-2220. Inquiry 800.

TRIPP-LITE POWER PROTECTION



Tripp-Lite offers many types of dependable efficient and inexpensive power protection devices to satisfy your various power concerns, such as brown and blackout protectors, line stabilizers and conditioners, emergency back-up systems, DC to AC inverters, spike and surge protected multiple outlet strips-to name a few! Call for more spec's./information!

LINE STABILIZERS/ BROWNOUT PROTECTORS

LS-600	600W	\$79.00	
LC-1200	1200W	\$149.00	
LC-1800	1800W	\$199.00	
EMEDCENCY DACKLID			

SYSTEMS

BC-200	200W	\$239.00
BC-325	325W	\$299.00
BC-450	450W	\$399.00
BC-750	750W	\$599.00
BC-1200	1200W	\$799.00
BC-2000	2000W	\$1,299.00
The second secon		医神经性 医多种性 医多氏性神经炎

DC TO AC POWER INVERTERS

PV-100	100W	\$64.95
PV-200	200W	\$82.95
PV-400	400W	\$124.95
PV-550	550W	\$179.95







IB2-0	2 outlet	\$38.00
IB2-6	2 outlet	\$48.00
IB4-6	4 outlet	\$64.00
IB8-15	8 outlet	\$87.00
Fach nous	r har fastures	multiple

fitters, spike and RFI-EMI noise pro tection and is available in 2, 4 and 8 outlet models.

\$75.00

EPROM ERASER Simple, easy to use operation, it erases up to 9 eproms at one time with a 2540A° wave length

LA-6A \$59.95

EPROM ERASER WITH TIMER

(Not shown). Same spec's as above unit, but include:

EPROM PROGRAMMER

Program your own EPROMS with this EPROM PROGRAMMER which features an internal card and external metal box with 4 zero force DIP insertion sockets. Programs up to 4, 16K thru 512K

\$179.95 software) EW-904



ISOTEL®

Total protection for telephone lines as well as full ISOBAR protection for AC lines. Isotel provides complete surge protection for computers. ems, FAX machines, telephones or any sensitive electronic equipment

RJ-11 input jack, output jack/cord.
Full 4-outlet ISOBAR surge suppression
AC and modem protection in one unit.

OMPUTER MONITOR TILT N' SWIVEL

STAND MTS-12

LA-6T \$79.95 **Personal Computer Tool Kit**

All switchboxes come in heavy metal cases, are EMI-RFI protected and have rotary switch construction with gold plated contacts. DB-25 25 LINE SWITCHBOXES

AB09-2

AB09-4

AB15-2

AB15-4

DD DO DO	LINE OWNERDONED	
AB25-2	Two Position	29.95
AB25-3	Three Position	34.95
AB25-4	Four Position	39.95
AB25-5	Five Position	49.95
AB25-6	Six Position	79.95
AB25-X	Cross Over	39.95

CENTRONICS 36 LINE SWITCHBOXES

AB36-2	Two Position	34.95
AB36-3	Three Position	39.95
AB36-4	Four Position	44.95
AB36-5	Five Position	59.95
AD26 V	Cross Over	40.05

29.95 ARTWX-2

499

DE-9 9 LINE SW	TCHBOXES	TWINA	XIAL SWITCH	BOXES
	AB36-X	Cross Over	49.95	
	AB36-5	Five Position	59.95	Was a series
	AB36-4	Four Position	44.95	sible
	AB36-3	Three Position	39.95	All r

Two Position

,,	ABMKB-2	Two Position	59.9
95	8 PIN N	MINI-DIN SWITCHBOXES	
	Commission of the Commission o	765 1 4431157011	

DC-37 37 LINE SWITCHBOXES AB37-2 Two Position 34.95 AB37-4 Four Position

Two Position

15 LINE SWITCHBOXES

Two Position

Four Position

BNC SWITCHBOXES ABBN-2 ABBN-4 34.95 Two Position

ADDIT-4 TOUT FOSITION		44.55
WANG SWI		
ABBNTN-2	Two Position	39.95
ABBNTN-4	Four Position	69.95

MONITOR-KEYBOARD SWITCHBOX

8 PIN MIN	II-DIN SWITCHBOXES	
ABMD8-2	Two Position	29.9
ABMD8-4	Four Position	44.9
ABMD8-X	Crossover	54.9

IEEE-488 SWITCHBOXES Two Position Four Position 59.95 AB24-4 79.95

M-II M-43 SWITCHDUADS				
	ABRJ11-2	Two Position	29.95	
	ABRJ11-4	Four Position	44.95	
j	ABRJ45-2	Two Position	34.95	
,	ABRJ45-4	Four Position	49.95	

ELECTRONICS, INC.

Your Electronic Supply House TO ORDER TOLL FREE IN TEXAS AND IN THE USA, CALL:

FAX 1(512)340-2409

STORE HOURS: 8:00-6:00 M-F 10:00-2:00 SAT

10731 Gulfdale, San Antonio, Tx. 78216 (512) 828-0503

TERMS: Minimum order \$10.00. We accept Mastercard, Visa, and American Express at no additional charge. For C.O.D. orders, add \$5.00. For orders under \$100.00, add \$3.00 handling and actual UPS \$5.00 pior orders orders over \$100.00, we pay handling charge—you pay actual UPS shipping charges plus insurance. Purchase orders accepted from approved accounts. All returns require an RMA * and are subject to a restocking fee. Texas residents add 7.5× salest lax. Prices subject to change and we are not responsible for typographical errors.

39 95

54.95

APPLE CAB	LE ASSEMBLIES	
AC-1	MAC512 to IMAGE II	9.9
AC-2	lle to IMAGE II	9.9
AC-3	IIc to IMAGE II	9.9
AC-4	MAC+ to IMAGE II	9.9
AC-5	MAC+ to 9 Pin MAC Adapter	9.9
AC-6	MAC+ to Haves Modem	9.9
AC-7	8 Pin Mini Din to Open End	9.9
AC-8	MAC512 to Hayes Modern	9.9
AC-9	IIc to Haves Modem	9.9
AC-10	lle to Hayes Modem	9.9
SCSI-HD	MAC+ to SCSI Disk	9.9
SCSI-DC	SCSI Daisy Chain Cable	11.9
SCSI-EC6	SCSI 6 ft. Extention Cable	15.9
DOUGED CAL	DIPO.	10.0

PC Power Cord PC Power Adapter Cable Monitor Power Ext. Cable

PROBLEM SOLVERS

om spike and surge problems with this This 6V lithium battery is direct replacement for your old AT battery - (replaces IBM and others). \$12.95 MSP-1

Features: 5 surge protected outlets control computer and peripherals, surge protected modem and telephone plugs, surge indicator, noise filter for EMI-RFI.

CABLE ASSEMBLIES (512)366-4199

9MM-6 9MM-10 9MM-25 9MM-50 9MM-100

9MF-6 9MF-10 9MF-25 9MF-50 9MF-100

MODEM CABLES

IEEE-488 CABLES

POWER

Rear View

MODEM ROTECTOR -

unit.

DE-9 - 9 LINE CABLES MALE-MALE

DE-9 - 9 LINE CABLES MALE-FEMALE

6 ft. 10 ft. 25 ft. 50 ft. 100 ft.

PC/XT to Modem

AT to Modem 2 ft. AT to Modem 6 ft. PC Jr. to Modem

IN CABLES

8.95 10.95

7.95 9.95 14.95 22.45 37.45

7.95 9.95 14.95 22.45 37.45

7.95 6.95 7.95 16.50

39.95 43.95 49.95

15.95 15.95 15.95 15.95 15.95 15.95

6.95 6.95 8.95 12.95 14.95 12.50 3.50 6.95

3.95 3.95 6.95 6.95 2.50

To order cu	stom cable a	ssemblies, ca	all the CABLE D	EPT. (
PC/AT PARA	LLEL PRINTE	R CABLES	CENTRONICS	
PPC301-6	6 ft.	7.95	MAINDOMAIND	
PPC301-10	10 ft.	9.95	36MM-6	6
DDC201 1E	15 44	14.05	001111110	41

PPC301-15 25 ft 19.95 DIABLO 630 PARALLEL PRINTER

PD-100

at Battery

SE6V

CABLE		
PPC301-6D	6 ft.	14
RADIO SHACK PRINTER CAB	PARALLEL	100
PRINTER CAB	LES	-

PPC304-6	6 ft.	9.95
PPC305-15	15 ft.	12.95
DB-25 - 25 LI	NE CABLES M.	ALE-MAL
25MM-6	6 ft.	7.95
25MM-10	10 ft.	9.95
25MM-25	25 ft.	19.95
25MM-50	50 ft.	37.95

25MM-100 DB-25 - 25 LINE CABLES

SER

MALE-FEMALE				
25MF-6	6 ft.	7.95		
25MF-10	10 ft.	9.95		
25MF-25	25 ft.	19.95		
25MF-50	50 ft.	37.95		
25MF-100	100 ft.	69.95		

-6	6 ft.	7.95
-10	10 ft.	9.95
-25	25 ft.	19.95
-50	50 ft.	37.95
F-100	100 ft.	69.95
IAL CAB	LE ASSEMBLIE	S

488-1 488-2 488-4

PC to Laserjet (25S to 25P)
AT to Laserjet (9S to 25P)
PC to Diablo 630 (25S to 25P)
AT to Diablo 630 (9S to 25P)
PC to Diablo 630 API (25S to 50P)
AT to Diablo 630 API (9S to 50P) SC004 SC004-A SC005 SC005-A

DRIVE CABLE ASSEMBLIES

DFC-XTS DFC-XTE HDC-XT HFDC-AT 2HDC-22 DFCEX-XT YAD-4 Dual Floppy Cable (34S-34E-Twist-34E)
Dual Floppy Cable (34E-34E-Twist-34E)
ard Drive Cable Set XT (20S-20E & 34S-34E)
Hard & Floppy Drive Cable Set AT
Dual Hard Drive Cable Set AT
External Floppy Cable (37P-34E-Twist-34E)
Drive Power "Y" Adapter
TEM 3 1/2" Power Adapter

POPULAR PC CABLE ASSEMBLIES

KEC-6	Keyboard Ext. Cable 6 ft.
MEC-10	Monitor Ext. Cable 10 ft.
9P-RCA	9 Pin Male to RCA Plug 6 ft.
RGB-6	RGB Cable, 9 Male to 8 Pin Rect.
VMC-10	Video Monitor Cable, RCA to RCA
CARD CAB	LE ASSEMBLIES
CC001	Come Bort Cable 160 160

7.95 8.95 8.95 8.95 CC001 CC002 CC003 CC004 GENDER CHANGERS

AGC-9M AGC-9F AGC-15M AGC-15F AGC-25M AGC-25F AGC-36M AGC-36F 9 Pin Male to Male 5.95 5.95 5.95 5.95 5.95 5.95 8.95 8.95 9 Pin Male to Male
9 Pin Female to Female
15 Pin Male to Male
15 Pin Female to Female
25 Pin Female to Male
25 Pin Female to Female
36 Pin Male to Male
36 Pin Female to Female

ADAPTERS & PROBLEM SOLVERS

NMA-25 MPB-25 MTT-25 AT-SCA PCA-2536 SPP-25 MSP-232 BRB-232 MWD-232 Null Modern Adapter - Inline Mini Patch Box Solder Type Mini Tester 7 LED's AT Serial Cable Adapter Parallel Cable Adapter RS-232 DB-25 Surge Surgessor Modern Surge Protector RS-232 Breakout Box DB-25 Wiring Device Solderless 5.95 9.95 9.95 9.95 9.95 9.95 12.95 39.95 14.95

WHAT'S NEW


SOUTHWEST

CAD to the Maxx

axxiCAD is a three-dimensional CAD package that offers up to 14 active views of a drawing at a time and drawings with up to 256 levels. If you need help understanding any of the 200-plus commands, you can press a key and the program draws an example of the command with a textual description onscreen.

Other features include hidden-line removal, revolved surfaces, and shading. You can rotate any view around x, y, or z axes or your own defined axis. You can choose between using icon or text menus.

The program works on IBM PCs, XTs, ATs, PS/2s, and compatibles with a CGA



MaxxiCAD draws on-screen examples of all its commands.

or EGA card, a hard disk drive, DOS 2.1 or higher, and 640K bytes of RAM. MaxxiCAD is compatible with Microsoft-compatible mice and Calcomp or Summagraphics tablets. Price: \$1895. Contact: Computer Resource Technology Corp., 2164 East Broadway Rd., Suite 310, Tempe, AZ 85282, (602) 921-

9638 or (800) 628-2828.

Inquiry 824.

Software Provides Multiuser Capability to OS/2


with TPS/2, up to 48 users can execute multiple applications running under OS/2 on a single PS/2 processor. You can also use the software to run IBM Series/1 programs on PS/2s. TPS/2 doesn't alter the OS/2 operating system, so you can run OS/2 applications from the system console while running TPS/2 applications on the other terminals of the system.

You can write applications for the TPS/2 interface in C or COBOL. The software is designed to reduce the amount of

continued

Important TIPS* for BYTE Subscribers: Receive Product Information 10 Days Earlier!





All you need is a touch-tone telephone and your subscriber I.D. number. See instructions facing the Reader Service Index in the back of this issue for outrageous time-saving opportunities!

*BYTE's Telephone Inquiry Processing Service

SAVE 15% ON THESE NEW BOOKS FROM McGRAW-HILL

INTRODUCING PC-DOS AND MS-DOS

By T. Sheldon. 374 pp., illus., softbound Find out about the free advanced capabilities of DOS and how to use them. "Wonderfully enlightening... well-written... my pick for technical book of the year." — Online Review 056559-7. Regular Price: \$18.95 Your Price: \$16.10.

THE WORKSTATION DATA LINK

The Micro and Mainframe Data Exchange
By M. Adrian. 256 pp., illus., softbound Shows you how to transfer
many types of data files between microcomputers and mainframes
and successfully integrate microcomputers into the corporate
world. 000474-9. Regular Price: \$24.95. Your Price: \$21.20.

HOW TO BE A SUCCESSFUL COMPUTER CONSULTANT

By A. R. Simon. 256 pp., illus., softbound Everything you have to know to set up and run your own computer consultant (or software development) business, full- or part-time. No business experience required! 057296-8. Regular Price: \$18.50.Your Price: \$15.70.

A COMPREHENSIVE GUIDE TO AI AND EXPERT SYSTEMS

Now available in a TURBO PASCAL Edition! This new edition shows you how to apply Al programming techniques to create expert systems in TURBO PASCAL for your own use. 037476-7. Regular Price: \$19.95. Your Price: \$16.95.

By R. I. Levine, D. E. Drang, & B. Edelson. *256 pp., 99 illus., soft-bound* All about artificial intelligence and how to utilize it on your personal computer. Gives you everything from basic concepts to sophisticated programming techniques. 037470-8. Regular Price: \$19.95. **Your Price:** \$16.95.

INTRODUCING UNIX" SYSTEM V

By R. Morgan & H. McGilton. 480 pp., illus., softbound Guides you step by step through the facilities, commands, utilities, and applications of System V, AT&T's new version of the UNIX operating system. 043152-3. Regular Price: \$19.95. Your Price: \$16.95.

UNIX" UTILITIES: A Programmer's Guide

By R. S. Tare. 640 pp., illus., softbound Save time and effort with popular UNIX utilities! Helps you write efficient, bug-free programs and significantly reduce turnaround time. 062884-X. Regular Price: \$24.95. Your Price: \$21.20.

McGraw-Hill Computer Books and Software

CALL TOLL-FREE 1-800-2-MCGRAW

dBASE DEMYSTIFIED: dBase II/III/III Plus Applications and Solutions to Real Problems

By L. Barnes 288 pp., 120 illus., softbound Covers the full range of dBase features and shows how to apply the various releases of dBase to real-world problems. 003844-9. Regular Price: \$19.95. Your Price: \$16.95.

DATABASE EXPERT'S GUIDE TO SQL

By Frank Lusardi. 224 pp. This user-friendly guide provides programmers and managers with a thorough introduction to Structured Query Language (SQL) and relational database concepts. It describes the language's constructs and guides you through complex syntactical possibilities, while emphasizing SQL's practical use in designing and implementing databases.

Hardcover 039006-1 Regular Price: \$39.95 Your price: \$33.95. Softcover 039002-9 Regular Price: \$24.95 Your Price: \$21.20.

MICROEXPERT

By B. Thompson & W. Thompson. Your own expert system! This affordable expert system shell allows you (beginner or programmer) to see how a system works as you build it yourself. Software includes tutorial for design of knowledge base and creation of rules. Source code provided. "Highly recommended," *Online Today.* IBM PC 852109-2 Regular Price: \$64.95 Your Price: \$55.20. Apple II 852110-6 Regular Price: \$54.95 Your Price: \$46.70.

HARD DISK MANAGEMENT IN THE PC & MS DOS ENVIRONMENT

By Thomas Sheldon. 224 pp., illustrated. This guide for organizing and managing a hard disk system gives procedures needed to build a menu system and directory structure.

Softcover 056556-2 Regular Price: \$24.95 Your Price: \$21.20.

For fast service call TOLL-FREE 1-800-2-MCGRAW or use coupon below. 15-day examination period.

	c
C.1.	W
	T

McGraw-Hill Book Company P.O. Box 400, Hightstown, NJ 08520

Please send me — at 15% off the regular price — the products whose code numbers (the number before the regular price in above blurb) I have checked below. I understand I have 15 days for free examination before I send payment for those products I want to keep (plus postage, handling, and local tax) and return any unwanted products postpaid.

tax) and return any unwanted products postpaid.						
☐ 056559-7 \$16.10 ☐ 043152-3 \$16.95 ☐ 062884-X \$21.20	☐ 057296-8 \$15.70 ☐ 003844-9 \$16.95 ☐ 037470-8 \$16.95 ☐ 037476-7 \$16.00	□ 852109-2 \$42.45 □ 852110-6 \$42.45 □ 852138-6 \$42.45				
Name						
Address	Ų.					
City	State	Zip				

SOUTHWEST

code you must write to support an application; up to 70 percent of the code is eliminated using advanced screen generators and transaction builders. Because TPS/2 is written in C, it can run on any system that has a C compiler.

TPS/2 runs on IBM PS/2s and compatibles, IBM RT/PCs, and all Series/1 models. It runs on OS/2, AIX (a derivative of AT&T Unix), EDX, and RPS. OS/2 language support includes COBOL/2, C, and assembly. It requires 2 to 4 megabytes of memory, depending on the number of terminals.

Price: \$1995, up to 17 users; \$3295, up to 48 users. Contact: TPS Systems, 14100 San Pedro Ave., Suite 600, San Antonio, TX 78232, (512) 496-1984. Inquiry 822.

Full-featured Word Processing Runs Under Windows

winText 1.0 lets you view and edit up to four documents at once, including cutting and pasting words and graphics between documents when using the Windows Clipboard. The program also features a second window for communicating and editing between windows without affecting what's in the Windows Clipboard.

Other features include a WYSIWYG text display, an Undo command to cancel the last 2000 characters entered, a reverse Undo command, automatic backup based on elapsed time or number of characters, and pull-down help menus with

dialog boxes.

The program is written in C and works on IBM PCs, XTs, ATs, or compatibles with DOS 3.0 or higher, Windows 2.0 or higher, and 512K bytes of RAM.

Price: \$350.

Contact: Palantir, Inc., 12777 Jones Rd., Suite 100,

12777 Jones Rd., Suite 100, Houston, TX 77070, (713) 955-8880 or (800) 368-3797. Inquiry 826.

Flowchart Drawing Program for the PC

TurboFlow 1.0C lets you draw flowcharts with your own or the program's prebuilt flowchart symbols. You can export the charts to a device or disk file in bitimage, HPGL, DM/PL, or

PCL format.

With the program's rubberband-box feature, you can draw symbols at any size; paper sizes up to 34 by 44 inches are supported. Cut-and-paste, reduce-enlarge, and automatic flowchart scanning features are included.

TurboFlow 1.0C works on IBM PCs, XTs, ATs, and compatibles with a Hercules, EGA, or CGA board and 256K bytes of RAM. According to Daytron, the program supports all mice and HPGL, DM/PL, and SweetP/ComScriber plotters. The program is written in assembly language for speed, the company reports. Price: \$39.95.

Contact: Daytron Electronics, Inc., 610 South Sherman, Suite 104, Richardson, TX 75081, (214) 669-2137. Inquiry 825.

Computers For The Blind

Talking computers give blind and visually impaired people access to electronic information. The question is how and how much?

The answers can be found in "The Second Beginner's Guide to Personal Computers for the Blind and Visually Impaired" published by the National Braille Press. This comprehensive book contains a Buyer's Guide to talking microcomputers and large print display processors. More importantly it includes reviews, written by blind users, of software that works with speech.

This invaluable resource book offers details on training programs in computer applications for the blind, and other useful information on how to buy and use special equipment.

Send orders to:


National Braille Press Inc. 88 St. Stephen Street Boston, MA 02115 (617) 266-6160

\$12.95 for braille or cassette, \$14.95 for print. (\$3 extra for UPS shipping)

NBP is a nonprofit braille printing and publishing house.

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- *Is there a service facility?*
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- *Is there an additional charge for use of credit cards?*
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines

- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

ME COMPUTER

This message is brought to you by:

the MICROCOMPUTER MARKETING COUNCIL of the Direct Marketing Association, Inc. 6 E. 43rd St., New York, NY 10017

MICROCOMPUTER MARKETING COUNCIL of the Direct Marketing Association, Inc.





And don't mistake this for a rubbery patch that cracks and peels off after a few washings. This is true fourcolor process: the permanent inks are silk-screened into the fabric, resulting in a beautiful, full-color image that lasts!

You'll also appreciate the shirt itself: a heavyweight cotton/polyester blend which combines tough washability with the cool, soft comfort of cotton. Each Byte T-shirt is priced at only \$12.50 (\$11.50 each for 3 or more). Be sure to include shirt size: **C**—(child 10-12), **S**–(34-36), **M**—(38-40), **L**—(42-44), and XL—(46-48). Most orders shipped within a week.



#T1—Computer Engineering



Intelligent Reflections

TWO NEW DESIGNS!





Human Dimensions

#T3—Inside IBM








#T5-Breakthrough

Send the following T-shirts(s) at \$12.50 each, or \$11.50 each for 3 or more. I have included \$2 for shipping & handling (\$5 overseas).			h for 3 or erseas).	☐ I have enclosed U.S. check or money order. ☐ C.O.D. (via UPS—stateside orders only)	mail this coupon to: Robert Tinney	
QTY.	#	TITLE	SIZE	AMOUNT	☐ VISA ☐ MasterCard ☐ American Express	Graphics
				\$	Card #:	1864 North Pamela Dr.
				\$	Expires:Signature:	Baton Rouge, Louisiana 70815
				\$ \$	Ship my shirt(s) to:	For VISA, MasterCard or American Express orders, or for more information
				\$	(Business):	Call 1-504-272-7266
				\$	Address:	
			!	\$		
		Shipping & handling (see at	bove)	\$	City:	
□ Plea	ase se	end your COLOR brochure TO	DTAL E	\$	State:Zip:	

BII Limited Editions





Striking 16" × 20"
Limited Edition
Prints from the pages of Byte.
Each print is signed and numbered by the artist, Robert Tinney.

Limited Edition Classics

You've seen them on the cover of Byte — now enjoy these delightful images as stunning limited edition prints! Each print pictured here is published in an edition strictly limited to only 1000 signed and numbered prints, and each is accompanied by its own Certificate of Authenticity.

These gorgeous reproductions are printed on select 100% cotton fiber stock; this is a museum grade acid-free paper, highly resistant to yellowing and cracking. You will be assured of a print which will retain its color and beauty for generations.


Price and Shipping

The price of Byte Limited Editions, which depends on the number of unsold prints in each edition, is shown above each print pictured here. In addition, a 15% discount is available if you order two or more prints.


Your prints will be shipped flat, usually within a week of our receipt of the order. Shipping is via UPS Blue Label.

Guarantee

Ship your prints back to us within 30 days of your order, and you will be given a complete, no-questions-asked refund.



☐ Please send your COLOR brochure



TOTAL \$





QTY.	#	TITLE	AMOUNT
			\$
			\$
			\$
			\$
			\$
			\$
		Deduct 15% if ordering two or more prints.	\$
		Shipping: \$4 (\$20 overseas).	\$

☐ I have enclosed U.S. check or money order. ☐ C.O.D. (via UPS—stateside orders only) ☐ VISA ☐ MasterCard ☐ American Express Card #: Expires: Signature:	mail this coupon to: Robert Tinney Graphics 1864 North Pamela Dr. Baton Rouge, Louisiana 70815
Ship my Print(s) to: Name:	For VISA, MasterCard or American Express orders, or for more information
(Business):	Call 1-504-272-7266
Address:	
City:	
State:Zip:	

DATA ACQUISITION: Get system capability at a board-level price. The System 570 is a personal computer based Data Acquisition Workstation with the extensive signal capacity you need: 32 analog inputs (or 16 differential), 2 analog outputs, 16 digital inputs, 16 digital outputs, 16 power control lines. The price is only \$1425, complete with our powerful Soft500 software, an extension of advanced BASIC that provides foreground/background architecture, array and memory management, disk access and storage, and over 45 additional commands.

An expansion slot lets you extend your System 570's capabilities by selecting from an extensive library of optional input/output modules. And you can use the 570 with other data acquisition software such as DADiSP, ASYSTTM, and Labtech Notebook.

For complete information, a demonstration, or applications assistance, call toll free:

1-800-552-1115

(In Ohio call 216-248-0400.)



\$1425

SHORT TAKES

BYTE editors offer hands-on views of new products

Novy TSI-020MX

Radius Accelerator 25

Turbo Prolog 2.0

SOTA MotherCard 5.0

Microsoft Mach 20


Choice Words

Tentime

Two 25-MHz Accelerator Boards for the Mac SE

he computer industry is engaged in an interesting war: The Pace Race. Not long after IBM PC-compatible manufacturers had unleashed their 25-MHz 80386 machines upon the market, thirdparty Mac vendors countered with 25-MHz 68020 accelerator boards for the Mac SE. That single slot in the Mac SE has proven its worth, because this newest generation of accelerator boards boosts the SE's computing performance well past that of a Mac II.

I looked at the TSI-020MX by Novy Systems (marketed by TSI) and the Radius Accelerator 25 by Radius. Both boards use the same basic 16-MHz accelerator design, but with 25-MHz components. The TSI-020MX is equipped with a 25-MHz 68020 CPU, a 68881 floating-point unit (FPU), and 1 megabyte of 32bit RAM that's expandable to 4 megabytes. The Radius Accelerator 25 board has a 25-MHz 68020 CPU, an optional 68881 FPU, and a 32K-byte



THE FACTS

TSI-020MX \$5000

Requirements: Mac SE running System 4.3/Finder 6.0 or higher TSI 99 West 10th Ave. Suite 333 Eugene, OR 97401 (800) 874-2288 Inquiry 855.

THE FACTS

Radius Accelerator 25 \$1695 without 68881 coprocessor; \$2195 with 68881

Requirements: Mac SE running System 4.3/Finder 6.0 or higher Radius, Inc. 404 East Plumeria Dr. San Jose, CA 95134 (408) 434-1010 Inquiry 856.

RAM cache composed of 32-bit static RAM. Both boards come with a disk of installation software.

Installation requires that you open the Mac SE's case, remove the motherboard, and plug the board into the slot. This operation shouldn't be attempted by a novice. That's because of the shock hazard from high-voltage circuits inside the Mac, or the possibility of damaging electronic components due to electrostatic discharge.

You also need to check the position of jumpers on both ac-

celerator boards during installation. For the TSI-020MX, these jumpers set the board's memory size (1 or 4 megabytes) and number of wait states for a memory access (1 or 2 at 25 MHz). For the Radius board, one jumper is used to indicate the presence of an optional 68881, and another jumper sets the clock rate of the 68881 (16 or 25 MHz).

Support software for the TSI-020MX consists of three files: NovyInit, NovyStartup, and the MAC20 Control DA. NovyInit and NovyStartup install certain re-

sources that determine the board's mode of operation. Control DA lets you adjust certain parameters (i.e., use the 68020 instruction cache, intercept MacWrite traps, route SANE traps to the 68881, copy and use the Mac ROMs in 32bit fast RAM, indicate whether or not to use the SE's native 16-bit memory, and install a RAM disk) while the SE is running or when you restart the machine. For the Radius Accelerator 25, a Radius SANE INIT patches the Apple SANE traps to use the 68881 (if present), and an Accelerator CDEV lets you toggle on or off a code cache (the 68020 instruction cache) and a data cache (the accelerator board's 32K-byte cache).

I put both boards into a Mac SE and ran some of the BYTE Small-C benchmarks. For an accurate comparison to the Mac SE's native CPU, the benchmarks used 68000 code. For the TSI-020MX, the times (in seconds) were Matrix, 12.3; Sieve, 23.8; and Sort, 24.8. For the Radius Accelerator 25 board: Matrix, 10.5; Sieve, 20.1; and Sort, 19.6. The timings for a conventional SE are Matrix, 67.1; Sieve, 170.2; and Sort, 154.2. Mac II timings are Matrix, 21.2; Sieve, 40.2; and Sort, 44.2.

The results indicate that a Mac SE equipped with one of these boards runs five to seven times faster than a conventional SE, and twice as fast as a Mac II. But keep in mind that these tests evaluated only CPU throughput. Applications that make extensive use of a hard disk drive or work with more memory than can fit in the cache won't perform as well. However, if you need the power of a Mac II but have a limited budget, these boards deserve a serious look.

—Tom Thompson continued

Borland's New Prolog: Even Better

Turbo Prolog 2.0 is a significant step forward for this popular version of the language. It has the same high speed and nicely integrated environment of the previous versions, and it presents a number of new features, like an external database and a user interface that is more consistent with that of other Borland products.

For those who are not familiar with it, Prolog is an ideal language for developing applications that are highly recursive or that involve complicated IF. . .THEN control structures. Prolog can be used, for example, to build expert systems and sentence parsers, or to solve the traveling salesman problem. It can also be used for prosaic tasks like figuring your expense account.

In the past, Turbo Prolog has been faulted for not conforming to the standard Edinburgh dialect. In this new release, Borland addresses this problem in an interesting way: It provides an Edinburgh-style Prolog interpreter that is written in Turbo Prolog itself. Of course, like any interpreter. the Prolog Inference Engine, as it is called, is slow and does not claim to be completely compatible with the Edinburgh or Clocksin and Mellish dialects. But over time, users may be able to turn it into an interesting Prolog system in its own right.

Perhaps the most significant addition is the capability for external databases. In the older version, your database was limited by the size of your RAM. The new version lets you store information either in RAM, as in the past, or externally, on a disk file. For fast sorts and data retrieval, these databases can be indexed with a B+ tree.

There are also a number of



THE FACTS

Turbo Prolog 2.0 \$149.95

Borland International 4585 Scotts Valley Dr. Scotts Valley, CA 95066 (800) 543-7543 Inquiry 852.

nice features. For example, Turbo Prolog predicates can now have more than one arity (i.e., the same predicate can mean different things depending on how many arguments it has). One-line comments can

Requirements: IBM PC or equivalent with 384K bytes of RAM. A hard disk drive is recommended.

Options: Turbo Prolog Toolbox, \$99.95

be indicated by simply placing a % at the front of a line. When you compile a program, you can control how much memory it will take up, which suggests that we will soon see memory-resident Prolog ap-

plications. And it is now possible for other languages to call Turbo Prolog routines. Of course, all these additions take up code space; the program has grown to the point where you pretty much have to have a hard disk drive.

There is almost no change in performance: The new version was about 1 percent slower in running my traveling salesman program than the previous version. But the executable file of the program was 2 percent smaller and 3 percent faster than that on the older version.

As for documentation, the new Turbo Prolog comes in a two-volume package similar to that of Turbo C. The new version has roughly four times the amount of documentation provided by the old version's single 200-page manual. Much of this is used to describe the new features added, but the extra space also lets the documentation writers go into more detail on elementary aspects of the language.

If you're interested in Prolog and you haven't tried Turbo, you're in for a treat. A warning, though: Once you get the hang of it, Turbo Prolog can be very addicting.

-Rich Malloy

Running OS/2 on an IBM PC


es, you can run OS/2 on an IBM PC, but it's expensive. I took a look at the SOTA MotherCard 5.0 and the Microsoft Mach 20, 80286 accelerator cards that can run OS/2. But before looking at the products, let's consider what you need to run OS/2 on a PC.

First, you need an accelerator board that can run the 80286 instruction set (either an 80286 or 80386). You also need at least 2 megabytes of extended memory. It pays to have 3 megabytes, since many OS/2 programs require that much memory (Paradox OS/2, for example). Finally, you need a high-capacity 51/4-

inch or 1.44-megabyte 3½-inch floppy disk drive to load OS/2 software.

Adding these features to your PC is a formidable investment. With SOTA's Mother-Card 5.0, it will cost you around \$2000. At first glance, Microsoft's Mach 20 seems cheaper, but if you want 3 megabytes of memory and a high-capacity drive, the Mach 20 system will cost as much as, if not more than, the Mother-Card 5.0 setup. In addition to the hardware, you'll have to buy OS/2. If you're using the Mach 20, you'll have to upgrade to DOS 3.2 if you want to use high-capacity or 31/2inch drives.

SOTA's MotherCard 5.0 comes in 10-MHz and 12-MHz configurations with 1 megabyte of RAM (\$895 and \$995, respectively). An additional DaughterCard, which installs on the MotherCard, is available with 1 or 2 megabytes of RAM (the 10-MHz DaughterCard with 2 megabytes costs \$895, and the 12-MHz version costs \$995). The MotherCard 5.0 is essentially an IBM PC AT on an expansion board. It has its own realtime clock and an 80287 socket, and it supports monochrome, CGA, and EGA. The DaughterCard uses 256K-bit single in-line memory mod-



New. KODAK DATASHOW HR System puts IBM PC images on the big screen.

Kodak introduced the revolutionary idea of an LCD to project PC images on a big screen with an overhead projector. Now the revolution continues with the next generation of Kodak's ultra twist LCD crystals. They project clearly superior images with a high-resolution 640 x 400 pixel display and exclusive 20:1 contrast ratio. System compatibility has also been extended to PCs with EGA as well as CGA, the colors automatically defined in true shades of gray. You won't have to fiddle with fluctuating contrast. either. The new cooling system eliminates heat buildup causing this problem in other systems. An IR remote control is included along with software

> for presentation management and remote control of application programs. This system can be used with IBM PCs and 100% compatibles. For product and dealer information, call 1 800 44KODAK (1 800 445-6325), Ext 842U.

IAGE FO

The new vision of Kodak



C_talk

Object-oriented Extensions For C

C_{-} talk, A SERIOUS TOOL FOR SERIOUS SOFTWARE ENGINEERS:

- Adds encapsulation, inheritance and dynamic messaging to your C compiler.
- Smalltalk-like Browser for building objects.
- ☐ Semi-automatic *Make* for building applications.
- Preprocessor for converting objects to standard C source code.
- Foundation classes to help you get started.
- Professional telephone support from our engineering staff.

Start building software components into your next application. Join the leading edge today.

Order Now:

CNS, Inc.

Software Products Dept. 7090 Shady Oak Road Eden Prairie, MN 55344 Tel: (612) 944-0170

Fax: (612) 944-0923 30 day money back guarantee MasterCard, Visa

Shipping: \$ 5 - U.S. \$ 25 - Int'l.

C_talk is designed for an IBM® PC (or compatible) with : Microsoft® C, Lattice C, Turbo C, or C86. A system with a hard drive and mouse is highly recommended.

IBM is a registered trademark of IBM Corp. MICROSOFT is a registered trademark of MICROSOFT CORP. C_talk is a trademark of CNS, Inc.






MATHPAK 87

High Performance 80x87 Software

MATHPAK 87 is a set of over 130 assembler coded numerical routines for use with 80x87 math coprocessors. These routines are highly optimized and run up to 10 times faster than equivalent high-level language routines. A detailed and easy-to-read manual (180 pages) gets you started using MATHPAK 87 in minutes. MATHPAK 87 routines are fast, convenient and reliable.

MATHPAK 87 Timings (IBM XT) Execution Times for 100,000 Operations



MATHPAK87 includes: 65 vector/scalar routines (vector add, subtract, ...); 24 complex vector/scalar routines; 11 matrix routines (add, subtract, multiply, transpose, etc.); LU decomposition/backsolving routines for real and complex systems; Gaussian elimination; matrix inversion; tridiagonal equation solver routines; EISPACK eigenvalue/vector routines; statistical routines; FFT routines (1-D, 2-D, complex, real, convolution); spectral analysis routines (windows: Parzen, Hamming, ...); routines for numerical integration and solution of differential equations; and missing functions for Modula-2 and Pascal: tan, log10, alog10, power, sinh, cosh and tanh.

MATHPAK 87 routines are the fastest available! On an IBM XT, a 1K complex FFT takes 1.85s (real 1.0s); dot product (length 10,000) takes 0.494s.

\$99 US for Turbo Pascal 4.0 version. \$119 US for MS Fortran, IBM Pro Fortran, Lahey F77L, MS C, Lattice C, Logitech Modula-2 or ITC Modula-2 versions. Please specify version. Add \$5 shipping/handling.

Precision Plus Software, 1239 Sir David Drive, Oakville, Ontario, Canada L6J 6Y9. Telephone: (416) 829-1511, FAX: (416) 829-1742.

International Dealers: U.K.: Grey Matter Ltd., Tel: (0364) 53499; West Germany: SOS Software Service GmbH, Alter Postweg 101, 8900 Augsburg, Tel: 0821/57 1081.

THE FACTS

SOTA MotherCard 5.0: \$995 for 12-MHz version; \$895 for 10-MHz version SOTA DaughterCard: \$995 for 12-MHz version with 2 megabytes of RAM; \$895 for 10-MHz version with 2 megabytes of RAM Floppy I/O Plus multimedia controller: \$149

Requirements: IBM PC or compatible with 64K bytes of RAM and DOS 3.1

SOTA Technology, Inc. 657 North Pastoria Ave. Sunnyvale, CA 94086 (408) 245-3366 Inquiry 853.

ules (SIMMs) and supports 1megabit SIMMs for expansion up to 8 megabytes.

My test unit was a 12-MHz version with the 2-megabyte DaughterCard. In addition, SOTA provided its Floppy I/O Plus controller and two 1.2megabyte 54-inch floppy disk drives, which you would have to purchase separately. The Floppy I/O Plus controller also supports 3½-inch floppy disk drives or a combination of drive types and runs under DOS 3.1 or higher.

The SOTA MotherCard 5.0 runs only IBM OS/2. At the time of this writing, it does not support the Microsoft SDK (Software Developer's Kit) version of OS/2. The Mother-Card 5.0 uses a unique reconfigurable BIOS, which lets you install a "patch" to the BIOS to run OS/2. You must also install a special SOTA driver on the IBM OS/2 installation disk. Be forewarned that the 5¹/₄-inch version of OS/2 is not easy to come by. Most dealers don't stock it, so you'll most likely have to special-order it. The alternative is to get a 1.44megabyte 3½-inch floppy drive for your PC.

Installation of the SOTA MotherCard and the Floppy

I/O Plus controller is straightforward. You remove the 8088 processor from its socket, install it on the MotherCard, and plug the supplied cable into the 8088 socket. Next, remove the existing floppy disk drive controller and install the Floppy I/O Plus controller and the new disk drives, if necessary. After installation, you boot up in 80286 mode and run the company's Setup and software installation programs to install the OS/2 patches. You can use your existing system board memory as a RAM disk or for disk caching, using SOTA's supplied Expanded Memory Specification (EMS) and disk-caching drivers.

I ran OS/2 on the Mother-Card with no problems. I tried Paradox OS/2 and ran multiple tasks and the DOS-compatibility window. The 12-MHz version of the Mother-Card offered faster performance than our MicroServe 10-MHz AT clone. I ran BYTE's 80286 benchmarks, and they all ran faster than on the AT clone.

The SOTA MotherCard 5.0 is a well-engineered and elegant solution for running OS/2 on a PC. Although the MotherCard is very easy to install, one weakness of the package is SOTA's user manual, which doesn't clearly explain how to run the software installation. An important step is running the Setup program to determine the memory configuration and the types of floppy disk drives you're using. Unfortunately, this step is not mentioned in the user manual. But aside from the large expense, I would recommend installing the MotherCard 5.0 in a PC.

The Mach 20 setup for OS/2 consists of three components: the Mach 20 board, which is an 8-MHz half-length 80286 accelerator card; the Memory Plus option; and the Disk Plus floppy disk controller card. These three components connect together and require only a single slot. Note that these three components alone cost

continued

Aztec C

Power to go the distance... Whatever that distance might be

From real time embedded applications to comprehensive commercial applications on Macintosh, IBM PC, Amiga, Atari, and others, Aztec C has earned a well-deserved reputation as an innovative, tough to beat, rock-solid C development system.

But don't just take our word for it—try it yourself. We know that the best way to understand what puts you ahead with Aztec C is to use it. That's why Aztec C

systems purchased directly from Manx come with a 30-day, no questions asked, satisfaction guarantee. Call for yours today.

We can also send you information that details the special features and options of Aztec C. Plus information on support software, extended technical support options, and all of the services and specialized support that you may need when you're pushing your software to the limits and ... beyond.

Aztec C Micro Systems

Aztec C is available for most microcomputers in three configurations: The Professional; The Developer; and The Commercial system. All systems are upgradable.

Aztec C68k/Am Amiga source debugger-optional

Aztec C68k/Mac ... Macintosh MPW and MAC II support

Aztec C86 MS-DOS source debugger • CP/M libraries

The following have special pricing and configurations. Call for details.

Aztec C68k/At Atari ST Aztec C80 CP/M-80 Aztec C65 Apple II & II GS

Standard System \$199

- C compiler
- Macro Assembler
- · overlay linker with librarian
- debugger
- UNIX and other libraries

Developer System \$299

- all Standard System features
- UNIX utilities make, diff, grep
- UNIX vi editor

Commercial System \$499

- all Developer features
- source for run time libraries
- one year of updates

Unix vi editor

debugger

Targets:

• 6502 family

Components:

• 8080-8085-Z80-Z180-64180

• 68000-68010-68020/68881

8088-8086-80186-80286/8087-80287

C compiler for host and target

Assembler for host and target

· Unix utilities make, diff, grep

download support

linker and librarian

Features:

MS-DOS Hosted ROM Development Systems

Host + Target: \$750 Additional Targets: \$500

Complete development system

Fast development times

 Prototype and debug non-specific code under MS-DOS

- Compilers produce modifiable assembler output, support inline assembly, and will link with assembly modules
- Support for INTEL hex, S record, and other formats
- source for UNIX run time library
- processor dependent features
- source for startup

Manx Software Systems One Industrial Way Eatontown, NJ 07724

Aztec C is available on a thirty-day money back guarantee. Call now and find out why over 50,000 users give Aztec C one of the highest user-satisfaction ratings in the industry. 1-800-221-0440

In NJ or outside the USA. call 201-542-2121

Telex: 4995812 Fax 201-542-8386

C.O.D., VISA, MasterCard, American Express, wire (domestic and international), and terms are available. One and two day delivery available for all domestic and most international destinations

SEPTEMBER 1988 • BYTE 93

A Message To Our Subscribers

F ROM TIME TO TIME WE available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE MAGAZINE

Attn: Subscriber Service P.O. Box 7643 Teaneck, NJ 07666-9866



THE FACTS

Mach 20 \$495

Requirements: IBM PC or compatible with 64K bytes of RAM and DOS 3.2 if you want to use high-capacity or 3½inch drives

Options:
Memory Plus card with
512K bytes, \$395; Disk
Plus multimedia
controller, \$99

Microsoft Corp. 16011 Northeast 36th Way P.O. Box 97017 Redmond, WA 98073 (206) 882-8080 Inquiry 854.

almost \$1000—and that doesn't include the additional 2 megabytes of RAM and the high-capacity disk drive you'll need. And with 256K-bit chips, you can install only 1.5 megabytes of RAM on the Memory Plus board. You'll need to find, buy, and use more expensive 1-megabit chips to install 3 megabytes of memory in your system.

Installing the Mach 20 is not a trivial matter. To start off, you have to plug the three pieces together, which is a simple operation. Then you have to go through a lengthy installation program, which explains how to set the myriad jumpers on the Mach 20. You may also have to modify the switch settings on the system board of your PC. The installation program writes a series of drivers to your boot disk. I made the mistake of trying to use a floppy disk as a boot disk. Problems arise if you later want to change your drives and have to modify the settings for the floppy disk controller. Therefore, it is best to install the drivers on the hard disk drive.

Nevertheless, I got the system running. However, the floppy disk drives behaved very strangely under the supervision of the Disk Plus controller. They made groans and grinding noises I had never heard when they were connected to the original controller. In addition, drive A's light would go on immediately when I booted the computer and would stay on throughout the normal POST memory test. These quirks didn't hinder the operation of the Mach 20, but they certainly made me nervous.


I ran the BYTE 80286 benchmarks on the Mach 20, which has an 8-MHz clock speed, and it was about 25 percent slower than our 10-MHz MicroServe AT clone and about 40 percent slower than the SOTA MotherCard. While the system seemed to be working at this point, I was getting periodic boot errors (301 system board) and was becoming increasingly disturbed by the odd noises that the floppy disk drives continued to make.

The next step was to install OS/2. Microsoft provided a beta copy of its special Mach 20 OS/2 version. The package came with a menu-driven installation program, and you can use 360K-byte 51/4-inch drives to install OS/2. However, OS/2 won't do you much good without a high-capacity drive, because no software is available in 360K-byte format. Unfortunately, I was unable to get OS/2 to run. I installed it on the hard disk drive, but then the hard disk drive wouldn't boot. In fact, the light on drive A stayed on continuously, and I had to turn the machine off.


It's hard to recommend the Mach 20 at this time. Even in spite of its quirks (and I'm sure Microsoft will get OS/2 running eventually), it's not a cost-effective way to run OS/2. You would be better off saving your money for an AT clone. The SOTA MotherCard 5.0 is also an expensive solution, but at least it works reliably and seems to be a solid product.

-Nick Baran


Digitizers 18"x 24" thru 9'x9'x9'



We'll cover your digitizer needs with twelve different active areas to choose from. From the GP-7 Grafbar Mark II, ("Flexible, Precise, and Elegant . . . ", PC Magazine), all the way through the 60" x 72" GP-8, and of course the user adjustable active volume, (up to 9 ft. cube), of the GP-8-3D. And you can digitize on any work surface.



All our digitizers come complete with RS-232 output format, power supply, two-way communications, a stylus, optional one button and four button cursors, a five function menu, and are IBM-PC compatible. So no matter what your size requirements are, we've got you covered; (at low cost too!).



OEM versions available. Directly supported by AutoCAD, ProDesign II, Generic CADD, CAD-VANCE, CADKEY, Easy Digit, etc. Also, compatible with Lotus Measure.

For more information contact: Skip Cleveland (203) 255-1526

We've got your size.



970 Kings Highway West, P.O. Box 550

Southport, CT 06490

(203) 255-1526 • Telex 964300

FAX (203)254-7271



All the software, alignment diskettes, parallel/serial wrap-around plugs, ROM POSTs and extensive, professional documentation to provide the most comprehensive testing available for IBM PCs, XTs, ATs and all compatibles under DOS or Stand Alone. No other diagnostics offers such in-depth testing on as many different types of equipment by isolating problems to the board and chip level.

NEW: SuperSoft's ROM POST performs the most advanced Power-on-Self-Test available for system boards that are compatible with the IBM ROM BIOS. It works even in circumstances when the Service Diagnostics diskette cannot be loaded.

NEW: 386 diagnostics for hybrids and PS/2s!

For over nine years, major manufacturers have been relying on SuperSoft's diagnostics software to help them and their customers repair microcomputers. End users have been relying on SuperSoft's Diagnostics II for the most thorough hardware error isolation available. Now versions of Service Diagnostics are available to save everyone (including every serious repair technician) time, money, and headaches in fixing their computers, even non-IBM equipment.

All CPUs & Numeric Co-processors System Expansion & Extended Memory Floppy, Fixed & Non-standard Disk Drives Standard & Non-standard Printers System Board: DMA, Timers, Interrupt, Real-time Clock & CMOS config. RAM

All Color Graphics & Monochrome Monitors Parallel & Serial Ports Mono, CGA, Hercules & EGA Adapters All Keyboards & the 8042 Controller

Join the ranks of XEROX, NCR, CDC, SONY, PRIME, ... who have bundled SuperSoft's diagnostics with their microcomputers at no risk because of our 30 day money back guarantee.

Service Diagnostics for PC, PC/XT, and compatibles only	\$169
Alignment Diskette for PC, PC/XT and compatibles (48 tpi drives)	\$ 50
Wrap-around Plug for PC, PC/XT and compatibles (parallel and serial)	\$ 30
Service Diagnostics for AT and compatibles only	\$169
Alignment Diskette for AT and compatibles (96 tpi drives)	\$ 50
Wrap-around Plug for AT (serial)	\$ 15
ROM POST for PC, PC/XT, and compatibles only	\$245
ROM POST for AT and compatibles only	\$245
Service Diagnostics: The KIT (includes all of the above-save \$502)	\$495
Service Diagnostics for all other CPUs (386, V20, V30, Harris, etc.)	\$195
Diagnostics II is the solution to the service problems of users of all CP/M-8	0,
CP/M-86 and MS-DOS computers	\$125
ROM POST for PS/2 and compatibles only	\$245
Alignment Diskette for PS/2 and compatibles (3.5 inch)	\$ 50

To order, call 800-678-3600 or 217-359-2112, FAX 217-359-7225, or write SuperSoft.



FIRST IN SOFTWARE TECHNOLOGY P.O.Box 1628 Champaign, IL 61820 (217) 359-2112 Telex 270365

SUPERSOFT is a registered trademark of SuperSoft, Inc.; CDC of Control Data Corp.; IBM PC, AT & XT of International Business Machines Corp.; MS-DOS of MicroSoft Corp.; NEC of NEC Information Systems, Inc., PRIME of PRIME INC.; Sony of Sony Corp.

A Dictionary on a Hard Disk Drive

When it comes to writing, I believe in the 3-foot rule. That is, you ought to keep a dictionary no more than 3 feet away from the spot where you're working. That's where Proximity's Choice Words comes in. Choice Words is an 80,000-word, hard disk drive version of a Merriam-Webster dictionary. And we're not talking spelling checking here.

Choice Words is, in fact, the first electronic dictionary-complete with definitions-that works on an MS-DOS computer without an optical disk or some other exotic storage device that costs enough to make many users decide to stick with a printed dictionary. Specifically, it takes up less than 2 megabytes of hard disk drive space. Because it's RAM-resident, it also needs about 100K bytes of RAM.

Best of all, it works within almost any word processor. Just place the cursor on a word, hit the hot key, and you've got the definition of that word. Just hit the hot key, and you can type in any word you wish. If Choice Words can't find a matching word in its dictionary, it displays a list of its best guesses of alternate spellings. I usually found the word I was looking for in the alternate spelling list-even when I tried to fool it.

Choice Words also includes a thesaurus. Although a number of good word processors already have a thesaurus, this one is a little different. Instead of just providing a list of synonyms, Choice Words first forces you to choose the appropriate definition for the word you want to replace, and then it gives you only the synonyms for that definition. This way, you don't mistakenly use a replacement word that connotes the wrong message. Or at least that's the theory.

But the theory didn't work so well with some words. For "continual" and "continuous," for example, the thesaurus provides you with only one definition.

Both the dictionary and the thesaurus let you replace the word at the cursor position in your word processor with any word you select from the Choice Words display. You can also toggle to and from the thesaurus and the dictionary.

Installed on the 20-megabyte hard disk drive in my 10-MHz IBM PC AT clone, Choice Words usually responded in about 2 seconds (when the spelling was correct) to about 5 seconds (when the spelling was wrong). Although that's probably faster than anyone can find a word in a printed dictionary, there is a trade-off: The definitions are roughly equivalent to an abbreviated "pocket" dictionary. Given that the program uses less than 2 megabytes of drive space, that trade-off is a fair one.

Aside from the thesaurus's occasional lack of definitions, I like Choice Words, and at a cost of only \$99, I recommend the program.

—Dennis Allen continued


THE FACTS

Choice Words \$99

Proximity Software 3511 Northeast 22nd Ave. Fort Lauderdale, FL 33308 (800) 543-3511 (305) 566-3511 Inquiry 851.

Requirements:

IBM PC or compatible with 256K bytes of RAM, DOS 2.0 or higher (a PC AT requires DOS 3.0 or higher), and either a hard disk drive or a 1.2-megabyte floppy disk drive.



2929P \$15.95



2627P \$17.95



2856P \$18.95





1968P \$14.95



AND

SYSTEM V PROGRAMMER'S

TOOL KIT



2877P \$16.95



2855P \$16.95



2833 \$21.95






DIGITAL

2850 \$25.95


SELECT 5 BOOKS for only \$3.95

(values to \$125.75)



2809 \$26.95

When it's new and important in business or personal computing, The Computer Book Club has the information you need . . . at savings of up to 50% off publishers' prices!



Desktop Publishing

Graphics

Business Programming

Computer Languages

Hardware Interfacing

2890 \$32.95





2671P \$12.95



2907P \$19.95

All books are hardcover unless number is followed by a "P" for paperback (Publishers' Prices shown).

Membership Benefits • Big Savings. In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the

publishers' prices. • Bonus Books. Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices. • Club News Bulletins. 14 times per year you will receive the Book Club News, describing all the current selections-mains, alternates, extras-plus bonus offers and special sales, with hundreds of titles to choose from. • Automatic Order. If you want the Main Selection, do nothing and it will be sent to you automatically. If

you prefer another selection, or no book at all, simply indicate your choice on the

reply form provided. As a member, you agree to purchase at least 3 books within the next 12 months and may resign at any time thereafter. . Ironclad No-Risk Guarantee. If not satisfied with your books, return them within 10 days without obligation! • Exceptional Quality. All books are quality publishers' editions





3024P \$18.95

The Computer Book Glub®



2852P \$17.95

BY-988



Care

2808P \$19.95

2983P \$16.95

PASCAL

WORK

2691 \$23.95

Manual

Diagnosing and Maintaining Your MS-DOS, CP/M or Macintosh System

2991 \$24.95 ILLUSTRATED DICTIONARY

MICROCOMPUTERS

PROGRAMMING

BUSINESS APPLICATIONS

2748P \$14.95



2845 \$29.95 Counts as 2



DAVID BOLOCAL

2951P \$17.95



1848P \$15.95











If card is missing, use this address to join: THE COMPUTER BOOK CLUB®, Blue Ridge Summit, PA 17294-0820 Circle 52 on Reader Service Card

especially selected by our Editorial Board.

Disk Products, ALL PRODUCTS, LOWEST PRICES, EXPERT ADVICE INTRODUCTORY OFFERS Hitachi 1503S or 3500S CD-ROM Drive with your choice of: \$895 McGraw Hill Science and Technical Reference Set \$895 Grolier Electronic Encyclopedia \$895 \$895 CD-ROM SOFTWARE Oxford English Dictionary **NEW** . \$945 Comstock Stock Photography On CD \$445 Grolier or McGraw Hill or Bookshelf or PGSIG The Bible Library . \$495

CD-ROM and WORM DRIVES

The Bue Library Kirk-Othmer Encyclopedia of Chemical Technology Registry of Mass Spectral Data Geovision U.S. Atlas and Mapmaker

OD HOM GHA VIOLIM DIMILE
litachi 1503S External CD-ROM Drive with Audio \$729
503S with Digital Audio Output
litachi 3500S Internal 1/2 Height CD-ROM Drive w/Audio \$719
Maxtor 800 MB WORM Drive \$3799
Optotech Laserbank 400 MB WORM Drive \$2799
ortable 286 with CD-ROM Drive

TOLL FREE ORDER LINE · 800-MEGABYTe (634-2298)

CD-Capture (\$149) Capture Digital Audio Information from any CD to RAM or Disk.
Also allows playback of music from RAM.
CD-Play (\$89) Pop-up utility that permits user to pay all audio CDs on Hitachi and compatible drives. Dutput to headphores or amplifier.
CD-Play+Sampler (\$149) Same features as CD-Play plus the ability to name two

CD-FlaytCall (piet 1 (si)49) some readings as CD-Flay (but the about to have two points on an audio CD and loop between them.

CD-AudioFile (si)49) Automatically creates distabase records of all your audio CDs.

Allows you to store a preferred play sequence for each disk.

Automatic recognition of CDs. Creates DBase compatible records.

217 E. 85th St. Suite 216 New York, NY 10028 Tel. 212996-6999 Fax 212-439-9109 Compuserve 75530,214

Free 3 Month Subscription to CD-ROM Review with orders over \$300 INTERNATIONAL ORDERS
A SPECIALTY

Australian Agent: KEWTEL 145 Cotham Rd. Kew, Victoria 3101 Tel. (03) 817-5933

\$845

\$795

NEC TAKES CARE OF ITS OWN.



options, quality parts, and comprehensive maintenance contracts. Call us, and find out about the many ways NEC Information Systems takes care of its own.

Service Excellence Through People, Pride and Professionalism™

1-800-325-5500



Konan the Controller

onan's new **Tentime** is an IBM PC AT-compatible "intelligent caching" disk drive controller with an impressive resume.

It boasts 128K bytes of onboard RAM with a 4-year lithium-battery backup. It needs the battery because the cache is not "write-through." That is, when your system issues a write command to the controller, the Tentime doesn't send the data immediately to disk. Instead, the Tentime puts the data in its cache, and when it must perform a write operation, it sorts the data prior to writing to the disk. In this way, head movement is reduced (e.g., if you issued writes to tracks 12, 90, 8, and 66, the Tentime would actually write them in this order: 8, 12, 66, 90). Since the battery is there, even if you shut the system off before the controller flushes its cache, your data is retained for the next time you power your system up.

Next, you get an optional on-board floppy disk drive controller, so you can use the Tentime to completely replace your AT's current hard/floppy disk drive controller. (The Tentime with a floppy disk controller can handle up to two ST-506/412 hard disk drives and two 3½-inch or 5¼-inch floppy disk drives-360K bytes, 1.2 megabytes, or 1.44 megabytes.) I already had a hard/floppy disk controller card in the machine on which I tested the board, so I disabled the Tentime's floppy section and ran two hard disk drives on the system. I was more interested in the board's performance as a hard disk drive controller, anyway.

The manufacturer claims that this controller has an 80 percent to 95 percent hit rate on the cache. The controller's name says it all: You should expect the Tentime to operate 10 times faster than other controllers. Does it?

I ran the Tentime through a number of tests and got mixed

results. I used a 10-MHz AT clone with two hard disk drives. One, a Seagate ST-225, hooked to the Tentime; the other, an ST-4038, connected to an AT-clone hard disk drive controller. The BYTE low-level benchmark FILEIO test (which creates, reads, and writes a series of arbitrarily complex files) and 1megabyte File Read and Write tests showed the Tentime turning in performances anywhere between 2 and 11 times that of the other controller (Read operations did much better). However, when I ran the Coretest on both drives, the drive in the Tentime simply left the other drive in the dust. The access times reported for the Tentime were down around 0.7 millisecond—between 12 and 30 times better than those shown for the other drive.

The price for the Tentime, however, is steep. It says something when you pay \$595 for a controller board and you can get a 20-megabyte hard disk drive for half that much. (I've seen ads for a 20-megabyte hard disk drive and controller for \$250.) I'd say this is definitely a product for the power user. If you need lots of megabytes and you need them fast, the Tentime probably deserves a slot in your AT.

-Rick Grehan

THE FACTS

Tentime TNT-1050 (with floppy disk controller), \$695; TNT-1000 (without floppy controller), \$595

Requirements: IBM PC AT or compatible. No specific operating-system or memory requirements.

Konan Corp. 4720 South Ash Ave. Tempe, AZ 85282 (602) 345-1300 **Inquiry 857.**



Please accept my membership in The Computer Book Club® and send the 5 volumes listed below, billing me \$3.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership canceled. I agree to purchase at least 3 books at regular Club Prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

	Write	e your se	election	s here:	
Address _					
				hone	
	f parent or guar	rdian require	d for all new	/ members	
under 18 ye	ars of age.				BY-988
				will receive spe	

ceptance by The Computer Book Club®.



Please accept my membership in The Computer Book Club® and send the 5 volumes listed below, billing me \$3.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership canceled. I agree to purchase at least 3 books at regular Club Prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

W	ite your	selection	ns here:	
Name				
Address				
City				
State/Zip			Phone	
Signature				

Valid for new members only. Foreign applicants will receive special ordering instructions. Canada *must* remit in U.S. currency. This order subject to acceptance by The Computer Book Club®.

Signature of parent or quardian required for all new members

under 18 years of age.



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 9 BLUE RIDGE SUMMIT, PA 17214

POSTAGE WILL BE PAID BY ADDRESSEE

The Computer Book Club® Blue Ridge Summit, PA 17214-9988





NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES


BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 9 BLUE RIDGE SUMMIT, PA 17214

POSTAGE WILL BE PAID BY ADDRESSEE

The Computer Book Club® Blue Ridge Summit, PA 17214-9988





INTRODUCING ZENITH'S I BATTERY-POWERED PORTA

ZENITH INNOVATES AGAIN—with a state of the art family of

battery-powered portables led by the single most revolutionary portable ever created. TurbosPort 386™
TurbosPort 386 is breakthrough inside and out. Outside, Zenith's exclusive Page White™ display virtually duplicates printed page clarity. Its sharp black images are refreshed quickly on a fluorescent backlit screen. Plus a fully detachable keyboard (unheard of on any other battery-powered portable). Inside the compact TurbosPort 386, the breakthroughs continue with a powerful 80386 microprocessor barnessed to

continue with a powerful 80386 microprocessor harnessed to a fast access 40MB hard disk. And zero wait state tech-nology for up to 50% greater speed than other 12MHz systems. Next comes the lightweight SupersPort 286, the highest performance 286 class machine among all laptops...or

desktops. With a choice of fast access 20 or 40MB hard disk. The third member of the pack is the SupersPort™ with

20MB hard disk or dual floppy systems and detachable battery packs for optimum flexibility.


All three machines ride on Zenith's *Intelligent Power Management System*™ for maximum battery life.

Three new portables—three more reasons why Zenith is the battery-powered leader. For the name of your nearest Zenith Data Systems Dealer, call: 1-800-842-9000, ext. 1.

TIFE

THE QUALITY GOES IN BEFORE THE NAME GOES ON

Our newest soft like the software



ware works just you're using now.

We've always thought that one of the biggest problems with personal computing is that a computer doesn't process information the same way that a person processes information.

And in the struggle between the two, the computer usually wins.

Enter the Lotus Agenda personal information manager.

Agenda's flexible design lets you dump facts and ideas into your PC without structuring them in advance.

You can arrange the information any way you want. So you can gain

insight,
formulate
new ideas,
and find
answers
you need.
And as a
result,
manage

Scratchpad	Who	Issues
 Forward product comparison articles to Joan. 	• Joan	Competitive Tracking
↑ Can we get the cost of goods sold under \$12?	• Tom	Materials
 Bob will present ten-point incentives program at sales conference. 	• Bob	Bonus Dollars
 Tom will have his report in by a week from Friday; make sure it covers pricing, strategy, distribution, and implications of using outside vendor for typesetting and printing. 	• Tom	Distribution Vendors Pricing
 Decision needed on research budget by end of this week—discuss options with Jim and Joan. 	• Jim Joan	Research

Enter Items of information manually, import them electronically, or use the pop-up capability while in another program.

projects, people and information better.

How does Agenda work? First, enter items of information into Agenda.

Then create categories where you want all the information to be filed.

Voilà. Agenda will do all your filing automatically. And if an item is relevant in more than one place, Agenda will put it in several categories at once.

What's more, if you change an item

anywhere in your file, all other categories that have the sales

object of the control of the co

matically.




Agenda automatically files items in all relevant Categories. Then you can View information from different perspectives.

This makes it easy to view evolving data in different ways so you can discover new relationships and pinpoint information that's important to you.

For \$15, we'll send you an Agenda demo kit or videotape. Just call 1-800-345-1043 and ask for demo kit AGT-3058

for the 3.5" version or AGT-3053 for the 5.25" version, or you can ask for AGT-3063 for the videotape version.



Introducing Lotus Agenda

Train Your PC to Read...

APARATIVE RULE

-\$1,220

\$2,430 \$14,930

-\$45,930

erry fournelle house a discounte in 1850. objects formatic holds a decision of pays the day case is a science holds writer to about 5 a science holds writer to about 5 amounts of the script of the science of the science with the science and science of the sc

\$23,430

-\$8,720

324.00 plus 38% 652.00 phis 35%

chefeating way to keek at potential incentives.

That is, to recard them as a them to intimidate

the caling way to look at potential incentives.

That is, to regard them as a means to intimicate

And the share the state of the state

That is, to regard from as a means to manuacte states than encounting them. But the

employees rather than encourage them. But the

temptation to do this can be overcome by sett-ex-

season has I devel farried it is a certain which is the I devel force for desperaction amount of time I was a certain amount of investigation I

The cover came off earth

... the Same Things You Read!

Flagstaff Engineering's optical character recognition software reads almost any printed or typewritten text.

SPOT,* our trainable OCR program, allows you to compile information from books, magazines, typewritten records, genealogical data, directories, catalogs, and public documents, including foreignlanguage material. The data captured by SPOT can be used by database, word processing, desktop publishing and typesetting applications.

SPOT's flexible output options allow you to preserve the original page format, including columns and margins. Reformatting options include the choice of DCA or ASCII output files, with options to generate singlecolumn output from multiple-column text.

Features:

GAEBEL MEST AD AGENCY RULE

\$165.00 plus 15%

\$2,040.00 plus 28%

\$4,420.00 plus 35%

\$12,295.00 plus 38.5%

When you need to discuss it wis decision can get sou into trouble. The constant counting to be on safe ground to b

that have to be covered, contin

Straight answer. Tell the person

A 144 % 184 hwo sided metal rules with inches, picas, and to points and

· High recognition accuracy

\$930

\$2,430 \$14,930 \$23,430

- Fast, easy training
- Up to five fonts per page
- Handles ligatures and kerned type
- Foreign language character sets
- Spelling and context checking
- On-line correction
- Affordable at \$995.00

Flagstaff Engineering leads the PC industry in desktop conversion systems for 9-track tape and 8-inch diskette data files. We have already supplied thousands of customers worldwide with our OCR systems. Call for the best prices on Panasonic, Hewlett-Packard, and Canon scanners. Dealer and volume discounts are

Flagstaff Engineering can modify the software code to meet your custom applications. For details, call us at (602)779-3341.

*Syntactic Pattern Optical Translator



1120 Kaibab Lane • Flagstaff, AZ 86001 (602)779-3341 • Telex 705609 • FAX (602)779-5998 Circle 101 on Reader Service Card (DEALERS: 102)



THE EDGE OF THE ENVELOPE

This month,
Jerry combines his
right stuff with
the right hardware and
the right software

lthough these columns are a major activity at Chaos Manor, the real work here is writing novels, as for example Prince of Mercenaries, which went out the door to Jim Baen this afternoon. For that matter, there are two parts to writing the columns: the writing itself, which usually doesn't take long, and puttering around with new hardware and software so that there's something to write about, which can be quick or take forever, depending on what we're puttering with. There's a lot of stuff people want us to examine.

On that score: if you have programs you want me to look at, send them to BYTE with my name in the address. Include a cover letter that tells precisely what your program does, and why you do it better than anyone else. You'd be amazed at how much stuff we get that looks wonderful but no one can figure out what it's supposed to do. We also get a lot of what I call "yet another" programs: programs that seem to do the same things I'm already doing with something else. Sometimes the "yet another" programs turn out to be real improvements, and, of course, we're always interested in those; but often their advantages aren't at all obvious.

Given my hectic schedule, there's no way we can look at everything that comes in no matter how good it sounds; sometimes what I get to is just a matter of luck. Still, I do work at this, and a surprising amount of software does get run at least once. Realistically, I don't suppose we

can take a close look at more than about 10 percent of what comes in, but that's still quite a lot of software, and the activity consumes a lot of time.

In addition to all that, Mrs. Pournelle is writing two books while overseeing the development of her reading program. The Atari ST version of that has just finished beta testing in both public and private schools, with amazing results. All the participating kids learned to read, and the teachers are enthusiastic, since the program allows teaching assistants, volunteer parents, or even older students to act as instructors. One thing we found was that the "rewards"-pictures and music—built into the program are useful in getting the kids started; once they begin learning, the reading experience itself is enough to keep them going.

Anyway, the result of all these activities is that I always have at least three Main Machines here: the one I write on, the one Mrs. Pournelle writes on, and the experimental machine to be used for puttering around.

In fact, there are usually several more, since I like to write about stuff other than PCs. A Mac II has as prominent a place in the system as my main PC's, while an Atari Mega ST is only one step away, and there's an Amiga 2000 set up in the next room. Still, most of what we do is done on PCompatibles, if for no other reason than they're what most of the readers have, and they're far and away what most of the software I get is written for.

For the moment, the "conservative" main machine is the Zenith Z-386. At least, it was supposed to be. Alas, I got talked into using the Zenith as a testbed for Unix with the result that, of the 80 megabytes on Zanna Lee's hard disk, there's only about 30 megabytes available for DOS programs; and that's just not enough, given what I generally keep on my machines.

Of course, the notion was that I'd run DOS programs under Unix. That turned out to be a mistake. There may be a good

"DOS under Unix" system somewhere out there, but I guarantee you I don't have one, or if I do have it, the instructions on installation are beyond my ken. What I've got is a Unix that can—sometimes—run some DOS programs, provided that the DOS programs are *very* well behaved and I hold my mouth just right.

Of course, I can also run standard Unix programs, but why bother? All the Unix programs that do the things I want to do have been pretty small potatoes compared to what's available on DOS. Sure, Unix has unique features. If you have a real need for multiuser access to a very large database, Unix is fine. If you've simply got to have a bunch of users working off one central system, it's wonderful. There are things Unix can do that DOS wouldn't dream of. On the other hand, most Unix application programs are very vanilla in features (for example, almost no Unix program knows about color), they are overpriced, and hard to use. I've looked at a dozen or more Unix application programs, and for the kind of work I do, there aren't any that I'd prefer to what I have on DOS (and for that matter, I had better word processors and accounting programs on CP/M than the stuff Unix users put up with). Most PC users will not care to give up what they have on DOS for what they can get from Unix.

This whole situation puzzles me. I've had a dozen people try to explain why you can't simply fire up Unix and use it as the master operating system to run multiple DOS programs, and the usual answer is "You can, but nobody's done it." None of them can answer the next question.

Anyway, the result is that there wasn't enough space on the Zenith Z-386 to fit all the files from the Kaypro and still have room for everything else; so for the moment, the Zenith has become the experimental system, and the big 20-MHz

continued

Cheetah 386 has been put next to my chair.

Moving the Files

The first thing we needed to do was transfer all the files from the Kaypro 386. Since I was sending them to the Cheetah, which has the Priam 330megabyte hard disk drive, the idea was that I'd duplicate the Kaypro's C drive onto the Cheetah's E, and the Kaypro's D drive onto the Cheetah's F. That way,

I wouldn't lose any files, and I would still have my files on the Cheetah's C drive.

I had several file-transfer programs. The obvious one was Traveling Software's DeskLink, which I knew would work reliably between the Cheetah 386 and the Zenith, because I'd used it before on both machines. Unfortunately, I had trouble getting DeskLink to work with the Kaypro 386, and when I called Traveling Software, I was told that I'd probably be better off using LapLink (which

comes in the package with DeskLink anyway). If all you want to do is send files from one system to another (as opposed to running programs on one machine when they're resident on another), LapLink is faster and more convenient. Besides, they said, there's a new version of DeskLink coming out (it's now available), so I might as well wait for it.

I had a bit of trouble with LapLink, but it wasn't the program's fault. For some reason, the Kaypro 386's COM1 port didn't want to work faster than 56,000 bits per second. It's easy enough to set LapLink for the slower speed—I've yet to open the LapLink manual-and after that, things went fine. The Options command in LapLink will let you slow things to a real crawl (300 bps) if that's what it takes. Incidentally, I can remember in CP/M days when we thought 1200bps serial-port file transfers were fast.

LapLink is a perfectly symmetrical program; that is, you can do all your transfers from either computer console. No need to designate one a "master" and the other a "slave." LapLink also has an option to "transfer subdirectories." This seemed wonderful, since there were a lot of subdirectories on the Kaypro. Alas, when I used the option, I found that Lap-Link transfers the files all right, but it doesn't create new subdirectories; what you get is one enormous directory with everything stuffed into it. This wasn't precisely what I wanted.

Next thing, then, was to do LD > LPT1:, which as most of you know tells the Norton Utilities to list directories and send that directory list out the printer port. That gave me a paper list of all the directories and subdirectories. From there, it was an easy (if tedious) job to create the Kaypro's C directory structure on the Cheetah's E drive, then go back into LapLink and fire away again.

That worked fine. Later, I found that LapLink does know how to create subdirectories; I don't know what I did wrong before. If you go into options and set the Subdirectories toggle properly it's obvious how to do that-and get it to stay on (apparently, I hadn't), then Lap-Link will in fact do the whole job. Incidentally, when the Subdirectories toggle is properly set, you'll see a big S down near where it gives you the COM port and data transfer rate. Once that's done, it really will create subdirectories, unless you do whatever it was I did wrong. Traveling Software says that while LapLink works fine in conjunction with most memory-resident software, some terminate-and-stay-resident programs (TSRs)

continued

Write Better Turbo 4.0 Programs...

Or Your Money Back

You'll write better Turbo Pascal 4.0 programs easier and faster using the powerful analytical tools of **Turbo Analyst 4.0**.

You get • Pascal Formatter • Cross Referencer • Program

Indexer • Program Lister • Execution Profiler. and more. Includes complete source code.

Turbo Analyst 4.0 is the successor to the acclaimed TurboPower Utilities:

"If you own Turbo Pascal you should own the Turbo Power Programmers Utilities, that's all there is to it."

Bruce Webster, BYTE Magazine, Feb. 1986

Turbo Analyst 4.0 is only \$75.

A Library of Essential Routines

Turbo Professional 4.0 is a library of more than 400 state-of-the-art routines optimized for Turbo Pascal 4.0. It includes complete source code, comprehensive documentation, and demo

> programs that are powerful and useful. Includes • TSR management • Menu, window, and data entry routines • BCD • Large arrays, and more.

> > Turbo Professional 4.0 is only \$99. Call toll-free for credit card orders.

1-800-538-8157 ext. 830 (1-800-672-3470 ext. 830 in CA)

Satisfaction guaranteed or your money back within 30 days.

Fast Response Series: ■ T-DebugPLUS 4.0—Symbolic run-time debugger for Turbo 4.0. only \$45. (\$90 with source code)

■ Overlay Manager 4.0—Use over lays and chain in Turbo 4.0, only \$45. Call for upgrade information

Turbo Pascal 4.0 is required. Owners of TurboPower Utilities w/o source may upgrade for \$40, w/source, \$25. Include your serial number. For other information call 408-438-8608. Shipping & taxes prepaid in U.S. & Canada. Elsewhere add \$12 per item.



TurboPower Software P. O. Box 66747 Scotts Valley, CA 95066-0747

helps save time, money, and cut frustrations. Compare, evaluate, and find products.

Your Source for Debuggers

Embedded code, C. Asm. Whatever you write, chances are it doesn't run right the first time.

For clear windows on your code, consider these professional tools. Recover from even frozen machines, debug at high level, and keep interactivity in the debugging

Call one of our Tech Reps for help choosing

Order before 9/30/88 and mention "BY988" for these Special Prices:

	List	Normal	SPECIAL
C Sprite by Lattice	\$ 175	\$ 119	\$ 99
DBug III - for dBASE	\$ 195	\$ 179	\$ 159
Periscope I-incl. board	\$ 455	\$ 365	\$ 355
Periscope II-incl. switch	\$ 175	\$ 139	\$ 119
Periscope III-10			
MHZ version	\$1395	\$1159	\$1099
SoftProbe II/TX-Rom	\$ 395	\$ 345	\$ 299
TURBOsmith-Turbo Pas	\$ 99	\$ 79	\$ 59

386 Development Tools

386 Assembler/Linker	PC \$ 389
386 Debug - by Phar Lap	PC \$ 129
386/DOS Extender	PC \$ 919
DESQview PS/2	PC \$ 109
F77L-EM - by Lahey	MS Call
FOXBASE + /386	PC \$ 419
High C - by MetaWare	PC Call
MS Windows/386	PC \$ 129
OS/286 & 386 by Al Architects	PC Call
Paradox 386	MS \$ 649
VM/386 multitasker - by IGC	PC \$ 229
Charles and the Control of the Contr	The second second

C Language-Compilers

AZTEC C86 - Commercial	PC \$ 499
C86 PLUS - by CI	MS \$ 359
High C Optimizing Compiler	PC Call
Instant-C/16M	PC Call
Lattice C - V3.3	MS \$ 259
Microsoft C 5.1 - with Codeview	MS \$ 299
Microsoft Quick C	MS \$ 69
NDP C-386 by MicroWay	MS \$ 529
Turbo C by Borland	PC \$ 67
Watcom C6.0	MS \$ 259

C Language-Interpreters

C-terp by Gimpel - full K & R	MS	\$ 219
C Trainer - by Catalytix	PC	\$ 89
Interactive C by IMPACC Associates	PC	\$ 189
Run/C Professional	MS	\$ 145
Run/C	MS	\$ 79
Turbo C-terp	PC	\$ 119
		-

C Libraries-Files

MS		
MS	d.	000
1410	\$	329
PC	\$	239
MS	\$	189
MS		Call
	MS	PC \$ MS \$ MS

C Libraries-General

Blackstar C Function Library	- /	PC \$	99
C Tools Plus - V5.0		PC \$	90
C Utilities by Essential		PC \$	119
Greenleaf C Sampler		PC \$	69
Greenleaf Functions		PC \$	129
LIGHT TOOLS by Blaise		PC \$	69
Turbo C Tools by Blaise		PC \$	99
A A	1	The Party and	

2-Screens, Windows, Graphics

	THE RESERVE OF THE PERSON NAMED IN
C Display Manager - by Sydetech	PC \$ 109
C-Worthy Interface Library	PC \$ 249
dBASE Graphics for C	PC \$ 69
ESSENTIAL GRAPHICS - fast	PC \$ 235
GraphiC - new color version	PC \$ 279
Greenleaf Data Windows - incl. source	PC \$ 229
Quick Window/C	PC \$ 75
Terminal Mapping System	PC \$ 279
TurboWINDOW/C - for Turbo C	PC \$ 75
VC Screen	PC \$ 119
View Manager by Blaise	PC \$ 199
Vitamin C - source, menus	PC \$ 159
Windows for C - fast	PC Call
Windows for Data - validation	PC Call

Note: All prices subject to change without notice. Mention this ad. Some prices are specials. Ask about COD and POs. Formats: 3" laptop now available, plus 200 others. UPS surface shipping add \$3 per nor-

RECENT DISCOVERY

Turbo Power Screen by Blaise Computing. Interactive menu-driven screen/field design, keyboard reconfiguration. Intervention routines, virtual screens, range checking. Unlimited windows.
Source. Turbo Pascal, MS C,

QuickBASIC 4.0

DataBase & File Management

Advanced Revelation	PC \$ 779
CLARION - complete environment	PC Call
DataFlex by Data Access	PC \$ 595
Magic PC - visual database	PC \$ 169
Paradox V2.0 List: \$725	PC \$ 499
Paradox Network Pack	PC \$ 719
R:Base for DOS	PC \$ 549
XDB-SQL Database	MS \$ 449

Dbase Language

Clipper compiler	PC	\$ 389
dBASE III Plus	PC	\$ 399
dBASE III LANPack	PC	\$ 649
DBXL Interpreter by Word Tech	PC	\$ 99
FoxBASE + V2.0	MS	\$ 259
McMax by Nantucket	MAC	
Quicksilver Diamond	PC	\$ 369

Dbase Support

dBRIEF with BRIEF	PC Cal
dBC III by Lattice	MS \$ 169
Documentor - dFlow superset	MS \$ 229
Genifer by Bytel - code generator	MS \$ 249
Integrated Development Library	PC \$ 129
Networker Plus	MS \$ 229
QuickCode III Plus	MS \$ 189
R&R Report Writer	MS \$ 139
Seek-It - Query-by-example	PC \$ 79
Silver Comm Library	MS \$ 139
Tom Rettig's Library	PC \$ 79
UI Programmer - user interfaces	PC \$ 249

Othor Broduct

Other Products	
Back-It by Gazelle Baler CO/SESSION - remote access Dan Bricklin's Demo II	MS \$ 119 PC \$ 459 PC \$ 229 PC \$ 169
Disk Technician - smart upkeep Fast Back Plus Easy Flow V5.0	PC \$ 89 PC \$ 149 PC \$ 125
Link & Locate Mace Utilities	MS \$ 309 MS \$ 85
MathCad MKS RCS PC/Tools Deluxe-by Custom	PC \$ 279 MS \$ 155 PC \$ 69
Plink 86 PLUS - overlays PVCS Corporate - by Polytron PVCS Personal	MS \$ 275 PC \$ 339 PC \$ 135
R-DOC/X Seidl Version Manager Source Print - V3.0	MS \$ 135 MS \$ 269 PC \$ 75
Synergy Layout Tree Diagrammer Visible Computer: 8088	PC \$ 139 PC \$ 65 PC \$ 65
WKS Library by Raima	PC \$ 179

Latest dBASE Release

dBASE IV - features new user interface "Control Center, 'Multiuser file/record locking, "ANSI +" SQL, Query By Example. 255 field records, 99 files open. Parent-child file relations. DOS shell.

PC \$ 499

THE PROGRAMMER'S SHOP

5-B Pond Park Road, Hingham, MA 02043 Mass: 800-442-8070 or 617-740-2510 7/88 Call for a catalog, literature, and solid value

800-421-8006

BRIEF" Users

NOW you can have fast compilation AND an integrated, productive environment.

• ver 5,000 of you were forced to make sacrifices to use BRIEF, The Programmer's Editor. Advanced compilers and new programming environments, like Turbo C and QuickBASIC, took up so much RAM that BRIEF could not fit in the same 640k.

If you wanted to retain BRIEF's uniquely powerful features1 while working with larger programs, you had to sacrifice speed and continuity. Instead of a tight Edit-Compile-Edit loop, you had to slog through an obsolete Edit-Exit-Compile-Exit-Edit loop.

Now you no longer have to make that sacrifice.

You can enjoy the features¹ that have made BRIEF the best-selling and the best regarded2 programmer's editor without sacrificing environment integration.

> Version 2.1 of BRIEF can be swapped in and out with a single keystroke - allowing immediate compilation with even the largest compilers: Microsoft C5.0, QuickC Turbo C, Lattice C, dBXL, FoxBASE+ v2.0, Clipper, etc.

1 For example: real multi-level Undo (not simply Undelete), flexible windowing, unlimited file size, unlimited number of simultaneous files, automatic language sensitive indentation.

2 For example:

"The quintessential programmer's editor." — Dr. Dobb's Journal "Right out of the box, it's a versatile, extremely powerful editor that handles most any programming task with aplomb." — Computer Language "Simple to learn and use and extremely sophisticated. Strongly recommended." - PC Magazine "Not only the best programmer's text editor I've ever seen, but it is also a tour de force in the way it was conceived and implemented. Computerworld "So far surpasses users" expectations that it is revolutionary. MicroTimes Magazine "BRIEF is truly outstanding." - Microsoft Systems Journal

Current BRIEF Users:

Call Ann for details on 4 other important enhancements. Registered users of versions 2.0 or 2.01 update for only \$35.

Haven't tried BRIEF yet?

BRIEF retails for \$195. Call Ann today for a no-risk, 60-day trial with a full, money-back guarantee.

Call toll-free today 800-821-2492

541 Main Street, Suite 410 South Weymouth, MA 02190 617-337-6963

BEST BUY IN THE MARKET!

80286 EGA SYS w/

- 80286-10 (10/6 MHz) 640K RAM
- 1.2MB FDD 顧 200W POWER SUPPLY
- 101 KEYBOARD 808287 MATH SOCKET
- W.D. CONTROLLER (2 HDD, 2 FDD)
- **TURBO-SPEED BUTTON** W/LED INDICATOR
- **KEYBOARD LOCK & RESET BUTTON**
- PHOENIX BIOS 20 MB HDD (ST-225)
- **SERIAL PARALLEL, GAME PORT**
- **■** EGA G CARD (AUTO S/W)
- **EGA MONITOR (640 x 350)**
- **COMPUTER CABINET DIMENSIONS** 21"L x 16.5"W x 6"H



TURBO-XT MONO SYS

- 8088-2 8 MHz TURBO CPU
- 640K RAM 1-360K FLOPPY DISK DRIVE
- 1-20 MB HARD DISK W/CONTROLLER **CLOCK CALENDAR W/BATTERY BACKUP**
- SERIAL, PARALLEL, GAME PORT
- MONO GRAPHIC CARD
- 12" TTL AMBER MONITOR
- FRONT RESET & TURBO SWITCH
- POWER & TURBO LED INDICATOR
- 101 FULL FUNCTION ENHANCED KEYBOARD
- **150W POWER SUPPLY**





OPTION: ■ 12MHZ 0 WAIT STATE

OPTION: IN NEW COMPACT SIZE CABINET (DIMENSION - 14.5"W x 16"L x 7"H) COMPUTER SYSTEM w/40MB HDD

- 32 bit 80386-16 MHz CPU 40 MB HARD DISK (ST-251 40ms)
- 1 MEG RAM (80ns) 1.2 MB FLOPPY DISK DRIVE
- 200W POWER W/DESKTOP CASE
- SERIAL, PARALLEL, GAME PORT 101 ENHANCED KEYBOARD
- MONO GRAPHIC CARD 14" TTL AMBER MONITOR





Circle 262 on Reader Service Card

12603 S CRENSHAW BLVD HAWTHORNE CA 90250 M F 8 30.5 30 (213) 644-1140 ORANGE CO STORE 108 W KATELLA AVE M-F 10-ORANGE, CA 92667 SAT 10-5 (714) 538-0929

YEAR WARRANTY PARTS & LABOR

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PRICES SUBJECT TO CHARGE WITHOUT NOTICE.

CALL FOR OTHER CONFIGURATIONS:

30 0AY MONEY BACK GURANTEE!

YOUR COMPLETE SATISFACTION IS OUR TOP PRIORITY ARY SUNTAONIC SYSTEM MAY B

RETURNED WITHIN 30 DATS FROM THE DATE OF SIMPMENT FOR REFUND LESS SIMPPING

CHAOS MANOR

can interfere with subdirectory copying. If you have a glitch, check that.

Incidentally, LapLink isn't the only program that sometimes has TSR interference with subdirectories. DOS's XCopy can also get confused.

Alternatives

If it ain't broke don't fix it, but in the past few weeks I've received a lot of filetransfer programs, and this seemed like a good time to test them.

First I tried PC-Hooker. This is a nice little serial transfer program that works about the same as LapLink. It also has a feature that lets you create directories from within the program. There's another provision to let you see how much space is available on the target disk. There's a little text editor, and it can use the XMODEM protocols to send files out through a modem.

This is the kind of program that gives me problems: if I'd got it before I got LapLink, I'd probably have adopted it. Now I've no reason to. True, I like the Add Directory feature, but in fact Lap-Link loads and drops so fast that it's just about as convenient to go out and use DOS when I need to do things like that.

Second, there's Fastwire II. This claims to be "The World's Fastest, Most Reliable Way to Exchange Information Back and Forth Between All IBM-Compatible Desktop, Laptop, and PS/2 Computers." It seemed worth a look.

Setting up Fastwire is simple. It comes with a four-headed serial cable so you can connect to either AT (9-pin) or XT (25-pin) serial ports; I wouldn't even look at a program and hardware that didn't. Fastwire also says you can use the parallel port.

My first objection to Fastwire is that, unlike LapLink and PC-Hooker, Fastwire isn't symmetrical. You run a master program on one machine, and a slave program on the other; and the only way to reverse which is which is to start over. You can't change on the fly.

Fastwire's documents claim it will automatically create subdirectories on the target machine. This sounds like a wonderful idea. When I tried Fastwire in subdirectory mode, it did, in fact, do the job; but it only created one subdirectory at a time, so I had to tell it to do it again for each one. It may be I wasn't doing

something right, because the documents clearly imply that it can make a complete backup copy from one machine to the other.

As to speed, Fastwire may be faster than LapLink; I didn't time the two programs. However, Fastwire isn't a lot faster than LapLink; not so much so that I'd give up LapLink to have it. In other words, this is another of those programs that's good enough, and had I got it first, I'd probably continue using it rather than change to something else; but it doesn't have quite enough going for it to get me to

The nice thing is that there are a lot of "good enough" transfer programs. I can remember when there weren't any at all.

Incidentally, all these programs will transfer data using the parallel ports of the two machines; it's said to be marginally faster than serial. I haven't tried it, since serial ports have always worked fine for me.

Training the Cheetah

Once we had all the files over, the next step was to configure the Cheetah. I continued



Advantages are enhanced by Tatung

VGA provides significantly higher resolution. In fact, image clarity is 37% higher than EGA. And while EGA gives you 16 on-screen colors, VGA puts 256 colors (from a palette of 262,144 colors) on a monitor's screen at a time. Distortion, ghosting, and even eye fatigue is sharply reduced. In text modes, characters (even those with descenders like y, p and g) are more clearly defined thanks to a 9 x 16 dot matrix. But, while the monitor is a vital part of a VGA system, we think the real key is the VGA card that goes with it.

The Tatung VGA card is all performance Ours is a 16-bit graphics array board with a single high speed, register compatible, VGA chip...a graphics controller that's incredibly fast (it has a bandwidth more than 7 times that of other VGA boards)! You can access this speed through the 16-bit data path to display memory, BIOS ROM, and I/O. Our exclusive SwiftWrite makes the wait state virtually non-existant. More? With 16 colors, resolution increases to 800 x 600. On-board is a 256K DRAM; and the card is backward compatible with EGA, CGA, MDA and Hercules graphics standards.

We offer the broadest line of VGA monitors available; 5 newly styled and engineered monitors. Each model provides 640 x 480, 640 x 350 lines of graphics resolution; 720 x 400 lines for text. Tatung's new VGA monitors offer a broad range of features that contribute to their superior value: dark, non-glare CRT's, automatic vertical sizing encoding, multi-color text or reverse video switch, 110/220V switchable power supply, removable tilt/swivel bases...all supported by Tatung's full year warranty.

Tatung puts VGA within the reach of everyone. In most cases, the Tatung VGA bundle will cost no more than EGA packages! That's why we believe that feature for feature, dollar for dollar, the Tatung VGA bundle represents incomparable value. The kind of value only the largest manufacturer of monitors in the world can deliver.

In addition, Tatung
offers users a huge
advantage: a Tatung
VGA bundle is 100%
IBM, VGA compatible and more...your
investment in software
is fully protected.

atung offers
uaranteed compatibility
uaranteed compatibility
lard is introduced,
system users have a
little table concern
about software comabout software comatung offers a unique
guarantee*: if you
note any software innote any software innote any software
compatibilities within
the 1 year warranty
A period, Tatung will
correct them free of
correct them free of
charge within 30 days,
ne charge within 30 days,
ne charge within 40
volume of the Tatung
VGA card will be
refunded.

That's the Tatung
VGA story. It's a story
worth seeing. For
complete information, specifications,
and the name of
the Tatung dealer
near you, and to
arrange for a
demonstration,
call us today.
After all, seeing
is believing.



We monitor the world.

West: (213) 979-7055 Mid-West: (817) 640-3175 East: (609) 395-6770 Tatung Company of America, Inc.

2850 El Presidio Street

Long Beach, California 90810

wanted to use the Zenith Flat Technology Monitor (FTM), so Mrs. Pournelle could borrow the big 19-inch Electrohome monitor. When I installed the Zenith 448 video board in the Cheetah, though, the board wouldn't work. Apparently 20 MHz is too much for it.

I was in a hurry, so I put the Award EGA/VGA video board back in the Cheetah and set up the Electrohome; Mrs. Pournelle had to be satisfied with the Logitech Autosync monitor. That's no real hardship, of course; the Logitech is one of the best of the smaller EGA/VGA systems. The Zenith 448 board and FTM went back on the Zenith 16-MHz Z-386 where they'd always been. Later, I found that if I plug the Zenith FTM into the 15pin VGA outlet on the Award video board, it works fine. Now all I have to do is carry this 70-pound, 19-inch monitor back downstairs...

One thing I did find in fooling around with monitors: it's pretty easy to get them all "gaussed up." That is, if there are stray magnetic fields around, they can affect the monitor. The result looks almost as if someone had stained the monitor's glass front. There's a wild

color patch that stays in place when you scroll the display.

Most expensive monitors—such as my Electrohome—have a degaussing button; press it, and the display swims around a bit while the monitor's hardware gets rid of the unwanted magnetism that has invaded the screen. Unfortunately, neither the Zenith nor the Logitech monitors have degaussing buttons, and both of them caught bad cases of "the gausses" while we were moving things around. (If you have a bunch of computers running outside their cases, you can expect this.)

In the past, I've always been able to remedy this problem by turning the monitor off for a minute or so, but this time it didn't seem to work. The color patches just stayed there. They weren't that bad; you could still make out what was supposed to be on the monitor screen. Still, it was ugly, and I wanted something done. I have no doubt that with a bit more patience, the problems would have gone away by themselves, but I was running out of time.

The remedy was the bulk eraser. This is a standard item (we got ours at Radio Shack) used to erase magnetic tapes. It also works fine on floppy disks, which is what it's mostly used for here. The trick to using one with a disk is to turn on the eraser, move it in a spiral pattern up close to the disk (leave the disk in its protective jacket), then with the eraser still on, spiral it away again. This gets all the little magnetic molecules into a random pattern. It seemed to me that if that would work on a magnetic disk, it ought to work on a monitor screen; and in fact it did fine, although it looks a little weird while you're doing it. I was a bit astonished at just how far away you could hold the eraser and still see the effects on the screen.

The next thing was to get the Maximum Storage WORM (write once, read many times) drive and the Amdek Laserdek 2000 CD-ROM reader working together. This turned out to be simple: when you get these two machines, they are both by default addressed to ports beginning at 300 hexadecimal. You have to change the address for one of them.

The easiest to change is Maximum Storage's WORM, because the exact procedure for readdressing the WORM

continued



MODEL 9000 (E)(E)PROM PROGRAMMER



- Super Fast Programming Speed!
- · Quick And Intelligent Programming Algorithms.
- · Programs Largest Variety Of

Chips Including Prom Replacements, Eproms, EEproms and MPUs.

Look For Valuable 1/2 Price Coupon For The Model 7228 With The Purchase Of The Model 9000.

MODEL 9800 GANG PROGRAMMER



- Fastest Programmer On The Market Today!
- Quick And Intelligent Programming Algor-
- · Supports Megabit Eproms, Prom Replacements, Eproms, EEproms And
- Software Included FREE!

Coming Soon


TWO NEW PRODUCTS FROM GTEK®!

Now the PCSS-8X has intelligence with 32K to 128K Buffering. These cards are so smart they can actually be run stand alone. The PCSS-81 is for PC/XT/AT/30's and the MCSS-81 is for Model 50, 60 and 80's.

Now available is the ROMX-2XL Eprom Emulator. Emulates 2716 through 27010 (megabit) eproms.

.

MODEL PCSS-8X MULTIPORT SERIAL BOARD



- Eight RS232 Ports Per Card (Optional 4 Port).
- · All Eight Ports Capable Of Simultaneous Operation.
- Enhanced INT 14H Bios Device Driver With Interrupt Driven Receive Queues And Automatic Handshaking.
- Used In Real Time Event Driven Applications.

DEVELOPMENT HARDWARE & SOFTWARE P. O. BOX 2310 BAY ST. LOUIS, MS 39521-2310

ORDER TOLL FREE 1-800-255-GTEK (4835) FAX: 1-601-467-0935 TELEX 315814 (GTEK UD) MS & TECHNICAL SUPPORT 1-601-467-8048

PC/XT/AT is a Registered Trademark of IBM Corp.

This is the year of the dragon. Harness its power and reap its good fortune.

It's a year that begins with a powerful array of computer systems designed, engineered, and manufactured exclusively by us...business/professional systems that proudly carry our name.

Leading the way is our new TCS 8000. Designed to harness advanced 80386 microprocessor technology, it is remarkably powerful, extremely fast and extraordinarily versatile. The TCS 8000 gives you all the strength of the MS-DOS,TM concurrent DOS 386,TM PC MOS 386,TM and the incredible capabilities of OS/2,TM

The TCS 8000 is equipped with 1MB of memory, but it will easily accommodate up to 16MB on the mother-board by utilizing memory modules...standard modules that dramatically reduce the cost of expanding memory and increasing memory access speed.

As part of a network, in multi-user system, or as a stand-alone system the TCS 8000's performance proves that every detail has met Tatung's uncompromised quality controls.

Like the ancient dragon, the TCS 8000 is a symbol of power and good fortune. It will provide your customers with tremendous value, and you with superior profitability. Indeed, the exciting new TCS 8000 is destined to be a genuine "fire breather."

For complete details and specifications, call toll-free: 1-800-421-2929 Ext. 256.

The remarkable TCS 7000 AT compatible.

The TCS 4000...
AT compatibility in a very small footprint.








Advanced thinking is an ancient art.

Circle 275 on Reader Service Card (DEALERS: 276)



All trademarks are the property of their respective manufacturers.

Tatung Company of America, 2850 El Presidio Street, Long Beach, California 90810 (213) 979-7055

drive is clearly described in the manual. I decided to address the WORM to 200 hexadecimal; I flipped the little DIP switches as the manual told me to, and put "200" in place of "300" in the Maxsys driver instructions in the CON-FIG. SYS file. I used the default installation for the Laserdek 2000. The whole thing took about 5 minutes, and now I have both CD-ROM and WORM drives.

Alas, while those will work together, by the time I've got a mouse and the CD- ROM and WORM memory-resident drivers and DOS extensions installed to use them. I'm down to 360K bytes of system RAM. Add SideKick, and it's even smaller.

I did some experimenting with Quarterdeck's Expanded Memory Manager (QEMM); this is a program for the 80386 that, among other things, lets you get at some of the unused memory that sits between 640K bytes and 1 megabyte. You can use the OEMM LOADHI command to put the mouse software up there. Sometimes other stuff can be put there as well. If I sound vague, I intend to: it turns out that using that memory is a bit tricky. For example, if you install part of the Microsoft Bookshelf software up there and then use Procomm Plus, the communications program will lock up the machine so thoroughly that you can't even reset. Thus, I don't recommend QEMM LOADHI for the squeamish. If you do use it, test thoroughly before entrusting anything critical to your system.

Procomm Plus

Crosstalk used to drive me nuts sometimes, but I did learn to use it, and it served me pretty well on machines from an early PC XT up through the Kaypro AT, Zenith Z-248, and Zenith 386; but when I transferred it to the 20-MHz Cheetah, it wouldn't work at all.

The problem isn't the computer or the modem. The modem is the USRobotics' Courier HST, and that works fine. It's Crosstalk itself, which just seems unable to keep up with the Cheetah's speed. I'd tell Crosstalk to dial, and it would act as if it had; but the modem never got the message. Crosstalk would then tell me there was "No Connection" and offer to try again. Retries got the same result.


That left me with a problem, since I really need communications.

"Try Procomm Plus," Alex told me. It seemed like a good idea; I'd heard about Procomm for a long time. The original is shareware; now there's a Procomm Plus that's for commercial sale. We had both, or at least I thought we did. It turned out that I had at one time copied my review copy of Procomm Plus onto my hard disk, but then the manual got lost in the general swim here. I'm sure it's no more than 8 feet away from me, but for the life of me I can't find it.

That turns out not to matter. Procomm Plus has context-sensitive Help screens that do about as well as the manuals can. It takes a bit of deciphering to figure out precisely what some of the instructions mean, but in fact it took only about a half hour to get the program all set up and running.

That's when we made several discoveries. I had always run Crosstalk at no parity, 8 data bits, 1 stop bit, and that worked fine; but when we tried that with Procomm Plus, Tymnet had a fit. We could connect all right, but all we got was garbage. Eventually we changed to even parity, 7 data bits, 1 stop bit. I forget precisely what caused us to try that combination, but it works fine.

continued




Mendelson Electronics Inc. 1-800-422-3525

CONTROL YOUR HOME OR BUSINESS FROM YOUR IBM*PC OR PC/AT COMPATIBLE

This card is what you need to TURN ON & OFF lights, machinery, and other electrical or electronic equipment.

IBM PC* DATA ACQUISITION AND CONTROL ADAPTER DISTRIBUTION PANEL provides the capability to control

monitor processes within a sensor base system.



IBM PC*DATA **ACQUISITION** AND CONTROL **ADAPTER**

provides an easy to use interface for accessing the ANALOG and DIGITAL I/O.

Integrates analog, binary and time/ counter devices on a single adapter card.

- Up to four IBM DATA ACQUISITION
 AND CONTROL ADAPTERS can be
 attached to an individual PC or AT
 Compatible
 The Adapter has
 Four analog input channels (12-bit resolution)
 Two analog output channels (12-bit resolution)
 Techannel digital input port
 Techannel digital output port
 Programmable sampling rates provided by a
 32-bit timer
 Event counter, programmable rate generator, or
 programmable time delay provided by a 16-bit user timer/
 counter

- The Distribution Panel has
 Screw terminals provided to attach
 devices to the distribution panel
 Multiple grounds for liwisted pair terminations
 Shielded construction to minimize noise

USES
 Chromatography, Electrochemistry, Energy management, Electrone testing, Process control. Data logging, Robotics.
 Some parameters commonly monitored or controlled include. Pressure. Flow, Displacement, Voltage, Light intensity, Rotational speed.

Some instruments or devices that may utilize the Adapter are Chromatographs, Spectrophotometers, Pressure gages, Relay controls, Thermocouples, Gas analyzers, Humidity sensors, Valve actuators. Level gauges, Load cells, Conductivity cells, ph Meters

*TECHNICAL DATA
 ANALOG INPUT: The analog input functions of the adapter operate in eigher programed or interrupting mode. The analog input functions provide 12-bit relative accuracy.
 RESOLUTION - 12 bits
 INPUT CHANNELS: four differential

INPUT RANGES:

bipolar

bipolar INPUT IMPEDANCE

INPUT CURRENT

INPUT VOLTAGE

Common mode

COMMON MODE

Rejection ratio Integral linearity DIFFERENTIAL Linearity

Stability Error

Stability OFFSET

Unipolar stability Bipolar stability
MONOTONICITY
THROUGHPUT to memory

0 TO ± 10 volts ±5 and ±10 volts

>100 megohms with 100 picofarads

limited to less than ±4 mA

±30 volts maximum, without damage, power on or power off power on or power

72 db

±1 LSB maximum

± 1/2 LSB maximum ±5 ppm/degrees C of FSR (max)

±0 1% between ranges (max) any range

adjustable to 0 ±32 ppm/degrees C of FSR (max)

adjustable to 0

±24 ppm/degrees C of FSR (max) ±24 ppm/degrees C of FSR (max) 0 to 50 degrees C 15.000 conversions/second min.

1-800-422-3525

The analog output functions of the adapter operate in programed I/O mode. The analog output functions provide 12-bit relative accu-

racy RESOLUTION Number of output channels OUTPUT modes

OUTPUT ranges Unipola

INPUT CODE Bipolar OUTPUT Current

OUTPUT Impedance CAPACITIVE loading GAIN Error

OFFSET

Error unipolar Error bipolar Unipolar stability

OVERSHOOT THROUGHPUT

0 to ± 10 volts, user-selectable ±5 and ± + 10 volts, user-selectable

0.5 microfarads, max

0.1 betweem ranges (max.) any range adjustable to 0 ± ppm/degrees C of FSR(max)

±3 25 millivolt max adjustable to 0

±8 ppm/degrees C of FSR (max) ± 24 ppm/degrees C or FSR (max) 0 to 50 degrees C 10 microseconds max to within 0.1%

FSR for a 10 volt step with 1000

Protected for short to common + 1% of ESB max

25.000 conversion/second

OUR LOW! LOW! PRICE FOR **BOTH UNITS**



IBM* DATA ACQUISTION AND CONTROL ADAPTER #6451502 ORGINAL COST \$1275 IBM* ADAPTER DISTRIBUTION PANEL #6451504 ORGINAL COST \$245

INCLUDES TURBO PASCAL DEMO SOFTWARE W/SOURCE CODES, ADDRESSES, ANALOG & BINARY INPUT & OUTPUT MODULES

PER SET Shipping & Handling \$6.50

MENDELSON'S ADVANCED DEMO IN TURBO PASCAL AVAILABLE FOR \$25

Part No. #200-108 Demo Turbo

Mendelson Electronic Co., Inc.

20% Restocking Fee on Non-Defective Returns

STORE HOURS 8:30 - 5:00 Monday thru Saturday.

*IBM PC/XT is a registered trademark of IBM corp.

TERMS: MasterCard/Visa/Discover Card, Check or Money order (checks allow two weeks for clearance), C.O.D. add additional \$3.00.

Ohio residents add 6% State Tax.

Above shipping/handling are rates for UPS ground in Continental U.S. only 340 East First Street Dayton, Ohio 45402 513/46

FAX 513/461-3391

513/461-3525

VISA

UTAH

NEW **VERSION 5.0**



For IBM® PC's, XT's, AT's and other DOS machines. Needs only 1 disk drive and 128K memory. This is the one you've heard so much about - with fast compile times, small object code modules, not copy protected, no royalties, and clear error messages. Version 5.0 is based upon ANSI-74 standards with new dynamite features including:

- · Nested IF's and nested conditions.
- Indexed files (ISAM) with up to 24 keys (includes START verb). This advanced feature requires the software package Btrieve® which is optionally available.
- · ACCEPT (line, column) numerics with decimal point alignment, numeric checking, AUTO-SKIP, SECURITY, LENGTH-CHECK, ÉMPTY-CHECK, ATTRIBUTE (cŏlor), FROM ES-CAPE KEY, DAY, DATE, TIME, DAY-OF-WEEK.
- · Fast memory mapped DISPLAY's (line, column) ERASE, BEEP, ATTRIBUTE (color). Can display entire screen with one DISPLAY statement.
- · Windowing, pop-ups, color and overlays. This advanced feature requires the software package Saywhat?!™ which is optionally available
- · An easy to use, COBOL source code EDITOR with auto line numbering, A-margin, B-margin tabing with full screen cursor control.

Also available: Utah SuperSort®, a fast sort program callable from Utah COBOL; Utah FORTRAN; Utah BASIC: Utah PASCAL: Utah PILOT. Used by 50,000 professionals, students and teachers in 40 countries. 30-day money back guarantee. Discover the ease and simplicity of COBOL, today!


Phone order rushed by UPS 2nd Day Air: (702) 827-3030





Ellis Computing, Inc. 5655 Riggins Court, Suite 10 Reno, Nevada 89502

IBM is a registered trademark of International Business Machines, Inc. Btrieve is a registered trademark of Novell, Inc. Saywhat?! is a trademark of The Research Group. SuperSort is a registered trademark of Micropro International Corporation. Utah COBOL is a trademark of Ellis Computing, Inc. © 1987 Ellis Computing, Inc.



I have since discovered what's happening. Tymnet does in fact use even parity. If you don't, and thus look at all 8 bits, that can have the effect of converting much of what's sent to you to non-ASCII characters. Crosstalk has a filter system that takes care of the situation. So does Procomm Plus, but unlike Crosstalk, Procomm Plus doesn't automatically do it; you have to go work on a conversion table.

It turns out that it's easier simply to use E-7-1 for Tymnet communications. I was a bit worried that this would prevent me from downloading binary files, but that's not true: when you go into a filetransfer protocol such as Kermit (or XMODEM, which is what I use), the system automatically switches to 8-bit

We tested that by entering BIX listings and pulling out a small COM file; it works perfectly. I've since used Procomm Plus to upload my columns. Works like a charm. I'm fast becoming attached to it, and it looks as if the change is permanent.

Incidentally, Wayne Rash reports that he's been using Procomm Plus for months now and likes it a lot. It even works from overseas.

Procomm and Procomm Plus are fundamentally alike, except that Procomm Plus is niftier. The Plus version has shadowed windows and other pretty displays. It has a nice menu system. It's also supported, whereas the older Procomm is shareware.

The best feature about Plus is the context-sensitive help, which, as I said, is good enough that I've not really needed the manuals. There are also terminal emulations, and the setup is nicer. On the other hand, the old shareware version is good enough for a lot of people. Probably the thing to do is try the shareware—it's available on BIX and elsewhere-and if you like it, go ahead and buy the Plus.

Alex swears by it. He says, "If you use a lot of different machines, this is the right program because it's portable among just about all PCompatibles." I haven't used it as long as he has, but I've seen no reason to disagree. It certainly works when you're stretching the envelope.

Recommended.

Printer Optimizer II

A few months ago, you may remember, I had a problem with the power supply for my Applied Creative Technology Printer Optimizer. It wasn't a big problem, but the people at ACT read about it, and they

Order Status. Technical & Other Info. (602) 246-2222 FAX # (602) 246-7805 Call for programs not listed



MasterCard or Visa



MICROSOFT PC Excel SPECIAL \$273

LL-FREE ORDER LINE 1-800-421-3135

MICROSOFT MACH 20 \$309 MICROSOFT WINDOWS 386 \$110

FREE SOFTWARE!

Purchase over \$100 and receive one of these disks absolutely FREE! Purchases over \$250 get two free disks, over \$400 get three, or get all four disks when your purchase is over \$500! 1) MIXED BAG. 2) PC-WRITE. 3) FONT-SET. 4) ABC-LIST.

SOFTWARE -

Accounting
Dac Easy Acct. 3.0 Low Price
Dac Easy Light
Dac Easy Payroll
Dollars & \$ense 94
In House Acct
Managing Your Money 4.0117

Communication

Frogram	3	٠			
Brooklyn Bridge Universa	I				\$75
Carbon Copy Plus					108
Crosstalk XVI					. 89
Crosstalk MK4					110
Flying Dutchman					. 64
PC Anywhere III					. 96

Data Base Managers

Clipper
Condor 3
DataPerfect Low Price
DBase III Plus
DB/XL Diamond
Fox Base Plus 2.1 Low Price
Genifer
Paradox 2.0 Premium
PFS: Pro File Low Price
Powerbase
Q&A 3.0
Quicksilver Diamond 329
Revelation Advanced 485
R Base For DOS 425
Reflex90
R&R Report Writer112
VP Info

Desktop Publishing

Graphics													
				_	_								
Ventura Publisher												493	
PFS: First Publish	er.		į									. 55	
Page Perfect								L	0	W	P	rice	
Pagemaker Ver. 3.	Ο.										5	5549	

boeing Graphics	52	UU
Chartmaster	1	99
Design Cad 2D & 3D	1	48
Diagram Master	1	99
Easy Cad	1	09
Generic Cad		49
In-A-Vision	2	70
Microsoft Chart 3.0	2	25
Newsroom Pro		65
Printshop		33
		Ė

Integrated

Ability Plus					į.											\$14	5
Enable							٠				į,					. 352	2
Microsoft Works	S							į				i		į		. 110	ŝ
PFS 1st Choice							٠.				i.				ì	79	9
Smart System		į	į	i		ì	٠	٠	٠			ì	٠		0	. 429	9
Symphony												ì				. 465	5

Languages

Languages
Lattice C Compiler \$220
Microsoft C Compiler Ver. 5.0 255
Microsoft Fortran Ver. 4.1 260
Microsoft Macro Assembler 5.1 88

Languages

Microsoft Pascal	\$176
Microsoft Quick Basic 4.0	59
Microsoft Quick C	55
Ryan McFarlan Fortran	. 390
Ryan McFarlan Cobol	. 612
Turbo Basic	59
Turbo C 1.5	59
Turbo Pascal	59
Turbo Prolog	59

Multi-User Software

Fox Base +													5	299
Microsoft Wo	ord						į							469
Word Perfect	t								i	٠		÷		310
Word Perfect	t M	00	jί	ılı	е	S							e	a 75

Project Manager

Microsoft Project											\$305
Super Project Plus .							,		×		. 255
Timeline 3.0							5	÷	v	i	. 323
Total Havard Man. 2											. 355
		Ť	7	ī	H	ř		ř			

Spreadsheet

Lotus 1-2	-3	3												,		\$ 295
Microsof	t F	У.	;	Ξ	X	26	el									273
Quattro																143
Surpass																329
Twin									· ·					ż		. 35
VP Plann	ne	rl	9	u	s					v	ď					. 88

Utilities

Core Fast Low Price
Copy II PC
Copywrite
Cubit
Deskview 2.01
Direct Access
Eureka99
Fastback Plus
Formtools
Graph in the Box 2 55
Mace
Microsoft Windows 2.03 59
Norton Advanced
Norton Utilities
PC Tools Deluxe
Prokey 4.0
Q DOS II
Diobhuritor 75
Rightwriter
Sidekick Plus
Sideways39
SQZ Plus
Superkey
Lightening
XTree

Word Processing

Microsoft Word 4.0 \$185
Multimate Advantage II 259
Q and A Write
Webster Spellcheck
Word Perfect Ver. 5.0 Low Price
Word Perfect Executive 106
Word Perfect Library 2.0 Low Price
Wordstar Pro
Wordstar 2000 + Personal Ed 194

- HARDWARE -

Accessories	Ī
Copy II PC Deluxe \$101	
Curtis Ruby	
Logical Connection	
Mach III Joystick	
Masterpiece	
Masterpiece + 95	
150 Watt Power Supply 69	

Boards

AST
Advantage Premium \$319
Rampage 286
Sixpac Plus w/64K 129
EVEREX
2MB Above PC/XT w/o Mem79
3MB Above AT w/o Mem 89
HERCULES
Graphics Plus
INTEL
Above 286 w/512K
Orchid Tiny Turbo289

COMPUTERS

EVEREX

Model 1700	
80286-10 Micro Processor.	
640K Ram, 1.2 MB disk drive,	
101 Type Keyboard	\$999
Model 1800	
80286-12 Micro Processor.	
640K Ram, 1.2 MB disk drive.	
101 Type Keyboard	1240

			ŀ	4	ı	4	ŏ	C	ı				
All Models										·		Low	Price

AST 286 Premium or 386 Premium Computers

RT enhanced style keyboard, parallel, serial and clock,

VGA & FGA Boards

VGA & EGA BURIUS
ATI Ega Wonder \$175
Super EGA Hi Res Plus 186
Orchid Designer VGA
Paradise Auto 480
Paradise VGA Plus
Paradise VGA Proff 399
Vega VGA

EGA Monitors

Casper \$410
Princeton Ultra Scan 539
Mitsubishi Diamond Scan 499
NEC - Multisync II 609
Zenith 14" Flat Screen 650

Hard Cards

Plus 40 MB 659	Plus 20 MB										\$529
	Plus 40 MB				×						. 659

Hard Drives

Seagate 20 MB w/cont	\$265
Seagate 30 MB w/cont	. 295
Seagate 40 MB AT 251-2	. 399
Seagate 80 MB AT	. 659
Seagate ST-125 w/cont	. 329
Seagate ST-138 w/cont	. 399

Modems
AZ 300/1200 w/o Soft
Everex 300/1200 w/ Soft 69
Everex 2400 INT 199
Hayes 1200 EXT w/o soft 299
Hayes 1200B INT w/ Soft 289
Hayes 2400 EXT w/o Soft 435
Novation Parrot 1200 w/Soft 99
U.S. Robotics 2400 w/o Soft 335

Mice

Genius				. \$49
Logitech				68
Microsoft Bus w/Paintbrush	h			92
Microsoft Serial				92
Optimouse w/Dr Halo				89
Optimouse w/DPE				185

Monitore

WOTHORS
AMDEK 410 Amber\$145
MAGNAVOX
RGB255
GS Amber
SAMSUNG
Flat Amber 82
TTL Amber w/tilt
Color w/tilt 249

Printers

CITIZEN
MSP 40
120 D
MSP 50
EPSON
LQ 500 349
LQ 850559
NEC
P5XLP869
P5200
P2200
LASERS
NEC 890 3300
AST TURBO PS
OKIDATA LASERLINE 6 1299
OKIDATA
OKI390
OKI391
TOSHIBALow Price
STAR MICRONICS
NX 1000
NX 1000 Color
PANASONICLOW Price

TERMS: Shipping minimum is \$5.00. AZ orders ±6.7% sales tax. Personal check/company check = allow fourteen (14) days to clear. We accept purchase orders from authorized institutions for 3.5% more than cash price. All returns are subject to our approval. There will be a 20% restock fee. All prices are subject to change. Due to copyright laws we cannot take back any open software

TOLL-FREE ORDER LINE 1-800-421-3135 WAREHOUSE DATA PRODUCTS

2727 West Glendale Ave. • Phoenix, AZ 85051 We do not guarantee compatibility

Servicing our PC buyers with low pricing and technical experience since 1979.

Phone Hours:

Monday thru Friday 6:30 a.m.-9:00 p.m. MST. Saturday 9:00 a.m.-5:00 p.m. MST.

decided this would be a good time to update my Optimizer, which, after all, I've had for about 6 years now. (I've never had a problem with it, either, except for stepping on the power supply cord and breaking it.)

The Optimizer is a small computer with a lot of memory-up to a megabyte—that sits on top of the printer. It accepts inputs from any computer I haveat the moment, the Concurrent CP/M Golem, and the Cheetah, but I'm always stringing other cables over to it-and squirts the output into the HP LaserJet or the NEC Spinwriter. On the way, it can perform all kinds of transformations, such as substituting one control character for another, or initializing the LaserJet before sending it text. It can also put print jobs in a queue, and you can even interrupt the current job to send something else directly over to the printer.

The computer thinks the Optimizer is a very fast printer; now that it has a full megabyte, the Optimizer can accept a whole novel. Prince of Mercenaries was sent from computer to Optimizer in less than half an hour. Meanwhile, the Optimizer is pouring the text into the LaserJet. The upshot was that I had my computer back in service in half an hour, and the whole novel printed in less than an hour and a half.

The Optimizer is one of those gizmos that make life easier; you can't know how much you'll like it until you get one.

Highly recommended.

Multitasking

Once I had the Cheetah working with all his essentials-CD-ROM reader, Logitech mouse, modem and communications, WORM, 300-megabyte hard disk drive-it was time to set up my operating environment.

As I noted above, it's very easy to fill a machine with memory-resident software. The WORM and CD-ROM readers alone can darned near do it. Add Side-Kick and you're finished—and this in an 80386 with nearly 8 megabytes of memory! It just doesn't seem fair.

Of course, OS/2 is supposed to fix that problem, but we don't have it yet. Well, that's not quite true. We have OS/2, but since we don't have much software to run under it, it hardly matters. Incidentally, I do have Paradox for OS/2, and that works fine. The problem is that I don't have anything else, so even though Paradox is an excellent relational database manager, I've little temptation to go to OS/2 yet.

What I do have is DESQview. That, it turns out, works very well with the 20-MHz Cheetah except for one thing: the mark-and-transfer program doesn't always work. Sometimes when I try to move a few paragraphs from one DESQview window to another, I get horrible squeals from the computer, and only part of each line is copied. I haven't the foggiest notion why. Machine's too fast for the software, I suppose.

I set up everything with DESQview, and it works; I'm writing this now in Q&A Write running under DESQview with half a dozen open windows including SideKick, SideKick Plus, Ready!, and Norton Commander. While all those were open. I went to Procomm Plus and logged in on BIX. That worked, too.

DESQview on an 80386, when coupled with Quarterdeck's QEMM, is pretty good stuff. I suppose I ought to be satisfied with it, but of course I'm not.

continued

Why Is Our Bridge Better? Because The Brooklyn Bridge" that John Dvorak, PC Magazine, chose as "The Best of the Best Utilities,"* now gives you more choices!

The Brooklyn Bridge Version 2.0 is more flexible than ever! We've always been the leading file transfer and access utility between IBM compatible microcomputers with any size floppy or hard disks. Now we give your customers a choice between our file manager for the novice user or DOS commands for the more experienced user.

Our new file manager lets you view both local and remote files at one time using a full-screen, dual-directory display with 1-2-3* style menus. Or, you can still transfer files and access peripherals using DOS commands at the command line, within an application, or within your current menu system.

One Printer Can Now Work For Two People!

In addition to our menu system, The Brooklyn Bridge lets you share printers and gives them access to other peripheral devices like tape back-up systems.



Our exclusive Brooklyn Bridge feature, RUN, provides for dual independent

processing which lets you use both the remote and slave computers at one time.

Choice

Our DOS Utilities Guarantee Easier DOS Processing!

BACKUP, MOVE, REMOVE and COPY save time by allowing you to work with multiple files at

BACKUP saves time by updating your disks quickly and backing up only files that have been changed or created since the last time your

disk was backed up.

MOVE lets you work twice as fast by automatically deleting the original once a file has been moved.

If confidentiality is crucial, REMOVE has a security option to insure that deleted files are unrecoverable.

Now you know we have built a better Brooklyn Bridge, while still using the fastest attainable serial transfer rate at 115,200 baud, and still saving your customers money by eliminating the expense of an additional external drive.

The Brooklyn Bridge is available through your local dealer or directly from White Crane Systems, Inc. For more information please contact White Crane at (404) 394-3119.

Just \$139.95!




THE BROOKLYN BRIDGE, the White Crane Systems, Inc. logo, and WHITE CRANE SYSTEMS are trademarks of White Crane Systems, Inc., Norctos, Georgia U.S.A. IBM is x PS/2 is a trademark of IBM Corporation. 12-3 is a registered trademark of Lotus Development Corp. Reprinted from PC Magazine, June 23, 1987. Copyright 1987 Ziff Commun.

BROOKLYN

BRIDGE

TRY THE NEW GENERATION FOR \$30



KNOWLEDGEPRO

KnowledgePro uses Topics to store "chunks of knowledge." Topics can contain data, hypertext, procedures, calculations, rules, lists and pictures. Using a dozen simple commands, non-programmers can use topics to explain complex procedures, rules or recommendations. Using the other 100 plus commands, professional programmers can create sophisticated expert system tools and applications quickly and easily.

HYPERTEXT

Hypertext can be a powerful tool for organizing text, graphics and data, but without an underlying structure the user becomes lost in a maze of information. KnowledgePro adds structure, control and intelligence to create an exciting new teaching medium.

Once you've used KnowledgePro you'll never go back to your shell!

Q. Who's using it?

A. Engineers, Educators, Lawyers, Scientists, Managers, Authors, Bankers, Software Developers, Expert System Developers, Computer VARs and VADs, Trainers, Consultants, Experts in Agriculture, Manufacturing, Insurance, Petroleum, Government and many many more.

Q. What are they doing with it?

A. Intelligent tutorials, smart manuals, procedure guides, rule books, computer aided instruction, sales and promotion, data analysis, non-linear documents, text analysis, diagnostics, software front-ends, expert systems, training and education, hypertext authoring, case studies, insurance claim determination, investment analysis, intelligent forms - there seems to be no limit to the diversity of applications.

Q. What can I do with the demo system?

A. The KnowledgePro demonstration system comes with a 100 page manual and lots of examples to get you started. You can create and save small working knowledge bases. The only commands that you can't use are those for handling external files or chaining knowledge bases. We even credit your \$30 toward the cost of the full system.

Q. How much is the full development system?

A. KnowledgePro costs \$495 and there are no run-time charges, so you don't have to pay more when you distribute your applications. The Database Toolkit (for access to dBASE and Lotus 123 files) costs \$49 and the Graphics Toolkit (for access to PC Paintbrush pictures) costs \$89. Our KnowledgeMaker induction system (for creating rules from data) costs \$99. KnowledgePro runs on IBM PC, AT and PS/2 compatible machines with 640K memory.

TO ORDER Call 518-766-3000 (Amex, Visa, M/C accepted) or send \$30 + \$5 shipping & handling for the demo (\$38 total foreign) or \$495 + \$8 shipping & handling for the full system (\$553 total foreign) to Knowledge Garden, Inc., 473A Malden Bridge Road, Nassau, NY 12123. In NY State please add 7% sales tax.

KnowledgePro®

By Bev & Bill Thompson The first Knowledge Processor.

published by



In association with



The problem is window size. DESOview allows 80386 machines to make use of all that high memory by fooling DOS into thinking that each DESQview window is down there below the 640K-byte boundary; but the price is that you can't have a DESQview window much larger than 500K bytes. Actually it's worse: if I want to load all the device drivers for my Priam hard disk drive, Maximum Storage WORM, and Amdek Laserdek 2000. DESQview gets really choked up. As a practical matter, I can run the Priam all right, but if I want my other devices I have to dump DESQview and reboot.

That's hardly what I want, so I've been looking for alternatives.

The most obvious alternative is the VM/386. This is a system that allows you to run two virtual machines at the same time, each potentially as large as 640K bytes, and each with its own CON-FIG.SYS file. In theory, I could attach the WORM and CD-ROM drives to one of those virtual machines, SideKick Plus in another, the CD-ROM reader (but no WORM) in yet another, and so forth. Not only would each virtual machine have 640K bytes of main memory, but I could

also assign more memory to act as enhanced expanded memory for programs that can make use of that.

In practice, I don't know: VM/386 won't work with any machine I have. The people at IGC swear this is sheer bad luck: VM/386 will work with a Zenith Z-386, even with the Z-448 video card, but it won't work with the FTM monitor. It will work with the Cheetah at 20 MHz, but it won't work with the Award video board, and for that matter, if I use VM/386, I won't have but one logical drive on my Priam hard disk drive; VM/386 doesn't know how to find the others. It will work with the Kaypro 386, but not with the Orchid EGA/PGA video board. And so forth.

All I have to do is use a plain vanilla 80386 with a standard EGA board and monitor, and I can use VM/386; or so they tell me. I suppose I'll have to try that sometime. Meanwhile, I'm still looking for a good multitasking system that works with what I have.

Candy Cable

The Cheetah is in a "tower" configuration, meaning that it's designed to stand on end on the floor with the floppy disk drives at the top. This works fine in that it keeps the machine out of the way, and the airflow is better than in the standard lav-down PC.

There are some drawbacks. First, it's a little harder to get the case open. In practice, you end up sitting on the floor when working on a tower. The second problem is cables. They're almost never

long enough.

The mouse cable, for example, won't reach back behind the table, up over its top, and then forward far enough for me to use the mouse. Even with the most direct route there's not enough slack. The solution is an extension cable, a regular 9-pin male-to-female.

The modem cable, which is 9-pin to 25-pin, is usually long enough, but the video cable probably won't be; for that you need another 9-pin extension, maleto-female.

The real kicker is the Amdek Laserdek 2000 cable, 37-pin male-to-male. The one that comes with the system is far too short for a tower.

When I was setting up the system, I naively assumed that all I had to do was go

OOPS LITE. LESS FILLING. GREAT TASTE.

Object Oriented Programming (OOPS) is the most refreshing development ever to hit PC computing because it makes programming natural and easy. And if you've got a thirst for the world's best selling oops, get your hands on oops Lite, Smalltalk/V.

Thousands of scientists, engineers, programmers and educators have chosen Smalltalk/V because it's less filling. Unlike other oops which require deep-pocket workstations and a zillion bytes of RAM, Smalltalk/V runs on box-stock PC/XTs and clones with 512K and still has room to develop full-bodied applications.

Thousands more have chosen Smalltalk/V because it's the fastest, easiest way to get a great taste of oops. And that taste has led to satisfying results in everything from finance to medicine to space.

These people found that the real value of

personal computing isn't just manipulating a word processor, a spreadsheet or a modern user interface. It is using their PC as a sculptor uses clay. And Smalltalk/V with its unique design clarity, natural parallel between problem and solution, and forgiving nature gets you there with gusto.

Smalltalk/V is only \$99.95 and comes with the best object oriented programming tutorial money can buy. And when you're ready for something even more potent, move up to new Industrial Strength oops, Smalltalk/V 286 for just \$199.95. Both come

with our 60 day money-back guarantee. Check out Smalltalk/V at your dealer. If he doesn't have it, order toll free: 1-800-922-8255. Or write to: Digitalk, Inc., 9841 Airport Blvd., Los Angeles, CA 90045. OOPS Lite. Everything

you've ever wanted in a great oops. For less.

Smalltalk/V

to a local ComputerLand and get the cables I'd need. I blithely hopped into the Bronco and headed down the avenue where I'd seen, every day for a year, a ComputerLand sign at a mini-mall where there used to be a grocery store.

When I got there, I found they had a parking attendant collecting money to let you into the mini-mall. I muttered some curses and voiced the intention of never visiting that mall again—as indeed why would anyone when there are better shops with free parking nearby? Worse, though, when I got into the mall, I discovered that ComputerLand had been closed for weeks; they'd just never bothered to change the signs since no one seems to want to rent space in a mall that charges parking fees. (Talk about ways to discourage impulse buying!)

I went back home in a stew, and Mrs. Pournelle quite reasonably pointed out that I ought to have called first. This time I tried it: and found that in all of Los Angeles there was about one EGA video extension cable, one modem cable, and no 37-pin cables at all. Now what?

However, one ComputerLand told me that although they were out of cables, I

ought to try Candy Cable of San Diego.

It was good advice. I called and described what I needed, was given some advice about alternatives, and shortly after, I was through. They make up cables within 24 hours of the order; mine, including the unobtainable 37-pin, came by UPS two days after I phoned.

Mapping the Future

My new novel *Prince of Mercenaries* will be published with maps. I'd intended to draw those maps on the Atari ST, but there's been some odd delay in getting an Atari laser printer. I waited as long as I could, then drew them on the Mac II.

But that's nothing new. Everyone knows you can draw maps on a Mac II.

I used MacPaint. The first map came out quite well, especially considering that the printed version will be smaller (and thus higher-resolution) than what I printed on the LaserWriter.

I could have gotten higher quality, of course, by using MacDraw. MacDraw is harder to use, since what you're doing is manipulating symbols rather than just freehand drawing, but the result is a drawing that can be output to printers

with far better resolution than the Laser-Writer's 300 dots per inch. There are several commercial outfits that will take your MacDraw files and print them for you at resolutions between 1200 and 2500 dpi.


Grammatik III

Mrs. Pournelle has been working hard on a nonfiction book. She says it's too early to say what it's about.

For most of her life she has been a teacher. For the last 15 years she was the teacher of last resort in the Los Angeles juvenile justice system: she got the kids that no one had been able to teach to read. They ranged in age from 12 to 17. Some were quite bright, too, although no one would ever suspect that of an illiterate.

During that time she didn't have to do much writing, and what little she did was short. Now she's doing a lot more: not only her book, but magazine articles on education technology. The problem is that it's hard for me to edit her work, and doubly hard for her to try it herself. Over the past year the writing has improved a lot, but it was slow progress all the same.

continued



No longer. She recently started using Grammatik II (and now we have a betatest copy of Grammatik III). The program comes with Ron Bauer's "World's Shortest Writing Course."

When I first tried Grammatik, I wasn't impressed. The program tended to natter at me about things I already knew. Some of the natterings were interesting, but it didn't seem worth the effort to run everything I wrote through the program. Of course I've been writing about a million words a year for the past 20 years, too; maybe it's not surprising that a program won't do me much good.

Mrs. Pournelle, on the other hand, loved it from the first moment. Here was a program that really went through and tore up her text-worse than I'd ever done-but did it impartially and impassively. No one would ever have to see all those comments, or even know that the machine found so many mistakes.

She's been using Grammatik III for nearly a month, and I can already see great improvement in her writing. Her book always was interesting because of the subject matter; now it has a much improved style going for it. It's been enough to make a believer out of me.

The previous version of Grammatik wasn't all that easy to use, because you had to save an ASCII copy of your file, let Grammatik play with it, then read that back into the system to edit. Grammatik III works directly with files created by most word-processing programs.

I've decided to let Grammatik have a look at my text once in a while. It can't hurt to be reminded when I overuse passive voice.

Highly recommended.

Norton Commander Revisited

I'm not very big on straight DOS shells, those things that are supposed to make DOS easier to use. Most of them are as hard to learn as DOS, and when you're done, you don't have anything, since the next computer you encounter isn't likely to have the utility you just learned.

On the other hand, DOS is limited and can be awkward to use. This is especially true when you're trying to get a job done and run out of disk space. (That can even happen to me with my 330-megabyte hard disk drive: I haven't filled the disk, of course, but I have overfilled the C drive partition.) When you are in a hurry, it can take forever to go through and locate expendable files to be sacrificed for more disk space.

I've generally used a shareware program called Sweep-you can get it off BIX—but the program interface is a bit sticky, and it has its limits, as I found when I had the massive job of reorganizing all the files on the Cheetah's hard disk drive. Then I remembered we had a new version of Norton Commander, and I put that up to see if it would help.

It did. Norton Commander has a lot of features, and nearly all of them are easy to learn. You can use it to cruise through disk directories-transferring and eliminating some files, looking at others, and generally getting things organized. Commander knows about hidden files and makes it easy to find and erase them if you want to. It also makes it simple to. deal with read-only files. I was surprised at how quickly the work went.

Norton Commander is intended to be a sort of resident DOS shell, which you invoke on power-up and leave in place the whole time you're using your computer. I suppose you could do it that way. What I've done is set things up so that DESQview allocates 400K bytes to the Norton Commander window. That's enough memory to run nearly every DOS utility I need, including Golden Bow's Vopt (if you don't have Vopt, you ought to), and thus the Commander's window serves as an easy-to-use DOS shell. So far, I haven't had any problems with that at all, even on the fast Cheetah.

Norton Commander is one of those programs that no one really needs, but it is nice to have and it can save some time.

Sprint

I'm about out of space, and I haven't had a chance to talk about Sprint, which is Borland's new editor/word processor. Sprint is loosely based on Mark of the Unicorn's Final Word, which is in turn continued

Items Discussed

Cable Prices vary Candy Cable 310 Via Vera Cruz, Suite 103 San Marcos, CA 92069 (619) 744-2291 Inquiry 936.

Fastwire II version 2.0

with serial or parallel cable..\$129.95 with both cables\$159.95 Rupp Brothers P.O. Drawer J Lenox Hill Station New York, NY 10021

(212) 517-7775 Inquiry 937.

Grammatik III.....\$99 Reference Software 330 Townsend St., Suite 123 San Francisco, CA 94107

(415) 541-0222 Inquiry 938.

Norton Commander

version 1.0 \$75 version 2.0 \$89 Peter Norton Computing, Inc.

2210 Wilshire Blvd. Santa Monica, CA 90403

(213) 453-2361 Inquiry 939.

PC-Hooker \$59.95 Amica

102 South Main St. Park Ridge, IL 60068 (800) 888-8455

(312) 825-0110 Inquiry 940.

Printer Optimizer\$349

Applied Creative Technology 10529 Olympic Dr., Suite 101 Dallas, TX 75220

(214) 358-4800 Inquiry 941.

Procomm Plus \$75

Datastorm Technologies, Inc. P.O. Box 1471

Columbia, MO 65205 (314) 474-8461

Inquiry 942.

Sprint\$199.95

Borland International, Inc. 1700 Greenhills Rd. Scotts Valley, CA 95066

(408) 439-1060 Inquiry 943.

VM/386\$245

4800 Great America Pkwy. Santa Clara, CA 95054 (408) 986-8373

Inquiry 944.



OUTSIDE USA----CALL 18)692-0071

FOR CUSTOMER SERVICE Call Mon-Fri:9:30am-4:30pm (718) 692-1148

Retail Outlet: Penn Station, Main Concourse (Beneath Madison Square Garden) NYC,N.Y.10001 Store Hours: Mon-Fri 8:30-8/Sat-Sun 9:30-7

FOR ORDERS & INFORMATION CALL TOLL FREE

OR WRITE TO: Montgomery Grant Mail Order Dept. P.O. Box 58 Brooklyn, NY 11230

FAX NO. 7186923372 TELEX 422132MGRANT

PERSONAL

SYSTEM 2

MODEL 30 Package IBM Computer • Two 720K Drives • 640 K RAM • Built-in Graphics • Serial and Parallel Ports • Optional 12" Monitor

\$1199

PS/2 MODEL 30 with 720K

Floony Drive & 20MB IBM Hard Drive \$ 1599

MODEL 50

640 K RAM 1.44MB Floppy Drive 20 MB Hard Drive

PS/II Model 25...
PS/II Model 25 w/ Color Monitor...
PS/II Model 50 w/44 MB & 1.44MB Roppy...
PS/II Model 60 w/44 MB & 1.44MB Roppy...
PS/II Model 80 w/44 MB & 1.44MB Roppy...
PS/II Model 80 w/46 MB & 1.44MB Roppy...
PS/II Model 80 w/76MB & 1.44MB Roppy...
S/EXERTIAL Drive for PS/II.

LEADING EDGE D2

IBM AT COMPATIBLE 20MB HARD DRIVE PKG

1.2MB

20MB Hard Floopy 20MB Hard Drive 80286 Processor

OPEN 7 DAYS A WEEK FOR ORDERS: Monday-Friday9am-7:30pm/Saturday & Sunday 9:30am-6pm (EDT) NO SURCHARGE FOR CREDIT CARD ORDERS / WE INVITE CORPORATE & EDUCATIONAL CUSTOMERS

The LAPTOP BOX **TOSHIBA 1000**

· 512K RAM · 720K Floppy Drive 4.77MHz · Super Twist LCD Screen



NEC MULTISPEED EL.	II\$1449 \$2149
TOSHIBA 1200	\$2149
TOSHIBA 3100/20	\$2929
TOSHIBA 3200	
TOCHIDA 5100	64005

TOSHIBA 5100	.\$4895
ZENITH 184 SUPERSPORTS	
W/ 2FLOPPYS	.\$1469
ZENITH 184-2 SUPERSPORT	ΓŚ
W/ 20MB	.\$2299
CDADY L. DATAME	

SPARK by DATAVUE 640K w/2 720K DRIVES......\$989 SPARK EL.....\$1149

MODEMS, EXTERNAL DRIVES & ACCESSORIES available for all laptops

EPSON

EPSON EQUITY 1+ Package IBM PC/XT COMPATIBLE

640K RAM w/Clock Calendar 360K Drive Keyboard Serial & Parallel Ports 12" High Resolu-tion Monitor Box of 10 Diskettes

\$769 Same Pkg. w/One Floppy \$ 1029 & 20 MB Hard Drive

Same Pkg. w/Two 360K \$849



EPSON EQUITY III+ 40 MB Hard Drive Package IBM AT Compatible

Keyboard -80286 Proccessor 640K RAM-6/8/10 MHz -1.2 MB Floppy Drive -40 MB Hard Drive 12" Monitor -8 Expansion Slots Serial and Parallel Ports



EPSON EQUITY II+ IBM AT Compatible Hard Drive Package

Keyboard · 640K RAM · 80286 Microprocessor · 1.2 MB Floppy Drive · 20 MB Hard Drive · Mono Monitor

LOGITECH MOUSE M-7 \$59.95



Hard Drive Package

IBM XT Computer • IBM Keyboard 256K RAM Expandable to 640K • 360K Disk Drive 20MB Hard Drive · Package of 10 Diskettes (Monitor Optional)

\$1299

IBM XT Package with 2 360K Floppy Drives \$1079

PACKARD-BELL 386 40 MB Hard DriveSystem
IBM AT Compatible

M AT COMPATION

1 MB RAM 80386 16 MHz
Microproccessor 1.2 MB
Floppy Drive 40 MB Hard Drive
8 Expansion Slots - Enhanced
Keyboard - Serial & Parallel
Ports 12" Monitor

\$2699

We Can Reconfigure Any Of Our Computer Packages To Your Specifications. Call For Info. We Carry Modems, Drives, Cards & All Other Accessories For Your Computer. 122



Same Package with NEC 20 MB Hard Drive \$1479

with Monito \$1679



HARD DRIVES

20MB 1/2Ht. w/ Controller.....IN STOCK

30MB 1/2Ht. w/ Controller.....IN STOCK

40MB 1/2Ht. w/ Controller.....IN STOCK

4OMB 1/2Ht, w/ Controller.....

Neyboard - 80386 16 MHz
Microproccessor-1 MB RAM-40
MB Hard Drive - 1.2 MB Floppy
Drive (monitor optional)



MAC PLUS Computer Package......
IMAGEWRITER II Pinter
IMAGEWRITER IQ.
IMAGEWRITER LQ.
MAC SE Computer w/ Dual Drive....
MAC SE Computer w/20MB APPLE \$1049 \$1949

..\$2599 ..\$2649 Hard Drive......APPLE MAC II..... **PRINTERS**

PANASONIC

TOSHIBA

.\$159.95 ..\$299.95

1080i-II.... 1092i.....

EPSON

FX-1050

FX-850. LQ-500

LQ-850... LQ-850... LQ-1050. LQ-2500

..\$489.95 ..\$349.95 .\$315.95

\$329.95 \$509.95 \$709.95 \$849.95

LEADING EDGE **MODEL D Package**

IBM PC/XT Compatible 512K RAM Keyboard

4.7-7.16 MHz. 360K Floppy Drive Monitor 8088-2 Processor

\$629

PRINTERS

STAR

NX-1000 RAINBOW... NX-1000.... NX-15.... NX-2400.... NB-2410.... NB-2415....

Same Package with \$889

OKIDATA

OKI-120......\$189.95 Okimate 20...\$139.95 Okidata 180...\$219.95 Okidata 183...\$289.95 Diconix 150...\$295.95

NEC

\$339.95 \$599.95

P-2200....



\$ 1499 AMSTRAD PC1640

Keyboard

12" Mono Monitor

Keyboard 640K RAM Turbo Speed 1 360K Drive Mono Monitor Free Mouse & Software

> \$649 w/ 20MR

PC10-1

IBM PC/XT Compatible

PACKAGE

\$899

-12

MONITORS THOMSON 14"CGA Monitor....\$289
THOMSON TIL Amber 12"......\$59
MAGNAYOX 13" RGB Color ..\$199 ..\$339 ..\$459 ..\$449 ..\$669 Monitor...
MAGNAVOX EGA Monitor...
W/ EGA Card...
MAGNAVOX VGA Monitor...
W/ VGA Card.....

Laserjet \$1629 SeriesII \$1629

1 MB Expander.\$349 HP DESKJET PRINTER.\$719 commodore

PC10-

CMS 30MB Card.....\$379 commodore

CMS 20MB Card.....\$339

128 PACKAGE

SEAGATE

MINISCRIBE

Commodore 128 Computer - Commodore 1571 Disk Drive · Commodore 1902 Color RGB Monitor

Commodore 1515 Column Printer 64/c PACKAGE

Commodore 64/c Computer · Commodore 1541 Disk Drive · Computer Printer \$399 12" Computer Monitor



.\$449.95 .\$629.95 .\$829.95 321-SL 341-SL 351-II... commodore AMIGA 500 Computer w/ 1084 RGB Monitor

AMIGA 500 Computer w/ 1084 \$979
Monitor &1010 3.5" Floppy Drive ALL PERIPHERALS IN STOCK

AMIGA 2000 IN STOCK **VENDEX HEADSTART** IBM PC/XT

10 MHz Dual Floppy Drives 7 Expansion Slots - 512K Expandable to 768K - Parallel & Serial Ports Mouse - Available in Colo or Mono System. Over \$1000 Worth of Software - NO CHARGE! Mono

Compatible \$999 System

BLUE CHIP Monitor Package IBM PC/XT Compatible



512K Expandable to 640K -360K Floppy Drive - 12" Monitor - Box of 10 Diskettes -Game Disk

\$449 Same Package with \$699

- PC10-1 Computer - 512K RAM Ex-pandable to 640K - 360K Disk Drive Enhanced Keyboard- Serial & Parallel Ports - 12" Monitor - AC Adaptors - All Hook-up Cables- Pkg. of 10 Diskettes

\$499

Same Package with \$749

NO ADDITIONAL SURCHARGE FOR CREDIT CARD ORDERS WE WELCOME CORPORATE & EDUCATIONAL ACCOUNTS

derived from Richard M. Stallman's EMACS, but that's all of historical interest only. Sprint isn't like any of those.

Sprint's strong point is that you can reconfigure the commands to suit yourself. The command system is contained in a table. You enter the table and find a whole series of commands: commands you might want to be able to use. Some, like Delete Line, are already bound to a command (Control-Y in this case). Others, like Delete to End of Line, are just floating free; you can invoke them, but only by using multiple menus until you get down to where they are. Suppose, now, that you want Control-Y to mean Delete to End of Line, and Control-U to Delete Entire Line. No problem: you merely enter Control-U and Control-Y in the proper places in the table. Once you're through making changes in the table, you can tell Sprint to print out a sheet listing all the commands it currently understands.

There's a lot more to Sprint; in fact, it looks like it's got more features than the next two editors put together. Fair warning: my major experience with Sprint was at Philippe Kahn's home, and he's very enthusiastic about the program. He also uses it himself, and the entire Sprint manual-three volumes-was produced with Sprint. I was duly impressed.

When Philippe first mentioned Sprint, I told him I'd heard that it was slow. He laughed. We used LapLink to move Sprint from his Compaq to my Zenith Z-183 laptop, after which Philippe built a file about a megabyte long and I played with jumping from, say, line 120 to line 12,435. The Z-183 is a good machine, but it's not particularly fast, even for an XT. I guarantee you, Sprint isn't slow.

More when I've had more time with it, but I predict it will be a huge success.

Winding Down Now I'm really out of space. The book of the month is Tom Clancy's Cardinal of the Kremlin from Putnam. Like all of Tom's books, you won't put this down after you start it.

The computer book of the month is Richard Maran's HyperCard Quickstart from Que Books. If you have any interest at all in trying to make HyperCard programs for the Macintosh, this is the book to start with; it makes clear what the HyperCard manuals make obscure.

The program of the month is Memory-Mate from Broderbund Software. All those good things my colleagues have said about this program are true. The only problem is that it's yet another memory-resident program, a new way to eat computer memory. I now have enough memory-resident programs to fill my computer five times. Maybe by next month I'll have figured out VM/386 and have five computers filled with memory-resident programs.

The game of the month is still Dungeon Master on the Atari ST. I've got the firestaff-now if I can just corner the evil dark lord....

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerryp."

and Compare Our Quality and Prices

100% IBM Compatible

IEEE 12 MHz 286 EGA Color System \$1895

· Samsung 14" EGA Color Monitor

- 12 MHz PC-AT Computer, 0/1 Wait State Selectable
- AT Case with Key Lock, Turbo, Power and Hard Drive LEDs
- Enhanced Auto Switch EGA Card
 Intel 80286 CPU

• Multi-speed 6/8/10/12 MHz

- · Keytronics 101 Enhanced Keyboard
- 640k Memory Expandable to 1 Meg 200 Watt Power Supply Seagate Model ST251 42+ Meg Hard Disk Drive

- 5¼ 1.2 Meg Floppy Drive
 Western Digital 2 Hard Disk & 2 Floppy Controller with Cables
- Serial / Parallel & Game Port Complete Operations Manual
 One Year Warranty 80287 Math Co-Processor Slot

With Monochrome / MGA + 40 Meg **51550**

With Monochrome / MGA + 20 Meg \$1395



IEEE 20 MHz 386 EGA Color System

- · Samsung 14" EGA Color Monitor
- 20 MHz 0 Wait State Computer
 Enhanced Auto Switch EGA Card
- AT Case with Key Lock, Turbo, Power and Hard Drive LEDs
 Intel 80386 CPU Multi-speed 9.6/21.0/26.7 Landmark
 Keytronics 101 Enhanced Keyboard

 Keytronics 102 Enhanced Keyboard

- Reynolics for Enflanced Reynold
 I Meg, 100ns Memory
 200 Watt Power Supply
 Seagate Model ST251 42+ Meg Hard Disk Drive
- 5½" 1.2 Meg Floppy Drive
 Western Digital 2 Hard Disk and 2 Floppy Controller with Cables Serial / Parallel & Game Ports
- Complete Operations Manual
 One Year Warranty
- Math Co-Processor Socket

\$3095

With Monochrome / MGA 12" \$2750

Terms: One year warranty (12 mo. parts / 6 mo. labor). 30 day money-back guarantee (excluding shipping charge). Visa, MasterCard, Discover (add 3% for credit cards), cashier's check, money order, wire transfer, personal checks (spessonal checks allow) moving days to clear) accepted. Shipping & insurance extra. Prices & availability subject to change without notice. IEEE reserves the right to substitute equivalent or better products. No CODS: 3/% restocking fee on unauthorized returns. IBM XI/AT are trademarks of IBM Corp. HOURS: (Central Time) 9 a.m.-7 p.m. Mon.-Fri., 9 a.m.-5 p.m. Sat.

IEEE Super Turbo XT — 10 MHz

10 MHz PC-XT Computer

- AT Style Case with Key Lock, Turbo, Power and Hard Drive LEDs 4.77 / 10 MHz Motherboard
- Keytronics 101 Enhanced Keyboard 256K Ram Stnd. Expandable to 640K
- Serial / Parallel & Game Port 150 Watt Power Supply


With 12" High Resolution

Monochrome Monitor Only \$5625

To Order, Call:

ieee, inc. 17120 Dallas Parkway Suite 212 • Dallas, Texas 75248

An inside look at the best 386 value around.



The more you look into 386 compatibles, the more you realize that well thought-out design innovations (that really work) are few and far between.

That's why our engineers set out to design the GV-386. They realized they could unlock more of the chip's potential, if only they could speed up data retrieval. without affecting system reliability.

INNER POWER

Here's how they did it: a high-speed RAM cache

circuit—a full 64K of superfast memory—that puts your most frequently accessed data right at your fingertips. If you're ever involved in processing complex databases, long spreadsheets, or detailed engineering drawings, you'll see the value of this innovation in a second...literally.

Best of all, the cache circuit actually makes the GV-386 more reliable than other high-speed machines, by sparing integrated circuits from harsh overloading.

Our BBS is on-line 24 hours. Call The Soft Stop at 918-252-9137.

Prices subject to change

GV-386 Specifications

- ☐ Available with 16MHz or 20MHz CPU
- ☐ Zero Wait States
- ☐ 64K Cache (keyboard enabled)
- ☐ IMB RAM on-board, expandable to 4MB
- □ Socketed for 80287 or 80387
- □ I/O Bus runs at 8MHz for hardware compatibility
- ☐ Six 16-bit slots; Two 8-bit
- ☐ Price: 20MHz systems start at \$2,750; 16MHz systems as low as \$2,375

QUALITY THROUGHOUT

Of course, our most important criterion when designing our super compatible wasn't speed—it was quality. Take a look inside the GV-386 and you'll see it everywhere: from the highest quality components available to the intelligent use of special CMOS RAM to store system set-up information. On the outside, the fit and finish of the GV-386 would make Big Blue green. Even the user's manual has impressed users and reviewers alike.

We'd like to tell you more about what went into the GV-386. Give us a call and we'll give you the whole story. We'll also tell you about our exclusive 30-Day Compatibility Guarantee, our full One-Year Warranty and our tollfree support service.

The GV-386 from PC Designs. With design innovations this advanced, at this price, it's an open and shut case.

Call us now at 1-800-32-BIT PC

1800-322-48721

2500 N. Hemlock Circle, Broken Arrow, OK 74012 * 918-251-5550 (Fax: 918-251-7057)

19 Rector Street, Suite 2705, New York, NY 10006 * 212-514-7280 (Fax: 212-797-3973)

COMPUTER DISCOUNT WAREHO



LASER TURBO

XT Turbo, 1 floppy, 20 Meg . . 989.34 XT Turbo, 1 floppy, 40 Meg . 1194.22

COMPUTERS

XT Turbo, 512K, 1 floppy, P/S/G, Enhanced keyboard, EMS mem.....\$699.10

NEC	
NEC Multispeed\$	1348.64
NEC Multispeed EL	1499.76
NEC Multispeed HD w/20 Meg	2365.77
NEC Powermate 2, 40 Meg	NEW
NEC Powermate 2, 66 Meg	LOWER
NEC Powermate 386, 66 Meg	NEC


NEC Powermate 386, 130 Meg . . . PRICES

EMS MEMORY

COMMENT THE PARTY OF THE PARTY

Nobody Sells For Less

CALL FOR LOWEST CUSTOM QUOTES





SAMSUNG



	S-300 4/8 MHz, 512K, 6 Slots S/P/C	
	Monographics board, DOS, Keyboard	
	S-300, 1 Floppy\$749.5	(
	S-300, 20 Meg989.9	Į
	S-300, 40 Meg1117.8	1
	S-500 AT Compatible 8/10 MHz, 8 Slot	
	S/P/C. Monographics Board, DOS, Keyboar	ľ
	S-500, 1.2M Floppy\$1095.4	ŀ
1	S-500. 20 Mea 1469.8	l
	S-500, 40 Meg	Į
-		

XT Turbo, 1 floppy, 70 Meg . 1345.75 & PERIPHERALS AT **HARDWARE**

COMPUTERS
MDL 70 \$1335.20 MDL 170 \$2998.36 MDL 80 1639.70 MDL 300 3490.40 MDL 90 1936.15 MDL 340 3945.65 MDL 340 2289.95 MDL 390 5589.40
MDL 30, 2 dr\$1272.20 MDL 50Z, 30 Meg \$2943.60 MDL 30, 2 dr\$1272.20 MDL 50Z, 30 Meg \$2943.60 MDL 30, 20 Meg .1725.17 MDL 50Z, 60 Meg .NEW MDL 60, 40 Meg .3469.60 MDL 80, 70 Meg .4497.67 MDL 80, 111 Meg 5995.80 MDL 80, 70 Meg .5330.30 COMPARA **
286, Model 1 \$1995.55 386, Model 300 \$8995.20 286, 40 Meg 2495.20 Port. II, Mdl 2 1896.10 286, 70 Meg 2798.20 Port. II, Mdl 4 2797.00 386, Model 60 5485.30 Port. III, Mdl 20 . 3495.85 386, Model 130 . 6495.92 Port. III, Mdl 40 . 4095.35
6300 WGS \$1099.42 6312 WGS 1692.12 6386 WGS 3187.78 T3100, 20 Meg \$2998.50 11200 \$2237.55
T3200 SPECIAL BUY T1200, 2 Floppy 1612.35 T1000779.41 T5100 NEW MODEL
PB88 (XT Turbo) \$645.64 PB88 w/1 (10ppy, 20 Meg 956.80 VT286, 10 MHz 1299.36 VT286, 12 MHz 1399.36 VT286 w/20 Meg 1573.50 VT286 w/40 Meg 1724.10 VT386 NEW MODEL
MDL 2108\$1110.30 MDL 2214\$1888.30 MDL 21121578.20 MDL 32162688.05
Supersport Model 2
Other Computers Available Upon Request DRIVES, TAPES & HARDCARDS
FLOPPIES, DRIVES & TAPES 1/2 height floppy drive \$99.00 MINISCRIBE 20 Meg 1/2 height w/cont. 329.14 MINISCRIBE 30 Meg 1/2 height w/RLL 345.95 SEAGALE 20 Meg 1/2 height hard drive .289.69 SEAGALE 20 Meg 1/2 height w/RLL 340.97
SEAGATE 30 Meg 1/2 height w/ RLL 309.72 SEAGATE 40 Meg 1/2 height 399.50 GENOA 60 Meg int. tape ext. tape 734.60 /895.10 GENOA 125 Meg int. tape 734.60 /995.85 IOMEGA 20 + 20 External 51/4 1795.73 IRWIN 20 M A00 M Internal Tape 399.10 /539.20
HWIN 2U M A-04 Hele 1,399,10/39,24
HARDCARDS
PLUS DEVELOPMENT 20 Meg\$569.55 PLUS DEVELOPMENT 40 Meg
WESTERN DIGITAL 30 Meg416.30
I MOST ORDERS SHIPPEI

PRINTERS			
EPSON			
EX800. CALL LX800. ALL EX86e. CDWTM LQ850. EPSON FX286e. FOR LQ850. MODELS			
FX850. BEST L01050IN L0-2500. STOCK D D N M			
150P/300\$319.17/479.17			
Pro Printer II\$429.95 Quietwriter III\$1295.62			
P560XL \$914.75 \$2000 \$532.25 P2200 369.65 5300 696.47 3550 744.12 8850 1080.75 P960XL 1067.70 CALL FOR ACCESSORIES CWEDATA COMEDATA COMEDATA			
ML 182S . \$279.76 ML 320 . \$346.63 ML 182P . 232.50 ML 321 . 479.28 LASERLINE 6 1286.69 ML 390 . 475.96 ML 292 Plus . 37.44 ML 293 Plus . 516.55 ML 393 . 949.55			
ML 294737.10 ML 393 Color .1057.60 PANASONIC			
1080i \$179.60 1091i \$219.85 1092i .334.28 1592 .433.44 1595 .459.45 .3131 .274.32 3151 .409.52 .1524 .579.10 ★ CITIZEN			
120D \$169.55 MSP55\$489.66 MSP50385.64 Premiere 35477.17			
P321SL\$494.85 P351-2 Color .\$1199.95 P341SL634.17 P351SX1019.45 LASER PRINTERS			
H-P Laser Jet Model 2 \$1699.40 AST Turbolaser P/S IN STOCK H-P Deskjet 689.00 NEC LC860 / LC890 1982.44 / 3295.60 PANASONIC Laser 1605.35 TOSHIBA Pagel aser 2530.20			
8087-2 (8087-3 \$159.33 /122.50 80287-6 (-8 / -10 174.30 /299.55 / 339.25 80387-16 (80387-20 497.68 /777.44			
& SCANNERS			
CALCOMP 1023 \$3838.38 1043 \$6535.15 1042 .7539.95 1044 10,305.06			
ROLAND DXY-885 . \$1149.79 DPX-2000 . \$3464.12 DXY-990 1457.82 DPX-3300 4689.52			
SUMMASKETCH 12x12\$376.30 12x18\$632.50			
HEWLETT PACKARD HOUSTON H7440A \$968.30 INSTRUMENTS H I DMP-42 H I DMP-52 / 52MP H I DMP-550 USWEST PRICE H I DMP-564 H I DMP-564 H I DMP-61 / 62			
FAX MACHINES & PAPER SHREDDERS SHARP F0-300 \$1220.10 TOSHIBA 3010. \$1314.44			
SHARP F0-300 1220.10 TOSHIBA 3010. \$1314.44 SHARP F0-420 .1399.95 GBC-1656 1459.80 SHARP F0-500 .1599.95 GBC-1236S 915.44			

HERALS AI UIS	
NOVELL NETWORKING	
SANTA CLARA Diskless Workstation \$640.40	
SOFTWARE & STARTER KITS	
WESTERN DIGITAL 3 Node LAN kit	
w/Western Digital software\$720.34	
Entry-level 286 Starter Kit, 4 Users 489.90	
NOVELL 286 Settuare w/Keycard 1560 00	
NOVEL 286 Software V. 2.11	
## Novellet 1989 19	
NOVELL SFT Netware Level II V2.1 2757.60	
Nondedicated Netware Software 200	
w/Keycard1495.09 INTERFACE CARDS	
ARCNET PC110 LANboard PS2\$539.40	
ARCNET PC110 LANBoard199.27	
ARCNET PC110 LANBoard	
ETHERNET Interface Connector	
C NET Interface Cord w/coble	
G-NET Interface Card w/cable	
ACCESSORIES	
ARCNET Passive Hub	
ARCNET Active Hub	
Ethernet Terminators	
Novell trained and authorized sales and support. Call CDW for all new Software versions.	
MODEMS & COMMUNICATIONS	
AST 5251-11 Plus \$619.04 EVEREX 12008 2400B . 109.90 / 199.50 199.50	
Hayes 1200 . \$289.60 2400 . \$424.68 1200B 269.20 2400B 379.65	
#Robotics 1200B. \$108.45 2400B. \$199.70 1200 External 129.10 9600 HST .665.20 **Wer-Fe/**	
1200 Int \$194.50	
BATTERY BACKUP & SURGE	
PERMA POWER 6 Outlet Surge Supp\$29.40 TRIPPLITE	
BC-450 \$419.78 4 outlet \$ 44.25	
BC-1200	
BC-2000 1179.80 LC-1800 179.85	
DATASHIELD	
500 Watt \$560.05 1200 Watt \$994.75	
500 Watt \$560.05 1200 Watt \$994.75 800 Watt 638.50 6 Outlet Surge 27.85	
MISC. & ACCESSURIES	
A-B Switching Box (par. or serial) \$39.95	
KENSINGTON Masterniece QQ QQ	
KENSINGTON Masterpiece Plus118.40	
A-B SWItching Box (par. of serial) 39.99 BASE 5 Pack of 10 DS/DD wicase 49.00 KENSINGTON Masterpiece 99.99 KENSINGTON Masterpiece Plus 118.40 KEYTRONICS 5151 IBM or AT&T 149.95 KEYTRONICS 101 104.65 Eighter Cabe (IBM In Controlice) 6 ff 19.90	
KEYTRONICS 101	

HERALS AT DIS	COUNT PRICES
NOVELL NETWORKING	MONITOR INTERFACE CARDS
SANTA CLARA Diskless Workstation \$640.40	CDW™ color card
SOFTWARE & STARTER KITS	GENOA Spectrum (color monographic w/p)168.75
WESTERN DIGITAL 3 Node LAN kit w/Western Digital software\$720.34	HERCULES color card w/p
Entry-level 286 Starter Kit, 4 Users	HERCULES monographics plus w/p 179.84 TAXAN MONOGRAPHIC w/p
Entry-level 286 Starter Kit, 8 Users SAVE	MONOCHROME MONITORS
NOVELL 286 Software w / Keycard 1569.09	AT&T Monochrome Monitor\$189.40
NOVELL 286 Software V. 2.11	AMDEK 310A / 410A
NOVELL SFT Netware Level II V2.1 2757.60	AMDEK 1280
Nondedicated Netware Software 286	COMPAQ monochrome monitor
w / Keycard	COMPAQ VGA Mono
INTERFACE CARDS	NEC Multisync GS
ARCNET PC110 LANboard PS2\$539.40 ARCNET PC110 LANBoard199.27	NEC Monograph
ARCNET PC110 LANBoard	PGS MAX 12E
ETHERNET Interface Connector	PACKARD BELL Green or Amber
ETHERNET Plus Board (for 286)709.74	COLOR GRAPHIC MONITORS
G-NET Interface Card w/cable	AMDEK color 600T / 722 \$349.24 / 444.49
10 Year 10 William 10	IBM PS2 8512 Color
ACCESSORIES ARCNET Passive Hub	IBM PS2 8513 Enhanced Color 498.20
ARCNET Active Hub	PGS HX-12 Plus
Ethernet Terminators	SAMSUNG RGB Comp 248.60 PGS HX-12 Plus 417.15 TAXAN 650/ 720 469.90/ 299.80 MAGNAVOX 8762 259.05
Novell trained and authorized sales and support. Call CDW for all new Software versions.	VGA & EGA PRODUCTS
	VGA & EGA MONITORS
MODEMS & COMMUNICATIONS	VGA & EGA MONITORS COMPAQ VGA monitor\$548.68
AST 5251-11 Plus\$619.04 EVEREX 1200B/2400B109.90 / 199.50	OMPAG VOA HOHIOU MAGNAVOX 943EGA 337.40 MITSUBISHI Diamond Scan 522.20 NEC Multisync II / PLUS 609.76 / 888.10 NEC Multisync XL 19 inch 1974.46 PACKARD BELL VGA Monitor 389.95 DES Ultropps 156.33
IRMA 3278 / 79	NEC Multisync II/PLUS 609.76 / 888.10
PACKARD BELL 2400 Int/2400 Ext 169.95 / 199.22	PACKARD BELL VGA Monitor389.95
Hayes	PGS Ultrasync
HAYES 1200\$289.60 2400\$424.68 1200B269.20 2400B379.65	PGS Ultrasync 515.33 SONY Multiscan 1303/1302 599.45/649.25 TAXAN 770 PLUS 499.40 ZENITH Z-1490 768.31
Robotics 2400B	ZENITH Z-1490
1200B \$108.45 2400B \$199.70	VGA DISPLAY CARDS ATI VGA VIP \$289.24 GENOA VGA 289.70 PARADISE VGA 297.68 ORCHID VGA 278.14 VIDEO-7 VGA 299.15
1200 External 129.10 9600 HST 665.20	GENOA VGA
Ven-Tel	PARADISE VGA
1200 Int \$194.50 2400 Int \$299.10	VIDEO-7 VGA
1200 Plus 228.88 2400 Ext 389.44	
BATTERY BACKUP & SURGE	ATI Wonder Card
PERMA POWER 6 Outlet Surge Supp \$29.40	NEC MVA 1024
TRIPPLITE	PARADISE Auto Switch EGA 480 169.65 VIDEO 7 Vega Deluxe 249.74
BC-450\$419.78 4 outlet\$ 44.25 BC-1200765.55 LC-1200149.85	VIDEO 7 Vega Deluxe249.74
BC-2000 1179.80 LC-1800 179.85	CAD MONITORS & CARDS MITSUBISHI 6905. 19 inch\$2295.96
DATASHIELD	MITSUBISHI 6922, 19 inch
500 Watt\$560.05 1200 Watt\$994.75	MITSUBISHI 6905, 19 inch . \$2295,95 MITSUBISHI 6905, 19 inch . 1974,60 HITACHI 4119, 19 inch . 2310.65 CONTROL SYSTEMS ARTIST 1016 . 1582,20 VERMONT Cobra . 1977,75 METHELIS 1504
800 Watt 638.50 6 Outlet Surge 27.85	VERMONT Cobra
MISC. & ACCESSORIES	METHEUS 1104 948.65 MICE LOGITECH HIREZ \$99.95 LOGITECH LOgimouse C7 w/publisher 124.85 MICROSOFT Mouse (Bus Version) 119.34 MICROSOFT Mouse (Bus Version) 131.25 MOUSE SYSTEMS (Serial Version) 99.55 MOUSE SYSTEMS (Bus Version) 108.77 MOUSE SYSTEMS (Bus Version) 59.70
A-B Switching Box (par. or serial)\$39.95	MICE MICE
BASF 5 Pack of 10 DS/DD w/case49.00	LOGITECH HIREZ
KENSINGTON Masterpiece	LOGITECH Logimouse C7 w/publisher 124.85
KEYTRONICS 5151 IBM or AT&T 149.95	MICROSOFT Mouse (Bus Version) 119.34 MICROSOFT Mouse (Serial Version) 131.26
KEYTRONICS 101	MOUSE SYSTEMS (Serial Version) 99.55
Printer Cable (IBM to Centronics) 6 ft 19.99	MOUSE SYSTEMS (Bus Version) 108.77
XT Power Supply 150 Watt 69.95	MOUSE SYSTEMS Omnimouse 50 70

WITHIN 48 HOURS.

HIGH VOLUME BIDS INVITED

730 Anthony Trail, Northbrook, IL 60062 FAX-A-BID (312) 291-1737

call us before you buy.

If you find a better price

WAIT? CALL COMPUTER DISCOUNT WAREHOUSE™ Open terms available to approved credit

.243.50/319.30

submitted until time of shipment. Shipping and handling addies and orders under \$200.00 please add \$5.00 handling fee

FAX In Illinois check Software, chass and other (312) 498-1426 (312) 291-1737







CHARTER MEMBER



A WOLF AND A KILLER SHARK


After moving to Hollywood, our columnist pits Word against FullWrite Professional

few months ago, I moved from San Francisco to the Greater Los Angeles Sprawl. Why? Well, I've always had a secret yearning to become a matinee idol, and I figured that if there was room in Hollywood for Howard the Duck and ALF—good-natured, odd-looking, tactless extraterrestrials to whom friends tell me I bear a striking resemblance—there was room for me.

The process of moving was a major nightmare; I'm still living in a landscape of unopened, mislabeled boxes. There were, of course, the usual computer headaches. Since I save the original cartons when I buy components (a practice I heartily recommend), packing was effortless and everything made the trip with no physical damage.

However, sometime during the process, the lithium battery in my Tandon IBM PC AT clone gave up the ghost. This is the little devil that keeps the parameter RAM alive; when it passed away, the Tandon forgot everything it had known about system configuration. To make things worse, the computer is equipped with some setup routines in ROM, one of which lets you select a hard disk drive option from among 32 choices. This meant that the machine knew there was some sort of fixed drive attached (I could hear it power up, and the little light flickered appropriately), but it didn't know enough to actually read the disk.

So I hauled out the Yellow Pages and began calling some computer stores that looked big enough to handle lithium bat-



teries. I figured I was in for a rough time because the Tandon's battery was rated at 3.6 volts as opposed to the 6.8-V unit in IBM machines, but this turned out to be immaterial—nobody had any batteries of either sort.

Half a dozen places told me they didn't have anything like what I was describing. One technician dimly recalled some lithium batteries a long time ago, but he knew his store had stopped stocking them. Three outfits told me to call Radio Shack, which I did-to no avail. I called two computer supply firms, which sold paper, disks, cables, daisy wheels, and similar stuff; they had no batteries. Two more computer stores gave me the names of the largest electronics supply houses in the region, which carried batteries but not the one I needed. However, one of the electronics stores told me about a company called Battery Specialties in Long Beach. I called; they had the battery; victory was within my grasp.

The following afternoon, I drove out

to deepest Long Beach, near the border with Orange County, and picked up two batteries (to be safe). Round-trip mileage: 78 miles. Total elapsed time for the mission: 3½ hours. This is a big city.

Got home, plugged one in, and the Tandon came to life. Neither it nor I knew the specs for the hard disk drive, though. I spent several hours trying to figure out which option to select by trial and error. I knew the disk was a 40-megabyte job, but was it actually 40, 42, 44, or a fractional variation? How many heads did I have (on my hard disk drive, that is)? How many cylinders? No luck. The drive itself, of course, had no identifying label, and the documentation was written to cover all possibilities. Ouch.

The next morning, I called a friend with an identical machine and learned that I had a type 25 drive. I selected that option, and I was in business until I discovered that the drive had been wiped clean. I don't know how this happened,

continued

but I was able to reformat successfully and begin rebuilding my system. And to this day, I believe with all my heart that I will, someday, locate the packing box that contains my backup floppies.

Why am I telling you all this? Two reasons. First, I'd like to warn you to start building a collection of spare parts for your computer(s), and to make some notes on paper of little things like system configuration parameters. This can happen to you.

Second, I would like to express extreme annoyance to any representatives of the computer industry who read this column. I wasted three days on all this. The L.A. region is one of the nation's largest markets for computer equipment, and I came close to giving up and using mail order, which, in retrospect, should have been my first move.

The fact that none of the dealers I called could help me is appalling. Luckily, I'm the sort who doesn't mind poking around inside computers, but what if I weren't? I'm pretty sure I would have been forced to turn the Tandon over to a service shop, pay an outrageous hourly minimum, and lose the use of the machine for a week. That's just not acceptable. Until the industry as a whole figures out how to cope with situations like this, personal computers will continue to be seen by many users as a menace.

Head to Head

Let me start off this comparison of Word 3.01 (Microsoft, \$395) and FullWrite Professional (Ashton-Tate, \$395) by declaring flatly that I probably wouldn't use either package on a regular basis. That's not to say they're bad programs, but they're not suited for what I do.

I grind out text, which I usually transmit electronically, either via BIX or MCI Mail. Sometimes I write letters. Occasionally, I need a fancier layout, so I pump my text into PageMaker. When I want to generate an outline, I use More or the variant of Acta that uses the More command set. I rarely need headers or footers, and when I do, they're simple one-line affairs. I do not have to generate tables of contents, indexes, bibliographies, footnotes, or end notes. I'm perfectly happy to be writing this column using Microsoft Works (with the addition of WorksPlus Spell and WorksPlus Command from Lundeen & Associates).

If those programs didn't exist, I'd be content to use WriteNow, the excellent word processor from T/Maker, or Mac-Write 5.0 from Claris, an improved descendant of the original Mac editor. I suspect my habits parallel those of many,

Items Discussed

FullWrite Professional\$395 Ashton-Tate 20101 Hamilton Ave. Torrance, CA 90502 (213) 329-8000

Inquiry 934.

Word 3.01\$395 Microsoft 16011 Northeast 36th Way P.O. Box 97017 Redmond, WA 98073 (206) 882-8080 (800) 426-9400 Inquiry 935.

many computer users, but be warned that I don't fit the mythical mold of the "power user." For my own work, I take the utilitarian route, and I reject the notion of insurance buying, that is, getting the largest number of features possible on the off chance that I'll need one of them someday. When the blue moon rises, thank you, I'll invest in new software.

Further, the hardware and operatingsystem people tell us that multitasking is just about with us at last on popular microcomputers like the Mac and the IBM PC. If that is true, it would suggest another reason to go for simplicity. Surely, the model of multitasking we'll have in the next few years will let us bolt simple, effective tools into our systems only as we need them. Why burden yourself with ungainly software monsters?

This may seem like a digression, but understanding your text-handling needs is critical to determining whether you should even bother with Word or Full-Write Professional. In many ways, both programs represent the same kitchensink philosophy; it's up to you to determine if you need a word processor with running water and a garbage disposal. Both packages push the concept of word processing into the area of heavy-duty desktop publishing; you've got to decide if you'd rather purchase two separate programs, or take the reverse route instead and go for a layout program that incorporates word processing, like Quark XPress or Ready-Set-Go!. Some concentrated soul-searching and a long session of needs analysis are in order here.

On to the analysis. I burned myself badly with a column about Word 3.0 in

January 1987. I wrote an embarrassingly exuberant preview of the product, noting that I hoped the bugs I encountered in my beta-test edition would be squelched by the time the program was released for general consumption. When the product shipped with bugs intact, the only thing that saved me was that I had noted the unfinished nature of the software in the column. True, Microsoft fixed the flaws and sent its customers free updates, but the features that had impressed me became more and more cumbersome as I used the program. Sadder and much wiser, I retreated into Works, which has always been adequate and has never

As a result, I was edgy about evaluating FullWrite Professional. Rather than attempting to play with a prerelease version, I waited until Ashton-Tate shipped shrink-wrapped copies to its dealers. The first two copies I received, a month apart, had unreadable program disks. The support disks were fine, which led me to be suspicious of Ashton-Tate's quality control. And within the first week of testing, I had three ominous crashes (the cursor simply froze in place) for which I had no explanation.

Since then, I've been unable to duplicate the crashes, and I have not been able to pinpoint any specific problem areas. Maybe I have been witnessing an evil synergy between FullWrite Professional and my Radius accelerator card; that seems unlikely, but you never know.

The next warning sign was FullWrite Professional's appetite for memory. It is sold for 1-megabyte machines, but it really requires more. If you have a 1-megabyte Mac Plus or SE, be prepared to strip your system file to a bare minimum, heaving desk accessories and fonts willynilly, if you want to have enough memory to make the program do its thing. For this reason alone, I wouldn't recommend it to anyone with less than a 2-megabyte system, which cuts out a majority of Macintosh owners. Not good.

But let's assume you've got a loaded Mac with memory to spare, and that the crashes I've experienced are unique to my system and its idiosyncrasies. How do the two programs stack up?

FullWrite Professional has some decided advantages over Word. Editable display of multiple columns is much more convenient than the back-and-forth jumps to get into Word's page-preview mode; if you regularly produce short two- or three-column documents, FullWrite Professional is the winner. Selecting items to be flagged as index en-

continued



Performance benchmarks

Benchmark	Zortech C	Zortech C++	Turbo C 1.5	Quick C 1.0
Sieve	20.49	20.54	23.62	22.72
Rsieve	20.49	20.54	23.62	22.03
Integer	1.32	1.38	6.31	6.49
Float	0.17	0.22	52.29	51.03
*Float	32.73	37.74	52.39	51.63
Pointer	17.91	17.96	17.13	16.87
Rpointer	17.79	17.91	17.14	16.64
Loop	3.90	3.90	3.90	3.90
Optimize	0.49	0.60	8.46	8.79

Benchmarks were run on an 80286 based IBM compatible at 6Mhz with no 8087.

Zortech C++ is the first native-code C++ compiler for MS-DOS compatible machines. This means you don't need to spend a lot of money on a C compiler. In fact, Zortech C++ comes with a C++ compiler, a C compiler, a linker, a librarian, a fully integrated editing environment, context sensitive help and the fastest graphics library you've ever seen!

With Zortech C++, you can mix and match code in C++, C and assembler and link them all together with a single command!

Zortech C++ comes with a complete C++ and C library, including compatibility with the ANSI C draft. Unique to Zortech C++ is support for mice, fast screen writes, re-entrant floating point and speaker support.

Now you can move your Microsoft and Turbo C code over to Zortech C++-we've included compatible library functions! Also, we have made Zortech C++ compatible with Microsoft's Codeview debugger!

Enter the world of Object Oriented Programming (oops) with Zortech C++!

Sure, C is great - but C++ is better!

Circle 300 on Reader Service Card

YES! Rush me C++ as shown below:

□ *Zortech C++* \$99.95*

☐ C++ Book ☐ Intro C++ Book \$29.95* \$27.95* VISA/MC/COD CHECK ACCEPTED

VISA or MC#:_____Exp. date_____ To: ZORTECH INC. 366 Massachusetts Ave., Arlington, MA 02174. Tel: 617-646-6703. Fax: 617-643-7969.

CALL THE ORDER HOTLINE 1-800-848-8408

*Prices do not include shippina



ZORTECH

An Introduction to

^{*}The float benchmark was re-run without optimization.

You'll never have to wait for a mainframe again.



Microsoft just eliminated a 3000-pound headache for mainframe programmers. With Microsoft* COBOL Optimizing Compiler 3.0.

Now instead of endlessly waiting for mainframe time, you can bring your COBOL programs right down to the PC on your desk. Suddenly you've got control unknown in other platforms, as well as serious speed and power.

You've got full MS* OS/2 support to let you break the 640K memory barrier.

You've got fast execution because Microsoft COBOL is now a native code compiler.

You've got a rich development environment thanks to the Microsoft COBOL Animator source level debugger, Microsoft Editor and other powerful utilities.

One final assurance. Because Microsoft COBOL 3.0 is now mainframe COBOL compatible, you'll enjoy a seamless flow of source code between mainframe and PC environments.

Feel free to also enjoy the highly technical information in the adjacent column. Then call us at 800-541-1261 for more information and the dealer nearest you.

The mainframe wait is over with Microsoft COBOL 3.0. Appearing soon on a PC near you.





Microsoft COBOL Optimizing Compiler Version 3.0 for MS OS/2 and MS-DOS®

Complete COBOL Solution for Application Maintenance and Development on the PC.

- · Develop and port large mainframe applications on the PC
- Break the 640K barrier with OS/2 support including dynamic link libraries and multi-thread support. NEW!
- Develop programs that run in both MS-DOS and OS/2. NEW!
- Compatible with several different COBOL dialects. (IBM® VS COBOL II,™ IBM OS/VS™COBOL. IBM SAA, Data General, and others.)
- Call Microsoft C and Macro Assembler routines. NEW!
- HUGE memory model allows data items to be greater than 64K. NEW!
- Full network support with record and file locking including Novell. NEW!

Powerful **COBOL** Development Environment

- · Animator source level debugger. NEW!
- Trace execution, backtracking, breakpoint DO statements, and periodic breakpoints.
- Microsoft Editor, the programmer's editor for both MS OS/2 and MS-DOS. NEW!
- Reconfigurable and extendable editor that even lets you run your programs from within it.
- Incremental linker for MS OS/2 performs partial links up to 20 times faster than a full link – only changed modules are relinked. NEW!

ANSI 85 COBOL support. NEW!

- · Certified HIGH by National Bureau of Standards.
- Structured language enhancements: Scope delimiters In-line PERFORM statement CALL BY CONTENT statement **EVALUATE** statement Negated conditions Global variables Reference modifications Nested programs

Native Code compiler with fast execution. NEW!

- 10x faster computations than MS COBOL 2.2.
- 30% faster I/O than MS COBOL 2.2

tries, footnotes, end notes, and so on by clicking icons on an "icon bar" is much more reasonable than resorting to the arcane WordStar-like system of embedding control symbols that Word uses, although figuring out FullWrite Professional's icons takes some doing.

The addition of marginal notes (called "posted notes"—obviously a steal from 3M's trademarked Post-it Notes) is a plus when editing if you don't want to rip up the original; whether or not you call it "hypertext," it's handy. Likewise, editors will appreciate the visible "change bars" along the edge of your text that indicate revisions since the last version. And FullWrite Professional's system of dividing "documents" into "chapters" sucked into RAM is a nifty, easily understandable method of defining virtual memory techniques in word processing.

In day-to-day use, the two programs come up equal in spelling checking and glossary capability, although FullWrite Professional has a few more tricks than Word, including "variables," drop-in placeholders for text that is frequently redefined. The outliners are different, but neither of them approaches the ease of More, so I'd call it a dead heat. Ditto for file import/export, help screens, and many other features. Both come with excellent documentation.

FullWrite Professional will wrap text around an irregular graphic, but this is a novelty for anyone but the most passionate tinkerer. And you can't just slide a graphic as you can with Word; you have to create an independent sidebar in order to position it. FullWrite Professional is more precise, but Word is easier.

Style sheets can be defined and named with both programs, but Word lets you chain styles into a running format with a smoothness lacking in FullWrite Professional. Longer documents flow without conscious effort. More points for Word.

But to me, the most important area of distinction is that of "feel." Word takes great pains to mask its power; it's very easy to ignore those functions not germane to the task at hand. FullWrite Professional feels more like a big program; you always have the sense that there are menus and submenus and sub-submenus lurking beneath every operation. And FullWrite Professional's extensive use of sidebars, windows, and cryptic icons adds to the impression of complexity. Word can do fancy stuff, too, but it comes across as a wolf in sheep's clothing, while FullWrite Professional is a killer shark of a program.

Overall, I have to give the nod to Word as the better program for a larger number

of people, if only because of the memory required to run FullWrite Professional. I also like its feel. However, although FullWrite Professional at this stage in its development is alarmingly fragile and a memory hog, it's better designed for the person with tough word-processing needs. You pick which you prefer.

But returning to software philosophy for a moment, remember, these are both programs that seem best-suited to those who want to live their lives inside their word processors. Although the accompanying manuals make light of this, both take a lot of time to learn thoroughly. To tap the industrial-strength aspects, you'll have to plow through the documentation and devote hours to experimentation. I don't really like this approach. I find it much more comforting to have several programs, each good at specific functions, than one big program that claims total flexibility. The counterargument is that it's easier to have to learn only one environment. I leave it to you to declare which camp you're in.

You Saw It Here First

Back in April 1984, BYTE ran a special What's New section that parodied hightechnology product introductions, and I wrote a couple of items. The first heralded two new computer languages, ORTHFAY (which combined postfix notation and pig latin to produce code so elegant it was incomprehensible immediately after it was written) and LIMP (an artificial-intelligence language that forgot what it was doing and crashed if the word Eratosthenes was even mentioned in the room with it).

The other item was entitled "Looking for Mr. Dos." It detailed a nonexistent operating system from a company called Marginal Research, hence MR-DOS. All good clean silliness.

Now, Apple Computer has entered the picture by announcing that it's building a new operating system called "Multitasking Realtime DOS" or "MR-DOS." Sound familiar? You betcha.

At present, I'm wondering if I could sue Apple for "look and feel," or at least a bit of copyright infringement. After all, it seems the thing to do these days.

Ezra Shapiro is a consulting editor for BYTE. You can contact him on BIX as 'ezra." Because of the volume of mail he receives, Ezra, regretfully, cannot respond to each inquiry.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Make your programs millions of times smarter

More and more, programmers and workstation builders are using DESQview 2.0 as a development tool. The reason is simple. They can create powerful, multitasking solutions today for the millions of DOS PCs in use today. Solutions comparable to those promised for tomorrow by OS/2.

The API Advantage

Programmers who take advantage of DESQview's API (Application Program Interface) get access to the powerful capabilities built into DESQview—multitasking, windowing, intertask comunications, mailboxes, shared programs, memory management, mousing, data transfer, menubuilding and context sensitive help.

Bells and Whistles

A program taking advantage of the DESQview 2.0 API can spawn subtasks for performing background operations or new processes for loading and running other programs concurrently. It can schedule processing after an interval or at a certain time. It can use DESQview's intertask communications to rapidly exchange data between programs, share common code and data; or interrupt at critical events. It can use DESQview's menuing and mousing capabilities to create menus. And there's lots more it can do.

Some of the applications under development right now using DESQview 2.0 API Tools: CAD, Medical systems, insurance, 3270 mainframe communications, network management, real estate, typesetting, point of sale, education, commodity trading, stock trading and online voting.

80386 Power

80386 programmers can take advantage of the 80386's protected mode for large programs, yet run on DOS and multitask in DESQview—side by side with other 80386 and DOS programs. The breakthroughs that make this possible: DOS Extenders from PharLap Software and AI Architects and DESQview support of these DOS extenders.

DESQview Developer Conference

So if you are a developer, looking to create programs with mainframe capabilities, but wanting to sell into the existing base of millions of DOS PCs, come to Quarterdeck's first DESQview API Developers Conference, August 16-18, 1988 at the Marina Beach Hotel, in Marina del Rey, California. For more information call or write us.

Come learn about the DESQview 2.0 API and 80386 DOS Extenders. Meet 80386 experts as well as those smart people who are creating DESQview 2.0 API workstations solutions.

And if you want to get a leg up before the conference, ask us about the DESQview API Tools for assembler or C programmers.

Bringing New Power to DOS. DESQview 2.0 API Toolkit.



Quarterdeck Office Systems 150 Pico Blvd., Santa Monica, CA 90405 (213) 392 9851

If your idea of Romance Languages includes BASIC and C, then we have a OBOL SIMPLE great deal for you

CODE	Si cut deur ioi jou.
UNIXC BASIC BASIC USA \$22.95 for 1 year	Packed with in-depth information on the lattest in microcomputing, BYTE magazine is written to stimulate the minds of almost half a million personal computing experts. Now you too can enjoy BYTE each month at our special introductory rate. Subscribe now and save \$19 off the newsstand price—12 issues for \$22.95 instead of \$42.00. You'll also receive our special IBM PC issue as part of your subscription.
☐ Canada \$25.95 U.S. for 1 year	PC issue as part of your subscription!
☐ Bill me	489ESU-9
☐ Payment enclosed	Name
☐ Charge to my () VISA () MasterCard	(Please Print)
Account #	Company
Expires	Address

For direct ordering, call toll free 1 800 423-8272 weekdays 9:00 AM-5:00 PM EST. In New Jersey, call 1 800 367-0218. Please allow 6-8 weeks for processing your subscription.

Signature _____

This is a renewal order.



City/State ____

Country _____ Code ___





BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 684 TEANECK, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



Subscription Dept. P.O. Box 7640 Teaneck, NJ 07666-9866

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES





IS MORE ALWAYS BETTER?


Too often we opt for the pricey solutions because they feel good, but they may not even solve the problem

t was enough to bring visions of yuppies talking in acronyms, just like in those controversial Wang commercials on radio and TV. The Wang salesman explained to me just how he had convinced his customer to abandon the idea of a small, microcomputer-based local-area network (LAN) and instead buy a Wang VS minicomputer. I knew that the customer had only minimal office automation requirements and was planning to do a lot of database work using a LAN with a Structured Query Language (SQL) server. The Wang salesman was quite proud of the way he had overcome the customer's objections to the sale.

In effect, the Wang VS would replace an IBM PC AT-compatible machine at over 10 times the cost. To complicate matters, there was no indication the Wang-based network would work with the SQL database server.

The customer convinced himself to go with the Wang VS partly out of emotional reasons. His DP managers were comfortable with the brand and knew little about microcomputer-based LANs. What's more, the customer knew that a LAN looked good on paper, but since he knew little about LANs, he wasn't in a position to reassure his managers.

The result, of course, was a familiar scenario. The customer really needed a network and he got one, with the Wang VS acting as the file server. But because the work required of the file server was minimal, the VS spent most of its time idling. At last check, the SQL database



server still wouldn't work with that setup and the customer never got his database, even though the database was the primary reason he needed a network.

Finding Another Way

Although it's a pricey substitute for a PC AT, the Wang VS is a nice departmental system. I'm really not picking on Wang or on Wang's hardware. The problem is that many installations are made on the basis of comfort rather than functionality. Choices made the easy way happen for a variety of reasons, some of which are impossible to solve.

Still, most companies really would rather not pay for solutions that feel good but don't solve the problem. The difficulty is finding the alternative. While emotional decisions played a part in the selection of the Wang system, there were other factors involved.


The customer planned to eventually install several similar networks in areas where he now used Wang word process-

ing on Wang Professional Computers. These computers connected to the current word-processing system with Wang's Local Interconnect Option (LIO) wiring. The DP managers didn't want to scrap the Wang computers or rewire their offices. Thus, the decision was more than just a question of comfort; to them, it made good technical sense.

Had more research been done, however, the customer would have discovered that there was another answer. For example, the network wiring is compatible with ARCnet hardware. If he had found a way to have the Wang computers use some industry-standard network software, he could have used most of his installation, as is, for a microcomputer-based LAN, at a fraction of the cost of buying one based on a Wang VS.

Magna to the Rescue

The Wang Professional Computer, as it turns out, will support Novell NetWare



The bad news is, this is a quiz. The good news is, we're going to make it easy.

All three of these 24-pin dot matrix printers are versatile, rugged office-quality printers. They all provide a variety of type styles and compatibility with most popular software. But there's only one Top Dot. And all the clues you need to find it are right here in this ad.

Top Dot's high performance features include combined letter-

quality text and graphics, color printing, and a sizzling 480 cps draft speed.



SelectDial puts total printer control at your fingertips.

A unique Select-Dial™ feature gives Top Dot effortless, fingertip control. And plug-in Intelli-Cards™ provide instant software upgrades.

Top Dot's \$985* price is a remarkable \$500 below comparable printers. Even more remarkably, it includes toll-free hotline support, a 2-year warranty, an unheard-of full year of on-site service, and a Quick-Start kit packed with \$150 worth of supplies, software, documentation and more.

And only Top Dot is available in your choice of finish: Executive Black or traditional Ivory.

You have to visit a dealer to buy two of the printers on this page. But you can get Top Dot delivered to your door by UPS.®

Just call 1-800-637-7878, correctly identify the Top Dot, and

	COMPARISON CHART			
	AMT	Epson	Toshiba	
CARREST TO SE	Accel-500	LQ-2500	P351SX	
Print speed (12cpi)				
Draft Mode	480 cps	324 cps	300 cps	
Memo Mode	200 cps	N/A	N/A	
LQ Mode	80 cps	90 cps	100 cps	
Plug-in fonts	card	card	cartridge	
Color printing	standard	N/A	optional†	
Warranty	24 mo	18 mo	18 mo	
On-site service	1 yr	N/A	N/A	
Price	\$985	\$1449††	\$1499 ††	
Starter Kit	standard	N/A	N/A	

†\$239 ††manufacturer's suggested list price

we'll ship it to you. FREE.** If after 30 days, the Top Dot hasn't become indispensable to your office, just send it back. Otherwise, do nothing. We'll charge \$985 to your credit card or bill you against your purchase order. That's all there is to it.

And if you're still not sure of the answer, don't worry. Our operators will give you three chances to get it right.



Quick-Start Kit contains supplies, cable, software, documentation—even transparency materials. A \$150 value FREE with Top Dot.

ACCEL-500° 1-800-637-7878





Ventura Peripherals, 100 Rancho Road, Suite 27 Thousand Oaks, California 91362

*Special introductory price. **Offer subject to availability and credit approval. just fine, if you add a small adapter card to the LIO network card in the machine. Wang's LIO is really ARCnet, so once you've installed this card, you can use your machine on a microcomputer-based network. Because most Wang Professional Computers come with IBM PCcompatibility options, they will run PC software.

The adapter card, from Magna Computer, is on the pricey side, but it's cheaper than buying a new computer and a network card, and you can use all that cable. Once you install Magna's adapter card, you can use the Wang Professional Computer on a Novell network just as if it were an IBM PC.

Once you eliminate the side issues, such as what to do with all your old workstations and old cable, then you get down to the real issues, such as the fact that many DP managers simply aren't used to the idea of microcomputers replacing minicomputer and mainframe systems. They'll waste a mainframe on microcomputer tasks, simply because they haven't seen a micro handle such an application before. There are a couple of ways you can overcome this problem.

The easiest way is to set up a prototype. It's pretty hard to argue with an operational system that is functioning well. In some cases, especially if the mainframe application was designed for a single user (and many were), you can simply move the source code over to the microcomputer and recompile it. Of course, you have to be prepared to handle nonstandard extensions, and you'll find some really old COBOL systems quite bizarre due to the many patches that have been made over the years.

When you can't recompile—and sometimes you can't-you can design the same functions (and the same feel) into the microcomputer version. The results can be quite impressive, because if you design the prototype right, you can improve response time, a situation that will impress the users.

If you can't do a prototype, you can often find equivalent software for the microcomputer. Sometimes you can find the same software, since there is some cross-fertilization between computer types. Often, because each user has a dedicated CPU, equivalent software for a microcomputer or a microcomputerbased LAN is better and faster than what was being used on the mainframe.

Sometimes More Is Better

Certainly using the Wang VS (or a VAX, or an IBM 9370, for that matter) as a file server is not always a bad idea. If you

Items Discussed

Lap-Link Mac.....\$139.95 Traveling Software, Inc. 18702 North Creek Pkwy. Bothell, WA 98011 (206) 483-8088 Inquiry 965.

LIO adapter card.....\$595 Magna Computer Co. 24 Keewaydin Dr. Salem, NH 03079 (603) 898-3555 Inquiry 966.

Z-1000..... Price not yet announced Zenith Data Systems 1000 Milwaukee Ave. Glenview, IL 60025 (312) 699-4848 Inquiry 967.

have a lot of users, and if you have the support staff to handle a minicomputer like the Wang, it might make sense.

A good example of this would be an office automation environment with a heavy word-processing load and the need to communicate with a couple of mainframes. Naturally, for success in an environment such as that, you need to select the right file servers and gateways. Microcomputer users may face a quandary in such a situation. As systems get bigger and harder to manage, the freedom and flexibility that come with the use of small computers begin to disappear because individual users can no longer manage them. Once again, the DP manager starts controlling the system.

You've probably seen the AT&T television ads about this trend. They feature two executives, one of whom is equipping his office with stand-alone microcomputers. He's being intimidated by another executive, who tells him in a very nasty scene, "Stop blowing your budget" on personal computers and hook all your users to a central system. This is one view of workgroup computing, although AT&T has the perverse idea that the intimidator is the forward thinker in the scene.

As is indicated by the growth of network installations, there are some good reasons to connect users. Sharing of scarce resources (such as laser printers) and communication with other users in the outside world are two of those reasons. The problem comes when department managers have to decide whether the users should control their own work, or the tasks should be handled centrally.

The Zenith Z-1000

One reason the workgroup issue often seems so fuzzy is that the line between microcomputers and minicomputers has

blurred and almost disappeared. Part of this is due to machines like Zenith's latest, the Z-1000.

The Z-1000 is aimed squarely at the workgroup market. It is a machine that starts at about \$20,000, contains as many as five 80386 microprocessors, has a dual bus, runs Unix, and supports as many as 64 users. Zenith says it's a microcomputer.

Clearly, the Z-1000 is based on microcomputer technology. One of its two buses is a standard PC AT bus. You can plug standard PC cards into it. The other bus was designed at MIT by the same people who developed the NuBus used by some minicomputers and the Mac II. This bus is for the processors only, but it is similar to some proprietary minicomputer buses.

Whether you call it a mini, a micro, or something else, the Z-1000 is designed for user-supported workgroup computing. Zenith says it developed the machine for use in the average office. While it's too bulky to fit on a desk, it fits beside a desk very nicely. The machine supports users with terminals, or it works with a LAN as a node or as the file server.

Moving the Info

The concept of workgroup computing implies that information can be shared among the group's users. For example, if you have a spreadsheet and a text file, you should be able to send them to another user for inclusion in a document. The concept of personal computing, on the other hand, implies that you have the computer that's best suited for your specific job.

The problem is, there are certain jobs you can do better with an IBM compatible and others that you can handle better with a Mac. These machines are not compatible. How do you fit them both into a workgroup? With difficulty. At least, until recently, that was the case.

Now, there are ways. Apple has announced an Ethernet card for the Mac II; there's the AppleTalk board for the IBM (which will help some); there's TOPS (Transparent Operating System), a LAN operating system that connects Macs, IBMs, and Sun workstations; and there's Lap-Link.

Lap-Link? You thought that was for moving stuff from your laptop to your personal computer, right? Well, it is, but there's also a version that does file transfers between PCs and Macs. For more detailed information, see the text box "Exchanging Data" in the Macintosh Special Edition, August BYTE, page 62. I'll report on Mac-to-PC networks as I get a chance to look at them.

Wayne Rash Jr. is a member of the professional staff of American Management Systems, Inc. (Arlington, Virginia), where he consults with the federal government on microcomputers. You can reach him on BIX as "waynerash."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH



Public Domain and Shareware for IBM™ and Compatibles, DOS™ 2.1 or higher. Programs and utilities to meet all your computing needs.

BUSINESS

☐ EZ-FORMS Rev. D15 (66) -Menu driven forms generator. ☐ PRO PC-ACCT V3.0 (526) -Integrated G/L, A/R & A/P. ☐ REAL ESTATE ANALYST (83) - Menu driven ☐ EXPRESS CHECK V2.14 (561) - Checkbook program. ☐ BILLPOWER V3.9 (601) -Time & billing. Hard drive req ☐ LANDLORD V2.01 (585) -Fast & friendly rental property mgmt. Hard drive required. ☐ FINANCE MANAGER V4.0 (77) - Accounting package. ☐ PDS QUOTE V3.14 (573) -Prepare quotes for projects. □ SOAR V1.92 (449 & 450) -(2 disk set) A/R program.

COMMUNICATIONS

☐ WILDCAT BBS V1.03 (371 & 372) - (2 disk set) Bulletin board system. Best yet. □ PROCOMM V2.42 (53 & 54) (2 disk set) Menu driven. ☐ QMODEM V3.1(293 & 294) - (2 disk set) Modem program. □ PC-TALK III (466) - Modem program. Buttonware.

☐ FILE EXPRESS V4.14 (33 & 34) - (2 disk set) Menu driven, □ WAMPUM V3.1B (37 & 38) (2 disk set) dBase III clone, □ PC-FILE + V2.0 (493 - 495)-(3 disk set) Buttonware. Great

EDUCATION

COMPOSER (3) - Create. save, edit, play, & print. □ LETTERFALL V1.1 (119) -Improve your touch typing. ☐ THE WORLD 3D (127) -Display maps. CGA required. ☐ FUNNELS & BUCKETS V2.0 (130) - Great math game. 5-10. ☐ ERYN'S ABC'S (131) - . Basic required. Ages 2 - 6. ☐ ALGEBRA TUTOR V1.01 (577) - Teaches various operations of algebra. Keeps score.

□ POLYGLOT V6.01 (139) - Vocabulary. Grades 7 - college.

GAMES ☐ ADVENTURE GAME TOOL-

KIT (595 & 596) - (2 disk set) Create & play your own games. BLACKJACK (95) - Advanced blackjack game. ☐ MONOPOLY V6.7 (106) -Just like board game, CGA req. DUNGEONS & DRAGONS V1.1 (205) Can you survive? ☐ 3D CHESS V1.01 (215) -Excellent chess game. SUPER PINBALL (212) - 5 different games. CGA required. □ WORDPLAY (367) - Wheel of Fortune clone. CGA req. DIG LEAGUE BASEBALL (344)- Pick your team. CGA req. ☐ MINIATURE GOLF (505) - 18 hole golf course. CGA req.

GRAPHICS ☐ FINGERPAINT V2.0 (282) -Paint program; 6 font. 81 sizes.

CITY DESK V6.0 (197) -Desktop publisher. PRINTMASTER GRAPHICS 2 (548) - Over 150 graphics. Requires Printmaster Plus. ☐ PRINTSHOP GRAPHICS/2 (589) - Over 150 graphics. Requires Printshop. □ BARCODE V2.1 (593) - Print barcodes from your data. Easy.

NOVELTIES

☐ EDNA's COOKBOOK V1.16 (566) - Recipe mgr.2 drives req UP VEHICLE RECORD SYS-TEM (567) - Track auto expense ☐ WEIGHT CONTROL (586) -Get rid of unwanted weight. □ WISDOM OF THE AGES (544 - 547) - (4 disk set) Almanac.

PRINTER UTILITIES

□ LQ V2.1 (509) - Produces high quality text on dot matrix.

ONSIDE (560) - Sideways printing program. Epson print.

SPREADSHEET □ PC CALC + V 1.0 (537-539) -(3 disk set) - Spreadsheet prog. □ LOTUS LEARNING SYSTEM (458)- Beginning tutor for Lotus.

☐ AS EASY AS V3.0 (302) - Lotus 123 clone. DOS HELP (255) - Help screen for DOS. For DOS 3.XX.

against 'virus' & 'trojan horse's. ☐ AUTOMENU V4.01 (280) - Access programs, batch files.

☐ DOS TUTORIAL V4.2 (256) -

□ VACCINE (541) - Fight

WORD PROCESSING □ WORDPERFECT MACROS (189) - Over 80. WP v5.0 req. ☐ PC-WRITE V2.71 (9 & 10) - (2 disk set) Full featured. ☐ PC TYPE + (373 - 375) - (3 disk set) A word processor. □ LEGAL FORMS & LETTERS (611) - A must for all. Over 100 forms. WP needed to modify.

1.1	NAME
14	ADDRESS
1	CITYSTZIP
	TELEPHONE ()
	# of 5.25" disks*@ \$2.99 =
	Calif. Res. Sales Tax (6.5%) =
	Shipping & Handling = 3.00
1	Orders shipped UPS Ground
h	TOTAL = \$ =================================
	International orders \$10.00 for shipping
ı	& handling. All payments in US dollars
	1
ľ	Send order & check or money
h	order to:
ľ	California FREEWARE
ı	1466 Springline Dr. Dept A
1	Palmdale, CA 93550
ľ	(805) 273-0300
ı	Call or write for free catalog containing
h	over 600 disks of quality software.
	Hours: M-F 9am - 5pm PST
1	
1	3.5" media - \$3.99 ea. All COD orders placed before
1	3.5" media - \$3.99 ea.
1	3.5" media - \$3.99 ea. All COD orders placed before 1pm PST sent same day.
1	3.5" media - \$3.99 ea. All COD orders placed before


We've Invented the Future of Instrumentation Software . . . Twice.

With Words


With Pictures

Acquisition

Integrated libraries for GPIB, RS-232, A/D-D/A-DIO plug-in cards, and modular instruments.




Intuitive character-based function panels that automatically generate source code.




instrument block diagram programming.

Analysis

Extensive libraries for data reduction, digital signal processing, and statistical analysis.




Over 100 analysis functions plus all the built-in functions of your language.




Over 250 icons for computation and analysis.

Presentation

Flexible high-performance graphics and report generation.



Extensive graphics support for CGA, EGA, MCGA, VGA, and Hercules.



Macintosh Desktop Publishing compatibility.

The Software is the Instrument

LabWindows™-

for the DOS-based PC and PS/2, with Microsoft QuickBASIC or C.



12109 Technology Boulevard Austin, Texas 78727-6204 800/531-4742 512/250-9119

LabVIEW®for the Apple Macintosh



Why build a printer that can print standing on its head when all you want is outstanding letter quality?

The answer is better quality printing.

We made our new 300 Series 24-pin printers more rugged than they have to be and more reliable than ever. We built in a patented optical sensor and linked it with a unique rack and pinion printhead drive.

So you get more accurate printhead positioning. And that means outstanding letter quality.

All in a printer so stable it works upside down.

But even right side up, you get letter quality printing this good.

Our engineers call this "championship specs." More than 3 million loyal users call it rugged reliability. And it shows in the quality and performance of every printer and modem we make.

Call 1-800-OKIDATA for the dealer nearest you.



Circle 193 on Reader Service Card



COMEBACKS, BACKUPS, AND UPDATES


Some Macintosh software is born great, some is made great, and some is merely updated

f you're a savvy Macintosh user who has also fiddled with IBM PCs, you've probably come to respect the window/icon/mouse interface inherent in all Macintosh software. DESQview and Microsoft Windows notwithstanding, you simply can't navigate around the directories of a PC the way you can on a Mac.

Unfortunately, for a number of us, special applications are often available only on the PC. For example, the number of third-party applications that have been written using dBASE III Plus (and earlier variants) is staggering. Until recently, inveterate MacFolk like myself were locked out of that market.

About a year ago, Nantucket Software improved the situation by rescuing an obscure West German program called dMacIII from the waste bin of bad programs. The program could run dBASE III code on a Mac and read the dBASE database files that you had moved from a PC. But it didn't follow the Mac interface; its documentation had been badly translated from the original German; and its U.S. distributor was weak, to be charitable.

Nantucket bought the rights to dMac-III, cleaned it up, renamed it McMax, fixed the bad bugs, improved the documentation to mediocre, and put it on the market for \$295. Its two virtues were its speed and dBASE compatibility. But unless you happened to be a dBASE guru, it was pretty tough to figure out how to program McMax to create new applications.



Using FoxBASE +/Mac

Fox Software, the FoxBASE+ people of PC and dBASE III Plus clone fame, have a much better idea, as I briefly reported last month: FoxBASE+/Mac. This program has all the dBASE compatibility of McMax and more, since it also handles report-definition and label-definition files, memory-variable files, and other file types created by dBASE III Plus.

I was a beta tester for FoxBASE+/ Mac, and I've worked with the release version (1.0) since the end of April. I'm not a FoxBASE cheerleader, but the company did a lot of things right with the product.

FoxBASE+/Mac is not a quick port of the PC version. It combines its dBASE compatibility with a strong list of features and a work environment with which Mac users will feel comfortable. Fox-BASE+/Mac provides multiple window support on any Mac.

The program supports a picture data type (PICT), so you can cut and paste

graphics into your applications. It also supports multiple typefaces, type sizes, and type styles in any combination you desire, so there's no limit on the aesthetics of your application. On a Mac II. Fox-BASE+/Mac gives you color, and it will print reports in color on an Imagewriter II or an HP PaintJet.

You can build input forms for your application using all the Mac I/O tools you're used to: radio buttons, check boxes, pop-up menus, pull-down menus, and editable text fields. FoxBASE+/ Mac also includes the standard dBASE I/O tools, such as input validation. Its method of setting up file relationships is similar to that of 4th Dimension and dBASE Mac. Novice database programmers will find it a cinch to use.

FoxBASE+/Mac lacks some of the features found in competing Macintosh relational databases, especially such a features giant as 4th Dimension. For example, FoxBASE+/Mac doesn't have

continued

the built-in business graphics or fancy graphics forms editor of 4th Dimension, and it also lacks 4th Dimension's host language interface, so you can't write external functions or procedures in Pascal or C and use them with your FoxBASE application. Multiuser and run-time versions are also not yet available. The program also lacks a full-blown report generator, à la 4th Dimension. For a version 1.0 release, though, FoxBASE+/Mac is surprisingly complete and well done. It's also remarkably fast, as in, "You mean it's finished indexing all those records already?"

The one fly in the FoxBASE+/Mac ointment is the demo version. The application includes two serial number validation keys that you use to install it. One key installs the complete version, and the other key creates a crippled demo that holds only 120 records. Unfortunately, the demo is not up to the standards set by the real application, and it lacks many of its features. If I had tried only the demo, I would have returned it to my dealer for a refund: It bombed with a variety of spectacular memory errors on an 8megabyte Mac II. It also simply hung when I tried some fancy record lookups.

HyperCard 1.2: CD-ROM Support, **But Still No Exponential Notation**

Apple's HyperCard 1.2 includes a slew of improvements over version 1.1. The most important are as follows:

- Support for read-only media, like the Apple CD SC CD-ROM drive
- Multiuser access to individual Hyper-Card stacks through an AppleShare file
- Improved search and retrieval capabilities, with speed increases of 4 to 6 times that of version 1.1
- · Hiding and showing card and background pictures using script commands
- Write protection for stacks
- New keyboard shortcuts that make script editing much easier

Despite all the improvements in version 1.2, Apple still needs to improve the programming (scripting) capabilities that HyperCard/HyperTalk provides. One important omission is the lack of exponential notation in HyperTalk scripts. Engineers and other developers simply must have exponential notation for their scripts.

HyperCard 1.2 was developed primarily to support Apple's CD-ROM drive (which can "play" both CD-ROM data disks and music CDs). I've tested that aspect of version 1.2 over the last week using a borrowed Apple CD-ROM drive and a CD-ROM Educational Connections disk I was given at an Apple show in March. This disk is a sampler of several large and impressive HyperCard stacks. HyperCard 1.2 worked flawlessly with them, as did the CD-ROM drive (about which I'll have more to say in a future column).

System Tools 6.0

Last month I reported on the beta version of System Tools 6.0. I found it buggy and difficult to install and use. I'm happy to report that most of the bugs I found have been fixed in the released version, even though installation problems remain.

When I installed System 6.0 on an 8megabyte Mac II using the supplied install script, I immediately ran into difficulties. Things seemed to work fine when I switch-launched to the new Finder, but then the mouse froze.

When I rebooted the machine, all my INITs were successfully installed (or so I thought), but the machine froze again after the desktop was displayed. Rebooting again, the Mac didn't make it all the way through the start-up sequence, with the screen breaking up before the desktop was displayed. Additional rebooting resulted in the same screen breakup. After fiddling with this problem for 3 hours, using a separate start-up floppy disk, I finally traced the problem: I had some incompatible INITs in my system folder that just wouldn't work with System 6.0. The biggest offender was the SavesDeletes INIT from Central Point Software, which lets you recover files you've deleted by mistake. I also had trouble with SCSI Tools, MF Keys, and MenuClock 1.0 and 1.01.

To play it safe, I copied my fonts, INITS, CDEVs, and desk accessories (DAs) to other folders and deleted these and my updated System 6.0 from my hard disk system folder. I copied the virgin System 6.0 from the System Tools 6.0 package of four disks and then reinstalled all my system goodies, fonts, and DAs. After I had completed this extended process, everything worked fine. The moral of the story: If you've customized your system with lots of goodies, up-

continued

Items Discussed

Apple Macintosh System Tools 6.0\$49 Apple Computer, Inc. 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 955. FoxBASE + /Mac 1.0\$395

Fox Software, Inc. 118 West South Boundary Perrysburg, OH 43551 (419) 874-0162 Inquiry 956.

4th Dimension 1.06.....\$695 ACIUS, Inc. 20300 Stevens Creek Blvd., Suite 495 Cupertino, CA 95014 (408) 252-4444 Inquiry 957.

FullWrite Professional 1.0.....\$395 Ashton-Tate Corp. 20101 Hamilton Ave. Torrance, CA 90502 (213) 329-8000. Inquiry 958.

HyperCard 1.2 \$49 Apple Computer, Inc. 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 959.

McMax Summer '87 version\$295 Nantucket Corp. 12555 West Jefferson Blvd. Suite 300 Los Angeles, CA 90066 (213) 390-7923 Inquiry 960.

MindWrite 1.1\$195 Access Technology, Inc. 200 G Heritage Harbor Monterey, CA 93940 (800) 367-4334 Inquiry 961.

QT-Mac40.....\$1395 Tecmar, Inc. 6225 Cochran Rd. Solon, OH 44139 (216) 349-0600 Inquiry 962.



SUPERSPORT 286 40M

HARD

DISK DRIVES
SEAGATE

80M MINISCRIBE

71M 28ms MICROPOLIS

153M 23ms w/Cont 332M 18ms w/Cont

20M w/Cont 30M w/Cont 40M w/Cont

40M w/Cont 40M *3650 40M 28ms

40M



Equity I+ LT Lap LT Lap



HEWLETT-PACKARD LASERJET Series II \$1649

NEC **Powermate**

1 20M 1 40M 2 20M 2 40M

40M

130M



HEWLETT-PACKARD **DESKJET** \$699





6300 WGS 1 Drive 6300 WGS 30M 6386 WGS



T1000	\$ 777
T1100 PLUS	\$ 1388
T1200	\$ 2284
T3100/20	\$ 2987
T3200	\$ 3744
T5100	\$ 4784

1594 2389

NEC

Equity III + op Dual Drive op 20M Harddisk	\$1344 \$1189 \$1792	386 386 386 386
	SK	6
PLUS 20M Hardcard 40M Hardcard	A. Michiel III	

DIS		1
PLUS	ES	
20M Hardcard	\$	498
40M Hardcard	\$	629
TOSHIBA		Mar I
3.5" 720K	\$	88
3.5" 1.44M	5555	126
5.25" 360K	\$	89
5.25" 1.2M	\$	89
AMR 5.25' for PS/2	\$	239
AMDEK Laserdrive		
with MS Bookshelf	\$	799

CITIZEN

PRINTERS

2692 2585 3098 3755 4596 MODEMS 229 368 268 397 359 1200B Internal 2400B Internal 1200 External 2400 External 2400P PS/2 US ROBOTICS 88 164 99 166 277 1200 Internal 2400 Internal 1200 External 2400 External Courier 2400 PS/2



PRINTERS

VIDI	FO	
CAR	_	
Boca EGA	\$	144
Hercules Mono +	\$	169
Hercules Color	\$	139
Hercules INColor	\$	266
NEC GB-1	\$	268
Nitro Monographic	\$	49
Nitro Color Card	\$	49
Paradise Auto 480	\$	148
Paradise VGA Plus	\$	228
PGS Laserpage	\$	532
PGS PG-1600	\$	532
Video-7 Vega VGA	\$	248
THE RESERVE AND ADDRESS OF THE PARTY OF THE	-	

NEC

Multispeed EL II Multispeed HD

vermate Portable 20M vermate Portable 40M

MICROSOFT		
Mouse	\$	97
With Windows 2.0	\$	138
LOGITECH		
Mouse	\$	74
With LogiCADD	\$	118
Publisher Mouse	5	113
HIRes Mouse	\$	86

	CALL FO	OR
BEST	PRICES	ON



PREMIUM PRODUCTS

RINTERS

P	
R	
N	
T	
T	
R	
S	

	NEC	
P	PRINT	ERS
R	P6 10" wide	\$ 463
	CP6 10" Color	\$ 549
	P7 16" wide	\$ 644
	CP7 16' Color	\$ 733
N	P2200 10" wide	\$ 359
	P5XL 16" Color	\$ 463 \$ 549 \$ 644 \$ 733 \$ 359 \$ 877
Ė	P9XL 16" Color	\$ 1079
R	LC890 Silentwriter	\$ 3433
S	ELF-350 19 cps	\$ 417
	3500 35 срв	\$ 417 \$ 896
	8800 55 cps	\$ 1166
SOF	TWARE	SO
Aldus Pagema		Microsoft
Carbon Copy		Microsoft
Clipper	\$ 109 \$ 319 \$ 98 ad Rel \$ 118	Microsoft
Crosstalk 16	\$ 98	Microsoft
DBXL Diamor	nd Rel \$ 118	MS Windo
		PIS WINGO

R	LC890	Sile	entwriter	\$	3433
6	ELF-3	50 1	9 cps	\$	417
ALC: N	3500 3	5 cr	06	\$	896
	8800 5			\$	1166
SOF	TW	A	RE	П	SO
Aldus Pagem			488	н	Microsof
Carbon Copy		5	109	ш	Microsof
Clipper		\$	319		Microsof
Crosstalk 16		\$	98	ш	Microsof
DBXL Diamo	nd Rel	\$	118		MS Wind
Deskview 2.0		\$	77		MS Wind
Disk Optimiz	or	\$	44		MS Fligh
Eureka		\$	98		Windows
Fastback Plu		\$	94		MS Macr
Foxbase Plus		\$	196		Newsroom
Foxbase Plus	386	\$	288		Paradox
Generic CAD	D	\$	78		Paradox
Kings Quest		\$	34		PFS: Pro
Managing Mo	ney	*********	119		PFS: Fire
Microsoft C		\$	266		Q&A
MS QuickBas	lc	\$	64		Quattro
				100	

Same			
SCA	NN	1818	S
Contraction of the last		100	

P Scanjet w/Int	\$ 1178
ST Turboscan	\$ 1233
EST Scan Plus	\$ 1798
anasonic OCR	\$ 1798
GS LS300 w/Int	\$ 698
GS LS300 OCR	\$ 939

120D

180D MSP-10

MSP-15E MSP-40 MSP-45

MSP-50

Premiere 35

Tribute 124

SOFTW	A	RE
Microsoft EXCEL	\$	296
Microsoft Word 4	**************	209
Microsoft Works	\$	114
Microsoft Write	\$	119
MS Windows 2.03	\$	68
MS Windows 386	\$	123
MS Flight Simulator	\$	34
Windows Toolkit 2	5	329
MS Macro Asm 5.1	\$	98
Newsroom	\$	36
Paradox 1.1	\$	282
Paradox 2.0	5	387
PFS: Pro Write	\$	139
PFS: First Choice	\$	88
Q&A	\$	189
Quattro	\$	144
INTE	L	
8087 4.77MHz	\$	99
8087 8 MHz	\$	142
80287 6/8 MHz	\$	179
80287 8 MHz	*****	243
80287 10 MHz	\$	289
80387 16 MHz	\$	448
90397 20 MU-	•	690

SOFTW	A	RE
Xerox Ventura Publ	\$	474
Quicksilver Diam Re	1. \$	337
Reflex	\$	87
Sideways	\$	43
Smart Notes	\$	52
SQZ Plus	\$	62
Supercalc 4	\$	259
Turbo Basic	\$	59
Turbo C	\$	59
Turbo Lightning	\$	59
Turbo Pascal 4.0	\$	59
Turbo Prolog	\$	59
VP Planner	\$	58
Word Perfect 5.0	\$	219
Wordstar Profes	\$	218
Yeager Adv Flight	\$	29

PLOTTERS

HEWLETT-PACKAR	D	
7440 COLORPRO	\$	877
7475A 6 Pen	\$	1259
7550A 8 Pen	\$	2489
7570A Draftpro	\$	2598

OKIDATA PRINTERS

\$ 224
\$ 318
\$ 318 \$ 412
\$ 416
\$ 533
\$ 754
\$ 877
\$ 939
\$ 1348

PANASONIC PRINTERS

\$	224	KX-P1080i	\$	198	
\$	318	KX-P10911	\$	218	
\$	412	KX-P10921	\$	344	
\$	416	KX-P1592	\$	436	
\$	533	KX-P1595	\$	492	
\$\$\$\$\$\$\$\$	754	KX-P1524	\$	555	
\$	877		•	000	
\$	939	KX-P3131 17 cps	\$	327	
		KX-P3151 22 cps	\$	519	
\$	1348		-		
		Laser Partner	\$	1738	

PRINT	E	25
AST Turbolaser/PS		

	T AFFERS		
	AST Turbolaser/PS	\$ 3383	
3	DICONIX 150	\$ 332	Ł
1	DICONIX 300W	\$ 515	
	GENICOM		
	4410 400 lpm	\$ 4689	
	4440 800 lpm	\$ 4689 5979	ľ
	HP Paintjet	\$ 949	Ł
)			
	OTC 850XL	\$ 1644	Ē
7	XEROX 4020 Color	\$ 1088	-

LX-800

FX-850 FX-1050 FX-86E

FX-286E LQ-500 LQ-850

LQ-1050 LQ-2500

	7.5	
HEWLETT-PACKAR	D	
7440 COLORPRO	\$	877
7475A 6 Pen	\$	1259
7550A 8 Pen	\$	2489
7570A Draftpro	\$	2598

MONIT	O.	RS
Amdek 410	\$	13
432 VGA Mono	\$	150
732 VGA Color	\$	414
1280 & video card	\$	638
AST Monochrome	\$	129
AST EGA Color	\$	477
Epson Mono	\$	114
Epson Color	\$	288
Epson EGA Color	\$	368
Genius Disp Sys	\$	1288
NEC Monograph	\$	1244
NEC Multisync XL	\$	1892
		150

432 VGA Mono	\$ 156
732 VGA Color	\$ 414
1280 & video card	\$ 638
AST Monochrome	\$ 129
AST EGA Color	\$ 477
Epson Mono	\$ 114
Epson Color	\$ 288
Epson EGA Color	\$ 368
Genius Disp Sys	\$ 1288
NEC Monograph	\$ 1244
NEC Multisync XL	\$ 1892
	75.00

GA Mono	\$ 156	N
GA Color	\$ 414	N
& video card	\$ 638	P
Monochrome	\$ 129	P
EGA Color	\$ 477	P
Mono	\$ 114	P
Color	\$ 288	Te
EGA Color	\$ 368	w
s Disp Sys	\$ 1288	Z
Monograph	\$ 1244	Z
Multisync XL	\$ 1892	Z
	ALC: U	HULL

	U	K5	MONII	U)	KS	
	\$	138 156	NEC Multisync II NEC Multisync GS	\$	549 179	
	\$	414	NEC Multisync Plus	\$	858	
ard	\$	638	PGS HX-12	\$	436	
ne	\$	129	PGS Max-15	\$	264	
v.	\$	477	PGS LM-300	\$	538	
	\$	114	PGS Ultrasync	\$	539	
	\$	288	Taxan Crystal View	\$	1434	
or	\$	368	WYSE WY-700	\$	717	
	\$	1288	Zenith 149	\$	109	
1	\$	1244	Zenith 1390	Š	419	
KL	\$	1892	Zenith 1490	\$	584	

HOURS (E.S.T.) 9-9 Monday-Friday 1-6 Saturday



120 West Main Street • CARMEL, IN 46032



800-382-3888

Please add 3% for shipping & handling. NO SURCHARGE FOR CREDIT CARDS and we do not charge until we ship. All items subject to availability and price change. All standard orders are sent UPS.



Above Bd 286 512K Above Bd PS/2 OK Inboard 386/PC Kit

Inboard 386/AT Kit

date to 6.0 by installing a clean copy of it, installing your INITs, CDEVs, fonts, and DAs afterward.

Tecmar QT-Mac40

If you're like me, you preach to your colleagues on the importance of backing up their hard disks every day. This gospel is hard to accept, considering the slow and/or expensive backup alternatives for the Mac. I've been using a GCC Hyper-Tape DC-2000 tape drive for about a year, and I've found it reliable when I use the MacUp backup program available from APDA. But it's slow. It takes as much as an hour to back up a single day's worth of work.

So when I got an opportunity to work with a new DC-2000 tape drive that was supposed to be the fastest on the market, I jumped at the chance. In a month's worth of abuse, the Tecmar OT-Mac40 proved its mettle and its speed. It connects to the Mac's SCSI port and has worked reliably with the Mac Plus and Mac SE, as well as the Mac II. The OT-Mac40 transfers data at about 2.5 megabytes per minute. It backs up data faster than any DC-2000 drive I've tried, and I've tried them all.

You control the QT-Mac40 using the supplied backup/restore software, which is very good. Under MultiFinder, the Tecmar software lets you back up your data in the background while running any other foreground application. This is a handy feature that I haven't found with any other drive or backup software.

The Tecmar software supports fileby-file, incremental, and full-image backups, which pretty much covers the kinds of backups you might want to do. The Tecmar drive can mix file-by-file and image backups on the same tapeanother feature many other drives lack.

In a month of testing, I haven't found anything to gripe about with the Tecmar QT-Mac40. It lists for \$1395, although I've seen it discounted for as little as \$999. At that price, I think I'll get two one for my office Mac II and another for my home Mac II.


FullWrite Professional—Redux

Last month, I complained about the speed of FullWrite Professional on a 1megabyte Mac Plus. With that hardware, the program is almost unusable. But now I'm using it exclusively on an 8-megabyte Mac II. The result is editing nirvana. On the fast, memory-rich Mac II, FullWrite moves along nicely. And all those features are really useful. I don't know how I got along without FullWrite's note and sidebar capabilities before.

The outliner is not as easy to use as MindWrite 1.1's, but it's far superior to Microsoft Word 3.02's. Add to that its document information tally (counts for characters, words, and lines, and a readability index), and you've got a great tool for writers. And that doesn't even touch on its built-in desktop publishing and graphics features. If I were Microsoft, I'd be worried. For my money, FullWrite Professional is everything that Word promised but has never delivered. As long as you have lots of RAM, that is.

Don Crabb is the director of laboratories and a senior lecturer for the computer science department and the college at the University of Chicago. He is also a consulting editor for BYTE. He can be reached on BIX as "decrabb."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.





Low power drives mean less strain on the power supply, lower

operating temperatures, and longer component life. FREE SOFTWARE Including TakeTwo, the backup utility. PC MAGAZINE Editor's Choice in 1986 & 1987, & PC-KWIK disk cache software from Multisoft.

21MB **30MR** 30MB

85ms 85ms \$299 \$339

40ms \$389

40MB 70ms* \$449

28ms*

65MB

16ms*

\$649

49MR

\$549

*Average access speed per partition TANDY 1000/A/SX/TX Leprecards add \$20 LepreFAX Modems New!

External \$299 \$359

- Easy to use Pop-up Menus
- Sends ASCII or word processing files
- Send/Receive from any Group 3 fax machine
- Prints on standard dot-matrix or laser printers
- Automated sending during low phone rate periods
- Internal 4800bps, \$289 9600bps \$559
- Portable external plugs into PC serial port, \$359

PC/XT Disk Kits

- Pretested & formatted
- Mestern Digital short controller
- 30 page installation guide & reference manual
- Cables, mounting screws, full & half-height face plates
- TakeTwo backup software, PC MAGAGINE "Editor's Choice"
- PC-KWIK disk cache software by Multisoft
- •1 year Warranty, 30 day Money Back Guarantee Optional: 150 watt, UL/FCC approved power supply for IBM PC's \$69

TANDY 1000 kits add \$20

20MB kit \$289

Seagate ST225 21.4MB/65ms/Half-Height/14.8 watts 30MB kit \$309


Seagate ST238 32.7MB/65ms/Half-Height/14.8 watts 40MB kit \$459

Seagate ST251 42.8MB/Half-Height/11 watts pre-formatted into a pair of 21MB/28ms partitions

65MB kit Seagate ST277R 65.5MB/Half-Height/11 watts pre-formatted into a pair of 32MB/28ms partitions

28610 Computer

80286 processor at running at 6/10 Mhz with 0 wait states provides a Norton SI rating of 11.5. 8 slots -Room for 1 full height and 3 half - height drives -200 watt power supply - Clock calendar - Choice of 1.2 or 1.44MB floppy drive - Combination Hard



Complete Systems with Serial/Parallel/Game Ports:

Monographics Card & Monitor \$1095 with 20MB/65ms Seagate \$1289 with 40MB/40ms Seagate \$1429 with 65MB/40ms Seagate \$1549

Orchid 512K VGA & Multisync II \$1995 \$2189 with 20MB/65ms Seagate \$2329 with 40MB/40ms Seagate \$2449 with 65MB/40ms Seagate

Correct

\$895

1.5 MB Laser Printer

"One of the Laserjet's strongest competitors." INFOWORLD October 5, 1987

512K RAM

1.5MB RAM

\$1295

\$1595

- •100% HP Laseriet, & Laseriet + compatible
- •1.5MB RAM Gives Full Page 300dpi graphics
- Vector graphics capability improves speed on programs like Autocad up to 93%
- 9 resident & 5 downloadable soft fonts standard



- Printer utility software
- Serial & Parallel Interfaces
- •120 day TRW on site maintenance
- •1 year Warranty
- Options: All HP style font cartridges Toner Cartridge \$29

AT Hard Disk Kits

- Includes IBM AT rails & cables
- SpeedStor or OnTrack large drive software
 Formatted, Partitioned & Tested

Size	Model	Speed	Capacity	Price
HH	Seagate ST251	40ms	42.8MB	\$359
HH	Seagate ST251-1	30ms	42.8MB	\$449
FH	Seagate ST4096	28ms	80.2MB	\$599
FH	Maxtor 1140	27ms	117MB	\$1669
FH	Maxtor 2190	30ms	150MB	\$1999

Orchid

Designer VGA 512K **\$299** 256K **\$269**

Tiny Turbo 286 \$289

Ramquest II 1MB \$799



2524B Townsgate Rd, Dept. B / Westlake Village, CA 91361

To order, or get our free catalog, call:

Toll Free

800-722-AT-XT

California 805-373-7847

- * No extra for Visa/Mastercard (AMEX add 3%).
- * Prices include UPS surface shipping.
- * Federal Express shipping just \$1.50 per pound.
- * 30 Day Money Back Guarantee.
- * Corporate & Institutional PO's accepted.

3.5" Floppy Kits

Internal kits for PC/XT/AT computers include 51/4" mounting bracket, black & gray face plates, and AT rails. 1.44 MB for PC/XT includes high speed Western Digital controller. FREE TAKE TWO floppy backup software

\$109 \$139


1.44MB for AT 1.44MB for PC/XT \$199

2400 MNP Modems \$239/\$229

- Hayes Compatible. 300/1200/2400
- MNP level 4 error correction • FREE MIRROR II Software, a
- \$69 value
- Internal model \$229, fits in short slot

Internal with MIRROR II (non MNP) \$109

HIGH TECH, F



RSCG Equipement

KKINIF

Une can appreciate the efficiency of the Normerel ATC 12 just by looking at its design.

Extra low profile, small foot print, latest technology, single board, and surface mounted technology, with everything you can think of built in for greater reliability.

Equipped with a new standard of VGA visualization containing a 256 color palette, its monitor displays "photo" quality images.

Built around a 12.5 MHz processor, its execution speed is from 1.5 to 2 times faster than that of its competitors and it is very user friendly.

Far from the superficial and over-populated world of clones, Normerel ATC 12 offers the well controlled quality, the sure and subtle touch of elegance of traditional french manufacturing. Dealers Wanted.

Technical Specs. 80286 -


DRAM ON BOARD

- 12.5 / 8 Mhz soft switchable. 640 KB expandable.
- (Standard)
- TTL: MDA, HDA, CGA, EGA, EGA plus
- 2 RS 232 1 Parallel Port Mouse Port

- Floppy 3"1/2 5"1/4 all format Rigid Disk SCSI
- Dram Socket
- 2 MB SIMM's Socket
- 2 AT Format
- 1 PC Format

THE BRAIN IS BEAUTIFU

3 Free Slots



Circle 192 on Reader Service Card


NORMEREL U.S. - 16 Crow Canyon Court. Suite 225 - SAN RAMON CALIFORNIA 94583 - U.S.A. Tél. (415) 8318792

NORMEREL UK - Pathtrace House - 91/99 High Street - BANSTEAD - SURREY SM7 2NL ENGLAND - Tél. (0737) 360482/83 Télex 267597 JSUK Fax (0737) 362813



NORMEREL U.S. Inc. P.O. Box 1309 - 44th Street - ORLANDO -FLORIDA 32809. Tél. U.S. (800) 327.9877

NORMEREL SYSTÈMES - 58 rue Pottier 78150 LE CHESNAY - FRANCE Tél. 33 (I) 39.54.90.06 Télex NRLSYS 699424 F - Fax 33 (I) 39.55.38.13



Surprise. Now you get both in the same package. New Clipper™ from Nantucket.**

Our latest version — Summer '87—is still the best-

performing compiler ever. It lets users run dBASE[®] applications up to 20 times faster. But there's a lot more to it than raw speed.

Because new Clipper is one of the most powerful, full-featured development languages ever. And gives you more control over your applications than any release of dBASE ever will. Now or in the future.

Instead of designing Clipper as an add-on, we've structured it as an extended database language that uses dBASE as a subset. In addition to emulating the dBASE language, we've added commands for menus, screens, windows and extended functions. As a result, you get dBASE compatibility and an entirely new level of power and versatility.

And with Clipper's open architecture, you can write functions in Clipper, C, Assembler or other languages, and integrate them into one seamless application. Which helps you create more sophisti-

© Nantucket Corporation, 1988. Nantucket is a registered trademark and Clipper is a trademark of Nantucket Corporation. dBASE is a registered trademark of Ashton-Tate.

cated applications in less time. And by using our full-featured debugger, you'll be done even faster.

We also give you source code security that keeps users from damaging your application. And sophisticated record and file locking capabilities that make networking applications easier to create. But no matter what you create, you don't have to buy runtime modules or additional software. You don't even have to pay licensing fees.

If you haven't tried Clipper yet, just call (213) 390-7923 today. We'll send you full information and a free demo diskette. Or the complete program, if you'd rather.

But call today. And see how easy it is to find the

best dBASE development language. Just get the fastest compiler. And open the box.



Nantucket, 12555 W. Jefferson Boulevard Los Angeles, CA 90066 Telex: 650-2574125





ALL TOGETHER NOW

From LAN Manager to device monitors, OS/2's features let programs and peripherals live and work in harmony

ast month, I started looking at OS/2's new features. This month, I'll continue the discussion, but first I want to share some test results.

Recall that OS/2 offers virtual memory to applications. If an application requires more memory than the RAM available, OS/2 can use free disk space in place of RAM. I tested OS/2 1.0's virtual memory manager with the simple BASIC program shown in listing 1. This program allocates an integer array, fills it up, and then reports total execution time. Table 1 shows the test results for various array sizes. It shows the array size used (in number of elements and in K bytes), how long it took to allocate and fill the array, and then total time divided by bytes to yield a rough seconds-perbyte number.

Notice the large jump between 400 and 500 elements. Up to about 400, the array is kept entirely in memory, and the program requires about 0.02 second to process a byte. At 500 elements, virtual memory takes over. As the drive light was on continuously throughout the program's execution, it appears that each memory access becomes a disk access once virtual memory is activated.

Granted, virtual memory should be slower than RAM, but look at the difference: 0.02 second per byte versus roughly 13 seconds per byte. That's a factor of 650. At that speed, my 80386 is about 30 times slower than a Commodore 64.

Multitasking virtually (no pun intended) dies when this test program is

running. Pressing Ctrl-Esc to get to the Session Manager yields a Session Manager screen after 10 minutes' wait.

In case you are wondering what kind of underlying hardware I used to test this, I do much of my work on a PS/386, a 16-MHz Compaq Deskpro clone made by Trillian Computer. It uses 4 megabytes of 32-bit static column RAM. The hard disk uses the standard Western Digital AT-type controller and a 26-millisecond Priam disk drive. I use the Compaq VGA board (which I highly recommend for speed and compatibility).

LAN Manager

A major difference between DOS and OS/2 is that OS/2 was designed with networking in mind. OS/2's LAN (localarea network) Manager is an add-on program that brings LAN capabilities to OS/2. LAN Manager brings many new features to Microsoft's networking software. In the process of writing LAN Manager, Microsoft also rewrote its DOS-based LAN software, MS-Networks.

LAN Manager and the accompanying rewrite of MS-Networks include many new Novell- and Banyan-type LAN operating-system features. Security locks are now user- and file-specific. The system can nag users to change their passwords periodically, as the LAN Manager keeps password age information. Attempts at unauthorized access can be logged.

OS/2 allows more comprehensive resource sharing. One OS/2 workstation can run a program entirely on another computer. The workstation just sees the output screens and supplies keystrokes. Other than that, the workstation essentially becomes a dumb terminal. This is intended so that programs like database servers can be constructed. Consider, for example, a SORT command under dBASE on a LAN. With dBASE known for its glacial sorting speed, and sorts being disk-intensive to begin with, add LAN overhead and the whole thing's out of the question. Remote execution would

let dBASE move itself to the server temporarily, just long enough to accomplish the sort.

Imagine other possibilities: One machine with expensive dedicated graphics hardware that computes screens for five CAD stations. Groupware that moves parts of a user's programs to and fro among workstations to provide load leveling. Or, for the nostalgic, one 80386 doing the processing for 15 users with 80286-based dumb terminals. (That sounds silly, but I've heard of a company trying to make OS/2 multiuser through this avenue. Some clients have even told me that IBM has told them, sub rosa, that a multiuser OS/2 is in the works.)

There are many other neat features, and I'll talk about them in a future column. In a few words, the OS/2 LAN Manager is a "fixed" version of MS-Networks, and a welcome one.

Program Harmony

Under OS/2, programs don't step all over each other. SideKick doesn't mess up a Windows screen. One program's manipulation of the keyboard Num Lock/Scroll Lock/Caps Lock status byte doesn't lead to "surprise" uppercase when the next program runs. This makes OS/2's job of multitasking easier.

The reason DOS isn't multitasking has nothing to do with the 80286 or 80386. The main reason that DOS isn't multitasking is that it isn't an operating system (gasp). It's a program loader, a launching pad that starts applications going and then says, "Wake me up when you're finished." DOS is completely inactive when a program is running. The program is supposed to call DOS to do something like print a character or read a file, but many programs are designed to handle such system functions themselves and bypass DOS altogether.

DOS bypass is mainly due to DOS's slowness and incompleteness—for example, DOS doesn't support video graphics

commuea

Finally . . . a low cost, high speed copier for 5½ and 3½ inch diskettes!

Attach a Victory V3000 Autoloader to your IBM/PC or Apple/ Macintosh, enter one or more copy jobs, and walk away! The system automatically copies 5¼ or 3½ inch diskettes—up to 180 per hour. Switching the copy drive takes less than two minutes.

Copy Formats Flawlessly. Victory's Auto-Dup™ software copies differ-

ent formats or you can

build your own format. Auto-Dup tests the quality of each copy, sorting diskettes into one of two output bins.

Do-It-Yourself Servicing.

The Autoloader's simple component design and diagnostics for checking drive alignment and speed allow you to maintain the system without outside service.


Call (800) 421-0103. And ask about Victory's family of affordable AuHard Drive Back-Up, Serialization, and Custom Label Printing.



Technology, Inc.

Victory Plaza 1011 E. 53½ Street Austin, TX 78751-1728 (512) 450-0801

In Europe call BFI: Paris (33-1) 45330137, Frankfurt (49-6074) 27051, London (44-1) 941-4066, Milan (39-2) 33100535, Stockholm (46-8) 7547460, Madrid (34-1)



POWER TOOL.

Introducing 4x488"

You get intelligent IEEE-488 and RS232 ports to make instrument programming fast and easy.

You can have up to 4 Mbytes of memory on the same board for your largest programs,

RAM disks, and data acquisition tasks.

Compatibility is built-in so you can run your favorite programs or create new ones with our advanced programming tools.



To get your FREE demo disk—call 617-273-1818. Capital Equipment Corp. Burlington, MA 01803

The bottom line—IEEE-488, RS232, par. port, 4MB EEM LIM, runs DOS and OS/2.

commands. (Unfortunately, neither does OS/2, unless you use the Presentation Manager.) If every program communicated with peripherals via DOS, most programs would have to wake DOS fairly regularly. Every screen write, keyboard read, and disk access would activate it. DOS could then take that opportunity to switch programs, and voila: multitasking. Microsoft Windows accomplishes limited multitasking in this way.

Using system requests to control task switching won't work if one of the programs doesn't need to make system requests (i.e., doesn't do any I/O). Consider a spreadsheet recalculation or a word processor repagination. Such a CPU-intensive program could grab the system and hold it. Solving the CPU-intensive problem is easy, though: Just add a hardware timer (already built into the IBM PC machines) to force an interrupt and allow the operating system to force a switch to another program.

Programs don't always use DOS system requests, however, so the job of switching DOS programs, each convinced that it owns the machine, is almost impossible. OS/2, built to run in the 80286 chip's protected mode, can enforce the rules. It can control I/O ports, memory areas, and access to system services. The silicon itself disallows any attempts to bypass the operating system. (Some readers may know that the 80386 chip contains a virtual 8086 mode that allows DOS multitasking. This is not exploited in OS/2 because OS/2 is designed for 80286 as well as 80386 machines.)

Once all programs are forced to interact with the system through OS/2, multitasking and more become possible. OS/2 creates separate virtual machines called screen groups. Each machine has an entire environment: current subdirectories, screen modes, and even keyboard status. One screen group can remember that the keyboard is in uppercase mode, while another remembers that it is not.

Legalizing TSRs

We all love TSRs (terminate-and-stayresident programs). They're handy. They extend PC capabilities. At the same time, we hate them because they gobble memory, they can't be easily removed from memory once loaded, and they don't get along well with other TSRs.

SideKick is a prime example of what we love and hate about TSRs. It insists on being the last TSR loaded. Every timer tick (18.2 times per second), SideKick checks to ensure that it is the last one loaded. If it finds another TSR after it, it tries to muscle it aside. This often means

that the keyboard no longer responds and the system crashes. SideKick tries to deal with the memory problem by removing itself from memory on request, but it doesn't always work, especially if Side-Kick isn't the last TSR loaded or if you're not at the DOS prompt.

What does OS/2 offer? OS/2 has a means to make TSRs legitimate. It's called a device monitor. It's like a TSR, and it can act as a filter on a keyboard. Device monitors improve on TSRs, however, in that they can request that OS/2 ensure that they are essentially the last (or first) device monitor loaded. OS/2 rejects an attempt to load two device monitors that insist on being first or last.

Also, device monitors can be unloaded from memory. A nice example of device monitors appeared in Ray Duncan's "TSRs Past and Future: MS-DOS and OS/2" in BYTE's Inside the IBM PCs. Fall 1987.

A Platform for Peripherals

Recently, I bought a new printer, a Hewlett-Packard LaserJet II. The excitement faded a bit when I realized that I would have to reinstall several dozen programs, informing them all of the new printer type. OS/2 reduces this pain. A certain measure of device independence is afforded by version 1.0. A greater amount is provided by the Presentation Manager under 1.1. (The main difference between 1.0 and 1.1 is the graphical Presentation Manager.)

Microsoft Windows gives a preview of this device independence. The Windows installation program asks what kind of printers will be used. Drivers for the printers that you specify load in the Windows subdirectory. Then, at any point in the future, you can select a new printer in a few seconds via the Control Panel. From that point on, any Windows applications will talk to the new printer; you need not inform each application of the new printer. In this way, Windows is device-independent. The Presentation Manager—which is essentially Windows for OS/2—offers the same kind of device independence.

Of course, OS/2, like all operating systems, seeks to let programs built on one machine (e.g., an IBM AT) run on another machine (e.g., a Zenith Z-386). OS/2 1.0, without the Presentation Manager, acts like DOS: Applications will require special installation programs.

Open System Interfaces

DOS has a number of useful programming features that Microsoft uses in its programs but won't own up to. This, un-

Listing 1: This simple program allocates an integer array, fills it up, and then reports total execution time. See table 1 for a comparison of results using different-size arrays running under OS/2.

```
rem examines virtual memory. Needs /ah compiler switch
defint a-z
rem $DYNAMIC
input "array dimension"; ad
c$=time$
dim a (ad, ad)
for i = 1 to ad
  for j = 1 to ad
    a(i,j) = 100
  next
next
b$=t.ime$
print "start:";c$;" end:";b$
```

Table 1: Results of the program in listing 1 running under OS/2 and using different-size arrays.

Array size (no. of elements)	Array size (K bytes)	Execution time (seconds)	Time to process each byte
100	20	0	0.00
200	80	1	0.01
300	180	4	0.02
400	320	7	0.02
500	500	5487	10.97
600	720	10467	14.54

derstandably, makes software vendors jittery, as Microsoft not only writes the platform that their wares run on but often writes the programs that are those vendors' main competition.

Microsoft claims that OS/2 puts an end to undocumented system interfaces. All the hooks that a system programmer would need (well, most of them) are available to developers with the Application Programmer Interface (API). Microsoft technical support claims that there are enough APIs to allow anyone to write his or her own Session Manager. Things that are difficult under DOS, like TSRs or interprogram communication (to name but a few), are directly supported with an OS/2 API call.

OS/2 will be a welcome step up for many DOS programmers, but it will require some getting used to. OS/2 programmers will have to think in an entirely new fashion when structuring code. For example, a word processor is composed of two programs—a text editor and a text formatter. An OS/2 word processor could be structured as a foreground program (the text editor) and a background program (the text formatter). A spreadsheet could be designed as a dataentry process running concurrently with a recalculating process.

OS/2 Tip of the Month

If you're going to use a mouse, you need two device drivers—one for the whole idea of pointing, another for the specific mouse. If you're going to use the Presentation Manager, you need yet another mouse driver for it.


The drivers must be installed in a particular order, or they won't work-first the pointer, then the specific mouse driver, then the Presentation Manager driver. For example, with a serial mouse (the MOUSEA02 driver):

device=pointdd.sys device=mousea02.sys device=pmdd.sys

If you have a serial port, add its driver after all the above ports. Its driver name is COM01.SYS for non-PS/2 machines and COMO2.SYS for PS/2s. ■

Mark Minasi is a managing partner at Moulton, Minasi & Company, a Columbia, Maryland, firm specializing in technical seminars. He can be reached on BIX as "editors."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



Tomorrow's LAN Solutions — Today. EtherLAN Plus™/The Affordable Ethernet Solution

In today's LAN world, every new LAN manufacturer seems to have a new idea of what a network should be. Standards for the industry are few and far between, but are there if you want to pay for them. Wouldn't it be nice if for once you could buy a LAN system, at a price you can afford, and be fully compatible with the ethernet standard? Well now you can!

Turn Key Ethernet

EtherLAN is here to give you everything you need to set up an ethernet LAN system. You'll receive the EtherLAN network adapter. 25 feet of thinwire ethernet coax cable, T connector and easy to understand Installation and User's Guides, all for one low price. In addition to this, you'll also receive complete software needed to get your new EtherLAN system up and running quickly. You'll get NETBIOS software and also a complete network operating system to make using your new EtherLAN system even easier.

SimpleWARETH Makes EtherLAN Unbeatable

The operating system you'll get works as a shell above DOS, so all your normal DOS programs will run on EtherLAN as well as locally.

Even better yet, you can use standard DOS commands to control your network, so you are not stuck spending hours to learn a new set of commands. The operating system functions transparently, so you won't even know you're on a network.

Features You Can Rely On.

- Fully ethernet and cheapernet compatible (IEEE 802.3).
- Fast a full 10,000,000 bit per second.

EtherLAN 6 Node Comparison

11 and 10 seconds

14 and 12 seconds

Read and Write

Novell SFT® 10 and 9 seconds

500 Kbytes

3Com®

EtherLAN

*Figures from PC Magazine.

- · Low memory requirements.
- · NETBIOS compatible.
- Everything you need is included at one low price.

The best news of all is the price.

At only \$699.95 per node, you get all hardware, software, cabling and manuals needed.

Introductory Offer

Four Node Kit for only \$2499.00. Save over \$300.00.

With features like these, and an affordable price per node, how can you lose?

Call Toll Free 1-800-262-8010 1-714-529-8850 (in CA)



Retail

\$4199

\$5670*

\$8265*

VISA, M/C, COD, or Prepaid orders accepted.



NO dedicated servers are required.

- Transparent operation —operates as a shell above DOS.
- Easy to use DOS type commands or pop up menus.
- Share disks, subdirectories, printers and plotters.
- DOS file and record locking.
- Up to 5 printers per server.
- Time and Date sharing.
- Electronic Message System.

Simple Net Systems, Inc.

545 W. Lambert Rd., Suite A Brea, CA 92621 FAX: (714) 529-2413

Requires IBM PC/XT/AT or compatible, running DOS 3.10 or higher. EtherLAN is a registered trademark of Simple Net Systems, Inc. Other brand and product names are trademarks of their respective holders.

Circle 248 on Reader Service Card (DEALERS: 249)

146 BYTE • SEPTEMBER 1988

COM1: Brock N. Meeks



COMPUTER **CONFERENCING** HOMECOMING

Although still in its infancy, computer conferencing is locked into a niche market

nformation is the life blood of videotex, a catch-all technology that the Videotex Industry Association defines as "easy-to-use interactive electronic services." Admittedly, that covers a lot of ground: from audiotex, which is prerecorded information delivered across the telephone line, to computer conferencing, where information is stored and shared among a geographically distributed group of people.

Historically, computer conferencing is a descendant of electronic messaging networks-like the government's Advanced Research Projects Agency Network (ARPAnet), which began simply as a huge electronic mail (E-mail) network. The first true computer conferencing system came about as a result of President Nixon's wage/price freeze controls in 1970. Known as EMISARI, it was a computer conferencing system designed to handle the time-sensitive information needed by government officials trying to manage the revolutionary executive order.

EMISARI's success proved to be both a blessing and a curse: a time-saving blessing for harried government officials, and a curse for computer conferencing systems, which forever after were set up as applications to solve highly specialized needs, instead of becoming general-purpose tools.

Today, 18 years later, computer conferencing is still in its infancy. In advertising jargon, the technology is locked into a "niche market."

My Niche or Yours?

The number of people using computer conferencing systems has grown steadily over the past 5 years, according to the Stanford Research Institute (SRI) study I mentioned in last month's column. Despite this growth, however, the report's author, Tom Mandel, a senior technology analyst at SRI, says "Interest in and use of (public) computer conferencing has been restricted to a relatively small fraction of the consumer population."

That small fraction actually consists of only 12 percent to 15 percent of all home PC owners. Why? Primarily because of conferencing's niche status. Like special-interest magazines—Car & Driver, Soldier of Fortune, Fangora, and so on-computer conferencing caters to highly focused groups.

The need for specialized information is what keeps niche magazines in business. If one magazine could satisfy an entire community of interest, then we wouldn't need publications like Golf Digest; everyone would be happy with Sports Illustrated.

So, just as there is no one magazine that covers all the needs of the sporting community, likewise, there is no single computer conferencing system that satisfies the entire computer industry.

Even large on-line services, such as BIX, are only convenient clearinghouses for hundreds of electronic niche markets. On BIX, each conference is a kind of special-interest group, a narrowly defined

Given the competition for our information dollar, not to mention our time, there doesn't seem to be much of a chance that computer conferencing will break out of its niche status any time soon. Even with the introduction of highly touted all-in-one information systems, like Prodigy and U.S. Videotel, computer conferencing systems will continue to be a niche market well into the 1990's.

SRI's Mandel sees computer conferencing growth into the next decade coming from two distinct areas:

• The spread of computer literacy. Be-

cause the use of technologies like E-mail across local- and wide-area networks is becoming more and more a part of corporate America's daily routine, people will be less resistant to computer conferencing technology. Just as the typewriter migrated from office to home, so too will electronic messaging technologies. From E-mail, it's a short step to computer conferencing.

• Simpler systems. Fierce competition will push developers to design massmarket-appeal videotex systems. This will be accomplished, in part, through low-cost access and turnkey software. Most services offer free trial subscriptions. Such a strategy figures to attract lots of new users because of the negligible monetary involvement. The only risk is that of a little time.

The niche market, however, is only partially responsible for the sluggish acceptance of computer conferencing. Another factor is the technology's potential: There's too much of it.

Too Much of a Good Thing

Federal Judge Harold Greene, who presided over the breakup of the Bell Telephone monopoly and continues to guide the level of participation by the "baby Bells" into videotex services, wrote in a March court opinion: "If consumer-oriented videotex services were made available on a large scale, the economic and social welfare of the American people could be substantially advanced. It is difficult to overestimate the significance of this potential."

While computer conferencing's potential is certainly tempting, those seduced by it have grossly oversold its potential. For example, take the following comment found on the Whole Earth 'Lectronic Link (WELL), a conferencing system based in Sausalito, California:

"There are several hundred ways [computer conferencing can be used as a]

new political technology. We can use it to end war, starvation, homelessness, confiscatory taxation, and so on.

"With the technology that you are using even as we speak, we the people can make this primordial dream a reality ... and use this technology for good instead of evil. All of you now reading these words have been granted with the power to spread this good use of technology all around the world."

This type of rhetoric is typical of the "techno-hedonist," a term coined by Peter Grunwald, a Washington, DC-based communications consultant for organizations seeking to incorporate new technologies, such as computer conferencing, into their day-to-day routines. Grunwald defines a techno-hedonist as "a person who thinks a technology, like computer conferencing, can solve all the world's problems and walk the dog-all in the same day. A techno-hedonist makes unreasonable claims about the potential of the technology. And when the technology fails to live up to the hype, it sours anyone involved-for good-on the future use of the technology."

Grunwald points out that claims about the potential of computer conferencing, like the ones made in the above comment from the WELL, are unfortunate because "there's a good amount of truth in there, but it gets lost in the hyperbole of a techno-hedonist's evangelistic rantings." (I should note that when the above comment was first entered, it was met with incredulity and reproach by the majority of WELL users.)

The "good amount of truth" that Grunwald refers to as a potential for computer conferencing hardly encompasses ending world hunger or the homeless problem. However, it is capable of creating what he calls "legitimate communities of interest." Such communities encompass both the private sector (e.g., corporations and organizations) and the public sector (e.g., CompuServe and BIX).

"It's up to each community of interest to define how computer conferencing fits into their daily routine," says Grunwald. "Computer conferencing doesn't solve problems. However, it can help facilitate the process used to reach a solution. A hammer can't build a house, but used in combination with all the other appropriate tools, it works just fine."

Although computer conferencing won't solve the homeless problem, it's quite possible to gather several leading sociologists into a single computer conference where they could discuss the issues, such as homelessness, without the pressures of academia that are usually associated with their discipline. This is the kind of application that Grunwald sees as a correct use of the medium. He outlines four major advantages of computer conferencing:

- Auto-documentation. When a comment is entered into an electronic discussion, an automatic record exists, unlike comments tossed around a boardroom. This virtually eliminates the "but I thought you said" syndrome.
- Time savings. Conferences can be carried on with participants across the hall or across the world. Participants contribute within the confines of their personal schedules.

Grunwald points out that computer conferencing isn't intended to replace face-to-face discussions; rather, it eliminates many of the intermediary meetings that take place to simply disseminate information.

Multiple tasks. In a computer conference, you can handle several different dialogues at one sitting and respond to each

in like manner. This is impossible when talking in person.

• Better communication. People who might never speak up in a heated face-to-face discussion can sit back and, with the freedom of time, contribute just as much to the discussion as a more gregarious personality.

Balancing these advantages are negatives, such as the following:

- Lack of nonverbal communication. A nod of the head, stiff body posture, and fingers tapping on the table are all clues we send out during a discussion, and they are missing from on-line conferences. Given the absence of these clues, it's much harder to read the intent (and acceptance) of the message.
- Lack of verbal clues. Sighs, a rising voice, shouting, and voice inflection are all difficult to convey on-line.
- Humor. An offhand joke, casually tossed across the ether, often suffers something in the translation from the spoken word to ASCII. Humor must be carefully distributed and often annotated with some equivalent of the phrase "Just kidding."
- Flame now/apologize later. An on-line syndrome known as "flaming" occurs when users think they can yell on-line without incurring the immediate negative feedback from a group of people. This usually leads to an on-line apology later. It's a cyclical syndrome, and one that never goes away.

The Human Factor

The common thread woven through both the advantages and disadvantages of computer conferencing is the human factor. The critical link, and perhaps the most fragile, is you, the personality be-

continued



The International Preview Society for just With No Obligation To Buy Anything... Ever!

Vivaldi, The Four Seasons The English Concert/Pinnock. Archiv **DIĞITAL** 115356

Horowitz In Moscow Scarlatti, Mozart, Rachmaninov, Liszt, Chopin Scriabin, others. DG *DIGITAL* 125264

Perlman: French Violin Showpieces Havanaise, Carmen Fantasy, Tzigane, more. DG DIGITAL 115457

Tchaikovsky, 1812 Overture; Romeo & Juliet; Nutcracker Suite Chicago Symphony/Solti. London DIGITAL 125179

By Request...The Best Of John Williams & The Boston Pops Olympic Fanfare, Star Wars, more. Philips DIGITAL 125360

Brahms, Cello Sonatas Yo-Yo Ma, cello; Emanuel Ax, piano. Grammy Award Winner! RCA DIGITAL 154044

Galway & Yamashita: Italian Serenade Flute & guitar works by Paganini, Cimarosa, Giuliani, others. RCA *DIGITAL* 173824

Gregorian Chant Schola of the Hofburgkapelle, Vienna. Hauntingly serene. Philips DIGITAL 115434

Slatkin Conducts Russian Showpieces Pictures At An Exhibition, more. RCA DIGITAL 154358

Debussy, La Mer; Nocturnes Boston Symphony Orchestra/Davis. Philips DIGITAL 115068 Beethoven, Symphonies Nos. 4 & 5 Academy of Ancient Music/Hogwood. L'Oiseau-Lyre DIGITAL 115009

André Previn: Gershwin Rhapsody In Blue, Concerto, An American In Paris. Philips *DIGITAL* 115437

Mozart, The Piano Quartets Beaux Arts Trio; Bruno Giuranna, viola. "Absolutely indispensable."—<u>Stereo</u> Review Philips *DIGITAL* 115271

Teresa Stratas Sings Kurt Weill Surabaya-Johnny, Foolish Heart, 13 more. Nonesuch 124748

Tchaikovsky, Symphony No. 4 Chicago Symphony Orchestra/ Solti. London *DIGITAL* 125038



Dvořák, Symphony No. 9 (New World) Chicago Symphony/Solti. London DIGITAL 115168

Mendelssohn, A Midsummer Night's Dream Neville Marriner, cond. Philips DIGITAL 115546

Ravel, Daphnis et Chloé (Complete) Montreal Symphony/Dutoit. London DIGITAL 115520

Mozart, Requiem Leipzig Radio Choir; Dresden State Orchestra/ Schreier. Philips DIGITAL 115039

Pavarotti: Volare Title song, Serenata, 14 more. With Henry Mancini. London *DIGITAL* 125102

Handel, Water Music Eng. Concert/ Pinnock. Archiv DIGITAL 115306

Rossini, Overtures Barber Of Seville, Tancredi, 6 more. Orpheus Chamber Orch. DG *DIGITAL* 115527

right to request additional information or reject any application. Local taxes, if any, will be added

Horowitz Plays Mozart Concerto No. 23 & Sonata No. 13, Giulini conducts. DG DIGITAL 115436

Eine kleine Nachtmusik Plus Pachelbel Canon, more. Marriner conducts. Philips DIGITAL 115530

The Canadian Brass: High, Bright, Light & Clear Baroque gems. RCA DIGITAL 144529

Bach, Goldberg Variations Trevor Pinnock, harpsichord. "Definitive."— Stereo Review Archiv 105318

Rachmaninov, Piano Concertos Nos. 2 & 4 Vladimir Ashkenazy. London DIGITAL 125074

Holst, The Planets Montreal Sym./ Dutoit. London DIGITAL 115448

Handel, Messiah (Highlights) Musica Sacra/Westenburg. Hallelujah Chorus, more. RCA DIGITAL 153586

SAVE

IPS/6550 E. 30th St./Indianapolis, IN 46219

INSTANT HALF-PRICE BONUS PLAN

You'll receive bonus certificates for each album you order. Use them to get additional albums at half price!

his remarkable \$1 offer is being made to introduce you to an outstanding classical music membership—with never any obligation to buy.

You'll find hundreds of outstanding albums in each issue of the Society's magazine, which will be sent to you approximately every 3 weeks. That gives you 19 convenient, shop-at-home opportunities a year. But there is no obligation to accept any offering at any time.

You choose only the music you want!

If you'd like to accept the Main Selection, you need not do a thing. It will be sent automatically. If you'd prefer an alternate selection or none at all, just mail back the Notification Card by the specified date. You'll always have at least 10 days to decide.

Substantial savings with our half-price bonus plan. For every regular purchase you do make, you'll receive bonus certificates good for half-price discounts. A shipping/handling charge is added to each shipment.

3 Compact discs or records or cassettes for just \$1! Begin your membership now by choosing any 3 albums shown here for just \$1 plus shipping and handling. Send no money now. We want you to judge for yourself before you decide to buy. If not delighted, return your 3 albums at the end of 10 days without obligation.

	☐ YES! Please accept my membership in The International Preview Society and send me, for 10 days' FREE examination, the 3 albums I have indicated below. I may return them after 10 days and owe nothing, or keep them and pay only \$1 plus shipping & handling. I understand that I'm not obligated to buy anythingever!						
	Please send all selections on \ \	ct Disc	□ Cassette	□Record			
	Write S	election I	Numbers Here	e:			
i							
l	v.						
	□ Mr. □ Mrs.						
	☐ Miss First Name	Initial	Last Name	(PLEASE PRINT)			
	Address			Apt			
	City	Sta	ate	Zip			
İ,	Telephone () _ Area Code						
6	NOTE: Members who sele	. Full mer	nbership deta	ils will follow with the			
	Limited to new members; continental	U.S.A. only.	One membership (per family. We reserve the			

The International Preview Society P.O. Box 91406 • Indianapolis, IN 46291

(BF

XJPY7

PY7

ARABIAN AMERICAN OIL COMPANY

The Arabian American Oil Company continues the high standards of an industry leader. We are seeking highly qualified professionals to join us in Saudi Arabia.

If you're an upstream computer analyst in any of the following areas, and possess a related BS degree along with 5+ years' experience, you should consider us.

COMPUTER PROGRAMMING COMPUTER TRAINING PETROLEUM ENGINEERING SYSTEMS

EXPLORATION APPLICATION SYSTEMS COMPUTER END USER **COMPUTER OPERATIONS** COMPUTER HARDWARE

With the Arabian American Oil Company, you will discover large-scale technology that will challenge you professionally. For confidential consideration, please send your resume to: ASC, Employment, Dept. 06E-020-8, P.O. Box 4530, Houston, Texas 77210-4530.

THE STANDARDS IN FORTRAN

LAHEY PERSONAL FORTRAN 77 (Version 2.0)

Full 77 Standard, Debugger, Fast Compilation, Math Emulation

F77L FORTRAN LANGUAGE SYSTEM (Version 3.0)

For porting or developing, this is the critics' choice.

"...the most efficient and productive FORTRAN

development tool for the DOS environment" BYTE

F77L-EM/16-BIT (Version 1.1)

\$695

\$95

\$477

Break through the DOS 640K barrier. Programs up to 15MB on 80286s.

F77L-EM/32-BIT (Version 1.0)

\$895

The most powerful PC Fortran Compiler for downloading or writing large programs. Designed for maximum performance on 80386s.

PRODUCTIVITY TOOLS

Profiler, ULI Mathematical Functions Library, Overlay Linker, Toolkit, Spindrift Libraries, Memory Boards, 80386 HummingBoard, DOS OS Extenders.

IF YOU DEMAND THE VERY BEST, THEN YOU SHOULD BE USING LAHEY. CALL US TO DISCUSS YOUR PC FORTRAN NEEDS.

FOR INFORMATION OR TO ORDER: 1-800-548-4778

30 DAY MONEY-BACK GUARANTEE

Lahey Computer Systems, Inc.

P.O. Box 6091, Incline Village, NV 89450 TEL: 702-831-2500 TLX: 9102401256 FAX: 702-831-8123



hind the message. It is a factor too often overlooked.

The act of putting your thoughts online, in a semipermanent environment, might seem disconcerting. Indeed, a state senator I interviewed once told me that, although he sees great potential in computer conferencing, he would never use it himself. Why? "My every word and thought would be a matter of printed public record," he said, "and I'm not sure I'm willing to take that much risk."

To help along the human factor, Walter Orr Roberts, the founder of the National Center for Atmospheric Research and an unselfish pioneer in helping to establish computer conferencing links with the Soviet Union's scientific community, has developed several protocols for participants in his computer conferences. Among the most important of these are the following:

• Encourage people to practice using the system. The old adage "Practice makes perfect" is certainly applicable in the computer conferencing world.

• Develop a buddy system. This gives newcomers someone to go to when they have questions or need some moral support.

• Overcome the fear of typing. Typing speed is of little importance, yet lack of typing skills keeps people from contributing.

· Eliminate grammatical and typographical issues. Spelling and sentence structure are of only secondary concern; ideas and participation from all involved are the important factors.


Next Up

Next month I'll look at Prodigy, one of the new videotex systems that have spared no expense to address the critical human factor. Such systems are out to appeal to the common denominator of success: you, the user.


From celebrity endorsements to free subscriptions, these systems are serious about bringing videotex (including computer conferencing) into your household. And perhaps, more important, the households of your neighbors. After 18 years, I think it's a homecoming long overdue.

Brock N. Meeks is a San Diego-based freelance writer who specializes in high technology. You can reach him on BIX as

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



NOW YOU CAN CONNECT FOUR USERS TO ONE LASER PRINTER.



Each of you will have your own I/O port, programmable for your own protocol and emulation. Laser-crisp text and graphics at 300 dpi. All the specs you see in the center. And with an optional 5-bin sorter, even your own output bin.



THIS ONE.

- Speed: 10 pages-per-minute
- Dual paper cassettes standard, 250 sheets each.
- Dual output bins standard, 250 sheets each.
 Memory: 500K; 400K available to print graphics or download additional fonts.
- Manual feed handles single sheets, envelopes, transparencies, and labels.
- Emulations: Diablo* 630, Epson* FX, IBM* Proprinter;" HP* LaserJet Plus," and Oume* Sprint II.
- Workload: 10,000 pages-per-month.

 Standard fonts: □ Courier 10. □ Prestige
 Elite 12 □ Letter Gothic 16.6 □ bold, italic,
- condensed, and expanded.

 Options: □ 4-user I/O □ extensive library of optional fonts in cartridge or downloadable formats □ 1.5 Mg RAM upgrade □ 5-bin sorter.

So call the number below for more information or to connect with your nearest dealer.

And he'll connect you with the only out-of-the-box laser printer on the market today that gives you so much for just \$1050 per user.

A Mannesmann Tally.

MANNESMANN *TALLY* **1-800-843-1347**_{Ext. 14}

In Washington state, call: 206-251-5524 Ext. 148



You Can Never Be Too Powerful Or Too Thin.

As portable PCs go, ours may look a bit on the skinny side. But they're by no means undernourished.

After all, each 286 and 386 powered Toshiba portable has an easy-to-read gas plasma screen. Each is IBM-compatible. And each gives you a wide range of features you'd expect only from a desktop PC.

The T3100/20, for example, weighs a scant 15 pounds, yet has an abundance of power. It comes with an 80286 microprocessor and 640KB of RAM that's extendable to 2.6MB. Plus, there's a built-in 20MB hard disk.

Our T3200 has the advantages of a 12MHz 80286 microprocessor, an EGA display system, a 40MB hard disk and 1MB of RAM expandable to 4MB. Also, its two IBM-compatible internal expansion slots let you connect your PC to mainframes, LANs and more. But what's even more impressive is how we managed to fit all this into a slim, 19-pound package.

Then there's our T5100. As amazing as it seems, we managed to squeeze a 16MHz 80386 microprocessor into a slim package that weighs less than 15 pounds. To that we added an EGA display system and a 29

msec 40MB hard disk. As your thirst for power grows, its 2MB RAM can be upgraded to 4MB. And for a limited time, your T5100 purchase entitles you to buy the powerful Paradox 386° database software for only \$299 (nearly \$600 off the retail price).

For more information on Toshiba computers and printers, call 1-800-457-777. And rest assured that whichever Toshiba PC you choose, you'll be getting the kind of power once reserved for cumbersome desktop computers.

All of which proves you can maintain a position of great power without having to throw a lot of weight around.

Toshiba PCs are backed by the Exceptional Care program (no-cost enrollment required). See your dealer for details. IBM is a registered trademark of International Business Machines Corp. Paradox is a registered trademark of Borland Corp.



In Touch with Tomorrow
TOSHIBA
Toshiba America Inc., Information Systems Division

IBM and Tandy:

IBM's Model 70-A21 supplies 25-MHz performance in a Model 50 housing. Tandy's 5000 MC provides IBM Micro Channel-compatible slots. Both offer a unique design for future growth.

f you have any doubt that 32-bit microprocessors have answered a real need in desktop microcomputing power, take a look at the trend: The first 80386-based microcomputers, introduced in 1986, ran at a clock speed of 16 MHz. Nearly a year later, such systems were operating at 20 MHz, and caching hardware, used to maximize the throughput of these faster processors, became common. This year, various computer manufacturers raised the ante for top-of-the-line performance to 25 MHz (see "25-MHz Computing Buzzsaws" by Rick Grehan, August).

But unless your budget has grown along with your processing needs, you've got a problem. If you already own a 16-MHz 80386-based system, you must sell it before you can hope to afford a higherperformance 20- or 25-MHz system. Worse yet, if your processing needs have grown so rapidly that they require a faster system already, where will they and the computer industry be in a year? Will you have to sell the faster system you're trying to obtain now for next year's model?

IBM and Tandy offer a unique solution to the problem of ballooning processing needs that outstrip the power of today's systems. In a remarkable coincidence of



design, both companies' latest systems-IBM's PS/2 Model 70-A21 and Tandy's 5000 MC—feature a removable "processor card." Simply put, the computer's CPU components are mounted on a plugin board. Although neither company would talk about future plans, both admitted that the intent of this design is to enhance the performance of these systems at a later date by swapping the processor card.


The Tandy 5000 MC provides another significant feature: It's the first microcomputer that offers a bus whose signals and timing are 100 percent compatible with IBM's PS/2 Micro Channel bus.

IBM's PS/2 Model 70-A21

When IBM announced its line of PS/2 systems last year, it was obvious that the series had at least one gaping hole: In the progression from a desktop 80286-based Model 50 to a floor-bound 80386-based Model 80, there was something missing: a desktop 80386-based system. This June, IBM lived up to everyone's expectations and plugged the hole with the PS/2 Model 70.

On the outside, the Model 70 looks exactly like its desktop cousin, the Model 50, with the same small footprint and

Same Channel, Same Plan for Growth



light weight. Inside the machine, the resemblance to the Model 50 ends. The Model 70 uses an 80386 CPU (versus the 80286 for the Model 50) and a larger hard disk drive (your choice of a 60megabyte drive with a 27-millisecond access time or a 120-megabyte drive with a 23-ms access time, versus the Model 50's 20-megabyte drive). The Model 70 has three Micro Channel slots: two 32-bit slots and one 16-bit slot. The Model 50 has four 16-bit slots, one of which is occupied by a hard disk controller card. The Model 70 gets away with three slots since the disk controller is integrated with the disk drive. This version of the

Model 70 comes with 1 megabyte of RAM that's expandable to 6 megabytes onboard, and, using Micro Channel memory boards, you can add RAM to a maximum of 16 megabytes. At the June announcement, you could get the PS/2 Model 70 with either 16-MHz components (the Model 70-E61, with a type-1 system board) or 20-MHz components (the Model 70-121, with a type-2 system board).

In September, the high-end version of the Model 70 became available: The Model 70-A21 features 25-MHz components (an 80386 CPU and an optional 80387 numeric data processor [NDP]) and a 64K-byte RAM cache based on the Intel 82385 cache controller chip. The 120-megabyte hard disk drive is standard. The system board comes with 2 megabytes of on-board 80-nanosecond RAM and is expandable to 8 megabytes. Micro Channel memory cards still allow you to expand RAM to the 16-megabyte maximum. The most significant difference between the Model 70-A21 and the other Model 70 machines is its type-3 system board, which has an additional connector for on-board RAM (providing the 8 megabytes of on-board RAM versus the 6 megabytes of the other Model 70 systems) and the processor card.

With all this going for it, the Model 70-A21 ought to be the fastest of the PS/2 line of machines and possibly one of the fastest on the market. To verify this, we obtained an early preproduction unit of the Model 70-A21 and set it up for a complete round of tests in our BYTE Lab. It came equipped with 16 megabytes of RAM, an 80387 math coprocessor, and PC-DOS 3.30 installed on the hard disk.

Sure enough, with the exception of the color of the power switch (it's now white instead of red) and the marking on the nameplate, you would think the machine was a Model 50. As with the Model 50, you can easily remove the Model 70-A21's cover by loosening two easy-to-access thumbscrews at the rear of the machine. A quick glance through the support bracket (which holds the disk drives) reveals the 32-bit nature of the beast: an 80386 CPU.

IBM has done considerable chip integration, distilling most of the components that make up a Model 80 system board to fit a Model 50 system board and adding a caching system at the same time. Nevertheless, it seems to have been a tight fit: Several chips have been placed on tiny daughterboards that rise up vertically from the system board.

The PS/2 system design makes it easy to disassemble the computer to replace or get a good look at a particular compo-

nent. It took only moments to unplug the disk drives, pop up seven snaps, and remove the support bracket to expose the system board and processor card (see photo 1). Located near the processor card are four memory modules that closely resemble single in-line memory modules (SIMMs). Each memory module clips into a socket on the system board and is packed with chips on both sides. For the Model 70-A21, each module contains 2 megabytes of 80-ns paritychecked RAM. The preproduction system came stuffed with the maximum 8 megabytes, but it will ship with just one module, or 2 megabytes, of RAM. You can buy additional 2-megabyte memory modules for \$1495, a reasonable price considering today's memory market. The additional 8 megabytes of RAM on the preproduction unit were provided by a 32-bit Micro Channel memory card.




Photo 1: The inside of the IBM Model 70-A21. At the front, mounted on four white brackets, is the removable processor card. The 80386 CPU, 80387 NDP (if present), 82385 cache controller chip, and 64K bytes of cache RAM are located on this card. Immediately to the left of the processor card is 8 megabytes of SIMM-mounted system-board RAM.

Table 1: The performance of a preproduction IBM Model 70-A21 compared with other 25-MHz 80386-based microcomputers. While not as fast as the Everex system, the Model 70-A21 was faster than the Compaq Deskpro 386/25 in certain tests.

CPU	IBM PC AT	Everex Step 386/25	Compaq Deskpro 386/25	IBM Model 70-A21
Matrix String Move	11.69	2.44	2.47	2.49
Byte-wide Word-wide:	80.41	16.02	25.01	18.92
Odd-bnd.	80.41	20.01	25.65	23.69
Even-bnd.	40.26	8.02	12.51	9.47
Sieve	73.65	15.25	15.25	15.24
Sort	84.39	11.44	11.45	11.48

Four clips hold the processor card, which contains the 80386, an 80387 socket, an 82385 cache controller, and 64K bytes of 30-ns cache RAM. The 82385 implements a write-through cache (i.e., as the processor writes to RAM. the cache controller writes to both its cache and system memory to keep the two identical), and IBM used some special hardware to double the cache size from 32K to 64K bytes.

To remove the processor card, you simply unfasten the clips and gently unplug the card from its socket on the system board. One nice thing about this arrangement is that it makes the elevated 80387 socket easier to reach. You open the Model 70's hood, remove a disk drive from the support bracket, and plug the 80387 into its socket. IBM says that a 25-MHz math processor should be available by the time the Model 70-A21 ships. But be prepared for the hefty price: \$2395.

When we turned the system on, it was quite impressive to watch the memorycheck display ripple through all 16 megabytes of memory. Naturally, under DOS 3.30, the system saw only 640K bytes of RAM, and the hard disk was divided into four 32-megabyte partitions. We didn't run any software compatibility tests; after all, this is the machine that sets the standard by which all software and hardware compatibility is measured. We did open the hood and try an assortment of Micro Channel cards in the slots: a Ven-Tel 24/2 2400-bit-per-second modem card, a USRobotics Courier 2400/PS 2400-bps modem card, and an IBM highresolution 8514/A display card. When the system was turned on, the Programmable Option Select (POS) software on the reference floppy disk drive detected the new cards in the slots and went through its configuration sequence to integrate the cards into the system. This process went smoothly, and the cards worked reliably, as expected.

Handy tip: Copy the .ADF option files from the floppy disk supplied with a expansion card to your reference floppy disk before adding it to the system. This way, you'll only have to go through the configuration sequence once. Otherwise, you can only configure the cards that have option files on the reference floppy, reboot, copy the option files from each card's floppy to the reference floppy, reboot, and finally configure the remaining cards into the system. While POS is supposed to eliminate fiddling with jumpers to set a card's address space or interrupts, it can in some circumstances make getting the system started a major headache.

Note: Version 1.1 Small-C benchmarks used. All times are in seconds.

Of course, the most important feature of the Model 70's class is its performance. We ran version 1.1 of the BYTE Small-C benchmarks on the Model 70-A21 to measure this capability. Since we were working with a preproduction model, we used only the CPU benchmarks. The results shown in table 1 indicate that the Model 70-A21 is indeed the fastest of the IBM line. Compared to the rest of the market, the Model 70-A21 wasn't the fastest 25-MHz system, and, in some instances, it was slower than certain 20-MHz systems, including those from Advanced Logic Research, Compaq, and Dell.

Tandy's 5000 MC

Like a brash Texas oilman at a New York society ball, Tandy chairman John Roach surprised everyone last year by announcing that Tandy could easily overcome any technical or legal obstacles to cloning IBM's new Micro Channel architecture (MCA). This year, with the introduction of its high-end performer, the Tandy 5000 MC, the company put its money on the line.

Why duplicate the IBM Micro Channel? Tandy gave the same reasons IBM did when it first introduced the bus: It has a higher bandwidth and can support multiple processors. Of course, most of the Micro Channel's potential has yet to be realized, but that should change as multitasking operating systems such as OS/2 begin to dominate the market. At any rate, Tandy is betting-like IBMthat at some point having this bus architecture in its machines will prove to be worthwhile.

Even on its specifications alone, the new Tandy system is quite a tempting machine. The system features a 20-MHz 80386 processor with a 32K-byte cache, a 1.44-megabyte 31/2-inch floppy disk drive, VGA-compatible graphics, and five IBM MCA-compatible slots. It is, of course, the first IBM MCA-compatible system to become available on the market, and it is also the least expensive system of its type at a base price of \$4999. And for a brief time—until the IBM Model 70-A21 became available—it was also the fastest IBM MCA-compatible system on the market.

The Tandy 5000 MC comes in an enclosure that's slightly larger than an IBM PS/2 Model 50. But, unlike the Model 50, it has room for four user-accessible storage devices, including two halfheight 51/4-inch-style devices. This allows you to add a 51/4-inch floppy disk drive and tape cartridge unit, as well as

3½-inch floppy and hard disk drives. You switch on the computer's power by pressing a green button on the front panel of the machine. A small hardware reset button, located on the left side of the front panel, makes recovery from particularly nasty system crashes (the type that won't respond to the Ctrl-Alt-Del key combination) painless. Why this handy feature has never appeared on many other systems is a mystery to us.

Of course, the most interesting part of the 5000 MC lies within the system cover. You'll need a Phillips-head screwdriver to remove the three screws that fasten the cover to the backplane; we miss the handy thumbscrews on the IBM PS/2 systems. Inside, you'll find a wide variety of slots (photo 2): a "CPU slot" for the processor card, five IBM Micro Channel-compatible slots (two 32-bit continued




Photo 2: The inside of the Tandy 5000 MC. Upper left: a Tandy system memory board. The board holds 2 or 8 megabytes of RAM, depending on the density of the RAM SIMMs mounted on the board. Center: The processor card, with 80386 CPU, 82385 cache controller chip, math coprocessor socket, and 32K bytes of cache RAM. Right: the 5000 MC chassis and system board: (a) the "CPU slot" for the processor card; (b) 32-bit IBM MCA-compatible slots; (c) 16-bit IBM MCA-compatible slots; and (d) 32-bit system memory slots.

Table 2: The performance of a preproduction Tandy 5000 MC compared with other 20-MHz 80386-based microcomputers. The 5000 MC was the fastest 20-MHz system we've looked at.

CPU	IBM PC AT	IBM PS/2 Model 80-111	Compaq Deskpro 386/20	Tandy 5000 MC
Matrix String Move	11.69	4.75	3.06	3.04
Byte-wide Word-wide:	80.41	39.51	26.11	23.65
Odd-bnd.	80.41	39.09	31.01	29.62
Even-bnd.	40.26	19.66	13.07	11.85
Sieve	73.65	29.11	23.18	19.10
Sort	84.39	33.11	26.89	14.36

Note: Version 1.1 Small-C benchmarks used. All times are in seconds.

Tandy's 1000 Learns to Speak and Listen

eet George Jetson..." Thus spake the newest Tandy systems. Or rather, thus sang the systems. A few weeks ago, Tandy introduced two new versions of its popular Tandy 1000 line. In addition to a number of other features, the new systems feature analog/digital circuitry that allows them to digitize and replay sounds and music. As in the above case of the theme song from the TV show "The Jetsons." it can even play back music digitized on other hardware-on a Macintosh, for example.

Both systems are replacements for previous low-end systems from Tandy. The new Tandy 1000 SL replaces the 2year-old 1000 SX, and the new 1000 TL replaces the Tandy 1000 TX. The sound capability is clearly the most notable feature that the new systems share, but there are a number of other interesting features as well.

Like Tandy's entry-level 1000 HX, the new systems have a ROM drive that includes DOS. But while the HX has only 128K bytes of ROM, the new SL and TL each have 512K bytes. The ROM is used to store a number of things, including DOS 3.3, a new version of Tandy's DeskMate integrated software, and even a spelling dictionary. The advantage of having DOS on a ROM chip is that you can immediately boot up the system without worrying about finding a system disk and the time it takes to load the system from the disk.

Both systems also have better video interfaces. Like the Leading Edge Model D, the Tandy systems now support Hercules-style graphics when connected to a low-cost monochrome monitor. And if you attach a CGA color monitor, the systems will display a resolution of 640 by 200 pixels by 16

A number of lesser details include an AT-compatible 101-key keyboard. On the back panel, Tandy has finally included a serial port as standard equipment. Inside, each system has five PCstyle expansion slots, but each slot follows in the Tandy 1000 tradition of being only 10 inches long.

As for software, Tandy has included with the system a new version of Desk-Mate. This version has a number of new capabilities and is more compatible with DeskMate application software developed by outside companies. In fact, for low-cost systems, the DeskMate operating environment will almost undoubtedly be a very popular alternative to Microsoft Windows in the low-cost 8088/8086 market.

There are some differences between the systems. The \$899 SL features an 8-MHz 8086 and a 360K-byte 51/4-inch floppy disk drive, and it has only 384K bytes of memory, expandable to 640K bytes. In contrast, the \$1299 TL features an 8-MHz 80286, a 720K-byte 31/2-inch floppy disk drive, a real-time clock, and 640K bytes of memory, expandable to 768K bytes.

But clearly the most interesting feature of the new systems is their sound capability. Both the SL and TL have an 8-bit A/D converter (ADC) as well as an 8-bit D/A convertor (DAC). The converters are capable of sampling at rates of 5, 500, 11,000, and 22,000 samples per second, and they have direct memory access capabilities for transferring sound data quickly back and forth to disk. For sound input, both systems have a microphone jack. For output, there is an earphone jack with a volume control, as well as the system's standard loudspeaker.

To access these sound capabilities, Tandy has enhanced its DeskMate software with two additional applications. A program called Sound allows you to record a 30-second sound, display its waveform, play it back, and edit it. On the preproduction unit that Tandy showed us, the played-back sounds had the fidelity of sounds produced on a Macintosh. The second program, Music, lets you play music using voices sampled or created with the Sound program. One example we heard was a version of the omnipresent Pachelbel's "Canon."

The new ADC and DAC circuitry appears to be one more step toward providing the popular features of non-IBM systems in a low-cost IBM-compatible environment. Tandy had already provided a Mac-style graphical user interface via its DeskMate software. Now it supplies sound capabilities similar to that of the Mac and the Amiga. It is probably no coincidence that this new feature has some of the same sampling rates as those used by the DAC on the Macintosh. For developers who are interested in these possibilities, Tandy will soon be providing a toolkit.

To be sure, the new sound capabilities will probably find little use in the average office, but they appear to be a perfect low-cost perk for home systems.



Two new low-end Tandy systems, the Tandy 1000 TL (left) and the 1000 SL (right). Both feature new sound capabilities. The TL is displaying a new application included with Tandy's DeskMate software, called Sound. The software lets you record, edit, and play back any captured audio sound. The SL is displaying a graphics application included with DeskMate.

slots and three 16-bit slots, one with the video bus connector), and two 32-bit memory slots for Tandy memory cards.

The most significant feature of the 5000 MC is that all its CPU-related parts have been moved to a separate card. This card incorporates a 20-MHz 80386, an 82385 cache controller chip, a math coprocessor socket, the 32K-byte 35-ns cache memory, and a 40-MHz system oscillator. The math coprocessor socket accepts either an 80387 NDP or a singlechip version of the Weitek WTL 1167. This card plugs into the CPU slot on the system board. The setup is remarkably similar to that used on the IBM Model 70-A21, and, as is the case with the IBM system, it immediately suggests that this processor card can be replaced with a faster one. Tandy said that by adding a faster 80386, oscillator, cache memory, and system memory, the company had easily run the system at 25 MHz.

The 5000 MC comes standard with 2 megabytes of 100-ns parity-checked RAM. All system memory resides on a memory card that mounts in one of two proprietary memory slots. This memory card can accommodate either 2 or 8 megabytes of RAM, depending on whether you use 256K-byte or 1-megabyte SIMMs. The RAM on these cards is accessed in paged mode. The memory card is almost identical to the one used in the Tandy 4000; only one minor change was made in the card so it can be used in the new Tandy 3000 NL 80286-based system (see the text box above). If you need more memory, you can add a second such card, providing a total RAM capacity of either 4 or 16 megabytes.

A hard disk drive does not come standard with the Tandy 5000 MC, as it does with IBM's Model 70. However, Tandy gives you a wide choice of hard disk sizes and controller options to pick from for your system. You can get hard disk drives ranging from 40 megabytes to 110 megabytes using an ST-506 controller, 80 to 344 megabytes using a small-computer-system-interface controller, and 120 to 140 megabytes with an enhanced-small-device-interface controller. The hard disk controller card occupies one of the IBM MCA-compatible slots.

One of the things that most interested us was the 5000 MC's IBM MCA compatibility. We used the same IBM MCA cards that we used in the PS/2 Model 70-A21: the Ven-Tel 24/2 2400-bps modem card, an IBM high-resolution 8514/A display card, and a USRobotics Courier 2400/PS 2400-bps modem card. Because of its five slots, we were able to easily pack all three cards into the system. The

Meanwhile, in the Same Case . . . The Tandy 3000

Hatever your feelings on the new Tandy 5000 MC, Tandy seems to favor the size and shape of its housing. In fact, the company revamped its midline 80286-based 3000 HL into the new 3000 NL, which uses standard PC ATcompatible expansion slots but now has the same case as the Tandy 5000 MC.

The new 3000 NL uses the same keyboard as the 5000 MC: a new 101-key keyboard with the industry-standard layout. The keyboard has both tactile and audible feedback, but it is not quite as loud as the standard IBM keyboards.

The 3000 NL also uses the same memory board as the 5000 MC.

But there the similiarities to the 5000 MC end. The new 3000 NL has a 10-MHz 80286 CPU and seven PC AT-style slots (three 8-bit slots and four 16-bit slots). And at \$1699 for a system with a single 1.44-megabyte 3½-inch floppy disk drive, it is considerably less expensive. Indeed, the new 3000 NL could steal some customers away from Tandy's original PC AT clone, the 3000. At 12 MHz, the old 3000 is a little faster, but it costs \$300 more.

POS software functioned properly, identifying the new cards and configuring them into the system automatically. We were also able to use this software to manually configure the Ven-Tel modem card to serial port 1, and the USRobotics modem card to serial port 3.

Because we were unable to reach a phone line, we couldn't thoroughly check out the operation of the modem cards. Nevertheless, each card responded to Hayes AT commands as entered by a terminal program, indicating that the computer and software were communicating with the MCA cards on the bus. Connecting an IBM 8514 monitor to the high-resolution 8514/A display card, we got a steady and clear color display. These tests are not exhaustive, but they show that the 5000 MC bus and the IBM MCA bus are compatible.

We also looked at the performance of the 5000 MC. Once again, we used version 1.1 of the BYTE Small-C benchmarks. Since we were looking at a preproduction unit, we present only the CPU measurements in table 2. It's obvious that the Tandy 5000 MC is easily one of the fastest 20-MHz 80386-based systems: It outperformed both IBM's 20-MHz Model 80 and Compaq's Deskpro 386/20. We can't help but wonder how the 5000 MC would compare to the Model 70-A21 if Tandy placed a 25-MHz processor card in this system.

Two Computers with Replaceable CPUs

IBM's new Model 70-A21 appears to be powerful, slick, and well designed. But at \$11,295, you'd expect nothing less. We especially like its small size, even though this limited the number of expansion slots in the system. If you add a high-resolution video board, a network card,

and a modem card to the Model 70-A21, you've used up all your slots. We also think the system is high-priced; you can get *two* 16-MHz Model 70s (which go for \$5995) for the price of one 25-MHz Model 70. However, the higher price may be justified if you eventually wind up swapping out the processor card for a higher-performance processor.

The 5000 MC has two things going for it when compared to the Model 70-A21: It has IBM MCA-compatible slots (and two extra at that) and a removable processor card. While the 5000 MC runs at only 20 MHz, it has excellent performance for its class, and there's always the possibility of swapping that processor card. The other thing going for it is price. A Tandy 5000 MC, equipped with an 80-megabyte hard disk drive with an ST-506 controller, costs \$6999.

Both IBM and Tandy have shown innovation in tackling the problem of how
to supply the spiraling demand for more
computing power without having the system become virtually obsolete in a year.
It's interesting that both companies came
up with the same solution: Make the
CPU components and memory just more
plug-in peripherals. The fastest CPU
components and RAM are seldom cheap,
but these components should cost considerably less than replacing the entire
machine.

We'll have to wait and see if this opendesign strategy pays off. Tandy should be commended for its efforts in duplicating the IBM MCA. Again, we'll just have to wait and see if the MCA itself pays off—for Tandy as well as for IBM. ■

Rich Malloy, a BYTE associate managing editor, can be reached as "rmalloy" on BIX. Tom Thompson, a BYTE senior technical editor at large, can be reached as "tthompson" on BIX.

The Dell System 220. Once again the critics stole the words right out of our mout

"The Dell System 220 runs most PC Labs system benchmark tests at speeds that would make you think you're running a 386."

"...the Dell machine is renewed evidence that the price of 286-based desktop equipment continues to drop rapidly, making such machines very attractive for daily work under MS-DOS even as they hold out the promise of running OS/2 in the future."

-WILL FASTIE, PC WEEK

"...includes a year's on-site support...in the price of the computer. This is the sweetest support deal offered by any computer vendor in the industry."

—ERIC KNORR, PC WORLD

"The hot item from a technical point of view is the System 220. This machine runs a 286 processor at 20 MHz, which is its major claim to fame."

-WILL FASTIE, PC WEEK

"...the System 220 has more going for it than just speed."

-PC WORLD



The reviews are beginning to pour in. And they read like a wish list for every power user looking to exceed the ordinary limitations of a 286 computer.

The computer everyone is praising in such glowing terms is the Dell System 220.

The first 286 computer with a clock

speed of 20 MHz.

It's totally MS-DOS® and MS® OS/2 compatible. Yet it sells for much less than you may pay for a 386† computer.

Because you buy it direct from us. Eliminating the mark-ups and mar-

gins of computer stores.

We design and build every Dell computer right here in Austin, Texas.

We put each and every one through a comprehensive burn-in and a battery of diagnostic tests before we ship it.

And after we ship, we give you the best technical support you'll find anywhere in the computer industry.

Our technicians are on the phone from 7AM to 7PM every business day.

Almost any question you may have about a Dell system can be answered over the phone.

And, in the rare case, that your question can't be answered by an on-line technician, we'll send a Honeywell Bull technician by the next business day.

A full year of on-site Honeywell Bull service is included within the purchase price of your Dell system.

Your Dell computer also comes with a thirty-day money back guarantee.

And we back every one of our computers with a one year limited warranty on materials or workmanship.

For more information about Dell computers, read the reviews in the trade press, turn the page, review our product offerings, and call us at (800) 426-5150.

You'll like what we have to say.



TO ORDER, CALL 800.426.5150 IN THE U.S. AND CANADA SEPTEMBER 1988: BY TE JOHN

The Dell Computer Store.

Welcome to our store.

We believe you'll find this an extremely

pleasant shopping experience.

Our sales staff is on hand to serve you from 7AM to 7PM (CST) from Monday

thru Friday.

Just call (800) 426-5150 and we'll give you the technical assistance and information you need to make sure you're buying the system that's right for your needs.

Then you have the option of either a direct purchase or your company can take

advantage of our Leasing Plan.

Once you've made your choice, our Total Satisfaction Guarantee gives you thirty days from the day you receive your system, to decide if you are absolutely, totally satisfied with the product.

If you're not, simply return the system and you'll receive a full refund. No ques-

tions asked.

Your Dell computer is supported by a team of technical experts that can be reached every business day, from 7AM to 7PM (CST), simply by calling (800) 624-9896.

In most cases, any question you may have about your Dell system can be answered by one of our technicians on

the telephone.

Our technicians are also supported by Honeywell Bull service engineers who can be sent to your office by the next business day, should on-site service be required.

This optional service contract is available in over 95% of the United States, with over 1,000 engineers in 198 service locations.

We also offer a One Year Limited Warranty,** which warrants each system we manufacture to be free of defects in materials and workmanship for one full year.

Feel free to call or write for the complete terms of our Honeywell Bull Service Contract, Guarantee and Warranty. Dell Computer Corporation, 9505 Arboretum Blvd., Austin, Texas 78759-7299.

THE NEW 20 MHz 386† SYSTEM 310.

The top of the line. It's our highest performance computer available, faster than the IBM† PS/2† Model 80 and the Compaq† 386/20. It runs at 20 MHz with the latest 32-bit architecture. Since it also has Intel's Advanced 82385 Cache Memory Controller, and high performance disk drives, the System 310 is ideal for intensive database management, complex spreadsheet development, CAD/CAM, desktop publishing or performance as a network file server.

Standard Features:

- Intel† 80386 microprocessor running at 20 MHz.
- 1 MB of RAM expandable to 16 MB without using an expansion slot.
- Advanced Intel 82385 Memory Controller with 32 KB of high speed static RAM.
- Socket for 20 MHz 80387 coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 200-watt power supply.
- 8 expansion slots (6 available).

Options:

- ■1 MB RAM upgrade kit.
- 20 MHz Intel 80387 and Weitek† math coprocessor.
- 2 MB or 8 MB memory expansion boards.

*Lease for as low as \$148/Month.

System 310	With Monito	or & Adapter
Hard Disk Drives	VGA Mono	VGA Color Plus
40 MB - 28 ms	\$4,099	\$4,399
90 MB – 18 ms ESDI	\$4,899	\$5,199
150 MB – 18 ms ESDI	\$5,399	\$5,699
322 MB - 18 ms ESDI	\$7,399	\$7,699



THE NEW 20 MHz 286 SYSTEM 220.

As fast as most 386 computers, at less than half the price—more power for the money than any other system. An 80286 system that runs at 20 MHz, with less than one wait state. Completely compatible for both MS-DOS® and MS® OS/2 applications (it runs faster than IBM PS/2 Model 80), and with a remarkably small footprint, the System 220 is the ideal executive workstation.

Standard Features:


- 80286 microprocessor running at 20 MHz.
- ■1 MB of RAM expandable to 16 MB (8 MB on system board).
- Page mode interleaved memory.
- Integrated diskette and VGA video controller on system board.
- One 3.5" 1.44 MB diskette drive.
- Integrated high performance hard disk interface on system board.
- Enhanced 101-key keyboard.
- ■1 parallel and 2 serial ports.
- LÎM 4.0 support for memory over 1 MB.
- Real-time clock.
- Three full-sized AT† compatible expansion slots.
- Socket for 80287 coprocessor.

Ontions:

- External 5.25" 1.2 MB diskette drive.
- 3.5" 1.44 MB diskette drive.
- Intel 80287 coprocessor.
- 1 MB RAM upgrade kit. *Lease for as low as \$85/Month.

	***	ICIT IVICITIE	0.
System 220	VGA Mono	VGA Color	VGA Color Plus
One Diskette Drive	\$2,299	\$2,499	\$2,599
40 MB – 29 ms Hard Disk	\$2,999	\$3,199	\$3,299
100 MB – 29 ms Hard Disk	\$3,799	\$3,999	\$4,099

With Monitor



THE 12.5 MHz SYSTEM **200**.

A great value in a full-featured AT compatible. An 80286 computer running at 12.5 MHz, this computer is completely MS-DOS and MS OS/2 compatible. The System 200 offers high speed drive options, industry standard compatible BIOS and on-site service. As Executive Computing said of this computer's predecessor, "If faster processing speed and low cost are two key issues affecting your purchase decision, this machine might be the ideal choice for your office."

Standard Features:

- Intel 80286 microprocessor running at 12.5 MHz.
- 640 KB of RAM expandable to 16 MB (4.6 MB on system board).
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard disk drive controller.
- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 200 watt power supply.Real-time clock.
- 6 expansion slots. (4 available with hard disk drive controller and video adaptor installed).
- Socket for 8 MHz 80287 coprocessor.

Options:

- 512 KB RAM upgrade kit.
- 8 MHz Intel 80287 coprocessor. *Lease for as low as \$99/Month.

System 200	With Monito	or & Adapter		
Hard Disk Drive	VGA Mono	VGA Color Plus		
40 MB – 28 ms	\$2,699	\$2,999		
90 MB – 18 ms ESDI	\$3,499	\$3,799		
150 MB - 18 ms ESDI	\$3,999	\$4,299		
322 MB – 18 ms ESDI	\$5,999	\$6,299		



A Full Line Of Computers With A Full Line Of Configurations.

At Dell, we understand that different users have different needs. So we tailor each system to the user's individual requirements.

We offer monitors, graphics boards, tape backups, dot matrix and laser printers, hard disk and diskette drives, expanded memory boards, serial mice and more.

We also offer third party software applications for virtually

every business application including: accounting, communications, desktop publishing, graphics, word processing, integrated applications and user training.

So when your Dell System arrives, you can do productive work the minute you unpack the box.

We can build you the system you've been looking for.

COMMON TO THE SYSTEM 310, SYSTEM 220 AND SYSTEM 200:

The Dell System Analyzer. MS-DOS and OS/2 compatible. Security lock with locking chassis. 12 month on-site service contract (Available on complete systems).

PRINTERS/SOFTWARE. We offer a full line of printers and popular software. All printers come with our 30-day money-back guarantee.

LASER PRINTERS.

LASER SYSTEM 150; \$5,995. 15 pages per minute, text and full-page graphics. Dual 250 sheet-input trays.

LASER SYSTEM 80; \$3,295. 8 pages per minute, text and full-page graphics.

LASER SYSTEM 60; \$2,195. 6 pages per minute, text and full-page graphics.

DOT MATRIX PRINTERS.

PRINTER SYSTEM 800; \$699.95.

Highest resolution text and graphics from a 24-wire dot matrix printer.

Draft quality at 200 cps. Correspondence quality at 132 cps.

Letter quality at 66 cps. Standard parallel and serial interfaces.

Wide carriage.

PRINTER SYSTEM 600; \$499.95.

9-wire dot matrix.
Draft quality at 240 cps.
Near-letter quality at 60 cps.
Standard parallel interface.
Wide carriage.

PRINTER SYSTEM 300; \$199.95. 9-wire dot matrix. Draft quality at 144 cps. Near-letter quality at 36 cps.

Four standard fonts.
Paper parking.
Standard parallel interface.

SOFTWARE. Operating System Software.

Dell Enhanced MS-DOS 3.3 with disk cache and other utilities; \$119.95. Dell Enhanced MS OS/2 Standard Edition 1.0 \$324.95.



TO ORDER, CALL 800.426.5150 IN THE U.S. AND CANADA

All prices and specifications are subject to change without notice. Please inquire for current details. Dell cannot be responsible for errors in typography or photography. In Canada, leasing is not currently available and configurations and prices may vary. Microsoft, MS® and MS-DOS® are owned by Microsoft Corp. †Signifies registered or unregistered trademarks owned by entities other than Dell Computer Corporation. *Payments based on a 36-month open-end lease. Please inquire for further details. **During the one year warranty period we will repair or replace any defective products properly returned to our factory. © 1988 DELL COMPUTER CORPORATION.



PostScript Printers

BYTE looks at the latest PostScript printers, tops in quality and versatility

Steve Apiki and Stan Diehl

few years ago, the phrases "made in Japan" and "computer-printed" suffered from the same low-quality image. Today, both phrases stand for a consistent quality that's hard to find anywhere else. The turnaround for computer printouts can be traced to a few important developments.

First, Canon and Hewlett-Packard provided personal computers with the high-quality output of laser printing. Later, Adobe supplied PostScript, which let users take greater advantage of their laser printers. From a beachhead of only one printer just 3 years ago, the Post-Script-compatible laser printer has moved into a position as the standard against which other output devices are measured.

The BYTE Lab looked at 10 of the best PostScript printers. These printers are an ideal match for today's sophisticated, graphics-intensive software—especially desktop publishing and CAD packages—and the acute need for professional hard-copy output. We also tested four enhancement boards that bring PostScript compatibility to the Hewlett-Packard LaserJet Series II (including a glimpse of the first PostScript clone).

The Making of a Standard

As is true with most computer innovations, the design philosophy of Post-

Script is a simple one. The language describes all aspects of the printed page—text, graphics, and sampled images—in the same way. PostScript graphics operators manipulate text as graphical shapes, therefore ensuring smooth integration of text and graphics on the page.

PostScript's imaging model, the heart of any page-description language (PDL), ensures versatility and total integration. PostScript does not view a page as a conglomeration of separate entities; it handles the page as a single unit. PostScript paints the page by filling in specified areas in color, black and white, or shades of gray.

The wide variety of possible graphics poses special problems for a PDL. Post-Script defines operators according to the immediate application by dynamically combining graphics primitives as special needs arise. PostScript's control structure gives it great flexibility in combining graphics operators, thanks to the richness of the programming language.

Scalable fonts exemplify PostScript's versatility. Earlier PDLs called upon a set of physical fonts stored in memory. A PDL from this period could use only the typefaces and point sizes that were available to it. PostScript fonts, on the other hand, are mere geometric descriptions of a typeface's outline. Because the fonts are graphical descriptions rather than a rigid set of typefaces, they can be scaled to any size or rotated to any orientation while retaining their design integrity.

Ironically, the very features that make PostScript such an attractive PDL also conspire against it. The richness of the language makes for a complicated structure. Few programmers would tackle a PostScript program from scratch, and even editing the code can be confusing and tedious. Fortunately, an application program, like a desktop publishing system or a drawing program, usually generates the page description. Though this minimizes the problem of cumbersome code, it also inevitably limits the lan-

guage's power: Most applications stay within a set of basic commands, leaving many sophisticated features dormant.

The language structure also contributes to the most onerous PostScript problem: It is slow, painfully slow. PostScript code describes every aspect of the page with printable ASCII characters. The processor must interpret each piece of information—one piece at a time. Since PostScript works with high-level graphics primitives, a bottleneck occurs when converting high-level commands to actual printed graphics.

PostScript's most laudable feature, scalable fonts, also accounts for slow speed. It takes much more time to scale an outline font and generate the corresponding bit map than it would to simply load a typeface from font storage.

The Brains Behind the Beauty

Microcomputer users are about as familiar with bottlenecks as glassblowers are. We're used to twiddling our thumbs waiting for files to be read from disks or for a few pages of text to make their way out of a dot-matrix printer. With Post-Script printers, however, the bottleneck comes not from some clunky mechanical subsystem, but from the speed of instruction processing itself. Forget that your print engine is rated at 8 pages per minute (ppm); send a complex graphics document through the PostScript printer controller, and you'll be lucky if you get throughput of 8 minutes per page.

In a typical controller, the CPU is the only piece of intelligent hardware on the board. The CPU parses the commands and generates a bit-mapped page image of whatever was sent. If this includes graphics, all graphics manipulations (e.g., fills and rotations) must be conducted through the software that resides on the controller's EPROMs. A bit-mapped image requires the CPU to process the page pixel by pixel, and at 300 dots per inch—90,000 pixels per square

Varityper VT600

Come of A

Apple LaserWriter IINT

Apple LaserWriter IINTX

Dataproducts LZR 2665

Dataproducts LZR 1260

General Computer Business Laser Printer

IBM 4216 Personal Pageprinter

PC Publisher Kit

ITT Qume ScripTen

QMS Color Script 100

Laser Connection/QMS JetScript

Laser Connection/QMS PS 800 II

QMS PS 810

Texas Instruments OmniLaser 2115

Varityper VT600



Pictured at right are four printers selected as best in quality or price.





Table 1: The Varityper VT600 finished well in front in text quality, with the Apple LaserWriter IINTX coming in a surprising first in graphics quality. (Time measurements are in seconds; quality is rated on a scale of 1 [worst] to 5 [best].)

		IBM PC	AT		Apple M	acintosh			
Printer	Large text file	Small text file	PostScript graphics file	Large text file	Small text file	PostScript graphics file	Graphics quality score	Text quality score	Warm-up time
Apple LaserWriter IINT	N/A	N/A	N/A	484	131	203	3.000	3.238	78
Apple LaserWriter IINTX	N/A	N/A	N/A	328	80	87	3.722	3.476	78
Dataproducts LZR 1260	230	57	92	318	77	54	3.389	2.905	69
Dataproducts LZR 2665	412	45	187	397	58	183	3.167	3.190	144
GCC Business Laser Printer	343	102	153	473	108	153	1.106	1.067	89
IBM 4216 Personal Pageprinter	368	82	149	N/A	N/A	N/A	2.833	2.714	32
QMS JetScript (with LaserJet)	258	65	121	N/A	N/A	N/A	3.111	3.238	141
PC Publisher Kit (with LaserJet)	965	71	124	N/A	N/A	N/A	3.167	3.619	25
QMS Color Script 100	1582	362	297	1561	323	108	3.467	3.000	148
QMS PS 800 II	307	64	105	310	144	140	3.056	3.095	66
QMS PS 810	304	85	101	372	95	139	3.667	3.619	66
ITT Qume ScripTen	228	90	168	523	143	112	2.889	3.095	72
TI OmniLaser 2115	334	54	109	439	93	108	3.389	3.429	111
Varityper VT600	268	73	152	336	142	156	3.667	4.200	251

Table 2: A comparison of features shows similarities in interfaces and capabilities, and large differences in price, downloadable fonts, and storage.

Printer	CPU/Speed (MHz)	RAM (meg.)	ROM	PostScript version	Hard disk drive	Interfaces	Resident fonts	Emulation
Apple LaserWriter IINT	68000/11.5	2	1M	47.0	No	a, s, d	35	No
Apple LaserWriter IINTX	68020/16.7	2-12	1M	47.0	Port	a, s, d	35	No
Dataproducts LZR 1260	68020/16.7	4	1M	47.0	No	a, s, p	35	HP Plus, D630,
Dataproducts LZR 2665	68000/10	3	512K	46.2	Option	a, s, p	13	D630,
GCC Business Laser Printer	68000/12.5	2-3	1M	49.2	Port	a, s, p	39	No
IBM 4216 Personal Pageprinter	68000/10	2.5	No	47.0	No	AT, PS/2 card	13	IBM 4202
QMS JetScript	68000/16	3	No	47.2	No	PC, PS/2 card	35	No
PC Publisher Kit	68000/10	2	No	N/A	No	PC card	22	D630, IBM, NEC, HP, Qume, Epson
QMS Color Script 100	68020/16.7	8	1M	49.4	20M	a, s, p	35	No
QMS PS 800 II	68000/16	2-3	1M	47.0A	No	a, s, p	35	D630, HP Plus, HPGL
QMS PS 810	68000/16	2-3	1M	47.0A	No	a, s, p	35	D630, HP Plus, HPGL
ITT Qume ScripTen	68000/12	3	1M	47.0	No	a, s, p	35	HP Plus
TI OmniLaser 2115	68000/10	. 3	576K	47.0	No	a, s, p	13	D630, HP Plus, HPGL, TI 855
Varityper VT600	68020/16	6	628K	48.0.4	20M	a, s, p	13	No

For interfaces, a is AppleTalk, s is serial, p is Centronix parallel, and d is ADB.

¹ Adapter cards were tested on a Hewlett-Packard LaserJet Series II, rated at 8 ppm.

² Size and weight include both engine and controller unit.

³ Price for minimum operating configuration.

inch—that's a hefty amount of information. Compare this to screen graphics, which can limit the speed of an application, where screen resolution is a mere 74 dpi on the Macintosh.

Unfortunately, the slowdown is unavoidable using current technology and architecture. The manufacturers of all these controllers have put real processing horsepower into their systems. All but four of these controllers feature a 68000 CPU: The Apple LaserWriter IINTX, the Dataproducts LZR 1260, the OMS Color Script 100, and the Varityper VT600 are built around a 68020. One would expect these four systems, with the advantage of a 32-bit data bus, to come out on top in our print timings. The IINTX and the LZR 1260 demonstrated excellent throughput on our PostScript graphics benchmark, the best single measure of controller speed. For the complete benchmark results, see table 1.

The VT600 and the Color Script 100 can be considered specialty PostScript printers, and they cannot be fairly compared with the rest of the field in terms of raw printing speed. The VT600, with its 600-dpi resolution (see figure 1), must

process 4 times as much information as the 300-dpi printer in generating its bit map. The Color Script 100, which turned in a very good time on the graphics test, has a four-color thermal print engine that is much slower than the typical Canon engine and slows every page sent through it (see figure 2).

The most telling demonstration of the difference a processor can make is seen when comparing the two Apple personality boards, which use the same printer and whose primary difference is in the CPU. The IINT, which has an 11.5-MHz 68000, is less than half as fast as the 16.7-MHz 68020-based IINTX on the critical graphics test.

Most manufacturers have chosen to live with the performance decrease in exchange for the considerable cost savings afforded by the 68000. If the ultimate in speed is not one of your requirements, you can choose from a wealth of quality PostScript printers built around the less powerful CPU. Within this group, Texas Instruments' OmniLaser 2115, the QMS JetScript controller card, and the two QMS 800 series printers have the best processing speeds. QMS arms every one

of its controllers with a 16-MHz 68000. rather than the typical 12-MHz version, and the performance difference is obvious.

Next to the CPU, the most important features of a controller are the interfaces it supports and how well it supports them. With the notable exception of the IBM 4216 Personal Pageprinter, all the printers we reviewed can communicate through an RS-232C serial port or on an AppleTalk network; all but the Apple printers support Centronix parallel. The Personal Pageprinter and the LaserJet add-on cards (JetScript and PC Publisher Kit) have their own connections between the printer and the adapter and require an IBM PC AT slot. A Personal Pageprinter controller for Micro Channel-based machines is available. A list of the interfaces that each printer supports, as well as other features, is found in table 2.

Interfaces extend beyond the physical cable connection, and they play an important role in both compatibility and performance. While our Macintosh and DOS benchmark results are not directly comparable, they do point up significant

Engine	Life (pages)	Duty cycle (pg./mo.)	PPM	DPI	Size	Weight	Software	Documentation pages	Suggested price
Canon LBP-SX	300k	Not rated	8	300	8.5 x 20 x 18	45	No	152	\$4599
Canon LBP-SX	300k	Not rated	8	300	8.5 x 20 x 18	45	No	152	\$6599
Toshiba A-739	600k	10k	12	300	18.1 x 19.8 x 19.5 ²	1072	No	280	\$7995
Toshiba A-740	ЗМ	80k	26	300	16.1 x 23.4 x 26.7	176	No	44	\$18,700
Ricoh 1060	180k	3k	6	300	16.1 x 16.5 x 9	38	Mac fonts Mac drivers	172	\$4199
Undisclosed	Not rated	4k	6	300	17.7 x 16.5 x 8.4	38	Adapter w/ fonts	250	\$49993
N/A	N/A	N/A	N/A¹	300	N/A	N/A	Adapter w/ fonts	83	\$2495
N/A	N/A	N/A	N/A¹	300	N/A	N/A	Adapter w/ fonts, DDL software	221	\$1995
Mitsubishi G650	Not rated	4k	1	300	13.8 x 20.9 x 22.22	1142	No	206	\$24,995
Canon CX-D	300k	10k	8	300	18.7 x 18.1 x 19.5	99	PostScript utilities	130 + 2 PS Manuals	\$6495
Canon LBP-SX	300k	5k	8	300	18 x 9.1 x 25	44	No	206	\$5495
Hitachi	300k	5k	10	300	20 x 17.25 x 15	90	No	179	\$5695
Ricoh 4150	1.5M	25k	15	300	21.5 x 28.5 x 17.5	88	No	349	\$7995
Undisclosed	360k	3k	10	600	18.5 x 23 x 21.1	161	No	146	\$15,995

arts arts ull pull printe printe

Figure 1: Finer characters are in the sample at left, from the 600-dpi Varityper VT600. The sample at right, from a QMS PS 810, shows 300-dpi resolution.

differences in how the interfaces and controllers work together. The ITT Qume ScripTen, for example, printed our graphics file from the Macintosh significantly faster than it printed basically the same file from the IBM PC AT. This

is in sharp contrast to the performance of the QMS printers, which did much better on the DOS side. Better AppleTalk compatibility from ITT Qume accounts for this difference.

General Computer's Business Laser

Printer follows Apple's lead in making the AppleTalk connection of the DIN-8 variety, rather than the DB-9 favored by all the other AppleTalk printers. The other printers use the DB-9 connection as an additional RS-422 serial port when they are not in AppleTalk mode. These differing connectors can present a problem-though trivial-when connecting different printers to the network.

We chose the parallel interface when testing throughput from the IBM PC AT because we thought it was the least complicated way to connect a DOS machine to a printer. One printer that we ran into some trouble with using this approach was the QMS Color Script 100, which refused to receive instructions through the parallel port. QMS acknowledged the problem and suggested that we use a 30foot parallel cable to correct it. Since only a 12-foot cable was available, we were forced to use the RS-232C port to get around the buggy parallel interface.

Though PostScript was developed for serial communications and Interactive PostScript depends on it, using a communications program to talk to a printer from an IBM PC AT is a trying experi-

Freedom of Press.



Over the last few years, Adobe Systems has brought forth some very revolutionary ideas.

Such as the Adobe PostScript® page description language. Adobe® Type Library Adobe Illustrator 88™ The Display PostScript™ system.

Software that gives you the freedom to create professional-quality reports, newsletters, business graphics and more. Using virtually any kind of computer. IBM® PC. Macintosh® Mini or mainframe.

That's why choosing printers with Post-Script software is your declaration of vendor independence. It's the only standard adopted by virtually every major company in the computer industry.

So any computers you have will work with any printers you buy equipped with Post-Script software.

And that means even more choices when it's time to print. You can use laser and color printers. At a variety of resolutions. Or even professional typesetters.

The Adobe Type Library also gives you

Adobe, Adobe Illustrator and PostScript are registered trademarks and the Adobe logo, Adobe Illustrator 88, Display PostScript and the PostScript logo are trademarks of Adobe Systems Incorporated. IBM is the registered trademark of International Business Machines

ence. Even after the initial headache of matching the protocols, stripping linefeeds, and making sure the software was not expanding any tabs or sending any extraneous control characters, we continued to run into problems where the only solution was to turn the printer on and off. If you have a choice in interfacing from an IBM PC AT, choose the parallel port.

Memories and Storage

PostScript printers owe their ability to create quality, high-resolution output to more than just sheer processing power. Effective use of memory and mass storage capability is vital to the performance of the system. Every controller has at least 2 megabytes of RAM, most have some ROM, and some even have a hard disk drive or that capability. What sets a controller apart is the way it uses available memory to conduct the functions required by PostScript.

Most of the printers use ROM exclusively for retaining resident fonts. Obviously, the greater ROM storage a controller has, the more fonts it can keep readily available. The Texas Instruments OmniLaser 2115 stores most of its font information in ROM cartridges, and it has only a small amount of on-board ROM.

The IBM 4216 Personal Pageprinter and the LaserJet add-on cards opt for no ROM at all; their "resident" typefaces are stored on the system's hard disk drive and are downloaded to controller RAM when the system is initialized. This configuration lets you change your resident font set through software, so whichever typefaces you use most frequently are automatically downloaded. While this gives added versatility, especially to those who commonly use unusual fonts, it does add a significant delay to the initialization process.

Nonresident fonts can be downloaded to RAM from either the controlling microcomputer or a hard disk drive. Only Varityper's VT600 and QMS's Color Script 100 controller come with hard disk drives installed, but Apple's IINTX and General Computer's Business Laser Printer have small-computer-systeminterface (SCSI) ports for making optional hard disk drive connections.

Two types of font information are kept in controller memory: the fonts themselves, and a PostScript standardized font cache. The font cache consists of characters that have already been processed and for which a bit-map outline has already been generated. Needless to say, fonts fetched from the font cache are utilized much more rapidly than those that must be taken from regular font memory and completely processed. It's in storing the font cache that a large amount of fast RAM can really make its presence felt.

Controller RAM stores downloaded fonts, the PostScript page description, the page bit map, and whatever header files an application may require. The controller uses any additional space for the font cache. The Color Script 100 comes standard with 8 megabytes of RAM to lead the field, but the IINTX's standard 2 megabytes can be upgraded to 12 megabytes. The VT600 comes with 6 megabytes installed, and the LZR 1260 comes with 4 megabytes; all the other controllers come with 2 or 3 megabytes standard.

Once again, the VT600 and the Color Script 100 are in a class by themselves.

continued







Linotype Company Linotronic 100, 300, 500



Digital Equipment Corp.
PrintServer 40, ScriptPrinter



Texas Instruments


Varityper VT-600





Dataproducts Corp LZR 2665





Apple Computer Inc. LaserWriter, IINT, IINTX

Turbo Laser®/PS









General Computer



Quadram Quadlaser" PS



Apollo Computer Inc Domain/Laser 26"



choices—literally hundreds of typefaces that let you communicate any idea more effectively.

Adobe Illustrator 88 software gives you freedom, too.

It lets you easily create anything from simple line drawings to complex masterpieces. Even if you can't draw a straight line.

And our new Display PostScript software

is a powerful system that brings the power of Adobe's PostScript software to any PC or workstation display.

So before you invest in any laser printer, make sure it's equipped with PostScript software from Adobe.

For more information, call 800-29-ADOBE.

Because Adobe's PostScript software is your only guarantee of true freedom of expression.



Look for this symbol on computers, printers and other products that support PostScript software from Adobe Systems. It's your guarantee of quality and connectivity.

Macintosh is the registered trademark of Apple Computers, Inc. @1988 Adobe Systems Incorporated. All rights reserved. This ad was produced using the Adobe Type Library and PostScript printers and type

How the Tests Were Done

W e tested the printers on the two factors that users care most about: speed and print quality. For speed, we give objective numbers; for print quality, we provide numbers that are subjective but not arbitrary.

We printed three files, each designed to emulate a typical user file, in our speed test. First, we printed a 125Kbyte, 16-page file that contained seven fonts, to emulate a large (and somewhat poorly designed) report. Next, we printed a 25K-byte, 6-page file that used only three fonts but also incorporated some small graphical elements. This file was typical of a small newsletter or flier. Finally, we printed a 34Kbyte, single-page file of graphics and highly manipulated text. This page made extensive use of PostScript's facilities for text manipulation (e.g., rotation, scaling, and distortion), line rendering, and shading.

On the IBM PC AT, we created a separate PostScipt file for each test, and we used the DOS PRINT command to send the file to the printer. Each printer except the QMS Color Script 100 was con-

nected to the AT via the parallel port.

On the Macintosh SE, we connected to the printer through AppleTalk and printed each file from its creating application. The file sizes for the Macintosh tests were 118K bytes, 21K bytes, and 20K bytes, respectively, for the large text, small text, and graphics tests. We used MacWrite 5.0 for the text files and Adobe Illustrator 1.0 for the graphics file. Since the two computers required different means for sending the files to the printers, you should not try to draw conclusions concerning the IBM PC AT versus the Macintosh as platforms for driving a printer.

For the print quality tests, we took one page of mixed-font text and a graphics page from each printer, taped them to a wall, and had 20 members of our editorial and art departments rate them on quality of text and graphics, using a scale of 1 (worst) to 5 (best). The result in table 1 is the mean of the scores.

One test we did not run was for noise level. We took readings on all printers and found that none added significantly to the noise level of the testing room.

Both of them have more than the standard amount of RAM, and both have a hard disk drive. The hard disk drive, in addition to storing downloaded fonts, is used as additional nonvolatile caching space. Less frequently used fonts in the cache are sent to disk as the RAM cache becomes full, enabling the cache to grow to 10 megabytes. Of course, retrieving fonts from the disk cache takes far longer than getting them from the RAM cache, but it is still faster than regenerating an entire character set.

All the printers except the VT600 provide Times, Helvetica, and Courier fonts among their standard resident fonts. See table 2 for the number of resident fonts each printer provides.

Doing the Dirty Work

Although PostScript gets the headlines, the print engine does all the dirty work. In fact, the engine, more so than the PDL, determines the overall quality of type. The engine affects the main attributes by which a printer is measured: resolution, print quality, durability, and—to some extent—speed.

We often credit PostScript for sparking the laser-printer revolution. In fact, it was Canon who, by unveiling the LBP-

CX print engine in 1983, enabled lowcost laser printers to enter the market. When Hewlett-Packard introduced the Canon-based LaserJet in 1984, laser printers became a viable alternative for the office.

The print engine performs the printer's electromechanical functions. In a laser printer, the print engine contains the laser itself, which generates an electrical charge on a photosensitive drum. The charged area corresponds to desired markings on the page. Depending on the type of engine, the laser exposes either the black area of the image (write-black) or the white area of the image (write-white). The rotating drum attracts the toner to the charged areas and transfers it to a piece of paper. A final burst of heat melts the toner, thus fixing it to the page.

This process can affect print quality. Write-black engines produce darker blacks; write-white engines handle finer text. The resolution offered by the engine will, of course, affect print quality the most. Only the Varityper VT600 deviates from the 300-dpi standard, offering a fourfold increase in density at 600 dpi.

Because of the PostScript bottleneck, a manufacturer's rated engine speed

means very little. The printer will spit out sheets only as fast as PostScript can compose them. The Dataproducts LZR 2665 advertises a print speed of 26 ppm, but our benchmarks show little speed enhancement over engines with slower ratings. Only if you're churning out multiple copies of the same text file will the engine realize its advertised print speed.

If you intend to use your printer as a shared resource, consider the rated engine life. The original Canon CX has a rated engine life of only 100,000 pages. The Canon SX—the engine driving the newer Apple LaserWriters, the QMS PS 810, and others—claims an engine life of 300,000 pages. The Texas Instruments OmniLaser 2115, equipped with a Ricoh 4150 engine, boasts a life cycle of 1½ million pages. The most durable engines, like the Toshiba A-740 or the Agfa engine, will pump out over 3 million copies before giving out. None of the printers reviewed use the Agfa engine.

The print engine will have a significant effect on the printer's price. The LZR 2665 carries a hefty price tag, mainly because of its top-of-the-line Toshiba A-740 engine. Printers stocked with the Ricoh 1060 engine fall in a lower price range.

Putting It All Together

The 14 printers and boards we reviewed were more than the sums of their controller, memory, and print-engine capabilities. They all are quiet and will fit nicely into an office environment, but each has special features and idiosyncrasies that you should consider when deciding on a PostScript printer. For a description of how we evaluated each printer, see the text box "How the Tests Were Done."


Apple LaserWriter IINT: Apple's replacement for its original LaserWriter PostScript board is a good controller designed for an excellent printer. Although it turned in a mediocre performance on most of our throughput benchmarks, the times were very good for the engineintensive 36-page text test.

The IINT, which sells for \$4599, has a 68000 controller and limited memory, but it is easy to install and use and produces high-quality output.

Apple LaserWriter IINTX: This is a confession: Ever since we got this printer for evaluation back in February, we've used it for creating nearly all our hard copy in the lab. The print quality is excellent, and the printer is fast, versatile, and trouble-free.

Its combination of a 68020 controller and expandable memory gives it the un-

The secret to my success.



When I first showed up with printouts from my Jet-Setter II laser printer, people just said, "Looks great!" or "Where did you have this typeset?" or "Did the art department do these charts?"

Everyone assumed I couldn't afford a laser printer. But now I think they're starting to get suspicious.

Upwardly mobile.

The Jet-Setter II is compatible with the H-P LaserJet II® series printers, and has optional emulation cartridges available for Epson® and Diablo.® So it works with just about every computer and every popular software package you can name. And with a large library of fonts, and options like a memory expansion package for the full page graphics you need in desktop publishing, it will be hard to obsolete.

Don't tell anyone.

I'll admit it. The C. Itoh Jet-Setter II is the secret to my success. But when the word gets around that

you can get laser quality output without a big cash outlay, everybody's gonna want one.

So keep it to yourself, okay?

For more information or the C. Itoh reseller nearest you, call (800) 227-0315 or (714) 757-4492

> We build more in. So you get more out.

C. Itoh Electronics, Inc.

2505 McCabe Way, Irvine, CA 92714.

The Un-PostScript Alternative

Given PostScript's processing speed, you'd do best to schedule complex print jobs around coffee breaks and staff meetings. But there are alternatives. The CAPcard controller from LaserMaster prints so fast that we started wondering if our benchmarks were sufficient.

LaserMaster refers to its product as the Un-PostScript solution. In contrast to PostScript, which converts a bit-map graphic into ASCII, the CAPcard uses a dedicated graphics coprocessor to directly execute function calls.

Our first test used a complex Page-Maker document with multiple fonts and integrated graphics. The CAPcard, installed in a Hewlett-Packard LaserJet Series II, printed the file from a standard IBM PC AT in 11 minutes and 13 seconds. For comparison, we chose the QMS JetScript card for obvious reasons: It installs in the same printer; it employs true Adobe PostScript; and its performance compares favorably with the other PostScript printers. Its performance could not match the CAPcard's, though. The complex PageMaker docu-

ment took the JetScript almost an hour to print.

So we tried something else. We pulled an AutoCAD drawing into Page-Maker and printed that. CAPcard spit it out in 2 minutes and 13 seconds. The PostScript method took 32 minutes and 19 seconds. LaserMaster claims its proprietary graphics chip processes vectors at the rate of 10,000 per second. The AutoCAD benchmark bears this out.

The CAPcard beats the JetScript in price, too. With 1.5 megabytes of RAM standard, LaserMaster's controller sells for \$1395; enhanced versions—with more RAM, scalable typefaces, and drivers—are also available.

In fairness, the CAPcard software was hard to install; LaserMaster says a quick install kit, now available, will take care of the problem. Also, JetScript ran pure text files faster. But you don't buy a desktop publishing system and a laser printer to print just text. You want fancy logos, startling graphics, and total integration. Both products deliver the goods; it's just that CAPcard delivers them much, much faster.

matched graphics speed it demonstrated in our benchmarks. The print engine is the same classic LaserWriter that did well by the IINT. If there is a drawback to this system, it's the price tag: At \$6599, the IINTX is at the top end of the 300-dpi printers, but in this case you get a lot for the money you spend. [Editor's note: For a comprehensive review of the IINT and the IINTX, see "Remaking a Classic" by Curtis Franklin Jr. in the May BYTE.]

Dataproducts LZR 2665: The LZR 2665 is a hard printer to categorize. Though its \$18,700 price tag places it in a class with the Varityper VT600, it prints at only 300 dpi. As if to make up for that deficiency, the print engine posts an outstanding set of specs: a throughput speed of 26 ppm, a duty cycle of 80,000 pages per month, and a life expectancy of 3 million pages. The printer will also output ledger-size paper.

With all those impressive credentials, why doesn't this printer perform better? Perhaps it's the 10-MHz 68000. For what you pay, you deserve the 68020. Or maybe it's the limited storage, or some other design flaw. In any case, the LZR 2665 is simply not worth that much money. Its sluggish performance on

throughput tests negates the impressive engine speed. It's not hard to use, but it is difficult to set up. And, to top it all off, the print quality is poor.

Simply put, you can get a better printer for much less money than the LZR 2665, but if you happen to have \$18,700 burning a hole in your pocket, go for the VT600 and 600 dpi.

Dataproducts LZR 1260: The LZR 1260 combines a powerful controller with an excellent print engine to provide speed that blows by Apple's IINTX. In contrast to the earlier LZR 2665, the manufacturer focused on the controller rather than on the engine, resulting in a superior machine well worth \$7995. Though compact in comparison to the LZR 2665, the LZR 1260's print engine is sturdier than average, with a rated duty cycle of 10,000 pages per month.

The controller, built around a 68020 and connected to a print engine rated at 12 ppm, delivers impressive speed. One important flaw in its otherwise excellent benchmark performance—and the only thing that keeps this from being our favorite printer—is its relatively poor print quality. It also showed an unusual tendency for the status lights to remain active well after the last page had left the

printer. This "busy" indication, though disquieting, did not seem to interfere with subsequent printing.

A liquid-crystal-display readout and a membrane keypad on the front panel let you select both the interface and the Post-Script mode (batch or interactive) without resorting to the manual. You can also select a Hewlett-Packard LaserJet Plus emulation mode if you need to print a document outside PostScript.

General Computer Corp. (GCC) Business Laser Printer: If you're willing to sacrifice some performance—but no versatility—for economy, this may be the printer for you. It features a 68000-based controller with 2 megabytes of RAM; a 6-ppm print engine; AppleTalk, RS-232C serial, and Centronix interfaces; and a SCSI port for connection to an external hard disk drive. All this will run you only \$4199 for the complete system, or you can upgrade the GCC Personal Laser Printer for \$2299.

The printer is aimed squarely at the Macintosh market, and a large part of its clearly written documentation is dedicated to operating from a Macintosh. Its default interface mode is AppleTalk, and connection to the parallel port requires flipping a DIP switch on the back of the printer. Printer-driver and font software are included for the Macintosh, but there are no equivalent fonts for the IBM PC.


Speed performance was poor, but the output was fine, and the Business Laser Printer compared favorably to several more costly printers on our print quality test. As a matter of fact, this is the least expensive laser printer we reviewed, and you can definitely do worse in finding a solid, reliable printer.

IBM 4216 Personal Pageprinter: IBM markets the 4216 as part of its Solution-Pac Personal Publishing System. The printer itself is offered with the controller card and software in a minimum operating configuration that sells for \$4999.

The printer shares its design with the General Computer printer. The toner and OPC (organic photoconductor) cartridges both load in the same way, and everything but the interface is similar in both machines. For the interface, the printer must be connected to an adapter card mounted in an IBM PC AT or PS/2 slot.

System software lets you load fonts from your system's hard disk drive to controller RAM, and it includes a print utility and PageMaker and Windows drivers. Hard disk drive-resident fonts can be altered.

LOWEST PRICE EVER



FOR PRINTER SHARING.

\$500 Value For \$149*

*Introductory price. Suggested Retail: \$195.

Now, there is an alternative to printer sharing devices costing \$500 or more: The Auto-T Plus with Softspool.

Transparent to the user and easy to install, the Auto–T Plus cost per user is little more than the price of a cable — yet offers features found only in costly buffered devices. These include background spooling and a host of printer utilities that alone would justify the low price of Auto–T Plus — a quality U.S. made product with a one year warranty.

Call for Local Dealer.
OEM & Corporate Inquiries Welcomed.

800-537-5999




Integrated Marketing Corporation

1031H East Duane Avenue, Sunnyvale, CA 94086 Telephone: (408) 730-1112 Telex: 5106018576 FAX: (408) 730-1452


Manufacturing & Marketing of "Interface Tools."

AUTO-T PLUS



4 USERS SHARE 1 PRINTER
Serial or Parallel

...with Softspool



Circle 126 on Reader Service Card




Figure 2: This drawing, done with Aldus FreeHand, is typical of output from the QMS Color Script 100. To date, this is the only PostScript-compatible color printer.

The printer produced output of poor quality, and its speed performance was mediocre when connected to the IBM PC AT. The SolutionPac (including a PS/2 Model 80) may be a good turnkey system, but as a stand-alone printer, the 4216 is woefully average.

PC Publisher Kit: The first of the Post-Script clones has finally arrived. Imagen's UltraScript language emulates the Adobe standard, bringing PostScript compatibility to the Hewlett-Packard LaserJet Series II. In addition to Post-Script, the PC Publisher Kit can print DDL, PCL, and Hewlett-Packard Graphics Language (HPGL) files. The kit features the 68000 processor with 2 megabytes of memory and 22 typefaces.

The \$1995 PC Publisher Kit sells for \$500 less than JetScript, a true Post-Script controller. Lower prices should be a major selling point of the coming clones, since they will be immune from Adobe royalties. The kit comes with two boards, one for the IBM PC AT and one for the printer. Installation of both software and hardware is quick and painless. If you need help, the two manuals should prove adequate.

Much has been made of Adobe's proprietary font-scaling algorithm. We were anxious to see how well PC Publisher Kit would handle our large text file, a benchmark designed to wring out the font cache and test font-scaling capability. Imagen uses its own algorithm to scale fonts. Also, though it does not license Adobe fonts, it does license from original foundries. Adobe's font-scaling claims do gain some credence here, as PC Publisher Kit ran the large text benchmark significantly slower than the JetScript controller. Unfortunately, the kit stores fonts on the host's hard disk drive, so slow disk access time will affect throughput.

For the most part, though, Imagen has created a sufficient clone. PC Publisher Kit posted adequate times on the other benchmarks, it was able to print all the PostScript test files, and it displayed print quality comparable to JetScript's. If you have long documents with multiple font changes, you can't ignore the kit's speed deficiency; but if you're on a tight budget, you can get PC Publisher Kit for 25 percent less than JetScript. Yet another trade-off.

The emergence of clones must be a mixed blessing for Adobe. Competitive prices will cut into its monopolized market. On the other hand, a sudden plethora of imitators is the surest sign that Post-Script has attained the status of an industry standard.

ITT Qume ScripTen: This printer deserves high marks for exterior design. It is pleasing to the eye. The output, on the other hand, fails to meet that same aesthetic. The write-white Hitachi engine

puts out some deep blacks, but it does not print high-quality text. It scored near the bottom on our print quality tests and average on throughput. The engine has a rated speed of 10 ppm, a duty cycle of 5000 pages per month, and a life expectancy of 300,000 pages.

The ScripTen employs the 68000 processor and holds 1 megabyte of ROM and 3 megabytes of RAM. The \$5695 printer is extremely easy to set up and just as easy to use. Indicator lights are accessible and self-explanatory. Documentation includes a guide to operations and a Post-Script supplement. The supplement covers basic PostScript commands-the ones you are most likely to use-and explains how to issue these commands from interactive mode. The ScripTen scored high on our IBM PC AT benchmarks, especially on the large text throughput. However, it did not handle the AppleTalk small and large text tests very well. In any case, given the poor print quality, those benchmarks don't mean much.

QMS Color Script 100: If you think 300-dpi graphics look good in black and white, wait till you see them in color. The Color Script 100 lets you take that step by being the first color PostScript printer. The results are spectacular.

QMS has put together a high-powered print controller featuring a 68020 CPU, 8 megabytes of memory, a 20-megabyte hard disk drive, and a four-color thermal print engine to create the Color Script 100, a high-performance printer capable of some truly beautiful graphics. The system lists at an eye-popping \$24,995, and at over 3 times the price of most 300-dpi printers, it's reserved for customers who need high-resolution color.

The print engine is slow, especially when processing large files like our large text benchmark file. Printing in color takes far longer, as the printer needs to make four passes on the page: one each for cyan, magenta, yellow, and black. The high-speed controller enabled the printer to perform admirably on our single-page graphics benchmark.

High speed is not, of course, what sells this printer. It's the pages it outputs—with high-quality text or graphics in both black and white and color—that really grab you. The system can also make an excellent proof printer, as it can do color separations for three or four colors.

There are, unfortunately, two serious limitations to the otherwise excellent Color Script 100: the lack of a reliable parallel interface, as discussed earlier,



QNX°: Bend it, shape it, any way you want it.

ARCHITECTURE If the micro world were not so varied. QNX would not be so successful. After all, it is the operating system which enhances or limits the potential capabilities of applications. QNX owes its success (over 60,000 systems sold since 1982) to the tremendous power and flexibility provided by its modular architecture.

Based on message-passing, QNX is radically more innovative than UNIX or OS/2. Written by a small team of dedicated designers, it provides a fully integrated multi-user, multi-tasking, networked operating system in a lean 148K. By comparison, both OS/2 and UNIX, written by many hands, are huge and cumbersome. Both are examples of a monolithic operating system design fashionable over 20 years ago.

MULTI-USER OS/2 is multi-tasking but NOT multi-user. For OS/2, this inherent deficiency is a serious handicap for terminal and remote access. QNX is both multi-tasking AND multi-user, allowing up to 32 terminals and modems to connect to any computer.

INTEGRATED NETWORKING Neither UNIX nor OS/2 can provide integrated networking. With truly distributed processing and resource sharing, QNX makes all resources (processors, disks, printers and modems anywhere on the network) available to any user. Systems may be single computers, or, by simply adding micros without changes to user software, they can grow to large transparent multiprocessor environments. QNX is the mainframe you build micro by micro.

PC's, AT's and PS/2's OS/2 and UNIX severely restrict hardware that can be used: you must replace all your PC's with AT's. In contrast, QNX runs superbly on PC's and literally soars on AT's and PS/2's. You can

run your unmodified QNX applications on any mix of machines, either standalone or in a QNX local area network, in real mode on PC's or in protected mode on AT's. Only QNX lets you run multi-user/multitasking with networking on all classes of machines.

REAL TIME QNX real-time performance leaves both OS/2 and UNIX wallowing at the gate. In fact, QNX is in use at thousands of real-time sites, right now.

DOS SUPPORT QNX allows you to run PC-DOS applications as single-user tasks, for both PC's and AT's in real or protected mode. With OS/2, 128K of the DOS memory is consumed to enable this facility. Within QNX protected mode, a full 640K can be used for PC-DOS.

ANY WAY YOU WANT IT QNX has the power and flexibility you need. Call for details and a demo disk.

THE ONLY MULTI-USER, MULTI-TASKING, NETWORKING, REAL-TIME OPERATING SYSTEM FOR THE IBM PC, AT, PS/2, THE HP VECTRA, AND COMPATIBLES.

Multi-User 10 (32) serial terminals per PC (AT). Multi-Tasking 64 (150) tasks per PC (AT). 2.5 Megabit token passing. Networking 255 PC's and/or AT's per network.

10,000 tasks per network. Thousands of users per network 3,200 task switches/sec (AT).

Message Fast intertask communication between tasks on any machine. **Passing**

Flexibility

C Compiler Standard Kernighan and Ritchie. Single PC, networked PC's,

single PC with terminals, networked PC's with terminals. No central servers. Full sharing of disks, devices and CPU's.

PC-DOS PC-DOS runs as a QNX task

From US \$450 Runtime pricing available.



For further information or a free demonstration diskette, please telephone (613) 591-0931.

Quantum Software Systems Ltd. • Kanata South Business Park • 175 Terrence Matthews Crescent • Kanata, Ontario, Canada • K2M 1W8 Circle 227 on Reader Service Card

Real Time

and a limited imageable area. In order to keep the margins required for tight tolerance on color alignment, the thermal print engine accesses only an 8.11- by 8.91-inch region on a standard 8.5- by 11-inch page. This is significantly less than the average 8.1- by 10.5-inch imageable region afforded by most of the laser printers, and it can actually lead to some clipping. You can avoid the problem by simply designing pages with this limitation in mind.

Laser Connection/QMS JetScript: The JetScript controller provides PostScript compatibility to the Hewlett-Packard LaserJet Series II. Two cards, a manual, four floppy disks, and a parallel cable come in the package. You must first install the software. This copies the Post-Script code onto the host computer's hard disk drive. The prompts are clear and easy to follow, and the directions cover everything, including jumper settings on the board.

Hardware installation is just as easy: Slide one card into the IBM PC AT, pop the other into the rear slot of the Laser-Jet, plug in the cable, and boot up. An AUTOEXEC file will load PostScript code onto the controller board's RAM. Unlike the PostScript printers, the code is not ROM-resident. Though this configuration causes some inefficiencies, it also means you won't have to swap ROM chips with each upgrade.

JetScript's ASAP (Advanced System Architecture for PostScript) technology, extended font cache, and 16-MHz 68000 MPU combine for exceptionally fast throughput. JetScript cranked out the large text file in only 4 minutes and 18 seconds. The \$2495 controller supports the 35 standard Adobe typefaces. Installing the card will not void the printer warranty.

If you have a LaserJet Series II and need PostScript compatibility, JetScript offers a ready solution. In fact, the smooth operation and impressive speed of this controller almost justify purchasing the LaserJet just to put the JetScript

card in it.

Laser Connection/QMS PS 800 II: QMS has a reputation for producing quality printers at a reasonable price, and the printers in the PS 800 series are no exception. Though marketed by The Laser Connection, this printer is QMS through and through. The PS 800 II, with an attractive price of \$6495, is a 300-dpi printer with a fast 68000 controller, 2 megabytes of RAM, and an engine rated at 8 ppm. The combination affords good overall performance in both text and graphics printing.

Text and graphics quality rank the PS 800 II in the middle of the field. Highest performance was achieved in the printing of our graphics-intensive benchmark, where the controller's speed could really shine.

Top this printing performance off with provisions for the three common interface connections, a 10,000-page-permonth duty cycle, a double print tray combination, and emulation support for the Hewlett-Packard LaserJet Plus,



POSTSCRIPT[®]

Adobe's new logo sets apart true PostScript products from clones.

HPGL, and the Diablo 630, and you have a full-featured printer capable of handling network print jobs with style.

OMS PS 810: The PS 810 is a compact, comparatively light-duty version of the PS 800 II, with the same controller configuration driving an electrophotographic recording engine. Though the engine is rated for the same 8-ppm speed, the system is much smaller than the PS 800 II, which uses the raster-scan print method. The printer weighs in at 44 pounds, approximately half the bulk of its larger cousin, but it also has only half the recommended duty cycle at 5000 pages per month. It costs \$5495.

Print quality was excellent for this machine, consistently on top in our quality benchmarks. Beyond this, the PS 810 and PS 800 II are remarkably similar, sharing the same interfaces and emulations. The PS 810 does not have the dual input trays of the more network-oriented PS 800 II, but the two machines' only critical design difference is in print capacity. If you're looking for a printer to handle less than a whole office's output, you might do well to consider the lighter and even less expensive PS 810.

Texas Instruments OmniLaser 2115: The Ricoh 4150 engine gives the Omni-Laser 2115 some impressive specs. With a 25,000-page-per-month duty cycle and a life expectancy of 11/2 million pages, the 2115 looks great on paper. If only its

output looked better on paper. The writewhite engine produces deep blacks, but the text lacks crispness. Still, the 2115 scored average on our print quality tests and above average on throughput.

The \$7995 unit has a compact structure, with all switches, trays, and cartridges readily accessible. It is easy to set up and use. Two manuals provide all the information you'll need in a clear, wellorganized format. Chances are good, though, that you won't have to refer to them often.

If you're looking for a printer to add to a network, you can't ignore this one. It has all the features you look for in a shared resource: durable duty cycle, long life expectancy, exceptional speed, and ease of use.

Varityper VT600: If you're ready to plunk down a good-size chunk of capital and graduate from the ranks of the 300dpi laser-printer owners, you're ready for a Varityper VT600. At \$15,995, the VT600 is definitely not for the casual user, nor even for the serious individual user. This is a machine meant for organizations with a real need for very highquality printing but not yet ready to go into the publishing business full-time with the purchase of a Linotype.

The VT600 is the first PostScript printer to achieve 600-dpi resolution. The 600-dpi print engine is fast—rated at 10 ppm—and able to give the printer good throughput ratings when printing large files. Processing power is vital when dealing with the vast amounts of information manipulated at this resolution. The controller is built around a 68020 CPU and 6 megabytes of RAM, 4 megabytes of which are necessary for the page buffer alone. A 20-megabyte hard disk drive provides additional storage

The system comes with surprisingly few fonts installed, but you can purchase almost any imaginable font from Varityper's library of 53 typeface families. Text printed with these installed fonts is distinctively good. The printer topped our text quality test.

Graphics, especially those with gradations from dark to light, are beautiful at 600 dpi. Black areas are black, and edges are clearly defined. The VT600 was not, however, the most highly rated graphics printer according to our test, which favored the 300-dpi Apple IINTX.

The Pick of the Lasers

In selecting the best of these printers, our single most important criterion was print quality, an elusive and often subjective

RUSH POSTAGE-PAID CARD FOR YOUR FREE

CATALOG!

Every NRI course features practical. hands-on training with state-ofthe-art equipment you keep.

> Only NRI gives you the training and the equipment for career

advancement, parttime earnings, or even a business of your own.

Name	(Please Print)	Age

Street

City

State

Accredited by the National Home Study Council

Zip 170-098

CHECK Please send my free catalog on NRI training in:

- Computer Electronics
 - TV/Video/Audio Servicina
- Robotics
- Electronic Music Technology
- Digital Electronics Servicing
- Electronic Design Technology
- Security Electronics
- Communications Flectronics
- Basic Flectronics
- Bookkeeping and Accounting
- Building Construction/Remodeling
- Automotive Servicing
- Small Engine Repair
 - **Flectrician**
- Air Conditioning/Heating/Refrigeration
- Locksmithing
 - Travel Careers
- Telephone Servicing
- Paralegal

For career courses approved under G.I. Bill, Check for details.



WASHINGTON, D.C.

BUSINESS REPLY MAIL

POSTAGE WILL BE PAID BY ADDRESSEE



McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, D.C. 20077-9265

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



Learn to use, program, and service today's digital electronic music equipment as you build your own computer-controlled



Now NRI puts you at the heart of the most exciting application of digital technology to date! With NRI's new at-home training in Electronic Music Technology, you get hands-on experience with the equipment that's revolutionizing the music industry—Atari ST Series computer with built-in MIDI ports, Casio CZ101 digital synthesizer with advanced MIDI capabilities, and ingenious MIDI software that links computer keyboard to synthesizer keyboard—all yours to train with and keep.

This year, over \$1.5 billion worth of digital electronic music instruments-keyboards, guitars, drum machines, and related equipment-will be sold in the U.S. alone. Who's buying this new-tech equipment? Not just progressive musicians and professional recording technicians, but also thousands of people who have never touched a musical instrument before. And there's good reason why.

Something called MIDI (Musical Instrument Digital Interface) has suddenly transformed musical instruments into the ultimate computer peripherals . . . and opened up a whole new world of opportunity for the person who knows how to use, program, and service this extraordinary new digital equipment.

Now NRI's breakthrough Electronic Music Technology course puts you at the forefront of this booming new technology with exclusive hands-on training built around a MIDI-equipped computer, MIDI synthesizer, and MIDI software you keep.

Dynamic New Technology Opens Up New Career Opportunities for You

The opportunities are unlimited for the person who's trained to take advantage of today's electronic music phenomenon. Now you can prepare for a high-paying career as a studio technician,

sound engineer, recording engineer, or road technician . . . even start your own new-age business providing one-stop sales and service for musicians, technicians, and general consumers alike. Or simply unleash your own musical creativity with the breakthrough training and equipment only NRI gives you.

Only NRI Gives You an Atari ST Computer, Casio Synthesizer, and Innovative MIDI Software You Train With and Keep

The Atari ST Series computer included in your course becomes the heart of your own computercontrolled music center. With its tremendous power, superior graphics capabilities, and built-in MIDI interface, the 16/32-bit Atari ST has almost overnight become the computer of choice for today's most knowledgeable electronic musicians.

The Casio CZ101 digital synthesizer, also included in your training, is the perfect complement to your Atari ST. The polyphonic, multitimbral CZ101which stores up to 32 voices internally—"communicates" with your ST computer through MIDI, bringing life to virtually any sound you can imagine.

Plus, you get ingeniously designed MIDI software that opens up amazing new creative

and technical possibilities...you actually build your own 4-input audio mixer/amplifier . . . and you test the electronic circuits at the core of today's new-tech equipment with the hand-held digital multimeter included in your course.

No previous experience necessary—in electronics or music!

No matter what your background, NRI gives you the skills you need

With your experienced NRI instructor always available to help, you master the basics of electronic theory step by step, gaining the full understanding of electronics that's now so essential for technicians and musicians alike. You move on to analyze sound generation techniques, digital logic, microprocessor fundamentals, and sampling and recording techniques...ultimately getting first-hand experience with today's explosive new technology as you explore MIDI, waveshaping, patching, sequencing, mixing, special effects, and much more.

Plus, even if you've never been involved with music before, NRI gives you enough basic training in music theory and musical notation to appreciate the creative potential and far-reaching applications of today's electronic music equipment.

Send Today for Your FREE Catalog

For all the details about NRI's innovative new training, send the coupon today. You'll receive a complete catalog describing NRI's Electronic Music Technology course plus NRI courses in other hightech, in-demand electronics fields.

If the coupon is missing, write to NRI School of Electronics, McGraw-Hill Continuing Education Center, 3939 Wisconsin Avenue, Washington, DC 20016.

McGraw-Hill Cor 3939 Wisconsin	Avenue	ation Center	€];
Washington, DC		ALOG ONLY	
☐ Electronic Mus	sic Technology	☐ Computers a	and Microprocess
☐ TV/Video/Audi	o Servicing	☐ Basic Electr	onics
Name	(Pla	ease Print)	Age
Street			

Includes:

· Dot Plot Drafting ENH 1
 Drafting ENH 2

\$89 MS-DOS

GENERIC CADD 3.0 Auto Dimensioning

..etc.

TRY US. or we BOTH lose MONEY DDINTEDS . LASERS . SCANNERS

ST TurboLaser/PS 3meg \$2790	H-P Laser Jet Series II \$17
Hizen Call	JBL 850
MacIntosh Hard Brive Ext CMS 20 Meg SE . \$495 CMS 60 Meg SE . \$650 CMS 80 Meg MACII . \$1090 MacTablet 12x12 w/cursor & pen . \$295	LC890 . \$31 Panasonic 10801-M2 . \$1 10911-M2 . \$1 10921 . \$2 Others . C Personal Laser (Mac) . \$13 NR15 . \$4 Toshiba 321 SL . C

MONITORS • TER	MINALS • PANELS
Amdek 1280 w/card \$639	1948s \$294
Hitachi Call	Samsung Ca
Mitsubishi	Sigma Designs
Diamond Scan \$477	LaserView 15/19" Ca
Others Call	Sony Multiscan 1303 \$49
NEC Multisync \$565	Wyse 700 Ca
Plus & XL Call	Zenith 1490 Flatscreen \$58
RasterOps 1648s \$1995	

SOFT	WARE
AutoCad Call	MathCad 2.0 \$199
AutoSketch\$59	MS-Dos 3.3 \$95
BoeingGraph 3D \$195	Norton Util 4.0 \$45
Boeinguraph 3D	PageMaker \$429
Canvas (Mac)	Paradox 2.0
Carbon Copy Plus \$103	PathMinder \$55
CPA+ for Lotus 123 \$199	
Clipper	PC-Fullback \$49
Copy II PC \$18	Peachtree
Corefast \$86	Accounting II \$145
dBase III Plus \$355	PFS: First Choice \$79
DesignCAD	PFS: First Publisher \$52
DesqView	PFS: Professional File \$129
Drafix 1 Plus \$149	PFS: Professional Plan \$51
Drafix 3D Mod/Options Call	PFS: Professional Write \$102
DS Back-Up Plus \$33	Q&A \$177
Excel Mac/PC \$176/\$281	Q&A Write \$115
FastBack\$75	Quattro \$132
FastBack Plus \$85	R:Base for DOS \$409
Fox Base Plus \$179	ShipMate**
GEM Draw Plus \$159	(UPS Manifest) \$199
	SideKick Plus Call
Generic Cadd 3.0 \$55	
Generic & Dot Plot 3.0 \$71	SuperSpool (Mac) \$36
Generic Editor Choice \$119	Tops (IBM or Mac) \$101
Generic Options Call	Turbo Basic
Harvard Graphics \$255	Turbo C
Harvard Tot Proj Mgr \$317	Ventura Publishing 1.1 \$455
Lighting HD Speedup \$69	VersaCad/Libraries Call
Lotus 123 2.01 \$283	Windows Call
Lotus HAL	WordPerfect 4.2 \$198
Lucid 3d (new ver) \$103	X-Tree Pro

DIGITIZERS & PLOTTERS Calcomp 1043-GT \$6095 Hitachi

1023-GT	11×11 lablet
Digitizers Call	15×15 Pro Tablet Call
Enter Sweet-p 600 \$589	H-P Plotters Call
Others Call	toline Call
Houston Instruments	JDL 850 Call
DMP 41/42 CALL	Kurta IS 12×12 \$299
DMP 51MP	IS 12×17 \$499
DMP 51/52MP Too	Summagraphics
DMP 52 Low	12×12 Plus \$344
DMP 56A To	18×12 Professional \$569
DMP 61 List	MacTablet 12×12, 4 Butt.
DMP 62	Pen \$299
MP Options Call	

COMPUTERS				
Call	intel coprocessors 8087-2 (≤8 MHz)\$1 80287-8 (<10 MHz)\$2			

AST Premium 286	intel coprocessors 8087-2 (≤8 MHz)\$132 80287-8 (<10 MHz)\$205 80287-10 (≥10 MHz)\$239 80387-16\$397 80387-20 (20 MHz)\$588
BOARDS & F	IETWORKS

ArcNet Boards Call	Paradise AutoSwitch
AST Boards Call	EGA 480\$145
ATI EGA Wonder \$169	VGA Plus\$229
VIP VGA\$249	VGA Pro
Control Sys Artist Call	ProGrappler\$71
EtherNet Boards Call	RasterOps
Genoa SuperEGA\$179	
VGA 600×800 \$269	
VGA 760×1024 \$389	
Grappler C/Mac/GS\$71	Sigma Designs VGA\$199
Hercules Graphics Plus\$169	
Intel AboveBoard	Verticom Call
286/512K\$359	Video 7 Vega
AboveBoard	Deluxe w/VGA\$177
PS-286/512K	
All Others Call	Western Digital
Novell Network 286 Call	Western Digital EtherNet+
DRIVES • M	IODEMS • FAX

DRIVES • MODEM Hayes	Modem 1200B &
Mitsuhishi 40/70 Mb 1/2ht SW	int to 159
AT 23-28ms Drive \$499 240	08 & SW\$145
Ontical Drives Call Toshi	ba 3.5" XT/AT
)k Drive
	0k Drive 5.25
	T/AT\$75
	photics
ST238 30 w/Card \$285 Co	urier 2400 \$299
MOUSE	
Logitech C7 Lo	gimouse &

20 w/Card \$260 ST238 30 w/Card \$285	Courier 2400 \$299
MO	USE
Logitech C7 \$65 Serial or Bus \$65 Hi-Res Bus \$83 Logimouse Bus & Paint \$83	Logimouse & Publisher \$104 Microsoft Mouse \$95 PC Mouse Call
HELI	PERS
Logical Connection 256K	\$379

MHI Warehouse, Inc.

Post Office Box 39616 Phoenix, AZ 85069-9616 SPEED MAIL



o, a craims are responsibility of manufacturer only cks delay shipping. AZ orders only add 6.7% tax.

PRODUCT FOCUS POSTSCRIPT PRINTERS

Company Information

Apple Computer, Inc. 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 883.

Dataproducts Corp. 6200 Canoga Ave. Woodland Hills, CA 91365 (818) 887-8000 Inquiry 884.

General Computer Co. 580 Winter St. Waltham, MA 02154 (617) 890-0880 Inquiry 885.

IBM Corp. 155 Chestnut Ridge Rd. Montvale, NJ 07645 (201) 930-5022 Inquiry 886.

Imagen Corp. 2650 San Tomas Expy. Santa Clara, CA 95052 (408) 986-9400 Inquiry 887.

ITT Qume 500 Yosemite Dr. Milpitas, CA 95035 (408) 942-4165 Inquiry 888.

LaserMaster Corp. 7156 Shady Oak Rd. Eden Prairie, MN 55344 (612) 944-6069 Inquiry 889.

QMS, Inc. One Magnum Pass Mobile, AL 36618 (205) 633-4300 Inquiry 890.

Texas Instruments, Inc. P.O. Box 181153 Austin, TX 78718 (800) 527-3500 Inquiry 891.

The Laser Connection P.O. Box 850296 Mobile, AL 36685 (205) 633-7223 Inquiry 892.

Varityper 11 Mt. Pleasant Ave. East Hanover, NJ 07936 (201) 887-8000 Inquiry 893.

performance rating. After all, Post-Script is not built for speed or economy, but for the look of the printed page.

Varityper's VT600 is the best overall printer we reviewed. Its 600-dpi print engine produces excellent graphics and text, and its powerful controller delivers the output rapidly. The system is fully featured, and, coupled with the optional fonts, it is indeed a "typesetter" as Varityper calls it, not just another laser printer.

Comparing a 600-dpi printer to those with 300-dpi resolution and then choosing the one with the best print quality may seem a little unfair. Our print quality benchmarks point out an important fact, however: Resolution is in the eye of the beholder. If your main objective is output that simply looks good and you don't need the additional resolution for camera-ready proofs, you may want to consider a high-quality 300-dpi printer.

Take Apple's IINTX, which actually beat the VT600 in our graphics benchmark. Though the higher rating is only slightly better, it does demonstrate that the IINTX is in the VT600's league. Its throughput performance was outstanding, its text rating was nearly as high as its graphics rating, and this was on a system that did not have all the options installed. The IINTX, a growing standard by which others are compared, is still tops in the high-quality 300-dpi field.

With top-of-the-line PostScript printers selling for more than most American cars, saving money by sacrificing a little printing speed is a popular alternative. If you're looking for a high-class printer for around \$6000, take a look at the QMS PS 810, our pick in the price versus performance category.

The PS 810 combines excellent print quality with good speed and enough features to keep all but the most demanding user completely satisfied. Its one weak area is the print engine's relatively low duty-cycle rating, but the rating is comparable to other printers built for smaller user groups.

As a final alternative, you may choose to upgrade your current printer investment using a PostScript controller card. The two controller cards we reviewed are both relatively inexpensive and both produce output of adequate quality. Of the two, we recommend the JetScript. Although it costs \$500 more than PC Publisher Kit, its performance is worth it. But though either board makes sense as an add-on board, you should consider a dedicated PostScript printer if you are starting from scratch.

Steve Apiki and Stan Diehl are testing editors for the BYTE Lab. They can be reached at One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "apiki" and "sdiehl."

In 1988, \$3.5 billion in microcomputer software will be sold worldwide. During that same time, another



\$3.0 billion in sales will be lost to free distribution — better known as software piracy. And right now, Rainbow Technologies' Software Sentinel™ is protecting close to \$1.0 billion in software for developers who never wanted to be part of the free software distribution network in the first place. () The Software Sentinel hardware key is "execution control" software protection. It ships with the software and

simply plugs into the PC's parallel port hundred percent invisible to both user and ware. Users can make as many copies as



to be one the softthey want.

Make working submasters. Use a hard disk. Virtually anything that can


be done with distributing Rainbow famlected by the



unprotected software. Except start freely that software to other users. () The ily of Software Sentinel products. Severy big to the not-so-big developers of

MS-DOS, OS/2 and Xenix software in worldwide markets. To the cool tune of close to a billion dollars. So far





"Secure"

si·kūr, a. [L. securus]: The ability to keep your confidential data and your whole personal computing environment away from prying eyes and meddling associates.

Securing your personal computer files has, until now, been a complicated and mostly unreliable matter. Not any more.

The Tandon Personal Data Pac is the world's first truly removable, self-contained Winchester hard disk drive that pops in and out of its receptacle with the stroke of a key. You just lock the Personal Data Pac with your entire computing environment in your desk or your safe.

And when your business keeps you on the move, the Tandon Personal Data Pac lets you take


your office with you. It fits easily in your briefcase or your garment bag. If the airlines lose it,

fret. Backing up a full Personal Data Pac onto another takes only a few minutes. So you can take one and keep a copy secure in your safe.

The Personal Data Pac protects your data well. It's

a hearty little traveller that can take a lot of abuse. It can cope with the rough and tumble world of the postal system, as well as

take an occasional knock off your



The Tandon Personal Data Pac shatters the storage limitations of your personal computer. When your first high-capacity Data Pac is full, pop in a fresh one and you're ready to go on. Infinitely.

If you need to share your PC, software and data, the Tandon Personal Data Pac offers the safest, cheapest and most reliable "network" pos-




Let your Tandon Dealer show you how the Personal Data Pac can make living with your PC more economical and productive. See him today, or call us at 1-800-556-1234, Ext. 171 (in California 1-800-441-2345, Ext. 171).

Security for a small price.




We're redefining personal computing.



by

Pac.



ME 386-20

20 MHz 80386-20 processor ☐ Microsoft OS/2 and DOS compatible 1 MB 32-bit RAM running at "0" wait state (upgradable to 8 MB) Socket for 80387/80287 math co-processor High performance NCL floppy/hard disk controller 1.2 MB floppy disk drive CMOS clock/calendar with battery back-up

Enhanced



ME 386-18

18 MHz 80386 processor ☐ Microsoft OS/2 and DOS compatible 512K 32-bit memory on board Two 32-bit expansion slots Socket for 80387 math coprocessor

High-performance NCL floppy/hard disk controller

1.2 MB floppy disk drive CMOS clock/calendar ☐ Enhanced AT keyboard

★ SPECIAL ★ ME V20 □ 64K (upgradable to 640K)
□ 360K fippiv disk drive □ Monochrome graphics card □ Monochrome monitor

☐ Keyboard ☐ Complete system...\$499.00

ME Roadrunner

12 MHz 80286 processor □ Socket for 80287 math co-processor □ 640K memory (1 MB option) New Super-Twist LCD with Backlit and Reverse; 640 x 200 dots (640 x 400 option); 80 char. x 25 lines ☐ Monochrome/Color graphics card for external monitor

6 expansion slots ☐ Floppy/hard disk controller ☐ Serial/parallel/clock-calendar

1.2 MB floppy disk drive 20 MB hard disk (30, 40, or 60 MB optional) □ 12-function AT style keyboard 110/220V auto-switchable □ 20 pounds

Roadrunner Plus (386)

Intel 80387 processor □ 6/16 MHz clock speed □ 1 MB of memory □ Socket for math co-processor

Floppy/hard disk controller □ 1.2 MB high capacity floppy disk drive 42 MB fast access hard disk (60 MB optional) Serial/parallel ports ☐ Color/mono display card for external monitor New Super-Twist LCD with Backlit and Reverse; 640 x 400 dots; 80 characters x 25 lines □ 6 expansion slots □ 12-function keyboard □ 110/220V auto-switchable 20 pounds

ME 286-12

8/12 MHz 80286 processor □ 512K memory (upgradable to 1 MB on board) "0" wait state option (s.i. 15.3) Microsoft OS/2 and DOS compatible

8 I/O expansion slots High-performance NCL floppy/hard disk controller 1.2 MB floppy disk drive CMOS clock/calendar Enhanced keyboard

The Network Solution

ELS Network for two-to-four users. Increase your company's productivity without making a big increase in expenditures. Complete software... \$499

Call for all Novell Products

Prices and availability subject to change without notice.





CALL TOLL-FREE

in Calif. (714) 662-1973



2114 South Grand Avenue Santa Ana, California 92705 Fax: (714) 662-1258 - Telex: 910 240 3029



Two for the Road



Sleek and powerful 80386-based portables: the Toshiba T5100 and the GRiDCase 1530

Mark L. Van Name

hen IBM PC-compatible portable computers first appeared, you needed arms like a gorilla to carry them. You were limited to an 8088 CPU, 640K bytes of RAM, 320K-byte floppy disk drives, and a small monochrome screen, if you were lucky. Portable computers have come a long way since then.

Toshiba and GRiD are now offering two of the first 80386-based true portables. GRiD's GRiDCase 1530 runs off battery power, and the Toshiba T5100 requires 115 volts AC. Other than that difference, the two systems I reviewed are very similar. Both are sleek units weighing 15 pounds or less that, when closed, are about a foot wide, a little over a foot deep, and a couple of inches high. You open both of them from the front, where the screen swings up to reveal the keyboard.

Both computers use the 80386 CPU, but the T5100's runs at 16 MHz, while the GRiDCase 1530 uses a slower 12.5-MHz speed to help conserve power. Both have 2 megabytes of memory, a 40-megabyte internal hard disk drive, a jack for an external keyboard, one DB-9 serial port, one DB-25 parallel port, and one RGB connector for an external monitor. Each also has a gas-plasma display, but the T5100's is EGA-compatible, while the GRiDCase 1530 offers only CGA graphics, with an optional expansion cartridge that supports an external VGA monitor. The T5100 also includes an internal 1.44-megabyte 3½-inch floppy disk drive, while the GRiDCase 1530 came with its optional 1.44-megabyte 3½-inch external floppy disk drive. Both systems run versions of MS-DOS.

The GRiDCase 1530 includes an external peripheral port to which you can connect devices such as the external floppy disk drive. To connect an external drive to the T5100, you use the parallel port and a switch on the front left side of the system. The switch lets you make that port act as the connection to drive A or drive B, or as a normal parallel port.

The T5100 I reviewed, which included MS-DOS, is the standard T5100 unit. It has a retail price of \$7499.

The GRiDCase 1530 also came with an optional internal 2400-bit-per-second Hayes-compatible modem, a 20-watthour internal battery, and both a 35-W and a 70-W battery charger/AC power

The standard model of the GRiDCase 1530, with a list price of \$4695, initially appears much cheaper than the T5100. However, the standard GRiDCase 1530 has only 1 megabyte of RAM, two internal 31/2-inch floppy disk drives, and a 10-inch diagonal backlit liquid crystal display (LCD); it runs only on AC power, and it has no hard disk drive. It also does not include any software. To make it comparable to the T5100, you

GRiDCase 1530 (left) and Toshiba T5100 (right).

GRIDCege 1530

Company

GRiD Systems Corp. 47211 Lakeview Blvd. Fremont, CA 94538 (415) 656-4700

Components

Processor: 16-MHz 80386 running at 12.5 MHz, with compatibility speed of 6 MHz; socket for 16-MHz 80387 coprocessor running at 12.5 MHz Memory: 2 megabytes of 32-bit 120-ns DRAM on motherboard, expandable to 8 megabytes; 128K bytes of BIOS ROM Mass storage: 1.44-megabyte external 31/2-inch floppy disk drive; 40-megabyte internal hard disk drive Display: Gas-plasma; orange letters on a black background; CGA-compatible; seven shades of orange Keyboard: 72-key IBM PC keyboard layout; 10 function keys I/O interfaces: One DB-9 RS-232C serial port; one DB-25 parallel port; DB-9 RGB monitor port; external peripheral DB-25 port; DIN external keyboard connector; two 256K-byte ROM sockets

Size

111/2 × 15 × 21/3 inches; 131/4 pounds

Software

None

Options

10-inch diagonal 640- by 400-pixel plasma display: \$995
2-megabyte memory upgrade: \$595
16-MHz 80387 coprocessor: \$1195
20-megabyte hard disk drive and 1.44-megabyte 3½-inch floppy disk drive: \$1175

40-megabyte hard disk drive: \$1675 External 1.44-megabyte 3½-inch floppy disk drive: \$350

External 360K-byte 51/4-inch floppy disk

drive: \$395 MS-DOS 3.21 (on disk): \$150 MS-DOS 3.21 (in ROM): \$200 Rechargeable battery pack: \$70 Battery charger: \$90 AC power pack: \$195 Internal 1200-bps Hayes-compatible

modem: \$395 Internal 2400-bps Hayes-compatible

modem: \$595
Expansion chassis and expansion bus

Expansion chassis and expansion bus interface cartridge: \$1295

VGA cartridge: \$695

Documentation

GRiDCase 1500 Series Owners Guide

Price

Model 1530: \$4695 System as reviewed: \$9375

Inquiry 896.

Toshiba T5100

Company

Toshiba America, Inc. Information Systems Division 9740 Irvine Blvd. Irvine, CA 92718 (714) 583-3000

Components

Processor: 16-MHz 80386, with compatibility speed of 8 MHz; socket for 16-MHz 80387 coprocessor

Memory: 2 megabytes of 32-bit 80-ns DRAM on motherboard, expandable on a memory card to 4 megabytes; 128K bytes of BIOS ROM

Mass storage: 1.44-megabyte 3½-inch floppy disk drive; 40-megabyte internal hard disk drive

Display: Gas-plasma; bright orange letters on a darker orange background; EGA-compatible; four shades of orange Keyboard: 82-key IBM PC keyboard layout (101-key compatible); 10 function keys; indicator lights for Caps, Num, and Scroll Lock; cursor and page control keys; numeric keypad available by using a special function key I/O interfaces: One DB-9 RS-232C serial port; one DB-25 parallel/floppy disk drive port; DB-9 RGB monitor port; DIN external keyboard connector; expansion

cards Size

 $12\frac{1}{5} \times 14\frac{1}{5} \times 3\frac{1}{2}$ inches; 15 pounds

slot designed for proprietary Toshiba

Software

Toshiba's MS-DOS 3.30 (includes TEST3, a diagnostic and setup program, and XCHAD, a program for controlling the mapping of colors to the T5100's four gray shades); Microsoft Windows/386

Options

2-megabyte memory-expansion card: \$1299

External 360K-byte 51/4-inch floppy disk drive: \$499

Internal 1200-bps Hayes-compatible modem: \$399

Carrying case: \$99 PC Floppy Link: \$199 Expansion chassis: \$999 Expansion chassis interface card: \$199 GWBASIC 3.0: \$75

Documentation

The First Time; T5100 Reference Manual; T5100 Portable Companion; MS-DOS 3.30 Operating System; MS-DOS 3.30 Operating System Quick Reference

Price

Standard T5100 system (as reviewed): \$7499

Inquiry 895.

have to add an additional megabyte of RAM, a 40-megabyte hard disk drive (in place of one floppy disk drive), an external floppy disk drive, a gas-plasma display, and MS-DOS. These options bring the GRiDCase 1530's price up to \$8780—or \$1281 more than a comparable T5100.

Working on the Road

While an AC power supply is standard equipment on both units, the GRiDCase 1530 can also run on a rechargeable internal 20-watt-hour nickel-cadmium battery. The battery is fairly large (5¼ by 2¾ by 1½ inches) and fits into a slot in the rear left of the machine. It goes in easily, and you are supposed to be able to pop it out by pushing on a tab underneath it. However, I could get it out only by hitting the tab with a blunt instrument.

The GRiDCase 1530's manual includes a section and table that discuss battery life. The table lists each major possible system component (such as the LCD or plasma screen or the optional 80387 coprocessor) and the amount of power it draws. The internal battery pack is supposed to supply 20 watt-hours of power, and from that figure and the table, you can calculate how long the battery should last on your system.

I tested the system several times with a fully charged battery, and it lasted an average of about 31 minutes. The system was admittedly fairly power-hungry because of its hard disk drive and plasma display. Any system that uses an 80386, however, almost certainly needs a hard disk drive, and the plasma display is much easier on the eyes than the LCD screen. GRiD also has an optional 54-watt-hour external battery pack that can more than double your time in the field.

The GRiDCase 1530 has a red battery-low light that warns you, well in advance, that the machine is about to run out of power. Further, if you install a special GRiD device driver, the computer will beep at you approximately every 30 seconds, starting about 10 minutes before the failure.

Looking and Typing

Aside from the type of power it requires, perhaps the most important other aspects of any portable computer concern how it feels in use. Screen and keyboard quality are crucial.

The T5100 has a 9¼-inch diagonal gas-plasma monitor that displays bright orange characters on a darker orange background. There are contrast and brightness knobs on the swivel arm that

Toshiba T5100 GRiDCase1530

GRID

Med./Lrg.

:19 :04/:32

:09/:34

:02/:21

:15/:15

:14/1:40

:22

1.75

GRID

:05

:02

:20

:08

:05

:01

.07

:07

2:23

:02

:35

:02

1.91

APPLICATION-LEVEL PERFORMANCE

Toshiba

Med./Lra.

:14

:03/:24

:06/:35

:02/:19

:11/:11

:10/1:14

:15

:04

:30 :23

:21

:06

2:27

2.39

Toshiba

:04

:01

:19

:04

:05

.01

:04

:06

:02

:29

:01

2.47

2:11

WORD PROCESSING

XvWrite III + 3.52

End of document

Microsoft Word 4.0

Aldus PageMaker 1.0a Load document

Load (large)

Word count Search/replace

Block moves

Spelling check

Forward delete

Change/Bold

Place graphic Print to file

SPREADSHEET

Lotus 1-2-3 2.01

Load Monte Carlo

Recalc Monte Carlo

Block copy

Load rlarge3

Recalc rlarge3

Recalc Goal-seek

Microsoft Excel 2.0

Recalc

Fill right

Undo fill

Recalc

☐ Index:

Load rlarge3

Recalc rlarge3

Align right Cut 10 pages

Index:

DATABASE dBASE III + 1.1	Toshiba	GRID	
Сору	:46	1:24	
Index	:12	:21	
List	1:23	1:52	
Append	1:21	2:21	
Delete	:01	:02	
Pack	1:02	1:41	
Count	:10	:18	
Sort	:51	1:31	

☐ Index:	2.23	1.29	
SCIENTIFIC/ENGINE	ERING		
	Toshiba	GRID	
AutoCAD 2.52			
Load SoftWest	1:02	1:21	
Regen SoftWest	:54	1:02	
Load StPauls	:12	:17	
Regen StPauls	:07	:11	
Hide/redraw	13:37	20:54	
STATA 1.5	-		
Graphics	:27	:42	
ANOVA	:15	:26	
MathCAD 2.0			
IFS 800 pts.	:17	:28	
FFT/IFFT 1024 pts.	:17	:29	
☐ Index:	3.05	2.03	
COMPILERS	Toshiba	GRID	
Microsoft C 5.0 XLisp compile	5:51	7,05	
Turbo Pascal	5.51	7:35	
	.00	.00	
Pascal S compile	:08	:08	

1.51

BENCHMARKS

Livermore Loops⁶

Dhrystone (MS C 5.0)

LINPACK

(MFLOPS)

Toshiba

236.88

0.11

(Dhry/sec) 4118.00 2944.00


1.36


GRID

448.30

All times are in minutes:seconds. Indexes show relative performance; for all indexes, an 8-MHz IBM PC AT=1.

Index:





Cumulative applications index. Graphs are based on indexes at left and show relative performance


LOW-LEVEL PERFORMANCE

LOW-LEVI	EL PERFO	HMANCE				7 in the		
CPU Matrix	Toshiba 4.67	GRID 6.35	DISK I/O Hard Seek ⁴	Toshiba	GRID	VIDEO Text	Toshiba	GRID
String Mov	ve		Outer track	3.34	3.32	Mode 0	5.00	12.49
Byte-wide	40.83	52.87	Inner track	3.31	3.32	Mode 1	5.00	12.47
Word-wid	e:		Half platter	8.77	8.30	Mode 2	4.78	13.05
Odd-bno	d. 40.57	52.69	Full platter	11.06	11.50	Mode 3	4.80	13.04
Even-bn	d. 20.43	27.66	Average	6.62	6.61	Mode 7	N/A	N/A
Sieve	28.78	38.34	DOS Seek			Graphics		
Sort	22.36	44.12	1-sector	9.50	9.82	CGA:		
		_	32-sector	22.93	33.17	Mode 4	2.19	2.89
Index:	2.39	1.68	File I/O ⁵			Mode 5	2.22	2.91
			Seek	0.16	0.30	Mode 6	2.31	3.02
FLOATING	POINT ²		Read	0.02	0.02	EGA:		
	Toshiba	GRID	Write	0.02	0.02	Mode 13	4.21	N/A
Math	9.54	23.54	1-megabyte	•		Mode 14	4.55	N/A
Error ³	0.00E+00	0.00E+00	Write	6.77	11.62	Mode 16	4.56	N/A
Sine(x)	4.36	8.67	Read	7.16	12.58		2000	
Error	2.00E-09	2.00E-09				Index:	1.90	1.25
e ^x	4.15	8.64	Index:	4.06	3.12			
Error	1.77E-02	1.77E-02						
						CONVENT	ONAL	

4.53 2.09 N/A=Not supported by graphics adapter.

- ¹ All times are in seconds. All figures were generated using the 8088/8086 version (1.1) of Small-C (16-bit integers). Figures for 80386 machines do not use 80386-specific instructions
- ² The floating-point benchmarks use 8087-compatible instructions only.
- ³ The errors for the floating-point benchmarks indicate the difference between
- expected and actual values, correct to 10 digits or rounded to 2 digits. Times reported by the Hard Seek and DOS Seek are for multiple seek operations (number of seeks performed currently set to 100).
- ⁵ Read and write times for the File I/O benchmarks are in seconds per 64K byte
- ⁶ For the Livermore Loops and Dhrystone tests only, higher numbers mean faster performance.

Toshiba T5100



supports the screen.

The monitor is EGA-compatible. The T5100 maps each of the 16 possible EGA colors to one of its four gray shades, or levels of intensity (off, $\frac{1}{3}$, $\frac{2}{3}$, and full). Toshiba and Paradise did the EGA BIOS jointly, while the EGA chip is Paradise's PEGA-2. If you install a special device driver, the T5100 will copy the EGA ROM BIOS into the faster system RAM.

You can sometimes get into trouble with the default color-to-gray-scale mappings. For example, the calculator in Borland's SideKick displays numbers that are by default the same shade as the background. Fortunately, Toshiba provides a nice utility, XCHAD (Enhanced Change Display), that addresses this problem. If you load XCHAD as a terminate-and-stay-resident (TSR) program, you only have to enter Alt-SysReq, and it will clean up the screen so that you can see everything on it. It does so by reading the screen and then mapping the colors to gray scales that provide the greatest amount of contrast between adjacent pixels of different colors.

The screen in the GRiDCase 1530 is a 10-inch-diagonal CGA-compatible gasplasma display. It displays orange letters on a black background. There is a sliding brightness control on the bottom right of the screen, but I could never see any difference in the screen regardless of the control's position. A Yamaha video chip provides the CGA emulation.

Like the T5100, the GRiDCase 1530 maps colors to gray scales. It offers seven levels of intensity: 1/4, 1/3, 1/2, 2/3, 3/4, full intensity, and off. Some of these levels are very close, however; only three or four are easily visible. The 1530 comes with six predefined color mappings. A GRiD spokesperson said that these mappings were enough to support nearly all MS-DOS applications. You can cycle through them with a key sequence or choose one with one of GRiD's extensions to the MS-DOS MODE command.

Both the T5100 and the GRiDCase 1530 let you connect an external monitor (EGA for the T5100 and CGA for the 1530). Both let you alternate between the internal and external displays by using a special key sequence. However, neither system lets you display the same image on both screens simultaneously.

The GRiDCase 1530's black back-

ground is much more soothing to the eyes than the bright orange background of the T5100's display. However, the finer standard font on the T5100 and its EGA capabilities make it more pleasant for prolonged text work.

Just as these machines have similar displays, so, too, do they follow similar approaches in their keyboard layouts. Both keyboards are small and are attached, integral parts of the system. Both have fewer than the 101 keys of the IBM Enhanced keyboards. They get around this deficiency by using a special function key, Fn, in multikey sequences to simulate "missing" keys, such as those normally on the numeric keypad. Both also provide a DIN jack to which you can connect any external AT-compatible keyboard.

The T5100's keyboard has a pleasant feel, with strong tactile feedback and an audible keyclick. There are Caps, Num, and Scroll Lock indicators on the screen swivel arm. The 82 keys are arranged much like an IBM PC's, but with the 10 function keys across the top. The left side of the keyboard follows that same stan-

continued

Fast Crowd

Wherever your business takes you, take along the WorldPort 2400™ Portable Modem. Leaving the office doesn't have to mean leaving behind the world of high-speed, 2400 bps communications. Worldwide, in virtually every situation, including hotel rooms and phone booths, your ability to communicate clearly and efficiently remains intact.

Representing the cutting edge of modem technology, the WorldPort line of portable modems combine a broad range of features that bring you the best value in modems today. Features

that go far beyond costly internal units, such as Bell and CCITT standards, direct connect and acoustic interface (300 and 1200 bps), battery power, shirt pocket size, and a tiny price.

In fact, the WorldPort modems are the ultimate for both portable and desktop applications. And the WorldPort 2400 comes with Carbon Copy PLUS[™] communications software, for even greater value.

If you want a modem that works where you do, put the WorldPort Series to work for you. In

the office. On the road. Or at home. For more information about our full line of WorldPort modems, or the name of your nearest dealer, call us at 800-541-0345. (In New York, 516-261-0423.)



Touchbase Systems, Inc. 160 Laurel Avenue Northport, NY 11768 (516) 261-0423 TELEX: 6502848020 FAX: (516) 754-3491

WorldPort 2400 is a trademark of Touchbase Systems, Inc. Carbon Copy PLUS is a trademark of Meridian Technology, Inc.

VIDEOTRAX DATA BACK-UP. WE JUST INTRODUCED IT. AND ALREADY 50 MILLION PEOPLE OWN HALF OF IT.

Every human in the hemisphere who owns a standard VCR has half of what's needed to back up data. The rest of what you need is neatly contained on the new Videotrax® controller board by Alpha Micro.

Slip the half-size Videotrax board into the expansion slot of any PC. Meaning any IBM, PC, XT, AT, Compage 386 or true compatible.

the hard disk you're covering for.

QUICK STUDY

Videotrax has been designed to extremely demanding standards. So that it won't put a lot of demands on you. Anyone who can run a VCR knows most of the drill. The rest is covered by our menu-driven software. By clear, concise documentation. And by a range of

backup modes that keeps it

simple:

Insert a blank video cassette tape and follow the directions which appear on screen. These guide you through the painless steps for copying or restoring an entire hard disk, specific files, or only files modified since the last backup.

Meanwhile, Videotrax rigor-

ously monitors itself for proper functioning. WE MAKE THE VCR PART OF IT, TOO.

If you like, opt for our enhanced Videotrax VCR and experience the extra joy of its automatic, unattended backup capabilities.

It will be a most prudent investment. Because, for the price of

cassette, at less than a tenth of the

taping Dallas vou can preserve vour

data. Up to

on a single

Your basic video

inexpensive,

easy to find.

cassettes. Reliable,

most precious

80MB

cost of streamer tape.


And now the price is low. Just \$399
for the board and \$1199 for the board
and enhanced VCR, suggested retail.

And of course, if you ever require service, your authorized Alpha Micro dealer and our worldwide network of factory service centers will provide all the support you need.

For the name of your nearest Videotrax dealer, call Alpha Micro at 1-800-992-9779. In California, call 1-800-821-0612.

The Videotrax System. It's a great leap forward in backing up.

Circle 14 on Reader Service Card (DEALERS: 15)



High-tech. Open your PC and stide the controller board into any expansion slot. Low-tech. Hook up VCR to computer with standard connector cables.

Connect the computer to a VCR with standard connector cables. And, as of that moment, you are under the protection of a highly sophisticated, stringently reliable, data backup system.

In fact, exhaustive testing and the long term experience of over 20,000 Alpha Micro users have proven Videotrax technology to be more reliable than any other backup option available. More dependable, even, than



"Give me one good reason to give up C."

"How about 43?"

Modula-2 saves more time and money than any other programming environment.

- 1. High-level language
- 2. Readable, maintainable code
- 3. Ideal for team programming
- 4. Supports multi-tasking
- 5. Emerging international standard
- 6. Pascal or C programmers learn it
- 7. Language for modern engineering
- 8. Consistency checks across modules
- 9. User control over exported/imported objects
- 10. Traps most programming errors
- 11. Fewer bugs in final code
- 12. Easy low-level access

The LOGITECH Modula-2 programming environment goes far beyond the language.

- 13. Faster project throughput
- 14. Corporations rely on it
- 15. Adds a rich set of tools to the language
- 16. Best debuggers for any language
- 17. Configurable, easy-to-use text editor
- 18. Integrated environment
- 19. Powerful windowing interface
- 20. Compiles twice as fast as MS-C
- 21. Code as fast as the best C compilers
- 22. Mature and reliable
- 23. Extended library
- 24. Standard object format
- 25. C libraries can be used
- 26. Supports EGA 43-line mode
- 27. Automatic MAKE
- 28. Flexible overlays
- 29. Price/performance leader

dard, but on the right it diverges. There it has special arrow, Home, PageUp, PageDown, End, Insert, and Delete keys. You get the numeric keypad numbers, +, -, and decimal point, as well as F11 and F12, by using Fn and another key. To make it easy for you to find these other characters, alternate key functions appear in blue on the front of the keys. By using the Fn key, you can get this keyboard to generate all the key sequences of the IBM Enhanced keyboard.

The keyboard on the GRiDCase 1530 has only 72 keys—10 fewer than the T5100's—but it follows the same approach to provide other keys, such as those on the numeric keypad. Its action feels mushy at first, but the keys spring back quickly. It also has a much softer keyclick than the T5100. There are no indicator lights, not even for Caps or Num Lock—a tiny omission that I found annoying.

It also has the 10 function keys across the top, but it unfortunately also has Backspace up there, well beyond its usual position. There are four arrow keys on the right side, but you can get the other numeric keypad keys only by using the Fn key. Alternate key functions appear in different colors on the keys. There are also a few printable characters, including square brackets, curly brackets, and the tilde character, that you get only by using the Fn key. Programmers (especially C programmers) may find this bothersome.

Performance and Compatibility

As you can see in the performance charts, the T5100 is about the same speed as the 16-MHz IBM PS/2 Model 80. This performance puts it right in the middle of the zippy 16-MHz 80386 pack but still leaves it behind the 20-MHz and 25-MHz speedsters.

The GRiDCase 1530 is roughly 30 percent slower than the T5100. Most of this difference must come from its 28 percent slower 12.5-MHz clock. The 1530 actually uses a 16-MHz chip, but it runs with a slower clock to save power.

There are a few performance anomalies worth noting. While both units use the same basic hard disk drive, the T5100 actually beats the GRiDCase 1530 on the File I/O Seek test. The T5100 has its typical 30 percent edge on the 1-megabyte file Write and Read tests, and takes the Disk I/O tests overall.

The T5100 also has an unusually large edge on both the floating-point tests and tests involving applications that do a lot of floating-point math (e.g., the Engineering/Scientific application tests).

Both machines have a socket for an 80387; the T5100's runs at 16 MHz, and the GRiDCase 1530's runs at 12.5 MHz.

One reason these systems don't break out of the 16-MHz pack is that they do nothing special to help speed memory access. For example, neither system uses a hardware cache. The T5100 uses 80-nanosecond dynamic RAM (DRAM), which leaves it with one wait state. The GRiDCase 1530 also has one wait state, although its slower clock speed lets it get away with 120-ns DRAM chips.

On the compatibility front, there is some obvious hardware bad news and lots of mostly good software news.

The hardware bad news is that neither of these systems can handle even one standard IBM PC expansion card. Both let you expand system memory by adding memory within the main unit—with single in-line packages (SIPs) in the 1530, and with a memory-expansion card in the T5100.

You can expand the T5100 in two other basic ways. There is one expansion slot in the right rear of the machine. It is a proprietary slot that works only with cards designed for the T5100 and, usually, the T3100, T1200, and T1100 Plus. (A card will work in all these units as long as it does not play with memory addressing in any unusual ways.) You typically would use this slot to hold an internal modem. However, you can also use it for the other major expansion option: a card that lets you attach Toshiba's external expansion chassis, which can handle full-length cards.

The GRiDCase 1530 also offers an optional interface card and expansion chassis for full-length cards, but it does not have an explicit expansion slot. Instead, you use a GRiD-proprietary expansion cartridge that fits into the battery slot. You can also buy other expansion cartridges from GRiD, including one that supports VGA graphics on external VGA-compatible monitors. The 1530 offers one other odd expansion option: It has sockets on the main face of the unit, above the keyboard and before the screen, for two ROM chips. GRiD offers its MS-DOS, as well as several other software packages, on such ROM chips.

These machines run nearly all PC-compatible software. I ran them both through a test suite that included a copyprotected Lotus 1-2-3 version 2.0; DESQview 2.0 and its accompanying Quarterdeck Expanded Memory Manager 386 version 1.0; Kermit 2.30; Norton Utilities 3.0; Microsoft's Windows/ 386 2.03, Word 4.0, and PC Paintbrush 2.0; WordStar 3.3 and 4.0; Q&A 1.1;

The T5100 has one software compatibility problem: It will not run Windows/386. When I tried, I got the message: Error: Unsupported DOS version. A Toshiba technical-support person said that Toshiba is aware of this problem and that it should go away when Toshiba releases MS-DOS 3.3 for the T5100.

The 1530 also seemed to have a compatibility problem, but there was a way around it. The Quarterdeck Expanded Memory Manager 386 version 1.0 would not work, and instead reported: No room for Page Frame. Cannot load because there is not enough memory. GRiD's own expanded memory manager (GRiD-386) worked like a champ, however. A GRiD support person led me to try putting the page frame at memory locations C000x and D000x hexadecimal, both of which worked. He said that the error was due to my old version of the Quarterdeck software, and that it would not occur with a newer version.

If necessary, both machines can operate at a slower compatibility speed. The T5100 offers 8-MHz operation; the 1530 can run at 6 MHz. However, they each ran Lotus 1-2-3 version 2.0 without making me slow them to their compatibility speeds.

Digging Inside

Getting inside most personal computers is a fairly simple matter; not so with these tightly packed portables. I don't recommend that you take one of these apart unless you are willing to move very slowly and carefully.

The bottom of the T5100 curves slightly, so when its rear tilt stand is up, the keyboard sits flat. To accommodate this bend, the motherboard, which runs along the bottom of the machine, is in two pieces: There's a small piece under the keyboard, and a larger one under the rest of the machine.

The section under the keyboard is attached to the main section by several wide ribbon cables and is easily accessible. It contains the ROM chips, the keyboard controller, the memory, and some support chips. It also contains an expansion connection for the memory-expansion board, which goes to its right. This board can increase the system memory to 4 megabytes of 32-bit memory. You can make the T5100 copy the ROM BIOS (from Award and Toshiba) into the faster RAM by choosing the fast ROM option

in the T5100's Setup program.

The T5100's memory chips are 1-megabit chips mounted on single in-line memory modules. The SIMMs are soldered, not socketed. There is also a small daughtercard, seated above the main part of the motherboard, that holds the EGA chips, 256K bytes of EGA memory, and some other support chips.

The main piece of the motherboard contains the 80387 socket, the 80386, and a number of Toshiba chips; many of the chips are surface-mounted. Not counting the memory chips, the three motherboard components contain a total of only about 70 chips. The boards are clearly manufactured by Toshiba and use many Toshiba parts.

The GRiDCase 1530 has a flat bottom, so it has a single main motherboard. It also has a daughtercard above part of the motherboard. GRiD manufactures both boards. The daughtercard contains the Yamaha CGA chip and the sockets for the two ROM-expansion chips that you can install.

The main motherboard contains 109 chips, not counting DRAM chips, but very few are surface-mounted. Its 2 megabytes of DRAM are mounted in eight 256K-byte SIPs. You can replace some or all of these SIPs with 1-megabyte versions to get either 4 or 8 megabytes of RAM. The motherboard contains the 80386, the 80387 socket, the ROM BIOS chips, and four large Faraday chips, among many other chips. The four Faraday chips do much of the standard AT work, while most of the others provide the discrete logic that handles the 80386 and its 32-bit memory bus. The 1530's ROM BIOS is Phoenix's 80386 ROM BIOS version 3.06, dated 3/17/88.

Both machines use the same Conner 40-megabyte hard disk drive. This drive has a formatted capacity of 40.8 megabytes and an average access time of 29 milliseconds.

Toshiba made a modification to its setup and MS-DOS that lets you avoid the usual 32-megabyte partition limit and have a single 40-megabyte partition. The T5100 uses 1024-byte sectors to support this larger partition.

The floppy disk drives of the two machines are standard 1.44-megabyte 3½-inch models. The T5100 uses a Toshiba drive; the GRiDCase 1530's external drive is from Epson.

The Rest of the Package

The T5100 comes with Toshiba's MS-DOS 3.30, and you can buy GWBASIC 3.0 as an option. Toshiba's MS-DOS in-

continued



Circle 153 on Reader Service Card (DEALERS: 154)

- 30. Support for dual mode operations
- 31. Dynamic link libraries
- 32. For standard/extended version of OS/2
- 33. Multiple threads
- 34. Virtually unlimited program size
- 35. Makes mixing languages easy
- 36. Most powerful editor under OS/2
- 37. Background compilation while editing
- 38. Run-time checks
- 39. Stack checks even in threads
- 40. OS/2 uses Modula-2 parameter passing mechanism
- 41. Upgrade available for Modula-2 DOS users
- 42. Direct Hotline and free Bulletin Board support for all Modula-2 products

43. It's affordable!

Call toll-free: 800-231-7717 In California: 800-552-8885

	Please send me:		
	☐ Modula-2 Compiler Pack (DOS)	\$	99.00
20	☐ Modula-2 Toolkit (DOS)	\$	169.00
Ü	☐ Modula-2 Development System (DOS, includes	\$	249.00
	Compiler and Toolkit)		
	☐ Modula OS/2	\$	349.00
	☐ Modula-2 VAX/VMS version	\$2	,500.00
	Shipping & Handling (per item)	\$	6.50
	CA residents add applicable		
	sales tax	\$_	
	Total	\$_	
-	☐ Check/money order included☐ Visa☐ MasterCard☐		
	□ visa □ iviasterCard		
ī	Card Number		Exp. Date
ŝ	Cardholder Name		
Ĭ	Authorized Signature		
i	Ship to:		
ı	Name		
	Address		
	City		State
	Zip		Phone
	Offer valid in U.S. Only Dealer inqui	ries	
I	Educational prices available. Send to:		BY988
	ociia to.	_	

In Europe, contact:
LOGITECH SA in Switzerland
Tel: ++41 (0) 21-869-96-56
In the United Kingdom, contact:
LOGITECH UK
Tel: ++44 (0) 525-22-22-11

Logitech, Inc.

Attn: Coupon Redemption Program

6505 Kaiser Drive, Fremont, CA 94555

cludes setup options that let you allocate memory above 640K bytes to expanded and/or extended memory. A Toshiba spokesperson said that the company would be offering Unix and OS/2 in the future. With the T5100, Toshiba is also bundling Lotus's Metro, a desktop manager with 12 accessories and a macro generator.

The T5100 also comes with a boxed set of five manuals. This set includes an MS-DOS 3.30 reference manual, an MS-

DOS quick reference guide, a manual for new users, a T5100 reference manual, and a thin "Portable Companion" manual that summarizes most of the information in the T5100 reference manual. The reference manual is particularly useful, with thorough explanations of nearly all the system's features.

The standard GRiDCase 1530 does not include any software. You can buy GRiD's MS-DOS 3.21; its MS-DOS extensions include many new MODE options

that let you control hardware options, a GRiDScan program that gives system configuration information, and the GRiD386 expanded memory manager.

A GRiD spokesperson said that the 1530 will run both the Santa Cruz Operation's (SCO) Xenix System V and Interactive Systems' 386/ix Unix; GRiD sells only the SCO Xenix, however. The spokesperson said that GRiD was experimenting with OS/2 and would offer it when enough customers requested it.

The GRIDCase 1530 comes with an owner's guide and short reference manuals for each of the hardware options. You also get an MS-DOS manual if you buy that option. The owner's guide is short but useful, with a fairly thorough discussion of the system's options, including much useful information on its battery usage and power requirements.

The telephone-support people at both companies were among the best with whom I've had the pleasure to talk. They were able to answer nearly all my questions, including very technical ones, quickly and correctly. Those few that they could not answer, they researched and answered later. There does not seem to be any limit on the telephone support that either company offers, and you can reach both support services through toll-free numbers.

The T5100 comes with Toshiba's oneyear "Exceptional Care" limited warranty. You can buy an additional two years of support, but it is expensive: \$979 for the basic unit alone, and more for each option.

The GRiDCase 1530 includes a 90-day limited warranty.

Juggling Options

Given the short life of my GRiDCase 1530's battery, battery operation seems to be for occasional use only. If you need that capability and can do without EGA graphics, it is a good machine. It also provides a cheaper entry-level model than the T5100.

The T5100 has a higher price for an entry-level machine, but if you want a faster CPU and EGA graphics at a less expensive price (for comparably equipped machines), and if you do not have the need to run from a battery, go with the T5100.

Both machines are signs of the times and of things to come: ever more power in ever-smaller, sleeker packages. ■

Mark L. Van Name is a freelance writer and computer consultant living in Durham, North Carolina. He can be reached on BIX as "editors."



Great Selection + Superior Service $_{\Sigma}$ + Competitive Prices = Top Value

We have the technical expertise to fulfill your specialized needs in software development, circuit design, data analysis, CAD and much more. Call today!

ADVANTAGE Disassembler, Lifeboat\$
Microsoft MASM.
OPTASM, SLR Systems.....

Hash-up, Software Bottling Co...
MS Basic Comp. 6.0
MS QuickBASIC
QuickPASIC, Frescent Software...
T BASIC, TransEra Corp...
Turbo Basic, Borland...
Turbo Basic Toolboxes, Borland...

AZTEC C-Commercial, Manx C-terp, Gimpel Lattice C V. 3.3

C TOOLS PLUS 5.0, Blaise C Utility Library, Essential Essential Communications. Greenleaf TurboFunctions. Greenleaf Functions Greenleaf Functions. FforCe, Phoenix. TimeSlicer, Lifeboat. Turbo C TOOLS, Blaise....

w/Source....... Microsoft C....... QuickC, Microsoft Turbo C, Borland....

CLIBRARIES

BASIC

Software Development Tools

- . No one offers you more variety.
- 30-day Money-Back Guarantees
- Latest versions

Micro Focus Products
MS COBOL, Microsoft
Realia COBOL.....
RM/COBOL, Austec....
SCREENIO, Norcom ...

PASCAL LIBRARIES (TURBO)

LOGITECH Modula-2 Compiler Kit Development System Toolkit... SOLID B + Toolbox, Solid Software ... StonyBrook Modula-2

386 DEVELOPMENT TOOLS 386-Max, Qualitas ADVANTAGE 386 C, Lifeboat...

PASCAL

MODULA-2

• Over 500 name-brand products in stock, if you don't see it — call!

FoxBASE+/386.	459
High C, Metaware	839
NDP FORTRAN, Microway	529
Pharlap 386/ASM/LINK.	409
386 SOFTWARE	

Pharlap 386 ASM/LINK	409
386 SOFTWARE	
DESOview, Quarterdeck	799 130 181

SCO XENIX — Complete	1275
DEBUGGERS	
Periscope II\$ OTHER Periscope Products. Advanced Trace-86, Morgan Computing. Breakout, Essential. Tdebug PLUS V.4.0, Turbo Power Soft.	HC
w/SourcePfix86plus, Phoenix	47 79 215

Pfix86plus, Phoenix	215
EDITORS	
EDIX, Emerging Technology. EMACS, Unipress. Epsilon, Lugaru. KEDIT, Mansfield. MULTI-EDIT, American Cybernetics. Norton Editor PC/EDIT +, Boston Business Computing Pmate, Phoenix. SPF/PC, Command Technology. VEDIT PLUS, CompuView. XTC, Wendin	CALL 169 268 151 129 70 269 115 185 181
FILE MANAGERS	
Btrieve, Softcraft\$	185 189

	00
FILE MANAGERS	N. C.
Btrieve, Softcraft\$ Xtrieve	109
CBTREE, Peacock System c-tree, Faircom r-tree	141 318 241
dBC III, LatticedBC III/II w/SourcedBC III PLUS	172 363 599
db_VISTA OR db_QUERY, RaimaXQL, Softcraft	CALL 599
GRAPHICS	

ADVANTAGE Graphics, Lifeboat ...

GOTO

SCREENS/WINDOWS

	Drawbridge, Courseware Applic	111
ı	Essential Graphics	229
	GraphiC, Software Endeavors	322
	GSS Graphics Dev. Toolkit, Software	
	Endeavors	399
,	HALO '88, Media Cybernetics	555
	HOOPS, Ithaca Software	554
	MetaWINDOW, Metagraphics	162
,	MetaWINDOW PLUS	232
	Turbo WINDOW/C	80
ı	Turbo HALO (Turbo C), Media Cybernetics	80
-		-

SOF MARKETON

DBJECT - ORIENTED	
ACTOR, White Water Group\$ DVANTAGE C++, Lifeboat PforCe++, Phoenix malltalk/V, Digitalk malltalk/V286	423 479 215 85 169

OPERATING SYSTEMS	
Microport DOS Merge	219 579
Microport Sys V/AT	999
Wendin-DOS	80
Other Microport, Sco, Wendin Products	LALL

Greenleaf Data Windows\$	
MS Windows, Microsoft	69
MS Windows Dev. Kit, Microsoft PANEL Plus, Lifeboat	329
PANEL /QC or /TC	99
Windows for Data, Vermont Creative	162
ScreenStar w/Source, Essential	169
SoftCode, Software Bottling Co	119
TUPBO POWER SCREEN	10
Turbo POWER SCREEN	10

OTHER PRODUCTS	-
Dan Bricklin's Demo Program,	
Software Graden\$	60
MKS Toolkit	139
MS OS/2 Programmer's Toolkit	239
PC lint, Gimpel	101
Plink86Plus, Phoenix	279
Polytron PVCS CORPORATE	323
Pre-C, Phoenix	159
SEIDL Version Manager	269
Source Print, Aldebaran Labs	8

Science & Engineering Software

CIRCUIT DESIGN/SCHEMATIC CAPTUR	E
HIWIRE, Wintek Corp. MICRO-CAP II, Spectrum Software. PADS Drill, CAD Software. PADS Boule, PSpice, MicroSim Device Equations Source Probe graphics post-processor. Parts parameter estimator. Monte Carlo Analysis. Digital Files. Schema II, Omation. smaRTWORK, Wintek Corp. Tango PCB, ACCEL Tech. Tango Route, ACCEL Tech.	
	, 00

DATA ACQUISITION/SIGNAL ANALYSIS	18
Asyst 2.9	2,179
Asyst 2.9 \$2 Asyst Modules 1, 2, 3	,989
Asyst Modules 1, 2, 4	1,989
Asyst Module 1, 2	849
Asystant, Macmillan	469
DADISP, DSP Systems	749
DADISP-488, DSP Systems	175
Fourier PERSPECTIVE II, Alligator Trans HYPERSIGNAL, Hyperception	329 309
HYPERSIGNAL Plus	439
LABTECH Acquire, Lab Tech, Corp.	179
LABTECH CHROM	709
LABTECH Notebook,	759
LABTECH Real Time Access, Lotus Measure	269 445
Q.E.D. D.A. and Control, Hart Scientific	799
SNAP-CALC, HEM Data Corp.	350
SNAP-FFT, HEM Data CorpSNAPSHOT STORAGE SCOPE	295
SNAPSHOT STORAGE SCOPE	495
UnkelScope Junior, Unkel Software UnkelScope Level 1,	109 315
Olikeiacohe resei I.	313

PLOTTING AND GRAPHING	
ChartBuster PC, Interchart Software\$ Datatap Graph, Milhalisin Assoc. Omniplot, Scientific Endeavors. PC, MAP III, Peerless Engineering PLOTZ, Curtis Technical Soft. TECH°GRAPH°PAD, binary engineering.	ביזנטנטן אניזנט

C.MAP III, Peerless Engineering LOTZ, Curtis Technical Soft ECH°GRAPH°PAD, binary engineering	319 259
EQUATION SOLVERS	
ureka: The Solver, Borland\$	119

	MathCAD 2.0, MathSoft Math Mate, MCAE Technologies muMATH, Soft Warehouse SolveITI, Structured Scientific Software	18: 7:
-	Solver-Q, SDDC TK!Solver Plus, Universal Tech Sys	7: 39:
à	CAD	
ł	AutoCAD by Autodock	CAL

	AutoCAD, by Autodesk	(
	Autosketch, by Autodesk	
	Speed Enhanced Version Design CAD, American Small Bus. Comp	
	Design CAD, American Small Bus, Comp.	
	Drafix 1 Plus, Foresight	
	Drafix 3-D Modeler. Foresight	
	EASYCAD, Evolution Computing	
	ECAD. Pelton Engineering	
ı	FASTCAD, Evolution Computing	1
ı	Generic CADD	
	Generic 3-D Solid Modeling	
	3-D Rendering Module	
	In°A°Vision, Micrografx	
	Windows Draw w/Clip Art	
	Windows Graph	
	LaserCAD, DSL Link	
	PRO-3D/PC, Enabling Technologies	
	TurboCAD, MSA Group	

AUTOCAD ADD ONE

AUTUCAU AUD-UNS	
AutoESL, Systems Unlimited of CA \$ AutoSHAPES FSIMPLEX, Turbo View, Sublagic Corp	279 189 89 449
MOUSE PRODUCTS	
LOGITECH HIREZ Mouse LOGITECH Serial or Bus Mouse LOGITECH Others LOGITECH Series 2 Mouse Microsoft Ser or Bus Mouse W/Easy CAD W/MS Windows SUMMAMOUSE, Summagraphics	99
APL LANGUAGE	
ADI *DI IIC/DC CTCC d	400

	APL*PLUS PC TOOLS, Pocket APL	499 209 80
ı	SCIENTIFIC TEXT PROCESSING	
}	CHEM-TEXT, Molecular Design Ltd\$1 EXACT, Technical Support Software	,500 419
-		-

PC TEX. P	ks/Cole Publishing Shantha Software Iuscript ersonal TEX ord Proc., TCI Software Res	129 379 445 229 499
STATISTI		
Microstat NWA STAT P-STAT The Scient SPSS/PC StatPac G STATS+, THE SYST	tific Wheel, Dalin Inc. - bold, Walonick Associates StatSoft. [AT	315 469 319 749 659 749 539 CALL
ADDITIO	NAL S&E PRODUCTS	
Atoms, Cu COMPEDI Engineer's LASCAUX PC-Matlat	RAPHICS, STSC	339 25 155 649 55 659

Brooks/Cole Publishing	129 379 445 229 499	POINT FIVE, Pacific Crest The Professional Wheel, Dalin I Units, Curtis Technical Soft
ISTICS		FORTRAN LANGUAGE
at, Anderson Bell \$ StatSoft StatSoft StatPAK, Northwest If cientific Wheel, Dalin Inc. //PC + ac Gold, Walonick Associates 5 + StatSoft.	315 469 319 749 659 749 539 CALL	DIFF.E-O, Microcompatibles Extend, Design Decisions. Grafmatic or Plotmatic, Micro-Lahey F77L-EM/32. Lahey Personal FORTRAN MathPac, Systolic Systems Microsoft FORTRAN W(CodeV) Numerical Analyst, Magus RM/FORTRAN, Austec Spindrift Library, Laboratory L SSP/PC, Lattice
ITIONAL S&E PRODUCTS		
S°GRAPHICS, STSC. S. S. Curtis Technical Soft PEDITOR, Avecoinc. Beer's Aide, Eng Prog Concepts AUX 1000 Calculator atlab, The Math Works Trol System Toolbox.	339 155 649 559 459	GAUSS GAUSS Prog. Lang., Aptech Sy GAUSS Math & Stat System X-ASMS/SIMULATORS Microtec, Relms, Uniware, Que

Ordering Information

We accept AMERICAN EX-PRESS, MC, VISA and PERSONAL CHECKS There is no surcharge on credit card or C.O D. New York State residents must add State residents must add sales tax. Shipping and handling \$3.95 per item within the U.S., sent UPS ground. Rush and international service available. Call for prevailing rates.

International orders add. \$10 for export preparation.

Prices and policies may chance without notices may chance without notice.

ae witho Dealers and Corporate Buyers call for special rates. • Mail orders must include

phone number.

• Ask for details before you buy, some manufacturers won't take returns if disk seals are broken.

9		
	FORTRAN LANGUAGE	
599999999	DIFF.E-Q, Microcompatibles Extend, Design Decisions. Grafmatic or Plotmatic, Microcompatibles Lahey F77L-EM/32. Lahey Personal FORTRAN MathPac, Systolic Systems Microsoft FDRTRAN w/CodeView. Numerical Analyst, Magus. RM/FORTRAN, Austec Spindrift Library, Laboratory LTD. SSP/PC, Lattice	445 131 115 795 445 245 475 135 275
9	GAUSS	
9559599	GAUSS Prog. Lang., Aptech Sys\$ GAUSS Math & Stat System	240 380
5	X-ASMS/SIMULATORS	
9	Microtec, Relms, Uniware, Quelo\$	CALL

Call for your FREE catalog today!


In the U.S. call 1-800-333-3141

International Orders: 914-332-0756



55 South Broadway, Tarrytown, NY 10591

Take any 3 books for only \$100 each



UNDERSTANDING & USING dBASE III® PLUS. By R. Krumm. 674 pp., illus., softbound. Widely regarded as the most comprehensive one-volume reference on the subject, it covers everything from basic concepts to advanced programming techniques. 583940-7

Pub. Pr., \$22.95

UNIX UTILITIES. By R.S. Tare. 352 pp., illus., softbound. This practical manual shows how to make the best use of UNIX utilities. It covers more utilities than any other book of its kind and provides numerous examples of real applications. 628/84X

Pub. Pr., \$24.95

VSAM: Performance, Design, and Fine Tuning. By J. Ranade. 280 pp., illus. Find out how to adapt VSAM to your particular needs and cut processing time in half! This new work by an authority on VSAM provides the detailed, hands-on assistance you need to design and implement efficient systems. 583963-6 Pub. Pr., \$34.95

TURBO PASCAL PROGRAMMER'S LIBRARY. By K. Jamsa and S. Nameroff. 495 pp., illus., softbound. An outstanding and varied collection of more than 200 routines that you can quickly key into any computer that runs under PC-DOS. Includes some vital math functions not provided in Turbo Pascal's standard package. 583762-5 Pub. Pr., \$18.95

ADVANCED GRAPHICS IN C: Pro-ADVANCED GRAPHICS IN C: Programming and Techniques. By N. Johnson. 430 pp., Illus., softbound. Now C programmers can write crisp graphics programs for the IBM-PC using the IBM EGA (Enhanced Graphics Adaptor) or the AT&T Image Capture Board (ICB). Includes GRAPHIQ, a complete C graphics toolkit graphics toolkit. 881257-7

Pub Pr \$22.95

when you join BYTE Book Club Values up to \$59.95

- Your one source for computer books from over 100 different publishers
- the latest and best information in your field discounts of up to 40% off publishers' list prices

A COMPREHENSIVE GUIDE TO AI AND EXPERT SYSTEMS: Turbo Pascal Edition. By R.I. Levine, D.E Drang, and B. Edelson. 256 pp., 99 illus. A must for everyone who wants to understand and utilize artificial intelligence for commercial, military, scientific, or educational applications It's all in clear, simple language with many illustrations and sample programs.

Pub. Pr., \$22.95

32-BIT MICROPROCESSORS. Edited by H. J. Mitchell. 248 pp., 104 illus. and tables. A comprehensive survey of the powerful new microprocessors for large, powerful flew microprocessors for large, technically complex projects. Coverage includes: AT&T's WE32100, Inmos' T414 and T424, Intel's 80386, Motorola's 68020, and Zilog's Z80000. 425/85X Pub. Pr., \$45.00

CIARCIA'S CIRCUIT CELLAR, Vol**ume VI.** By S. Ciarcia. 224 pp., 75 illus., softbound. More marvelous projects from the incomparable Ciarcia! This new volume contains easyto-follow plans for a home security system, a serial Eprom programmer, a turnkey bulletin board, an audioand-video multiplexer, plus 10 more projects. 109/680

Pub. Pr., \$19.95

PROGRAMMER'S CHALLENGE: 50 Challenging Problems to Test Your Programming Skills. By S. Chen. 464 pp. If you enjoy testing your programming skills, then you'll enjoy solving these 50 challenging problems. Solutions are provided in lems. Solutions are provided in BASIC, Pascal, and C with full explanations and test data.

583883-4 Pub. Pr., \$29.95

ADVANCED TURBO C.® By H. Schildt. 397 pp., illus., softbound. Complete Turbo C mastery can be yours—from stacks, queues, linked yours—from stacks, queues, lilined lists and binary trees, to operating system interfacing, porting, debug-ging, and much more. Fully explains how to get the most from the power and speed of Turbo C. 881280-1 Pub. Pr., \$22.95

DATABASE SYSTEM CONCEPTS.By H. F. Korth and A. Silberschatz. 546 pp., illus. From fundamental concepts to advanced problem solving, this book provides a clear under-standing of the design and use of database systems. Also demon-strates the best ways to protect data from unauthorized access and malicious or accidental alteration or destruction. Pub. Pr., \$42.95

ARTIFICIAL INTELLIGENCE USING C: The C Programmer's Guide to AI Techniques. By H. Schildt. 412 pp., 37 illus., softbound. This hands-on guide shows you how to create your own Al applications and systems using C. After an introduc-tory overview it provides coverage of expert systems, logic, natural lan-guage processing, machine learning, pattern recognition, and more, with ready-to-run programs illustrating each topic. 881255-0 Pub. Pr., \$21.95

LANGUAGE. By R.C. Hutchison and S.B. Just. 519 pp., illus. Whether you want to understand programs in C written by others, or write better C programs of your own, this practical, authoritative book gives you the tools and guidance you need. Coverage includes program organization, sorting algorithms, recursion, linked lists,

PROGRAMMING USING THE C

programs. 315/418 Pub. Pr., \$28.95

with many sample

and more -

HARD DISK MANAGEMENT with MS-DOS and PC-DOS. By D. Gookin and A. Townsend. 307 pp., illus. Shows you how to make the best use of your hard disk for all types of programs, with an emphasis on organization, data security, and enhancing performance. Easy enough for novices, yet sophisticated enough for power users, it's packed with helpful hints, proven shortcuts, and clear Pub. Pr., \$26.95 583954-7

TRICKS OF THE UNIX MASTERS.

By R.G. Sage. pp. illus. Many of UNIX's most interesting features have virtually been kept secret from users until now! This master guide goes beyond the basics to show you the shortcuts, tools, tips, and tricks it could take years to discover on your own. 584637-3

Pub. Pr., \$22,95

BYTE BOOK CLUB™

Membership Order Card

Please enroll me as a member and send me the three choices I have listed below. Bill me only \$3.00, plus local tax, postage and handling. I agree to purchase a minimum of three additional books during my first year as outlined under the Club plan described in this ad. Membership in the club is cancellable by me any time after the three book purchase requirement has been fulfilled. A shipping and handling charge is added to all shipments.

	15 (01)
gnature	
ame	
Address/Apt.#	
NameAddress/Apt.#	

BYTE BOOK CLUB™

Membership Order Card

Please enroll me as a member and send me the three choices I have listed below. Bill me only \$3.00, plus local tax, postage and handling. I agree to purchase a minimum of three additional books during my first year as outlined under the Club plan described in this ad. Membership in the club is cancellable by me any time after the three book purchase requirement has been fulfilled. A shipping and handling charge is added to all shipments.

Indicate below by number the books you want. A few expensive books (noted in the descriptions) count as

more than one choice.
Signature
Name
Address/Apt.#
City, State, Zip
Corporate Affiliation
This order subject to acceptance by McGraw-Hill. All prices subject to change without notice. Offer good only to new members. Foreign member acceptance subject to special conditions.

PRINTED IN U.S.A.

bers. Foreign member acceptance subject to special conditions.





NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL

PERMIT NO. 42

HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE

McGraw-Hill Book Clubs P.O. Box 582 Hightstown, NJ 08520-9959







NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL

DEDINE NO 40

HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE

McGraw-Hill Book Clubs P.O. Box 582 Hightstown, NJ 08520-9959





SADT: Structured Analysis and Design Technique. By D. Marca and C. McGowan.

Pub. Pr., \$44.95 402/353

PROGRAMMING WITH TURBO PASCAL. By D. Carroll

Pub. Pr., \$39.95 852908-5 HIGH-SPEED ANIMATION & SIM-

ULATION FOR MICROCOMPU-TERS. By L. Adams

583855-9 Pub. Pr., \$19.95

DATABASE MACHINES & DATABASE MANAGEMENT. By E.

Pub. Pr., \$53.00 583770-6B (Counts as 2 of your 3 books)

PRINCIPLES OF PARALLEL AND MULTI-PROCESSING. By G.R. Desrochers.

Pub. Pr., \$49.50 165/793 (Counts as 2 of your 3 books)

GETTING THE MOST FROM UTILI-**TIES ON THE IBM PC.** *By* R. Krumm 583790-0 Pub. Pr., \$19.95

THE ADA PRIMER. By P. I. Johnson Pub. Pr., \$17.95

THE DATABASE EXPERTS' GUIDE **TO DATABASE 2.** *By* B. Larson. 232/679 Pub. Pr., \$34.95

NETWORKING SOFTWARE. By C. B. Ungaro. 606969-9 Pub. Pr., \$37.95

THE DATABASE EXPERT'S GUIDE TO SQL. By F. Lusardi 390/061 Pub. Pr., \$39.95

PRINCIPLES OF ARTIFICIAL IN-TELLIGENCE AND EXPERT SYSTEMS DEVELOPMENT. By D.W. Rolston

HOW TO WRITE COMPUTER DOC-UMENTATION FOR USERS, 2nd

Pub. Pr., \$39.95

Ed. By S.J. Grimm


583783-8 Pub. Pr., \$29.95

DATA STRUCTURES USING PAS-**CAL, 2nd Ed.** By A. M. Tenenbaum & M. J. Augenstein 583738-2 Pub. Pr., \$46.00

MICROCOMPUTER LANS: Network Design and Implementa-tion. By M.F. Hordeski 584580-6 Pub. Pr., \$28.95

OPERATING SYSTEMS. By M. Milenkovic 419/205 Pub. Pr., \$40.95

HYPERTALK PROGRAMMING. By D. Shafer. Pub. Pr., \$24.95



Any 3 books for \$1.00 each...if you join now and agree to purchase three more books - at handsome discounts – during your first year of membership.

COMPUTER ORGANIZATION. By M. Andrews.

584588-1

DEBUGGING TECHNIQUES FOR IBM PC BASIC. By J. R. Corsi & W. F.

Pub. Pr., \$39.95

583693-9 Pub. Pr., \$17.95

CIARCIA'S CIARCIA ume V. By S. Ciarcia Pub. Pr., \$21.95 CIARCIA'S CIRCUIT CELLAR, Vol-

HANDBOOK OF SOFTWARE MAIN-TENANCE. By G. Parikh

Pub. Pr., \$35.95 583639-4

THE C PRIMER, 2nd Ed. By L. Hancock & M. Krieger 259/95X Pub. Pr., \$22.95

DATA TYPES AND DATA STRUC-TURES. By J. J. Martin Pub. Pr., \$44.67 583689-0

TROUBLESHOOTING AND RE-PAIRING THE NEW PERSONAL **COMPUTERS.** *By* A. Margolis. 583871-0 Pub. Pr., \$17.95

ADVANCED TURBO PASCAL: PRO-GRAMMING AND TECHNIQUES. By H. Schildt.

583761-7 Pub. Pr. \$18.95

SOFTWARE ENGINEERING: A PRACTITIONER'S APPROACH. By R.S. Pressman.

507/83XB Pub. Pr., \$47.95 (Counts as 2 of your 3 books)

68000 ASSEMBLY LANGUAGE PROGRAMMING, 2nd Ed. By L. Leventhal; D. Hawkins; G. Kane & W. 583817-6 Pub. Pr., \$28.95

ADVANCED COBOL, 2nd Ed. *By* A. S. Philippakis and L. J. Kazmier. 498/13X Pub. Pr., \$35.95

RECOMMENDED DIAGRAM-MING STANDARDS. By J. Martin 583597-5 Pub. Pr., \$48.00 (Counts as 2 of your 3 books)

FILE ORGANIZATION FOR DATABASE DESIGN. By G. Wiederhold.

701/334 Pub. Pr., \$40.95

USING TURBO C. By H. Schildt Pub. Pr., \$19.95

More Books to Choose from-

FOILING THE SYSTEM BREAKERS: COMPUTER SECURITY AND ACCESS CONTROL. By J. Lobel 383/57X Pub. Pr., \$37,50

IMS (DL/1) DATABASE ORGANI-ZATION AND PERFORMANCE. By

Pub. Pr., \$32.95

G. Hubbard 583840-0

HOW TO BE A SUCCESSFUL COMPUTER CONSULTANT. By A. R. Simon

572/968 Pub. Pr., \$19.95

THE THEORY AND PRACTICE OF **COMPILER WRITING.** By J. P. Tremblay & P. G. Sorenson 651/612B Pub. Pr., \$46.95 (Counts as 2 of your 3 books)

INTRODUCING PC-DOS AND MS-DOS: A GUIDE FOR BEGINNING & ADVANCED USERS, By T. Sheldon 565/597 Pub. Pr., \$24.95

APPLYING EXPERT SYSTEMS IN BUSINESS. By D. N. Chorafas

108/803 Pub. Pr., \$31.95

STRUCTURED COBOL: A STEP BY STEP APPROACH. By C.R. Litecky and G.B. Davis.

157/88X Pub. Pr., \$30.95

TELECOMMUNICATIONS AND DATA COMMUNICATIONS FACT-BOOK. By J. Abbatiello and R.Sarch 606965-6 Pub. Pr., \$39.95

DESIGN OF DISTRIBUTED OPER-ATING SYSTEMS. By P. J. Fortier Pub. Pr., \$42.95 216/215

WORDPERFECT®: THE COMPLETE **REFERENCE.** *By* K. Acerson. 881312-3 Pub. Pr., \$27.95

HANDS-ON-BASIC: FOR THE IBM PERSONAL COMPUTER. By H. Peckham

491/78X Pub. Pr., \$26.95

Here's how Byte Book Club works to serve you:

- Important information . . . we make it easy to get! Today, professionals who perform best are those who are best informed. For reliable, hands-on information, turn to the Byte Book Club. Every 3 or 4 weeks (12-15 times a year), members receive the Club Bulletin offering more than 30 books — the best, newest, most important books from all publishers.
- Dependable service...we're here to help! Whether you want information about a book or have a question about your membership, just call us toll-free or drop us a line. To get only the books you want, make your choice on the Reply Card and return it by the date specified. If you want the Main Selection, do nothing – it will be sent to you automatically. (A small shipping and handling charge is added to each shipment.)
- Club convenience...we do the work! You get a wide choice of books that
- simply cannot be matched by *any* bookstore. And all your books are conveniently delivered right to your door. You also get 10 full days to decide whether you want the Main Selection. (If the Club Bulletin ever comes late and you receive a Main Selection you don't want, return it for credit at our expense.)
- Substantial savings...and a bonus program too! You enjoy substantial discounts up to 40%! on every book you buy. Plus, you're automatically eligible for our Bonus Book Plan which allows you savings up to 70% on a wide selection of books.
- Easy membership terms ... it's worthwhile to belong! Your only obligation is to purchase 3 more books - at handsome discounts - during the next 12 months, after which you enjoy the benefits of membership with no further obligation. You or the Club may cancel membership anytime thereafter.

Fill out the card and mail today! If the card is missing, write to:

BYTE BOOK CLUB, P.O. Box 582, Hightstown, New Jersey 08520-9959

For faster service in enrolling, call 1-800-2-MCGRAW


Daisywheel Printer...\$198

Satisfaction Guaranteed! **Since 1975**

Turbo-XT

\$398





• 8 slots • 8087 socket

• 150W power supply

Turbo-286

\$998



• 1 MB Motherboard with 640K

• 6 or 10 MHz switchable

• 8 slots • 80287 socket

• 200 watt power supply

• 1.2 floppy disk drive

Hard disk/floppy controller

Option A...Add \$148

• High resolution amber monitor

· Graphics card & printer port

Option B...Add \$258

• Hi-res RGB color monitor

Graphics card & Printer port

Option C

Hard disk drive

30 MB for XT 40 MB for XT 40 MB For AT add \$298 add \$398 add \$348

Amdek 310A \$98

Best selling hi-resolution non-glare amber monitor



intal Math Coprocessors

8087 \$98 8087-2 \$138 80287-6 \$178 8087-1 \$198 80287-10 \$288 80287-8 \$228 80387-20 \$728 80387-16 \$468

Mouse With Software	^{\$29}
LogiTech mouse	
Mouse systems mouse	
Microsoft mouse	
Fastrap trackball	
Deluxe joystick	\$24

Place orders toll free! Continental U.S.A. 1-800-421-5500 Inside California 1-800-262-1710

All others 1-213-973-7707 Fax machine 1-213-675-2522

Prices at our eight store locations will be higher on some items.

California

Torrance, Santa Ana, Woodland Hills Kearny Mesa, Sunnyvale

Texas Addison Houston Georgia Smyrna



1200 Baud Modem



2400 baud	½ card internal	.\$128
1200 baud	external	\$88
2400 baud	external	. \$168

30 MB Hard Disk

Complete kit with

controller



360K Disk Drive

Half height, Direct Drive



Tandon TM100-2 full height	. \$89
1.2 MB for AT	
51/4" drive for PS/2	
720K 3½" disk drive	\$98
1.44 MB 31/2" disk drive	

No Slot Clock \$48



MS-DOS 3.3

VGA Package

Monitor & Card \$648

Minimum charge \$3.00.

• 800 x 560

Up to 256K brillant colors

Hi-res EGA card 640x480 \$128
EGA monitor 640x350\$378
VGA AutoSync 800 x 560 \$498
NEC MultiSync II 800x560 \$598
RGB color monitor 640x240 .\$258
Vega VGA card\$278
Paradise VGA card\$278

Daisywheel Printer

40 CPS



Diablo compatible, 1 year warranty Parallel and serial interface

EPSON 9 Pin

\$198 LX-800

Near Letter Quality FX-850, FX-1050, EX-800 Call

EPSON 24 Pin

\$369 LQ-500

Letter Quality Printers LQ-850, LQ-1050, LQ-2500 . . Call


HEWLETT PACKARD LaserJet II

\$1698

Extra Toner Cartridge\$98 PDP 4 MB RAM card w/OK..\$198 1 MB..\$348 2 MB..\$648 4 MB..\$1148

HP DeskJet

PDP 128K RAM ... Extra ink cartridge



OKIDATA

Okidata 320.... Okidata 321.....\$498 Okidata 390.....\$498 Okidata 391.....\$688

We accept checks, credit cards or purchase 4901 W. Rosecrans Ave. Box 5046 orders from qualified firms and institutions.

No surcharge on credit card orders. CA., TX. & GA. residents add sales tax. Prices & availability subject to change without notice. Shipping & handling charges via UPS ground 50¢/lb. UPS air \$1.00/lb.

VISA



Hawthorne. California 90251-5046



Circle 133 on Reader Service Card



An 80386 with a Twist



Competitive pricing and an intelligent bus distinguish the AST Premium/386 from its peers

Jeff Holtzman

n an increasingly crowded field of 20-MHz 80386-based AT compatibles, AST Research's Premium/386 is a unique entry. Like IBM's PS/2 series, it includes several peripheral controllers on the motherboard. But what separates the Premium/386 from the rest of the 80386 pack is its intelligent bus design, which lets devices on the motherboard other than the CPU take control of the bus to gain fast access to system memory and peripherals. And unlike the PS/2's Micro Channel architecture (MCA) bus, the Premium/386's bus is fully compatible with IBM PC XT and AT buses.

The Premium/386 comes in five configurations. The basic unit is the Model 300 (\$5195), which includes a 20-MHz 80386, sockets for both an 8-MHz 80287 and a 20-MHz 80387, 1 megabyte of 32bit 80-nanosecond static-column RAM, one parallel and two serial ports, and seven expansion slots. One expansion slot is dedicated to AST's proprietary 32bit memory card; two are standard 8-bit (XT-style) slots; one is a standard 16-bit (AT-style) slot; and three are SmartSlots. The latter closely resemble a standard AT expansion slot, except that the lower connector carries several new signals that allow a "master" device on a specially built card to take control of the bus from the CPU (see the text box "AST's SmartSlot Architecture" on page 196).

The base unit also comes with a batterv-backed clock/calendar, a 101-key enhanced-style keyboard, and a floppy disk drive controller that controls a maximum of four devices in all 51/4-inch and 3½-inch formats. The Premium/386 can accommodate three externally accessible half-height drives; another unexposed bay accepts either one full-height or two half-height devices.

Unlike many high-performance 80386-based microcomputers, the Premium/386 has no hardware cache, nor does it support the Weitek 1167 math coprocessor. The base system does not come with a graphics card, a monitor, or a hard disk drive.

Standard software includes MS-DOS 3.30, GWBASIC 3.22, a ROM- and RAM-based setup program, and utility software (an expanded/extended memory manager, RAM disk, disk cache, and print spooler). AST's version of OS/2 1.0 is available for an extra \$325.

I reviewed the Model 390, which includes an additional megabyte of memory and a 90-megabyte 18-millisecond enhanced-small-device-interface (ESDI) hard disk drive. The hard disk drive automatically parks the read/write heads in the last cylinder when powered down. The review system came with a 20-MHz

AST's SmartSlot Architecture

The SmartSlot architecture is the most unusual and innovative feature of AST's Premium/386. Considering the simplicity of the SmartSlot concept, it's surprising that no one thought of it before. And because the SmartSlot is an extension of the classic AT bus, it runs at 8 MHz with one wait state and is fully downward-compatible with existing expansion cards.

SmartSlot provides a way for an intelligent peripheral (e.g., a disk controller, video adapter, or network or microto-mainframe interface) to take control of the bus from the microprocessor. Thus, the peripheral can access system memory or other peripherals directly, without help from the CPU. This not only frees the CPU for other tasks, it also speeds memory transfers, depending on the application and the peripheral you're using, because not every byte of data you transfer goes through the CPU.

For example, to draw a circle in a graphics program, a CPU working by itself must load 1 to 4 bytes of memory (depending on bus width), manipulate it, and restore it to memory. This process is repeated for all memory locations involved. However, with an intelligent graphics coprocessor running in a SmartSlot, the CPU gives the command and then goes on to something else. Meanwhile, the coprocessor loads the affected region from video memory in one quick burst, draws the circle, and

then restores the region in one chunk just as quickly.

The Premium/386 has three Smart-Slots, each of which looks like a standard 16-bit expansion slot that has been stretched to accommodate four new pins on each side of the slot. Of these eight pins, five are currently used; three are reserved for future use.

Two of the five signals are status signals generated by a SmartSlot-mounted peripheral device (called a Master). One (MASTER8) identifies the master as capable of 8-bit transfers only; the other (MASTER16) identifies the master as capable of either 8- or 16-bit transfers.

The remaining three signals synchronize use of the bus. When a master wants the bus, it asserts a bus request (BUSREQ). If the bus is available, the arbitration logic asserts a bus grant (BUSGNT), and then the master device asserts a bus busy (BUSBSY). The master can then maintain control of the bus until BUSGNT is released, at which point it must finish its current activity and then release BUSBSY.

Things are actually a little more complicated than this, however, because to maintain compatibility with the AT bus, the refresh circuitry must uphold dynamic RAM (DRAM) refresh timing. The arbitration logic senses when a refresh cycle must occur; if a master device has control of the bus, the arbitra-

tion logic takes the bus, allows refresh to occur, and then gives the bus back to that master. The same process occurs when a direct memory access transfer takes place.

The arbitration logic sees to it that two masters do not try to gain bus control simultaneously. It also has a provision for locking the bus (for up to 150 microseconds) while executing critical sections of code—servicing a hardware interrupt, for example.

Another complication is that, in a process that AST calls bus hogging, the master does not need to relinquish the bus if it takes responsibility for providing DRAM refresh. In such a situation, the master could perform sustained, uninterrupted data transfers indefinitely.

The result is a bus that, unlike the PS/2's MCA, is completely compatible with the classic IBM bus but also has advanced capabilities like the MCA.

As unique as the SmartSlot architecture is, however, it's unclear whether other manufacturers (or even AST itself) will develop hardware that takes advantage of the SmartSlot's advanced features. AST claims to have developed an advanced ESDI disk controller that can take advantage of the SmartSlot architecture, but the company doesn't plan to release the product until late this year.

Currently, AST has no plans to develop additional SmartSlot cards.

80387, an AST 3G Plus II EGA card, and an AST EGA monitor. The price for this system, excluding the 80387 (which AST doesn't sell), is \$9585.

AST's 32-bit memory card can hold a maximum of 13 megabytes of memory; you add 256K-byte and 1-megabyte single in-line memory modules (SIMMs) in 1-megabyte (\$1095) or 4-megabyte (\$7995) increments.

Architectural Details

The Premium/386's architecture is interesting both for what it has and for what it doesn't have. AST didn't build a hardware cache into the machine. Since the 32-bit expansion slot is fed directly by signals from the microprocessor, AST could add a cache-based memory system. Currently, it implements memory as a static-column (or page-mode) system. This architecture divides memory into relatively small, equal-size chunks of

memory called pages. In the Premium/386, the page size is 2K bytes.

The CPU accesses a specific memory location through the memory-decoding circuitry, which presents row and column addresses to RAM and then reads or writes the desired information. To access another location on the same page, the memory-decoding circuitry needs only to change the row address. Access in the same page occurs with zero wait states. However, accessing memory on a different page incurs two wait states, because the memory-decoding circuitry must specify both row and column addresses, and because it must prepare (precharge) the static-column RAM for access.

Static-column RAM can increase performance because programs tend to execute sections of code repetitively in relatively small areas of memory. However, because more than 2K bytes of RAM often separates code and data segments of Intel microprocessors, sustained operation within a 2K-byte chunk of RAM (i.e., at zero wait states) seldom occurs. AST engineers report an average of 0.6 to 0.7 wait states when running typical applications.

The Premium/386 allocates memory in a unique fashion. Of the first megabyte of RAM, it decodes 640K bytes to appear at the usual addresses (0000:0000 hexadecimal through 9000:FFFFh). It maps the remaining 384K bytes, which AST calls Reserved Memory, to the top of the 16-megabyte address space (00FA0000h), but it may remap 128K bytes of it to the top 128K bytes of the first megabyte (E000:0000h through F000:FFFFh). You can use that 128K bytes, called Shadow RAM, to hold a write-protected copy of the BIOS, which will then run about twice as fast as it does directly from the pair of 8-bit ROMs.


AST Premium/386

APPLICATION-LEVEL PERFORMANCE

WORD PROCESSING	Mad days	DATABASE	
XyWrite III + 3.52	Med./Large	dBASE III + 1.1	50
Load (large)	:13 :03/:20	Copy	:52
Word count	:03/:20	Index	:07
Search/replace End of document		List	1:06
	:02/:12	Append	1:37
Block moves	:11/:11	Delete	:02
Spelling check	:08/1:00	Pack	1:25
Microsoft Word 4.0	40	Count	:03
Forward delete	:13	Sort	:51
Aldus PageMaker 1.0a	20		
Load document	:06	Index:	2.42
Change/Bold	:23		
Align right	:16	SCIENTIFIC/ENGINEERIN	IG
Cut 10 pages	:15	AutoCAD 2.52	
Place graphic	:04	Load SoftWest	:41
Print to file	1:39	Regen SoftWest	:33
		 Load StPauls 	:09
Index:	2.86	Regen StPauls	:05
		Hide/redraw	11:13
SPREADSHEET		STATA 1.5	
Lotus 1-2-3 2.01		Graphics	:22
Block copy	:03	ANOVA	:12
Recalc	:01	MathCAD 2.0	
Load Monte Carlo	:11	IFS 800 pts.	:15
Recalc Monte Carlo	:05	FFT/IFFT 1024 pts.	:15
Load rlarge3	:03		
Recalc rlarge3	:01	☐ Index:	3.98
Recalc Goal-seek	:03		
Microsoft Excel 2.0		COMPILERS	
Fill right	:04	Microsoft C 5.0	
Undo fill	1:53	XLisp compile	3:34
Recalc	:02	Turbo Pascal	
Load rlarge3	:30	Pascal S compile	:04
Recalc rlarge3	:01		

All times are in minutes:seconds. Indexes show relative performance; for all indexes, an 8-MHz IBM PC AT=1.

Index:



*Cumulative applications index. Graphs are based on indexes at left and show relative performance.

AST Premium/386

LOW-LEVEL PERFORMANCE

Index:

Index:


	DISK I/O	
3.97	Hard Seek4	
	Outer track	3.29
42.57	Inner track	3.33
	Half platter	6.65
32.10	Full platter	10.00
21.29	Average	5.82
23.56	DOS Seek	
27.63	1-sector	7.53
	32-sector	18.37
2.51	File I/O ⁵	
	Seek	0.11
IT ²	Read	0.48
8.52	Write	0.76
0.00E+00	1-megabyte	
3.64	Write	3.09
2.00E-09	Read	2.93
3.56		
1.77E-02	Index:	2.41
	42.57 32.10 21.29 23.56 27.63 2.51 VT2 8.52 0.00E+00 3.64 2.00E-09 3.56	3.97 Hard Seek ⁴ Outer track Inner track Inner track Half platter 32.10 Full platter 21.29 Average 23.56 DOS Seek 27.63 1-sector 32-sector File I/O ⁵ Seek Read Write 8.52 Write 0.00E+00 3.64 Write 2.00E-09 3.56

- 1 All times are in seconds. All figures were generated using the 8088/8086 version (1.1) of Small-C (16-bit integers). Figures for 80386 machines do not use 80386-specific instructions.


5.26


- The floating-point benchmarks use 8087-compatible instructions only.
 The errors for the floating-point benchmarks indicate the difference between expected and actual values, correct to 10 digits or rounded to 2 digits.
- 4 Times reported by the Hard Seek and DOS Seek are for multiple seek operations (number of seeks performed currently set to 100).
- ⁵ Read and write times for the File I/O benchmarks are in seconds per 64K

⁶ For the Livermore Loops and Dhrystone tests only, higher numbers mean faster performance.



2.74





AST Premium/386

Company

AST Research, Inc. 2121 Alton Ave. Irvine, CA 92714 (714) 863-1333

Components

Processor: 20-MHz Intel 80386; sockets for 20-MHz 80387 and 8-MHz 80287

Memory: 2 megabytes of 80-ns staticcolumn DRAM, expandable to 15 megabytes with 13-megabyte expansion card

Mass storage: 1.2-megabyte 51/4-inch floppy disk drive; 90-megabyte 18-ms

ESDI hard disk drive

Display: Optional EGA monitor and 3G Plus II EGA card

Keyboard: 101-key enhanced keyboard I/O interfaces: Two RS-232C serial ports (25-pin); one parallel port (25-pin); one 32-bit memory-expansion slot; two 8-bit and one 16-bit expansion slots; three 16-bit AT-compatible SmartSlots

Size

191/4 x 61/4 x 161/2 inches; 40 pounds

Software

MS-DOS 3.30, GWBASIC 3.22, ROMand RAM-based setup, diagnostics, RAM disk, disk cache, print spooler, expanded/extended memory manager

Options

OS/2 1.0: \$325 1 megabyte of SIMM memory: \$1095 4 megabytes of SIMM memory: \$7995 3G Plus II EGA card: \$395 VGA card: \$445 VGA Plus card: \$599 Monochrome monitor: \$195 EGA or VGA monitor: \$695 1.2-megabyte floppy disk drive: \$235 360K-byte floppy disk drive: \$215 1.4-megabyte floppy disk drive: \$695 40-megabyte tape backup: \$695

Documentation

AST Premium/386 User's Manual; AST Premium Utility Software User's Manual; AST Operating System 3.30

Price

Model 300: \$5195 Model 340 (with 40-megabyte hard disk drive): \$6295

Model 390 (with 90-megabyte hard disk drive): \$8495

Model 3150E (with 150-megabyte hard disk drive): \$9795

Model 3320 (with 320-megabyte hard disk drive): \$10,795 System as reviewed: \$9585

50

Inquiry 894.

With an AST EGA card, you can load the FASTEGA.SYS driver via your CONFIG.SYS file; this copies the EGA BIOS to Shadow RAM. Typing a 32K-byte ASCII file to the screen took about 38 seconds without using FASTEGA.SYS, but only about 11 seconds with it installed. Unfortunately, FASTEGA.SYS won't let you copy third-party EGA (or VGA) BIOSes to Shadow RAM.

Of the remaining 256K bytes of reserved memory, you can use 64K bytes (or 60K bytes in a 1-megabyte system) to load AST's expanded memory manager, ASTEMM.SYS, leaving 192K bytes (196K bytes in a 1-megabyte system) for use as Expanded Memory Specification (EMS) 4.0 memory. Like similar drivers from other vendors, ASTEMM.SYS also uses the 80386 processor's hardware memorypaging capability to emulate EMS 4.0 using standard 32-bit and 16-bit extended memory. 386MAX also knows how to add the Premium/386's reserved memory to its pool of EMS memory.

My only complaint with this allocation scheme is that 64K bytes of the 128K bytes of Shadow RAM (the segment beginning at E000:0000h) is wasted if you don't run an AST video adapter. That segment is unavailable to other adapters (e.g., a network card) or programs that might otherwise be able to use it. 386MAX, for example, could have used it for program loading. You can regain the use of the segment by disabling Shadow RAM, but then you lose the speed advantage of running the BIOS from RAM.

Up and Running

Getting the machine running is simple, thanks to AST's well-written and well-illustrated directions. To run the ROM-based setup program, you press and hold any key during the boot process. When the machine displays an error message, you press Ctrl-Alt-Esc to enter the set-up program. AST also supplies a RAM-based version of the setup program.

The setup information occupies two screens. If you've ever used an AT clone with a BIOS written by Award Software, AST's setup program will be familiar to you. With auto-slowdown enabled and the system operating at its fastest speed, processing slows to the XT-compatible speed (4.77 MHz) whenever the system accesses the floppy disk.

During operation, you can change speed at any time by pressing Ctrl-Alt-Up to increase speed or Ctrl-Alt-Down to decrease speed. You can also execute SPEED.EXE to switch among high (20-MHz), medium (8-MHz), low (4.77-MHz), or default speed, or to enable and

disable auto-slowdown. With all these speeds, though, the actual clock speed doesn't change.

Booting is fast because the system performs only a limited memory check. You can run more extensive diagnostics with a supplied set of routines that check various subsystems (e.g., memory, keyboard, disk, and video) and that also include a low-level disk-format routine.

Benchmark Standings

The Premium/386 offers performance that lies between that of the 16-MHz IBM PS/2 Model 80 and that of the 20-MHz Compaq Deskpro 386/20. In the low-level memory-access tests, the Premium/386 performed the Sieve and Sort benchmarks nearly as fast the Compaq, but in the String Move and Matrix operations, it dipped to the level of the Model 80. Here the Premium/386's static-column architecture had a negative effect.

On the floating-point benchmarks, the Premium/386 fell between the Model 80 and the Deskpro in all three tests. It was a consistent 26 percent faster than the Model 80, and it ranged from 10 percent to 20 percent slower than the Deskpro 386/20.

The Disk I/O tests show that the performance of AST's Control Data hard disk drive with Western Digital's controller is nearly identical to that of the Compaq's drive. The two exceptions are the DOS Seek 1-sector test, where the Premium/386 was some 30 percent faster, and the 1-megabyte Write test, where the Premium/386 performed about 20 percent faster than the Compaq.

The Premium/386's performance in the Video benchmarks was disappointing. The Compaq was consistently faster in both text and graphics tests. The Model 80 performed better than the Premium/386 in the text benchmarks, and the Premium/386 barely edged out the IBM in graphics modes.

The applications benchmarks generally correspond to the low-level benchmark results. In most tasks, the Premium/386 lagged behind the Compaq and was 10 percent to 50 percent faster than the Model 80. Overall, a user running disk-intensive applications wouldn't notice much difference between the Premium/386 and the Compaq. Applications relying more heavily on computation and graphics output would find the Compaq somewhat faster.


What Runs

The Premium/386 had no trouble running the following software: DESQview



Affordable CADD. And it's only the beginning.

The CADD stands for Computer Aided Design and Drafting. With a suggested retail price of just \$99.95, Generic CADD Level 1 makes the power of real CADD affordable. And it's just part of a family of Generic CADD products that will make you more productive than ever before.



Standard Mac interface for ease of use.

Now you can produce accurate drawings with real world scale on the Mac Plus, Mac SE, or Mac II. You can edit multiple drawings in separate windows and cut and paste between them. CADD Level 1 is also multifinder compatible.

Symbol Libraries boost productivity.

From office furniture to specialized electronics symbols, our Symbol Libraries save you the time of redrawing repetitive elements every time you need them.

Add the power of real CADD to your Mac.

Move your Macintosh drawings into the real world. Call us at 1-800-228-3601 for your free CADDalog or the name of your Generic dealer. And find out why we say the only thing generic about us is the price.

© 1988 Generic Software, Inc. Generic CADD Level 1 is not copy protected and comes with a 60-day money back guarantee. Registered users get free technical support from Generic.

Level 1 and Generic CADD are trademarks of Generic Software, Inc. Macintosh is a trademark of the Apple Computer Corp.


11911 North Creek Parkway South, Bothell, WA 98011

Circle 106 on Reader Service Card



Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support all at prices competitive with imports. Why settle for less?

Rack & Desk



Accepts PC, XT, AT Motherboards and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Optional Card Cage Fan

Designed to meet FCC

204 Watt Supply, UL Recognized

145W & 85W also available

Reasonably Priced



Call or write for descriptive brochure and prices: 8620 Roosevelt Ave. • Visalia, CA 93291 209/651-1203

TELEX 5106012830 (INTEGRAND UD) EZLINK 62926572

We accept BankAmericard/VISA and MasterCard

IBM, PC, XT, AT trademarks of International Business Machines. Drives and computer boards not included.

2.01 (with QEMM), 386MAX, Windows/386, Windows 2.0, AST's version of OS/2, Concurrent DOS 386, WordStar 4.0, a beta release of WordStar 5.0, Turbo Pascal 4.0, T-DebugPLUS 4.0, Procomm 2.4.2, Microsoft BASIC 6.0, Lotus 1-2-3 version 2.01, VP-Planner 1.0, Professional CED 1.01a, Brooklyn Bridge 1.30, DeskLink 1.06/2.16, Auto-CAD 9.0, AutoSketch enhanced version 1.01, Excel 2.0, and PageMaker 1.0.

AST's optional OS/2 software lets you boot either DOS or OS/2 from the hard disk. In addition, AST's OS/2 leaves your hard disk better organized than does IBM's. It stores only a dozen or so files in the root directory, versus three or four dozen with IBM's version. The rest it stores in the OS2 directory and in other subdirectories below it.

As for hardware, I had no problems installing and using a Microsoft Serial Mouse, a Quadram JT Fax board, a BocaRAM/AT extended memory board, or a Paradise AutoSwitch monochrome EGA card. However, I did have problems installing Orchid's Designer VGA and Paradise's VGA Plus boards on my review machine. With either card installed, the machine became extremely unstable, sometimes refusing to boot and at other times crashing unexpectedly, especially when I changed speeds using the keyboard commands. Also, the Orchid board simply wouldn't fit into the machine unless I removed the mounting bracket.

AST said it had not tested the Orchid board, but it claimed that the Paradise board was compatible. The company sent a second machine, and this time the boards worked flawlessly. Both machines were using BIOS version 1.2.

Supporting Details

The Premium/386 has a 220-watt power supply and carries an FCC Class B certification, which means it's approved for home use. The motherboard, measuring about 10 by 13 inches, is divided into three areas. At the rear left are seven expansion slots. At the rear right are the peripheral interfaces (serial and parallel ports and the disk controller). The front half of the board holds most of the system logic, including the CPU, math coprocessor, BIOS EPROMs, keyboard controller, and I/O decoding. Instead of mounting memory on the motherboard, however, AST put it on a 32-bit card. The overall workmanship of the motherboard is excellent; there are only three jumper wires on the back of the board.

The Premium/386's keyboard is the same unit that ships with the Premium/

286. Its mushy feel is disappointing, given the overall quality of the system.

Finally, my EGA monitor had a tiltand-swivel stand, but I couldn't tilt the monitor forward from the upright position. Counterbalancing that fault, however, are the front-mounted power switch and brightness and contrast controls.

Technical support is available for the price of a phone call. The technician I talked to was knowledgeable about simple setup and operational questions but weak in knowledge about wait states, reserved memory, and similar topics. A local dealer fared somewhat better, however.

The machine carries a 12-month parts and labor warranty (after shipping from an authorized AST reseller, or 14 months from AST, whichever comes first).

The Cost Effect

If performance is paramount and money is no object, there are faster machines (Compaq's Deskpro 386/20 and ALR's FlexCache 20386, for example). However, you can buy a Premium/386 Model 390 with VGA adapter and monitor for \$9585, whereas a comparably equipped Compaq costs about \$11,400. In other words, the Premium/386 costs 85 percent of the Compaq price, but it provides more than 85 percent of the performance


Also, the performance of AST's new 16-bit VGA card (released too late for this review) may equal or exceed the video performance of the Compaq and other machines, for just a few hundred dollars over the Premium/386's current price.

On the other hand, the motherboard has no on-board video adapter, regular memory, or cache memory. But because graphics standards are evolving so rapidly, the lack of a built-in video adapter is an advantage—you can upgrade that portion of the system as your needs require.

AST's SmartSlot architecture is a potential advantage for the Premium/386, if vendors design products that take advantage of its features. AST has published SmartSlot's specifications and has instituted a liberal licensing policy. But even if SmartSlot doesn't take off, the Premium/386 still provides good performance for a good price.


Jeff Holtzman owns Publishing Concepts, a firm that specializes in evaluation, verification, and documentation of high-technology products. He lives in Ann Arbor, Michigan, and can be reached on BIX as "editors."


TimeWand® - Organizing Information














Applications for the TimeWand - Document Control

Ever wonder who has that important file on the Jones account? There is no record of who took it from the file room and no one remembers who had it last. You spend your valuable time and patience tracking it down, but when you finally locate the file, it may be too late for timely use.

Make it easy on yourself by tracking documents with the TimeWand. By simply scanning the bar code on the Jones file and your employee ID number (or department name), the TimeWand records who has the file *and* the time it was taken.

The TimeWand is simple to operate, yet provides the data necessary to create detailed reports. Generate reports by incorporating data collected with the TimeWand into your data base. The reports allow you to quickly find who has those important files, check a file's current activity, identify which items are 'slow movers', or show the amount of traffic the file room handles each day.

No manual data entry or deciphering of your co-worker's handwritten notes is required. All TimeWand entries are made by scanning bar codes! It's fast, easy, and, most importantly, organized.

TimeWand. It helps you keep up with the Joneses.


TimeWand (2K version) - \$198 Single Recharger and Cable - \$149 TimeWand Manager Software (Macintosh) - \$489 TimeWand Communication Software (IBM) - \$299



1105 N.E. Circle Blvd., Corvallis, OR 97330-4285 503-758-0521

Videx and TimeWand are registered trademarks of Videx, Inc.

CLEO is your SNA, BSC and Coax Gateway



Sharing Information

Whatever your industry, your computers need to share information with your mainframe. Or, they need to exchange data with other computers. In either case, you need a total communications solution. You need software, hardware interfaces and modems that all work together smoothly. You need CLEO!

CLEO software products allow your computer to communicate with minicomputers and mainframes, and to emulate their workstations. Since 1981, CLEO has provided communications between micros, minis, and mainframes for the automotive, insurance, medical and banking industries. Today over 78,000 CLEO users worldwide are running on all major computer brands. The greatest number of these users run CLEO software on IBM Personal Computers and NETBIOS LANs.

Complete Software/Hardware Package

Every CLEO package contains all the software and hardware accessories you'll need. Your selected CLEO SNA, BSC, or Coax software is packaged with 1) an internal modem card for dial-up applications, or 2) an interface card and cable for use with your existing modem, or 3) a Coax card for local connectivity. There's no waiting for non-CLEO add-ons. And, you get prompt, single-



Call us today to discuss your application.

CLEO Software 1639 North Alpine Rd. Rockford, IL 61107

Telex 703639 FAX 815/397-6535

Headquarters:

USA: **1-800/233-2536** Illinois: 1-800/422-2536 International: 815/397-8110

Sales and Distribution: Benelux: 31 (0) 33-948888 Canada, East: 800/361-3185 Canada, West: 800/361-1210 Canada, Montreal: 514/737-3631 Colombia, S.A.: 12172266 Denmark: 02 94 81 19 England: (0993) 776543


England: (0995) 7/6545 France: 146861136 Italy: (0331) 634 562 Mexico City: 596-5539 Sweden: 468311780



\$1,995.00 for the 32-user SNA gateway.



Fax Board Faire



Facsimile boards offer high-speed text and graphics file transfers from the desktop

Brock N. Meeks

Datacopy's Microfax (top) boasts a Hayescompatible modem and support for AutoCAD files; Quadram's JT Fax 4800 (bottom) offers basic fax capabilities for under \$400. he latest high-tech catchphrase is the trendy-sounding "image communications." This entails sending bit-mapped text and graphics information across a city, or across continents, simply by inserting a document into a facsimile machine and pressing a button. In 30 seconds or less, an exact duplicate crawls out of the remote machine. It's a heady process, and it's easier to comprehend than the telephone. Now implementations of this technology on microcomputers are gaining popularity.

If the last fax machine you were acquainted with was that hulking monster in the corner of the mail room, look again. The newest fax machines are smaller, cheaper, and easier to use than some multibutton telephones. Microcomputer fax cards share much of the same simplicity while offering better

image quality and the ability to store image files to disk. Regular RJ-11 connectors tie them into your telephone line, giving you the option of voice or fax transmission.

What, Me Fax?

The appeal of fax technology isn't so much due to its trendy high-tech status as to its down-to-earth practicality. Fax can marry graphics images with pages of text and send those documents from Toledo to Tibet in a matter of seconds—something that anyone who has tap-danced on a tight deadline or winced at the price of sending documents by overnight courier can appreciate. And since fax is virtually instantaneous, it can salvage a deadline for the price of a phone call.

Fax cards fit into a standard slot in your microcomputer and support the 9600-bit-per-second CCITT Group III fax standard. (See the text box "How Fax Works" on page 204.) The cards also include software for converting ASCII text and graphics files to bit-mapped fax image files. Once you've converted a file, you can store it, fax it to another machine, or print it out.

Fax cards aren't intended to replace the traditional fax machine, but to turn the desktop into a communications center with full graphics capabilities. Still, fax cards do have some distinct advantages over their stand-alone cousins.

One advantage is better image quality. A traditional fax machine is convenient; you simply insert a document, dial the remote machine, and press a button. But what stand-alone fax gives you in convenience, you give up in quality. Chunky, jagged fonts printed on flimsy thermaltransfer paper are the trademark of stand-alone fax machines. These look bad, in part, because they're third-generation copies. The document usually starts out as a file, which you then print. Next, you feed the document into the fax machine, which scans it and sends it to

How Fax Works

lthough current fax technology A zips along at 9600 bps, the road to these high-speed image transfers was a long one.

The ability to transmit bit-mapped images isn't new; the technology to transmit signals over a wire and onto paper has been around since Alexander Bain patented such a device in 1842, and newspapers have used the wire services to transmit photographs for decades. So what took so long? In a word: standards. There were none.

Fax machines became popular only after the mid-1960s, when the CCITT (International Telephone and Telegraph Consultative Committee) hammered out the world's first set of fax transmission standards, called Group I. Since then, the CCITT has developed three other sets of standards (Groups II through IV). Each successive standard has provided fax technology with a quantum leap both in image quality and transmission speed.

The Group I and Group II standards are based on analog technology. Early Group I fax machines operated much like a 300-bps modem and took 6 minutes to send a single page. Group II machines, introduced in the mid-1970s, improved resolution and cut transmission time to 3 minutes per page. These are the fax machines most people probably remember dealing with in the mailroom. They were unwieldy and were prone to jamming and telephone line noise. A fair number of Group II machines are still around.

The big break in fax technology came in 1980 when the CCITT approved the 9600-bps Group III standard; most fax machines and fax cards today conform to it. Group III broke away from the analog world by implementing digital image scanning and data compression methods.

Many Group III products use the Rockwell V.29 chip set, which uses the CCITT V.29 half-duplex 9600-bps file transmission standard and the Modified Huffman compression scheme. Fax machines use this scheme to compress much of the white space in a document. The fax image file is compressed en route to the remote machine; on arrival, it is decompressed (decoded) for storing to disk or printing.

The top-end resolution for Group III fax machines is 200 dpi. A typical transmitted page in normal resolution (actually 203 dpi horizontal by 98 lines per inch) takes from 15 to 20 seconds on a "clean" phone line. However, many documents, especially those with lots of graphics, are transmitted in fine mode, which increases the vertical resolution to 196 lines per inch and doubles the transmission time. If your fax card happens to have gray-scaling capability (the ability to read and transmit subtle shades of gray), the transmission time can be even longer. But the results can make it worth the wait. What you give up in economy and speed, you make up for in quality.

Fax transmissions don't use any error-checking protocols. While this optimizes throughput, it makes fax transmissions susceptible to "data hits," which result in tiny holes in an image. However, data hits aren't as critical for images as they are for other types of data, such as program code.

Another nice feature of Group III fax transmissions is that they have automatic fallback protocols. If a Group III machine is transmitting to a Group II machine, for example, it automatically falls back to the slower Group II transfer rate. In addition, if it can't establish a connection at 9600 bps due to poor line quality, it will try to connect at 7200 bps, and then at 4800 bps.

The Group IV standard, approved last January, is a bit ahead of its time. To use a Group IV-compatible fax, you must have a leased telephone line or connect to an Integrated Services Digital Network (ISDN), which has yet to become widely available. Group IVcompatible machines, at about \$10,000, are high-priced, but you do get a dramatic increase in performance: 30 pages per minute at 400 dpi. Federal Express based its ill-fated Zap Mail service on Group IV fax.

While the fax industry looks to the day when ISDN becomes a reality, at least one promising advance awaits implementation in the Group III arena. Last September, Rockwell announced a compact, CMOS low-power, full-duplex V.32 9600-bps modem board, called the R9696DP. Essentially a modem on a chip, this board promises to change the complexion of the fax card market by allowing such cards to support full-duplex fax or modem transmissions at 9600 bps.

the remote fax, which prints it again. This process of converting and printing the document file lowers image quality significantly.

By contrast, documents created on a personal computer and sent from a fax card require no intermediate conversions, so they produce first-generation documents. If you happen to be sending an image file to another fax card, it's possible to store the image to disk or output it to a laser printer. Anyone familiar with the less-than-stellar thermal-print quality of a fax document is in for a pleasant surprise: Laser-printed fax documents are crisp, and line drawings are clean and precise (see figure 1).

Fax Card Features

Like modems, fax cards have two RJ-11 jacks; one connects to the telephone line, and the other attaches to the telephone. The first input lets the fax dial and send and receive documents, often working in background or unattended mode. Although your telephone shares a line with the fax card, telephone use isn't hampered. In fact, most fax cards let you initiate a voice call, send a fax during the call by pressing a function key, and then resume your conversation.

Software is the key to differentiating between fax cards. Some of the products reviewed here are "bare bones" units that offer conversion of ASCII files to bit-mapped fax image files, but not much else. Others are packed with an array of bells and whistles. If your fax needs don't go beyond transmitting text documents and an occasional graph or two, then a fax card without all the fancy features should serve you well. However, if you're looking for a full-function card, you'll want to check into some of the more advanced features.

Two key features included with most fax cards are unattended (automatic) polling, and broadcasting. With automatic polling, you configure your fax to call a designated group of other fax numbers at a specified time to see if they have anything to deliver. To broadcast a document, you specify a list of telephone numbers you want a document faxed to at a specific time; transmission then occurs automatically. Some fax cards limit the number of locations you can put into a list; others let you string together multiple lists to broadcast to a virtually unlimited number of machines. Broadcast capability makes it easy to schedule transmissions in the early morning hours, when telephone rates are lowest. And when your fax card isn't sending those documents, it can receive fax transmissions or poll other machines.

Another consideration is whether you can view files on-screen before printing or faxing them. Most fax cards support this capability. Seeing how a file will look before faxing it helps ensure that the receiver will get the correct image. Another handy feature is background-mode operation, which lets you work on a spreadsheet or word-processing file while sending a fax.

You may want a fax card that accepts optical scanner input. Some cards include special optical-character-recognition (OCR) software for this purpose. Others may also include a port to connect the scanner directly to the fax card. A related feature is the ability to accept and transmit gray-scale images—a crucial feature for transmitting multicolor drawings or photographs. Fax cards with gray-scale capability pick up and transmit subtle shades.

Not all fax cards are compatible with every graphics format. Be sure that the conversion software supports TIFF (Tag Image File Format) if you're using Page-Maker, .PCX files for PC Paintbrush, .PLT files for AutoCAD, and so on.

Most cards keep some kind of "activity log" that stores information about the fax transfer process. This lets you monitor fax transmissions and determine if any transmission failures have occurred. Some cards also include a modem, making maximum use of the computer's slot. Finally, you should make sure that the fax card supports your printer.

Trials and Tribulations

I tested 10 fax cards on an IBM XT compatible with a 20-megabyte hard disk drive, a Hercules graphics card, and 640K bytes of RAM. All tests were run at 8 MHz. See the table on page 206 for a listing of the products and their features.

Before reviewing the results, a few caveats are in order. First, converting files from ASCII to fax with a system running any slower than 8 MHz is unbearably slow. Second, converted fax images gobble disk space, so leave plenty of room on your hard disk. A typical page of text requires about 60K bytes of storage as a fax image file; a detailed, multi-gray-scale picture can eat up as much as 500,000K bytes.

Also, if you're a fan of RAM-resident programs, break your habit, at least when you're using fax software to convert files to fax images. More than once, after I waited minutes for a fax image conversion to finish, the entire system locked up because I didn't have enough RAM overhead.




Figure 1: The image at left is an AutoCAD file that was printed on a LaserJet II and transmitted between standard fax machines. The image at right is the same file, sent between PC fax cards and output to the same printer.

I also experienced problems when exiting from some fax card programs. Not all software packages would issue error reports; some locked my machine up and I had to reboot. Here again, you have to watch what programs you have in RAM. It's a trial-and-error process, unfortunately, as none of the manuals give specifics on which RAM-resident programs may cause problems.

That said, here are the highlights of my experience with 10 fax cards.

Fax-Mail 96

Brooktrout Technology's Fax-Mail card comes in three versions: the \$599 9600-bps fax card reviewed here, a 2400-bps model (\$399), and a 4800-bps model (\$499). For the difference in price, I can't imagine why anyone would opt for the slow speed of the 2400-bps fax card.

The Fax-Mail 96 includes the ability to merge text files with letterhead. Getting the letterhead encoded as a bit-mapped fax image file requires a scanner, however. You could input a printed copy of the letterhead from a stand-alone fax machine, but the image quality would leave much to be desired.

Brooktrout's Chop feature separates a received fax image into different files. For example, you can cut both the letterhead and the signature from an original fax so you can merge them into other fax documents. You can also use PC Paintbrush to clean up the letterhead or other images.

Other features include Supershow, which lets you scale down a multipage fax image so you can view multiple pages on your screen, and a printer capture option that can create a fax image file from word-processing files sent to the printer

port in Epson FX-80 format. The latter converts text and attributes (such as bold-facing and italics) to fax image files. Fax-Mail also supports several word-processor file formats, including Microsoft Word and WordPerfect.

Conversion software transforms ASCII and PC Paintbrush files to fax image files, and it also can convert fax image files back to PC Paintbrush.

JT Fax 4800

If any fax card marches to the beat of a different drummer, Quadram's JT Fax is it. Although this is the least expensive of the cards reviewed, it offers several heavyweight features that make it ideal for small business or personal use.

One standout feature of this card is the way it converts files to fax images. With most fax cards, you must run all files through a conversion process before transmitting them. The large size of fax image files quickly depletes hard disk real estate, however. In contrast, the JT Fax does file conversion on the fly. It determines what type of file it's going to send, and after making a connection with a remote machine, it converts the file as it's transmitted.

This approach has one small draw-back: It limits the board's speed to 4800 bps. The slower speed shouldn't be a problem for the occasional fax user, however, and the board's low price and the fact that your disk drive isn't cluttered with several 50K-byte-plus files is adequate compensation.

The JT Fax accepts input from an external scanner and lets you send documents to another fax or to your printer as they're scanned, without first storing

Product and company	Price	Speed (bps)	RAM required (bytes)	Board size	Hayes- compatible modem	Scanner port	
Fax-Mail 96 Brooktrout Technology, Inc.	\$599	9600	512K	Full	No	Yes	
JT Fax 4800 Quadram Corp.	\$395	4800	256K	Half	No	No	
The Complete Fax The Complete PC	\$499	4800	512K	3/4	No	No	
MFAX96P Microtek Lab, Inc.	\$995	9600	256K	Full	No	Yes	
Facsimile Pac Dest Corp.	\$995	9600	640K	Full 1	Optional 1200-bps (\$129)	Yes	
pc-Fax EIT, Inc.	\$1095	9600	640K	Full	No	No	
GammaFax GammaLink	\$995	9600	256K	3/4	Optional 1200-bps (\$200)	Yes	
Microfax Datacopy Corp.	\$1195	9600	384K	Full	1200-bps	No	
Faxcard/Fax Partner SpectraFAX Corp./Panasonic Industrial Co.	\$999	9600	640K	3/4	No	No	
SmartFax American Data Technology, Inc.	\$949	9600	640K	2/3	No	Yes	

them to disk. The unit does not operate in background mode, however.

Another feature is support for grayscale images, and there is another utility that automatically merges text with an image file containing your letterhead and signature. Again, the process occurs on the fly.

The Complete Fax

The Complete Fax is a low-cost, multifeatured fax card from The Complete PC that operates at 4800 bps. The Complete PC doesn't make grandiose claims; it simply promises solid fax transmission capabilities. It delivers.

You can create fax documents from PC Paintbrush, Windows Paint, and Dr. HALO formatted files, and you can store these converted documents in either standard or fine mode. (Fine mode is 203 by 196 dots per inch, which eats disk space at four times the rate of the stan-

dard 203- by 98-dpi mode.) The file conversion process is one of the quickest I tested.

The Complete Fax's Facsimile Directory function lets you overlay any fax image with another. This merging function gives you crude, but effective, graphics manipulation capability. However, it's easier to just convert the files to .PCX or another graphics format, massage them with a paint program, and turn them back into fax files again. If your word processor includes an Epson MX printer driver, you can also send text files with all attributes.

An option, The Complete Hand Scanner (\$249), works in tandem with The Complete Fax. The scanner is a glitzy, mouse-type device that scans images up to 2½ inches wide by 10 inches long. You can store the images in any file format compatible with The Complete Fax. The scanner is great for scanning logos, line

art, and letterheads. It also includes custom software, called Soft Stationery, that lets you create any kind of letterhead you can scan into your computer.

Another card, the CFAX/9600 (\$599), was introduced too late to include in this review. This 9600-bps fax card features a scanner interface port, an optional 2400-bps modem, a mail-merge function, and Epson FX print-capture capability.

MFAX96P

The MFAX96P fax card is an appendage of Microtek Lab's scanner line. Six months ago this board was a bad deal. Today, it's an adequate implementation of fax technology.

Version 1.11 of MFAX's software left much to be desired, including the glaring omission of an ability to view a fax image file on your monitor before transmitting it. The beta copy of version 2.0 that I reviewed has solved that problem.

Background mode	Polling	Maximum broadcast	Printers supported	Software features	Standard files converted
Send/receive	Yes	Unlimited	Epson, IBM, HP LaserJet, others	Text/graphics editor	ASCII, PC Paintbrush, formatted Epson FX-80 word-processing files
No	No	Unlimited	Epson, IBM, Toshiba, HP LaserJet, others	Automatic file conversion, help	ASCII, PC Paintbrush
Send/receive	Yes	25	Epson FX, Toshiba, IBM Graphics, NEC, HP LaserJet, others	Help, cover-page generation, graphics editor	ASCII, Dr. HALO, PC Paintbrush, Microsoft Windows Paint, Epson MX-formatted word- processing files
Send/receive .	Yes	Unlimited	Epson FX, LQ; Canon, HP laser; others	None	ASCII, TIFF
Send/receive, print	No	Unlimited	Epson FX, IBM Graphics, Toshiba, IBM Matrix, HP LaserJet, others	Mail-merge fax, image file encryption	ASCII, Dr. HALO, PC Paintbrush
No	Yes	Unlimited	Epson, HP LaserJet, others	Help, text and image merging	ASCII, PC Paint
Send/receive	Yes	Unlimited	Epson, IBM, Fujitsu, NEC, Toshiba; Canon, HP laser; others	Help, windows, LAN support	ASCII, AutoCAD, Dr. HALO, PC Paintbrush, TIFF, Hewlett-Packard HPGL plotter files
Send/receive	Yes	160	Epson FX, Toshiba, IBM Graphics, NEC, HP LaserJet, others	Help, text editor, direct printing of incoming fax, automatic file conversion	ASCII, PC Paintbrush, TIFF
Send/receive	Yes	100	Epson, NEC, Toshiba, Panasonic, HP LaserJet, others	Graphics editor	ASCII, PC Paintbrush, many word-processing files
Receive	No	999	Epson FX, LQ; IBM Graphics; Canon, HP laser; others	Help, graphics editor, area-code lookup, blank page creation	ASCII, TIFF, Dr. HALO, PC Paintbrush, WordStar

High points of the new software include the ability to print documents at either 204 by 196 dpi or 300 by 300 dpi. This lets you expand a fax image to 300 dpi when printing to a laser printer, which is handy if you've received a fax that's formatted on a desktop publishing program.

You can also send a text file without running it through the conversion program. This solves the MFAX's earlier problem of having to break multipage documents into separate files before converting them. When you choose an ASCII file for faxing, the software automatically converts it to a fax image, as long as the file has a .TXT extension.

The program's built-in editor lets you create memos without exiting to your word processor. This is handy when you need to fax quick notes, but for extensive text processing, you'll still want to use your word processor.

The Easy Send feature lets you send hard-copy documents through a scanner to the MFAX card and on to another fax machine with the press of a key. This feature is so simple that even the most paranoid technophobe can handle sending a fax from the computer. Also, the MFAX96P has a built-in scanner port, so you can add a scanner without giving up an extra slot in your computer.

I have two gripes about this unit. First, the board requires you to set more hardware switches than does any other fax card, and the process isn't well documented. Other fax cards operate on a "plug and go" principle; I don't know why Microtek chose to make the user do all the work.

Also, while the MFAX supports TIFF files, there is no facility to convert files from any paint programs; you have to either scan pictures into the system or forget about sending graphics. EyeStar

Plus software, included with Microtek scanners, converts PC Paintbrush and Windows Paint files to fax image files, but for this you have to purchase a scanner, which ranges from \$995 to \$3995.

Facsimile Pac

Dest's Facsimile Pac has two noteworthy options. The first is a 1200-bps Hayescompatible modem (\$129). The second is a plug-in chip (\$195) on the fax card that provides full Department of Defense Data Encryption Standard (DES) encryption capability.

The DES chip is a serious-minded (and handy) capability, although the documentation, which reads like back-yard mystery theater, takes itself perhaps too seriously. One passage reads: "Use this option to send and receive confidential documents in secret code" (italics added).

For security at both ends, the DES chip establishes a public key (key A) between the two machines. This is common to the encrypted message. However, a second, private key (key B) is known only to the receiver. If both keys don't match, the message remains scrambled.

Like the MFAX, the Facsimile Pac card includes a scanner port, saving a card slot if you decide to add a scanner.

Facsimile Pac supports file conversion, printing, and sending and receiving files in background mode. The software operates as a terminate-and-stay-resident (TSR) program that you can invoke within other applications to send files. It also lets you set up a rather sophisticated telemarketing blitz using fax machines: By inserting "tags" into your text, you can create a mail-merge application that sends mass mailings via fax.

Dest has provided a fax card with an impressive array of features. If you need the security of DES encryption (when transmitting confidential contracts, for example), you should think seriously about the Facsimile Pac. You certainly don't lose any capability; in fact, the card is of intelligent design, and the software is more than adequate. For those who want sophisticated scanner support and multiple fax options, this is the product.

pc-Fax

EIT's pc-Fax provides the usual host of features, including polling, laser-printer support, and a funky background mode for receiving image files.

Contrary to what the name implies, "background" mode is only in the background until called on to receive a fax. When pc-Fax picks up a carrier tone, it automatically halts everything—your computer locks up and becomes hostage to the fax transfer. Although this acts as an "insurance policy" for the reliability of the fax transfer, it's annoying to have your work flow suddenly and unexpectedly grind to a halt for a incoming fax. EIT says it is working on true background-mode capability.

The card also has a built-in binary transfer capability that runs on the IBM PC AT and compatibles at the blazing rate of 9600 bps, as long as each end runs a pc-Fax board. With vanilla PCs, the transfer rate slows to 4800 bps. (Other fax cards with binary transfer capability performed similarly.) The software uses pull-down menus and provides mouse support.

The pc-FAX's OCR capability recognizes four fonts and converts them to ASCII format. In addition, you can "teach" the software to recognize other

fonts. The pc-Fax card is perhaps the most versatile of the bunch at turning hard copy into a machine-readable format.

GammaFax

GammaLink was one of the earliest players in the fax card market, and that experience shows in the number of features its GammaFax card offers. The latest version of the software (4.0D) is a vast improvement over an earlier version I received, which didn't function properly when sending a fax during a voice-initiated call.

Features include the ability to write batch files to, for example, send a text file from one microcomputer to another microcomputer's GammaFax card via a local-area network. Also, a cut-and-paste function lets you cut out sections of a fax image, such as a logo or a signature, and put them into separate files.

Like the pc-Fax board, GammaFax can also perform binary file transfers between PCs or ATs and compatibles using GammaFax boards at 4800 and 9600 bps, respectively. You can also purchase a version of the GammaFax card that includes a 1200-bps Hayes-compatible modem for an extra \$200.

GammaFax's software converts ASCII, Dr. HALO, PC Paintbrush, AutoCAD, TIFF, and Hewlett-Packard Graphics Language (HPGL) plotter files. If you haven't converted your file before it's queued to send, the software will automatically convert it to a fax image.

GammaLink technical support helped solve a problem I had with converting from ASCII to fax image files—this was the previously mentioned RAM overhead problem caused by TSR programs. Finally, the documentation is well written and includes numerous tips sections, set apart from the main text by italics.

Microfax

Datacopy's Microfax is the standard against which to measure other PC fax cards. Microfax's documentation is straightforward, and Datacopy seems to have a clear idea of the proper role of a fax card.

After crawling through thousands of pages of documentation for other cards that was either poorly printed or "typeset" on the first available letter-quality printer, the documentation supplied with Microfax was a sight for sore eyes. Ample use of white space and crisp typefaces gave me the impression that the company cared about its product. That impression wasn't misleading.

Easy-to-use menu screens and simple file-conversion procedures make the Microfax's software stand out. The Microfax can convert TIFF and PC Paintbrush files, and AutoCAD converts files to the Microfax's proprietary .IMG image format. The unit also includes a 1200-bps Hayes-compatible modem that worked flawlessly. If you're sending a file to a remote PC with a Microfax card, you can also take advantage of the card's 9600-bps binary file-transfer capability.

Datacopy is known for its scanners, so it's no surprise that Microfax is compatible with a host of units. Microfax stores scanned files to disk as an image file before letting you send them to another fax machine. Optional OCR software (\$695) converts between fax images and a variety of word-processing formats. The scanner software recognizes 19 fonts, and you can program it to recognize others.

Faxcard/Fax Partner

Ease of use and attention to detail are the hallmarks of SpectraFAX's Faxcard. Panasonic also licenses this board as the Fax Partner, which is identical in every respect to the Faxcard. SpectraFAX has gone out of its way to make things easy, including building the fax card around the 8081 microprocessor and stuffing the 3/4-length board with 256K bytes of RAM, which isn't cheap these days.

The 8081 gives the fax card a certain independence not found in other products. This is handy if you plan to send and receive fax documents in background mode. Most fax cards will slow the application you're currently working on when the fax card goes into action. But because the 8081 processes the fax transmission, even a system running at 4.77 MHz isn't affected.

This card gets a special nod for the way it converts files. You don't have to agonize through the tedious conversion process. Instead, sending a file entails nothing more than selecting it with a highlight bar. The software then takes care of all conversion before transmitting it to the remote fax.

The Faxcard/Fax Partner automatically converts images it receives to a proprietary .PCX-type format. You can only manipulate the graphics format files through a built-in graphics editor, however. This feature relieves you from fumbling with several file formats, but it limits you to working with PC Paintbrush files. As extensive as the graphics editor is (the 320-plus-page manual contains 134 pages of instruction on how to



Subscribe to BYTE now and save \$19 off the newsstand price	☐ This is a renewal order.	489TSU-4
—12 issues for \$22.95 instead of \$42.00! You'll also receive our special IBM PC issue as part of your subscription.	Name(Please Print)	
□ USA \$22.95/1 year □ Canada \$25.95 U.S./1 year	Company	
Bill me	Address	
Payment enclosed	City/State	
☐ Charge to my ☐ VISA ☐ MasterCard	Country Co	
Account #	For direct ordering, call toll free 1 800 423-827	72 weekdays 9
Expires		
Signature	AM—5 PM EST. In New Jersey, call 1 800 367 Please allow 6-8 weeks for processing your sub-	oscription.



	TON CONTOCRATOR	
Subscribe to BYTE now and save \$19 off the newsstand price	☐ This is a renewal order.	489TSU-4
—12 issues for \$22.95 instead of \$42.00! You'll also receive our special IBM PC issue as part of your subscription.	Name(Please Print)	
☐ USA \$22.95/1 year ☐ Canada \$25.95 U.S./1 year	Company	
☐ Bill me	Address	
Payment enclosed	City/State	
☐ Charge to my ☐ VISA ☐ MasterCard	Country	Code
Account #	For direct ordering, call toll free 1 800 AM — 5 PM EST. In New Jersey, call	1 000 007 0040
Signature	Please allow 6-8 weeks for processing	vour subscription



BUSINESS REPLY MAIL

FIRST CLASS MAIL

PERMIT NO. 684

TEANECK, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



Subscription Dept. P.O. Box 7640 Teaneck, NJ 07666-9866 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES





BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 684

. 684 TEANECK, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



Subscription Dept. P.O. Box 7640 Teaneck, NJ 07666-9866 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



7.5 good reasons to try ASYSTANTGPIB.



For technical details call 1-800-348-0033.

Company Information

American Data Technology, Inc. 44 West Bellevue Dr., Suite 6 Pasadena, CA 91105 (818) 578-1339 Inquiry 923.

Brooktrout Technology, Inc.

110 Cedar St. Wellesley Hills, MA 02181 (617) 235-3026 Inquiry 924.

The Complete PC

521 Cottonwood Dr. Milpitas, CA 95035 (408) 434-0145 **Inquiry 925.**

Datacopy Corp. 1215 Terra Bella Ave. Mountain View, CA 94043 (415) 965-7900

Inquiry 926.

Inquiry 927.

Dest Corp. 1201 Cadillac Court Milpitas, CA 95035 (408) 946-7100

EIT, Inc. 25 Just Rd. Fairfield, NJ 07006 (201) 227-1447 Inquiry 928. GammaLink

2452 Embarcadero Way Palo Alto, CA 94303 (415) 856-7421 Inquiry 929.

Microtek Lab, Inc.

16901 South Western Ave. Gardena, CA 90247 (213) 321-2121 Inquiry 930.

Panasonic Industrial Co.

Two Panasonic Way Secaucus, NJ 07094 (201) 348-7000 Inquiry 931.

Quadram Corp.

One Quad Way Norcross, GA 30093 (404) 923-6666 Inquiry 932.

SpectraFAX Corp. 209 South Airport Rd. Naples, FL 33942 (813) 643-5060 Inquiry 933.

use it), it's only adequate, at best, for most advanced graphics needs. The fax card seems more useful for transferring text documents.

Transmitting any kind of ASCII file with this card is easy. However, you can broadcast to a maximum of only 10 machines per list, although you can string together up to 10 lists to broadcast to up to 100 machines per session. The software converts files from a variety of word-processing formats, including WordStar, Microsoft Word, and Word-Perfect.

SmartFax

SmartFax from American Data Technology comes in a slick, fire-engine-red box. The documentation manuals are also slick, fire-engine-red. Unfortunately, that's as slick as it gets. Once you've slogged your way through a tedious setup procedure, you're ready to decipher a manual "typeset" on some-

one's letter-quality printer.

A special software module handles file conversion. The manual makes a point of telling you that you don't need to convert files beforehand, thus wasting disk space, because SmartFax can handle such a feat when the transmission sequence begins. But just a few paragraphs later, the manual warns against transmitting documents on the fly. The reason: If you're converting a big document, it could take a long, long time—and chew up disk space in 100K-byte chunks, to boot.

SmartFax supports Dr. HALO, TIFF, PC Paintbrush, and WordStar files. It also includes a small graphics editor that is woefully lacking. It can rotate an image and cut and paste, but not much else. Yet the manual spends an inordinate number of pages teaching how to use it.

When you get ready to transmit a document, you can choose to display the world's time zones on your screen with

the hours (+ and -) as they relate to Greenwich mean time. In addition, SmartFax includes a built-in database of worldwide area codes.

A new version of the SmartFax software, and a new board, the SmartFax Plus, were introduced too late for this review. The software is now RAM-resident and offers an FX-80 print-capture ability. The new card includes an onboard 8188 with 512K bytes of RAM and a 1200-bps modem option.

Fax Me the Envelope, Please

Getting the most out of microcomputerbased fax requires a supporting cast of hardware, such as an image scanner and a laser printer. Scanners are probably the most prevalent option, but they still are considered expensive extras. In addition, they may take up a precious slot in your computer, and their supporting software eats disk space. And if you don't already have one, you might not be prepared to buy a laser printer just so your fax card can generate high-quality printouts. What you save by buying a fax card (for around \$1000, compared to \$2000 to \$3000 for stand-alone machines), you can end up spending many times over on supporting hardware. On the other hand, the convenience of being able to send a fax directly from your computer and the ability to use fax to transmit graphics image files between machines are distinct advantages.

The bottom line on fax cards, and on fax technology in general, is that they give you easy access to a fairly complex technology. A stand-alone fax machine is essentially a telephone into which you can insert a piece of paper. With a fax card, you can eliminate the paper at both ends.

Which fax card is the best? That depends on your application. The JT Fax 4800 has all the features most people need for the least amount of money. For a full-featured fax card, Datacopy's Microfax is the best bet. This card handles a variety of file formats, includes an onboard modem, and is compatible with Datacopy scanners. Although other fax cards offer similar features, Microfax's implementation makes things easier for the user. The documentation is good, file conversion is uncomplicated, and the software's menus are easy to use.

Brock N. Meeks is a San Diego-based freelance writer specializing in high technology. He also writes BYTE's monthly column on microcomputer communications. He can be reached on BIX as "brock."



"The Dataworld 286 [12MHz] AT compatible... [is]... the fastest machine of the nine tested in that review [July 1988]." (September 1988 edition).

speed and excellent compatibility ... hundreds of dollars less expensive than other AT compatible.






DATA-286 20MHz

80286 running at 20/10MHz. Phoenix or Award BIOS MB of RAM expandable to 16 MB (2 MB on board)
W.D. 1:1 interleave dual hard disk controller
101-key keyboard with "click". Socket for 80287
EMS 4.0 support for memory over 1 MB. Real time clock Monographics card w/parallel port. TTL Monitor included. \$1555.00

DATA-286 10 MHz AVAILABLE

DATA-286 12MHz


80286 running at 12/8MHz. Phoenix BIOS 512 KB of RAM expandable to 16 MB (1 MB on board) One 1.2 floppy drive. Floppy/Hard disk controller 101-key keyboard with "click". Socket for 80287 Real time clock with battery back-up. 200W power supply Monographics card w/parallel port, TTL Monitor included.



- Front Panel On/Off Switch 220 Watt Power Supply ● Six Half Height Drive Bays ● Dimensions 16¾"(D) x 7¾"(W) x 25%"(H) AVAILABLE on 286/386 Models
- Data-386
- 0 wait state 16MHz (20MHz opt.) 1MB RAM (2MB opt.) 12MB FDD 101 Key "click" touch K/B Reset push button 7 EXp. slots Mono cards & monitor \$2175



80286CPU 12/8MHz ● 0/1 Wait ● 512 K RAM (Exp to 1024 K) ● 5 Exp slots ● Phoenix BIOS ● 1.2 MB Floppy drive ● 20 MB Hard Disk Drive • 200W P/S • Supertwist backlit LCD 640 x 200 25 lbs.
• Par, Ser, Game Ports • RGB \$1875



Portacomp II

80286CPU12/8MHz • 0/1 Wait • Click K/B 512 K RAM (Exp to 1024K) 4 Exp slots
 Phoenix BIOS 720 KB Floppy drive 20
 MB, 39ms, Hard Disk Drive Supertwist backlit LCD 640 x 400 ● 20 lbs. ● RGB Output ● Opt Ext 5¼" Drive \$1975

Prices subject to change. No charge for credit card, check, C.O.D. 30 day moneyback guarantee (Shipping charges non-refundable)

Dealer/overseas inquiries welcome


In-Calif. 1-800-722-7734 Out-Calif. 1-800-722-7702 TECH: (213) 699-8250

INFO: (213) 695-3777

Monday through Friday, 7 A.M. to 6 P.M. Saturday 9 A.M. to 3 P.M. PST. REFERRED COMPUTER SYSTEM



3733 San Gabriel River Parkway, Pico Rivera, CA 90660-1495



...ABOUT ANALYZING

YOUR DATA. You might be spreading your spreadsheet a little too thin. Or maybe you're starting from scratch. But if you're serious about data analysis, you're ready for SPSS/PC+" - a full software family that brings you eight high-powered ways to complete any data analysis task.

Enter it. SPSS Data Entry II" is a fully integrated data

entry, cleaning and editing tool.

Analyze it. The SPSS/PC+ base package provides a powerful array of statistical and reporting procedures.

Picture it. SPSS/PC+ Graph-in-the-Box™ featuring New England Software's Graph-in-the-Box™ offers full color "snapshot" graphics.

Examine it. SPSS/PC+ Advanced Statistics™ lets you

get more serious with your data.

Predict it. SPSS/PC+ Trends —our latest option—is the complete time series analysis/forecasting tool.

Table it. SPSS/PC+ Tables™ produces presentationready tables instantly.

Chart it. SPSS/PC+ Graphics featuring Microsoft®

Chart creates show-stopping graphs and charts.

Map it. SPSS/PC+ Mapping" featuring MAP-MASTER" creates maps where vast amounts of data can be summarized and presented in one, simple picture.

SPSS/PC+ products are being put to productive use by serious fact finders in business, government and education. For countless purposes such as market research. Wage and salary studies. Survey analysis. And quality control. Plus each product is superbly documented and supported by SPSS Inc., a leader in statistical software for nearly 20 years. While specially tailored customer support is available through the VALUE PLUS™ plan. And SPSS now offers a SPSS/PC+ version for Novell LANs.

So if you're serious about data analysis, step up to SPSS/PC+. For details, contact our Marketing Department.

CALL 1/312/329-3315

SPSS Inc. • 444 North Michigan Avenue, Suite 3000 • Chicago, Illinois 60611


In Europe: SPSS Europe B.V. • P.O. Box 115 • 4200 AC Gorinchem, The Netherlands • Telephone: +31183036711 • TWX: 21019

SPSS/PC+ runs on IBM PC/XT/AT's with hard disk. Contact SPSS Inc. for compatible microcomputers, SPSS/PC+, SPSS Data Entry II, SPSS/PC+ Graph-in-the-Box, SPSS/PC+ Advanced Statistics, SPSS/PC+ Trends, SPSS/PC+ Tables, SPSS/PC+ Graphics and SPSS/PC+ Mapping are trademarks of SPSS Inc. VALUE PLUS is a trademark of SPSS Inc. Chart and Microsoft are trademarks of Microsoft Corporation. MAP-MASTER is a trademark of Ashton-Tate. Graph-in-the-Box is a trademark of New England Software, Inc.

© 1987, SPSS Inc.



Ada Comes to the Mac



Does the Mac make a reasonable Ada development system?

Namir Clement Shammas

he Meridian AdaVantage compiler has come to the Apple Macintosh world from the same company that implemented Ada compilers for the IBM PC and the Zilog System 8000 computers. The Mac version reviewed here, which sells for \$1195, is an Ada compiler that works under the Mac Programmer's Workshop (MPW) shell and its C compiler (see "MPW C for the Mac" by Mike Wilson on page 156 of the February BYTE).

This is because the Ada compiler first translates Ada source code into MPW C source code, then invokes the MPW C compiler transparently.

Like its Ada compilers for the PC-DOS and MS-DOS computers and Unix systems, Meridian's Mac 2.2 has been officially validated. Meridian offers additional libraries and other utilities (e.g., a math library package and a debugger) to complement the basic compiler package. (The debugger was not available for this review.)

Crank It Up

The Meridian AdaVantage compiler is easy to install. I first installed the MPW shell, which is included with the package, and the MPW C compiler (not included) on my hard disk drive. Although this was my first time using the MPW shell, installation was smooth. Next, I installed the Meridian Ada compiler, using the manual's clear instructions. While the manual does discuss installation trouble-

shooting, I didn't have to worry about that section; the compiler ran on the first try. Also, the setup command adds a menu for operating the computer.

The Ada compiler supports integer and floating-point data types. A short integer occupies 2 bytes, while an integer requires 4 bytes of memory. A floating-point type needs 8 bytes, compared to 4 and 2 bytes required by the long and short fixed-point types, respectively. Fixed-point types have a great appeal for programmers working in "no round-off" situations.

The version I reviewed (2.2) does not support the MC68881 12-byte representation of floating-point numbers. The manual mentions that the compiler implements the two fixed-point types using integers with imaginary decimals. Regarding advanced data types, Meridian's compiler supports discriminant records (i.e., they are declared with arguments that allow client routines to define the record's actual size) and arrays. (Discriminant arrays have bounds that are defined as arguments, so the array size is not determined until you actually declare a variable of the array type.)

While AdaVantage supports the complete text_io package (i.e., the predefined library unit containing routines for text I/O), Meridian includes three simpler I/O libraries: iio, fio, and ada_io. The iio package is an instantiation of text_io.integer_io using the following simple Ada statements:

with text_io; use text_io;
package iio is new
 text_io.integer_io(integer);

Similarly, the fio package is an instantiation of the text_io.float_io for the float-data type. The ada_io package is a library that contains simple console I/O routines for characters, strings, integers, and float-type data. While iio, fio, and ada_io are not part of the standard

AdaVantage 2.2

Type

Language compiler for the Apple Macintosh

Company

Meridian Software Systems, Inc. 23141 Verdugo Dr., Suite 105 Laguna Hills, CA 92653 (714) 380-9800

Format

Two 3½-inch double-sided double-density (800K-byte) floppy disks

Language

MPW C

Hardware Needed

Mac with at least 1 megabyte of memory and a hard disk drive with 1.6 megabytes of free space

Software Needed

Mac Programmer's Workshop C 2.0 or higher, System 4.1, and Finder 5.5 or higher

Documentation

227-page three-ring manual

Price

\$1195

Inquiry 906.

packages, their inclusion offers uniformity among your programs when you inevitably create these libraries.

Files

AdaVantage can access files either as arrays of bytes (using direct_io) or as byte streams (using either sequential_io or text_io). You can have up to 30 files opened at one time. However, your available memory can place limitations on the actual number of open files.

You use the Mac Hierarchical File System naming convention for referencing both filenames and directories (i.e., folder names). Obviously, this can create compatibility problems when porting Ada source code from one operating system to another; you may need to edit string constants that represent filenames in programs. Under the MPW shell, your programs can use piping and I/O redirection. For example, the MPW command Ada_lister sort pipes the output of a program lister (written in Ada) into a sort application. The MPW shell predefines several special devices, such as the console, a null output device, the standard output stream, the standard input stream, and the diagnostic output stream.

Inside

The AdaVantage compiler supports generics implemented as macros. The trade-off is between the speed gain and the increase in size of the instantiated generic code. Meridian recommends that, in order to conserve memory, you not excessively use instantiation of generic code. To use the generic feature, place the generic code body and its specification in the same compilation file.

AdaVantage permits your Ada source code to interface with assembly and C language. Using the pragma (i.e., compiler directive) interface, you specify the language, the name of the foreign language subprogram, and its optional linkname. For example, you may write a routine in MPW C that implements a one-line editor and call it oneLineEdit. The code sequence would appear in the general form shown below:

```
/* MPW C */
void oneLineEdit(s)
char* s
-- AdaVantage
package editLine is
  procedure oneLineEdit(s:
   string);
    pragma interface(c,
     oneLineEdit)
end editLine;
with editLine;
procedure get_line(s:string)
 is
begin
  editLine.oneLineEdit(s);
end get_line;
```

The reviewed Ada implementation supports a somewhat limited form of tasking. AdaVantage does not use true preemptive time-slicing to perform task switching. Instead, the processor switches from one task to another at activation points, entry calls, completions, and wait states. So you have to be careful when coding long-lived looping routines that do not include processor-switching constructs previously mentioned; such routines can block other tasks from being scheduled. The manual suggests you insert into indefinite loops a delay 0.0, which will reschedule the current task.

The priority pragma assigns the task's priority at compile time. While no

default task priorities are defined by the Ada standard, the AdaVantage compiler assigns the lowest priority as the default value. Each task is assigned its own 2K-byte stack space, a value that you can alter in the source code.

Invoking Ada

The Meridian Ada compiler is invoked to compile source code files. These can be stand-alone programs, package specification, package body, or separate subunits. Each type of compiled file requires a distinct file extension name separated from the main filename by a dot. Meridian provides a number of versatile compiler switches that determine both major and minor compiling steps. Among these switches is one that simply compiles your Ada source code into MPW C. Using another switch, you can supplement the output C code with the original Ada code inserted as comments.

Other compiler switches suppress the additional checking that is usually required during software development. These include switches for suppressing numeric checking and overall checking. Numeric checking monitors division-byzero and numeric overflow, while overall checking includes numeric checking as well as checking for violations of array boundaries, string lengths, and so on. Suppressing numeric checking or all types of checking reduces the size of the executable code and increases the program's execution speed.


Another category of compiler switches relates to the support of debugging. The -fD switch prepares a compiled file for use with the Meridian AdaVantage Debugger, available as a separate product. The -g switch enables you to use the MacsBug machine-level debugger (this option is actually passed on to the MPW C compiler and causes the compiler to insert each procedure's name into the generated object code).


Meridian has integrated an optimizer with its compiler. Using compiler and linker switches, you can optimize for speed or for code size. If you optimize for code size, the compiler trims the unused portion of code imported from libraries from the resultant program. You can gain additional speed if you turn off checking and, in case you are using a Mac II with its standard MC68020 processor, you can instruct the AdaVantage compiler to emit 68020 instructions.


Meridian provides adaff, a special version of the Ada compiler that is more suited for working with error-riddled source code. You can use the adaff com-

How to look good from start...










to finish.

The HP LaserJet Series II Printer.

Nothing brings your ideas to life like the HP LaserJet Series II Printerfrom office memos to forms

to newsletters. As the leading laser printer, it works with all popular PCs and PC software packages. And, with a wide range of fonts, you get more options to create superior looking documents.



With additional memory you can even print sophisticated 300 DPI full-page graphics. And with HP's ScanJet. scanner, you can also easily add photographs,

illustrations and text.

No wonder more people choose the original over all other laser printers combined.

So call 1800 752-0900, Ext. 900D for your nearest HP dealer.



© Hewlett-Packard 1988

Print samples were created using Microsoft Word, Microsoft Excel, and Aldus PageMaker

The same

Test		File Size (K byt	es)	Compile + link time		Run time	
	Source	Unoptimized	Optimized	Unoptimized	Optimized	Unoptimized	Optimized
Sieve	1	22	21	3:39	3:43	0:34	0:08
Sort	3	26	24	4:13	4:12	2:36	0:18
Float	1	30	28	4:17	4:14	1:08	1:08
Invert Matrix	2	31	29	4:28	4:23	0:39	0:27
Recursion	2	23	21	4:04	4:12	0:44	0:11
Disk Write	1	28	27	3:32	3:30	0:19	0:19
Disk Read	1	27	26	3:26	3:28	0:13	0:13

piler to pipe compilation error messages through the ff utility, where the messages are converted to executable editor commands. You can then use these commands to locate and edit the offending source-code lines in the proper file.

The BAMP (Build Ada Main Program) command invokes the MPW linker and creates programs that you can launch from the Mac Finder or the MPW shell. The default action of BAMP is to create an MPW tool, a program that runs only under the MPW shell. You can fine-tune BAMP with options that let you override the default 32K-byte segment size, perform global and local optimization, select an alternate run-time library, and request the output of a link map (i.e., symbol names and where they are).

The intricate relationship between the various libraries and compiled units dictates the use of library database files. These files permit the compiler to maintain the integrity and version consistency of the compiled code. The Meridian package contains a number of utilities that create, maintain, modify, and remove library databases. When a file is compiled, the information related to that file is added to the library database.

The AdaVantage pull-down menu uses the Mac user interface for invoking the AdaVantage compiler, BAMP, other library management commands, and a HyperCard-based on-line help. The user interface provided through the pull-down menu is attractive. The screen contains option buttons, command switches, an internally generated command-line window, and a help window.

The option buttons enable you to select the operational switches, program names, library names, and so forth. Using the mouse, you click at the command switch boxes to turn the commands on or off. If you click the mouse and hold the button down, the help window displays a short description for that switch. As you select options, program files, and libraries, the command-line window is automatically updated to reflect the current choices. You can execute the command easily by clicking on a special button. The HyperCard help stack contains an on-line reference for components of the compiler and their commands.

Stack It Up

I ran the various Ada compilers through a suite of benchmarks. The programs I developed for the compiler test are based on popular operations, such as sorting and matrix inversion. The first three benchmarks I used were the Sieve test; integerarray Sort test, in which an ordered array of 1000 integers is created and reverse sorted using the Shell-Metzner method; and the Floating-Point operations test, which uses the standard BYTE benchmark that performs the four basic operations 5000 times.

I used the Matrix Inversion test to measure the speed of floating-point operations by employing matrix inversion. The program creates a square matrix with 20 rows and 20 columns, and assigns 2's to diagonal elements and 1's elsewhere. The program then inverts the matrix and measures the execution time.

The last three tests I used were the Recursion, the Disk Read, and the Disk Write tests. With the recursion test, I used a recursive version of the popular QuickSort algorithm. This is similar to the nonrecursive Sort test, except that recursion is heavily employed. The Disk Read and Disk Write tests are standard BYTE benchmarks that measure times for reading and writing a file to a newly formatted double-sided double-density $3\frac{1}{2}$ -inch floppy disk in the Mac's internal drive.

I ran the benchmarks on an unmodified Mac Plus with a 20-megabyte Data-Frame hard disk; I launched them from the MPW shell. [Editor's note: The source code listing for the benchmark programs is available in a variety of for-

mats. See page 3 for further details.]

Table 1 shows the benchmark results. I ran the benchmarks twice: with and without optimization. The compilation and linking times for all the benchmark programs are rather slow. This is because the Ada compiler translates Ada source code first to MPW C and then to executable code.

In the optimized runs, I also turned off all types of checking (i.e., I used the -q and -fs switches). Dramatic run-time improvements occurred with the Sieve, Integer Sort, Matrix Inversion, and Recursion tests. There was no noticeable change in the run time of the other tests.

Any Advantage?

The Meridian AdaVantage is the first commercial Ada compiler for the Mac. While the execution-code speed ranges from good to satisfactory, the compilation and linking cycle is on the slow side. The price tag suggests that AdaVantage is aimed at professional Mac programmers, rather than those who occasionally program in Ada. I find the general priceperformance ratio works slightly against the implementation examined, especially when you have to add the cost to purchase MPW C. The stiff competition for the AdaVantage for the Mac comes from validated Ada compilers for the IBM PC, including a fine implementation by Meridian itself that sells for less than \$1000. I believe that serious Ada programmers should go with the IBM PC implementations and obtain a better buy for the dollar. However, the company says it will release a new version for the Mac early in 1989 that will produce native code without MPW C. That could tip the scales in favor of the Mac version.

Namir Clement Shammas is a columnist for several computer magazines and a freelance writer living in Glen Allen, Virginia. He can be reached on BIX as "nshammas."

Small cash input for laser-quality output.




Dear Reader:

This letter was printed on one of the finest printers available

The HP DeskJet Printer.

It prints text and graphics more crisp and clear than 24-pin printers. And as you can see from the chart, it's a lot quieter than 24-pin printers, too.





It's also easy to use. It does your important office tasks, but it's small enough to fit on your desk. Everything considered, it's the perfect personal printer.

And one of the most amazing features of all is its price. It's under \$1,000.

Call'us for the name of your local HP Dealer at 1 800 752-0900 Ext. 908B. Then go see for yourself why we call it laser-quality printing.

Richard Snyder

The HP DeskJet Printer. Laser-Quality Output for Under \$1000.



we never stop

Mainframe Power for your PC!

throughput of a 32-bit mini, including any of DEC's VAX series, MicroWay has great news for you. The combination of our NDP compilers and our mW1167 numeric coprocessor gives your 386 PC, VAX speed! If you don't own a 386 PC, we provide a number of economical

PC and AT upgrade paths.

Many of our NDP Fortran-386 users are reporting turn around times that are two to six times faster than their VAX. The exact times are a function of the VAX processor being used, the speed of the 386, the number of users being served by the VAX, and the coprocessor being used with the 386. There are currently over 400 developers using our NDP tools to port 32-bit applications. To help the 386/1167 engineering standard emerge, MicroWay is co-marketing several mainframe applications that have been ported by our customers. In addition, this ad inDr. Robert Atwell, a leading defense scientist, calculates that NDP Fortran-386 is currently saving him \$12,000 per month in rentals of VAX hardware and software while doubling his productivity!

Fred Ziegler of AspenTech in Cambridge, Mass. reports "I ported 900,000 lines of Fortran source in two weeks without a single problem!" AspenTech's Chemical Modeling System is in use on mainframes worldwide and is probably the largest application to ever run on an Intel processor.

Dr. Jerry Ginsberg of Georgia Tech reports "My problems run a factor of six faster using NĎP Fortran-386 on an mW1167 equipped 386/20 than they do on my MicroVAX II."

troduces the first of many utilities that will ease the porting of your favorite in-house programs. These include tools like NDP-Plot, which provides CalComp compatible screen and printer graphics, and NDP Windows.

MicroWay has mW1167 boards in stock that run on the Compaq 386/20, IBM PS2/80, Tandy 4000, AT&T 6386, Acer 386/20, Everex Step 386/16(20), H.P. Vectra RS/16(20) and others. We now have a new board for the Compaq 386/20 which combines an 1167 with VGA support that is register compatible with IBM the "SlotSaver". It features an extended 800x600 high res mode that is ideal for 386 workstations.

Finally, we still offer the 16-bit software and hardware which made us famous. If you own a PC or AT and are looking for the best 8087/80287 support on the market, call (508) 746-7341 and we'll send you our full catalog.

32-Bit Compilers and Tools

NDP Fortran-386™ and NDP C-386™ Compilers generate globally optimized mainframe quality code and run in 386 protected mode under PharLap extended MS-DOS, UNIX, or XENIX. The memory model employed uses 2 segments, each of which can be up to 4 gigabytes in length. They generate code for the 80287, 80387, or mW1167. Both compilers include high speed EGA graphics extensions written in C that perform BASIC-like screen operations \$595 each

- NDP Fortran-386™ Full implementation of FORTRAN-77 with Berkeley 4.2, VAX/VMS and Fortran-66 extensions.
- NDP C-386™ Full implementation of AT&T's PCC with Microsoft and ANSI extensions.

NDP Package Pricing:

387FastPAK-16: NDP Compiler, PharLap, and 80387-16 Coprocessor \$1299

1167FastPAK-16: NDP Compiler, PharLap, and mW1167-16 Coprocessor \$1695

NDP Windows™—NDP Windows includes 80 functions that let you create, store, and recall menus and windows. It works with NDP C-386 and drives all the popular graphics adapters. Library \$125, C Source \$250

NDP Plot™ — Calcomp compatible plot package that is callable from NDP Fortran. It includes drivers for the most popular plotters and printers and works with CGA, Hercules, EGA

NDP/FFT™ — Includes 40 fast running, hand coded algorithms for single and double dimensioned FFTs which take advantage of the 32bit addressing of the 386 or your hard disk. Callable from NDP Fortran or NDP C with 1167 and 387FFT for 16-bit compilers \$250

387BASIC™ — A 16-bit Microsoft compatible Basic Compiler that generates the smallest .EXE files and the fastest running numeric code

MicroWay ® 80386 Support

Parallel Processing

Monoputer™

The world's most popular Transputer development product runs all MicroWay Transputer software using either a T414 or T800. The T800 processor has built-in numerics and provides performance comparable to an 80386 running at 20 MHz with an mW1167. The new 3L Parallel C and Fortran Compilers makes this an especially attractive porting environment. Can be upgraded to 2 megabytes.

Monoputer with T414 (0 MB) \$995 Monoputer with T800 (0 MB) \$1495

This board for the XT, AT, or 386 can be purchased with 2, 3 or 4 Transputers and 1, 4 or 8 megabytes of memory per Transputer. Two or more Quadputers can be linked together to build networks with mainframe power which use up to 36 Transputers. One customer's realtime financial application has gone from 8 hours on a mainframe to 16 minutes on a system containing five Quadputers....from \$3495

Transputer Compilers and Applications
MicroWay and 3L offer Parallel languages for the Monoputer and Quadputer.

MicroWay Parallel C	\$595
MicroWay Occam2	
3L Parallel C	\$895
3L Parallel Fortran	\$895
uField - A specialty finite element an	
package targeted at Transputer netv	
Ideally suited to take advantage of	the 6
Megaflop speed of the Quadputer	

Call (508) 746-7341 for our free catalog!

Numeric Coprocessors

mW1167™ — Built at MicroWay using Weitek components and an 80387 socket. mW1167-16\$995 mW1167-20 \$1595 mW1167/VGA-20 "SlotSaver" \$1995 8087 \$99 8087-2 \$1540 80287-8 \$239 80287-10 \$295 80387-16 \$450 287Turbo-12 (for AT compatibles) \$450

PC and AT Accelerators

(All of our Intel coprocessors include 87Test.)

MicroWay builds a number of 8086 and 80286based PC accelerators that are backed up by the best customer support in the industry. Number Smasher™ (8087 & 512K) . . \$499 SuperCACHE-286/12 MHz\$499 Intel Inboard™ PC (1 MB) \$950

Intelligent Serial Controllers

MicroWay's AT4™, AT8™, and AT16™ are the fastest 80186-based intelligent serial controllers on the market. They come with drivers for UNIX, XENIX, and PC MOS.

AT4 ... \$795 AT8 ... \$995 AT16 ... \$1295

32-Bit Applications

COSMOS-M/386 - SRAC's finite element package for the 80386 with an 80387 or mW1167 provides mainframe speed and capacity. Turn around times rival the VAX 8650 and are 6 to 15 times that of an AT: from \$995

PSTAT-386 — This mainframe statistics package has been used by government and in-dustry for 20 years. The full version was ported. Requires 4 to 6 megabytes of memory: \$1495

NDP/NAG™ — Features a library of 800 engineering and scientific numerical algorithms.
Callable from NDP Fortran \$895



The World Leader in PC Numerics

P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466 St. Leonards, NSW, Australia 02-439-8400



Software for Hardware-Style Debugging



Soft-ICE runs CodeView and 8086based programs on 80386 systems

Namir Clement Shammas

rograms that improperly access code or data haunt their creators. OS/2 promises relief, but MS-DOS programmers continue to suffer. There is an intermediate solution: Soft-ICE, from Nu-Mega Technologies, a debugger that adds break-onmemory-access and break-on-interrupt features to existing debuggers, such as DEBUG, SYMDEB, and CodeView. Soft-ICE can provide these capabilities normally associated with hardwarebased debuggers—only if your debugger and target program restrict themselves to the 8086 (i.e., the real address mode) instruction set, and if you run Soft-ICE, your debugger, and your target program on an 80386 machine. Given this configuration, Soft-ICE runs your 8086-based program and debugger on a virtual DOS machine that it creates on the 80386.

You can instruct Soft-ICE to watch for events that your debugger can't see, like a hardware interrupt or a write to a region within your program's code segment. When it traps such an event, it deposits a breakpoint instruction (INT3 for DE-BUG or SYMDEB, NMI for CodeView) in the code, thereby activating your debugger so you can use it to investigate. Soft-ICE can also go where other debuggers can't: into device-driver code that loads when DOS boots. Here Soft-ICE works as a stand-alone debugger.

Most 80386-based microcomputers work with Soft-ICE, including the IBM PS/2 Model 80, 80386 AT compatibles, and AT-style machines with 80386 coprocessors. The program is compatible with monochrome, CGA, EGA, VGA, and Hercules graphics adapters. I tested it on an IBM PC AT equipped with an 80386 card, and I used it along with DEBUG, CodeView, and T-DebugPlus 4.0, the Turbo Pascal debugger from TurboPower Software.

Nu-Mega recommends that you use Soft-ICE in conjunction with extended memory. In the absence of extended memory, the program loads as high as possible within 640K bytes, then adjusts the high-memory mark so as to hide itself from DOS programs. Because the program alters the amount of memory DOS can see, you should load it before you load any terminate-and-stay-resident (TSR) program. When extended memory is present, Soft-ICE loads at the top of it, so you must arrange to name its extended-memory driver in CONFIG.SYS before you name any other installable device drivers. One minor annoyance is that you can't load programs, drivers, or utilities (other than Soft-ICE itself) that use 80286 or 80386 protected-mode instructions, since the program supports only real-address-mode software. I had to create a special boot disk to avoid loading device drivers that use 80386 protected modes.

Soft-ICE loads from the DOS command line and takes arguments to override its defaults. For example, you can replace its default hot key, Ctrl-D,

Soft-ICE

Type Debugger

Company

Nu-Mega Technologies P.O. Box 7607 Nashua, NH 03060 (603) 888-2386

Format

One 51/4-inch double-sided, double-density floppy disk; 31/2-inch floppy disk available on request

Language Assembly

Hardware Needed

80386 PS/2 and compatibles; 80386 AT compatibles; 80386SX; monochrome, CGA, EGA, VGA, or Hercules graphics adapters; extended memory recommended

Software Needed

MS-DOS/PC-DOS 2.0 or higher

Documentation

130-page reference manual, reference card

Price \$386

Inquiry 907.

with Alt-D or SysReq. You can also unload Soft-ICE from the DOS command line.

The program presents itself in a popup window that you can move or resize. Screen controls include FLASH, a command that restores the target program's output while Soft-ICE traces or steps its execution, and RS (restore program screen), which displays your program's output until you press a key. If you have a second monitor attached to your system, you can use Alt-SCR to redirect Soft-ICE's output to it.

The window contains a command line; the colon serves as a prompt. A command-line editor provides the usual services (e.g., move cursor left and right, move to the beginning and end of a line, and delete a character), and it can recall command lines. As you type the names of Soft-ICE commands, an EMACS-style completion facility displays choices that match what you've typed. You can use the HELP command to see all the commands, along with short descriptions.

Dueling Debuggers

When you use Soft-ICE with another debugger, first you should set up the protocol that it uses to communicate with your debugger. The ACTION command specifies where control goes when a Soft-ICE breakpoint triggers. ACTION's default is HERE, which means that control passes to Soft-ICE itself; you use this configuration when Soft-ICE operates as a standalone. If you haven't overridden this default, you issue the command ACTION INT3 (DEBUG or SYMDEB) or ACTION NMI (CodeView) to arrange for one of these debuggers to take control.

DEBUG and CodeView both worked well with Soft-ICE. I found Soft-ICE's window-oriented interface more convenient than DEBUG's; while debugging a screen-oriented program, I was able to view its output and separately monitor its progress in the Soft-ICE window. Since Soft-ICE provides all the DEBUG commands (and then some), there's only one reason not to bypass DEBUG entirely—you need to use it to load your target program. Nu-Mega says it plans to endow a future version of Soft-ICE with the ability to load a target program directly.

For CodeView users, Soft-ICE offers two major benefits: enhanced breakpoint capability and protection from DOS or ROM BIOS reentrancy. With ACTION set to NMI, I was able to specify a memoryrange breakpoint in Soft-ICE and gain control in CodeView when it triggered. For debugging in situations where you have access to source code, you'll probably prefer CodeView, with its ability to work with source code and symbolic information, to Soft-ICE. But the combination of the two debuggers lets you specify more powerful breakpoints than you can with CodeView alone.

The reentrancy issue requires some explanation. Soft-ICE doesn't use DOS or ROM BIOS, but other debuggers (notably CodeView) do. If you're using Soft-ICE to break on interrupts serviced by DOS or ROM BIOS code and then want to transfer control to your debugger, there may be a conflict: DOS and ROM BIOS routines aren't fully reentrant. Soft-ICE therefore provides a Warn facility; when enabled, it returns control to Soft-ICE first. You can then choose to let your debugger take control, but Nu-Mega recommends that, in this situation, you should use Soft-ICE unless you know that your debugger uses no DOS or ROM BIOS calls. With Warn enabled, I used CodeView to step through a program that contained BIOS calls; control did revert to Soft-ICE when the program entered BIOS code.

Neither ACTION INT3 nor ACTION NMI will work with T-DebugPlus 4.0, because this debugger uses a different trapping mechanism. You can, however, place an INT3 in Pascal source (i.e., Intr(3, Registers);), use Soft-ICE's I3HERE command to capture control, then debug a Turbo Pascal program with Soft-ICE alone. When the INT3 instruction triggers a break, the Soft-ICE window pops up and displays the CPU registers and the next executable machine instruction.

Breakpoints

Soft-ICE provides a rich set of breakpoint functions. The BPM (breakpointon-memory) command tags a byte-, word-, or double-word-size region of memory beginning at an address you specify. One type of modifier specifies the mode of access that triggers the breakpoint: R (read), W (write), RW (read/write), or X (execute). Another type of modifier, applicable only to read and write breakpoints, makes the breakpoint contingent on the value residing in the specified region: EQ (break when equal) and NE (break when not equal). A third type of modifier, C (count), renders the breakpoint dormant until the Cth access of the region.

The BPR (breakpoint-on-range) command works like BPM but lets you specify an arbitrarily large region of memory. BPR's access-mode qualifiers are restricted to R, W, and RW; you can still break on execution by using R, but you can't differentiate between read and execute modes. BPIO (breakpoint-on-I/O) works with I/O ports. CSIP makes all existing breakpoints contingent on the instruction pointer, which you specify to be within or, with the NOT modifier, outside a range.

Finally, BPINT (breakpoint-on-interrupt) tags hardware or software interrupts. To use it, you need to specify the interrupt's number in hexadecimal format. The modifiers AL, AH, and AX enable you to further qualify the breakpoint. For example, the command BPINT 21 AH=4C selects the terminate-program function from among the many services that interrupt 21h provides.

You can enable and disable breakpoints, and you can edit the description of a breakpoint and use it as a template for the description of a new breakpoint. Soft-ICE supports 16 concurrent breakpoints. Of these, 4 can be of type BPM, and 10 can be of any other type. You can use BPAND (breakpoint-AND) to construct a complex breakpoint that triggers



Embedded systems designers have already used CrossCode C in over 172 different applications.

Introducing CrossCode C for the 68000 Microprocessor Family

Finally, a 68000 C Compiler that's tailor-made for ROMable applications

rossCode C is designed specifically to help you write ROMable code for all members of the Motorola 68000 family.

A ROMable C Compiler?

To get truly ROMable code, you have to start with a truly ROMable compiler. Here are three CrossCode C features that you won't find in any ordinary C compiler:

- · Compiler output code is split into five independent memory sections that you can assign into ROM or RAM as you please.
- You can optimize the code for your application because you control the sizes of data types. For example, you can optimize for speed by using two byte ints, or get maximum versatility by using four byte ints.
- You can easily write assembly language routines that call C functions and viceversa, because the compiler uses simple, well documented parameter passing conventions.

How About Low Level Control?

CrossCode C comes with an assembler that has all the features that assembly language programmers require. In fact, you could write your whole application with it:

- · The assembler features an advanced macro language, conditional assembly. "include" files, and an unlimited size symbol table.
- · Detailed cross references show you where you've defined and referenced your symbols.
- After a link, you can actually convert your "relocatable" assembler listings into "absolute" listings that contain absolute addresses and fully linked object code.

Can It Handle The Link?

The CrossCode C linker is designed to handle truly huge loads. There are no limits on the number of symbols in your load or on the size of your output file. And you can always count on full 32 bit target addressability, because the linker operates comfortably in the highest ranges of the 68020's address space.

How Does It Get To ROM?

CrossCode C comes with a downloader that puts you in touch with all EPROM programmers and emulators. It can convert your load into Motorola S-Records, Intel Hex, Tek Hex, Extended Tek Hex, and Data I/O ASCII Hex. You can also produce a binary

image and convert that image into any format you might want. In all formats, bytes can be split into EPROMs for an 8, 16, or 32 bit data bus.

Why Wait?

Once you start using CrossCode C, you may just wonder how you ever got the job done before! It's available under MS-DOS for just \$1595, and it runs on all IBM PCs and compatibles (640K memory and hard disk are required). Also available under UNIX & XENIX.

CALL TODAY for more information:

1-800-448-7733

Inside Illinois or outside the United States, please dial

> PHONE: 1-312-971-8170 FAX: 1-312-971-8513

SOFTWARE DEVELOPMENT SYSTEMS, INC. 3110 WOODCREEK DRIVE DOWNERS GROVE, ILLINOIS 60515 USA

CrossCode™ is a trademark of SOFTWARE DEVELOPMENT SYSTEMS, INC. MS-DOS® is a registered trademark of Microsoft. UNIX® is a registered trademark of AT&T. XENIX® is a registered trademark of Microsoft.

HOW DO YOU GET A JOB WITHOUT WITHOUTA JOB?

Most young people have one answer to this problem. They avoid it until they're out of college. But they could be getting solid work experience while they're still in college. With your company's help. And ours.

We're Co-op Education. A nationwide program that helps college students get real jobs for real pay, while they're getting an education.

But we can't do it without you. Those real jobs have to come from real companies. Like yours.

For more information on how you can participate in this valuable program, write Co-op Education, Box 775E, Boston, MA 02115.

Not only will you be giving students a chance to earn money and pick up the most valuable kind of knowledge, you'll be giving yourselves a chance to pick up the most valuable kind of employee.

Co-op Education.

You earn a future when you earn a degree.



A Public Service of This Publication @1987 National Commission for Cooperative Education

only when the conditions of all its component breakpoints are satisfied.

The BREAK facility provides a breakpoint of last resort. When it's enabled (at a slight cost to performance), you can always activate Soft-ICE by means of its hot key, even when the virtualized DOS system's interrupts are disabled and, from the DOS perspective, the system is completely hung.

Stand-Alone Debugging

Soft-ICE's toolkit is well stocked. Of course, when you use Soft-ICE with another debugger, you don't need these tools. Soft-ICE helps you catch events that you couldn't otherwise have caught, then transfers you to your own debugger. But for projects outside the scope of standard debuggers, like debugging loadable device drivers or DOS or ROM BIOS code, Soft-ICE has everything you need. The standard debugger commands—to display and change registers, display and edit memory, unassemble instructions, read from or write to I/O ports, trace, step, and go-resemble their counterparts in DEBUG or CodeView.

Commands unique to Soft-ICE—notably MAP and BOOT—support the tasks for which you deploy Soft-ICE as a standalone. MAP displays a memory map of the system, noting the names, locations, and sizes of device drivers, RAM-resident programs, DOS, the debugged program, and any other programs already loaded into memory. BOOT uses interrupt 19h of the ROM BIOS; this restarts DOS but retains Soft-ICE. To debug an installable device driver, you use MAP to locate the driver, then dump its header and decode its entry point, set an execution breakpoint on the entry point, and use BOOT to restart DOS. The breakpoint triggers, and you can use Soft-ICE to debug the

Developers of 8086-based software

who use or have access to 80386 machines should find this product very attractive. It implements a debugging environment otherwise available only with hardware-based debuggers that cost at least three times as much. Soft-ICE alone is a powerful tool for debugging device drivers and interrupt service routines. It merges smoothly with other debuggers, such as DEBUG and CodeView, and can extend their breakpoint capabilities as well as protect against reentrancy.

Namir Clement Shammas is a columnist for several computer magazines and a freelance writer living in Glen Allen, Virginia. He can be reached on BIX as "nshammas.

The future of personal computing is clear. More powerful PCs. Easier to use PCs. With graphics and character-based programs working side by side. Talking to each other. Multitasking. Windowing. Menuing. Mousing. Getting your work done easier and faster.

labels while you're writing a report in Word Perfect, or laying out a newsletter in Ventura Publisher, or designing a building in AutoCAD.

DESQview even lets you transfer text, numbers, and fields of information between

programs.

Have it all now.

DESQview™ is the operating environment that gives DOS the capabilities of OS/2.™ And it lets you, with your trusty 8088, 8086, 80286, or 80386 PC, leap to the productivity of the next generation. For not much money. And without throwing out your favorite software.

Add DESQview to your PC and it quickly finds your programs and lists them on menus. So you can just point to the program, using keyboa mouse, to start it up. DESQvi knows where that program li what command loads it.


For those who have troub

DOS commands, it adds mer to DOS. It even lets you sort yo files and mark specific files to copied, backed-up, or deleted all without having to leave the program you're in.

Best of all, DESQview accomplishes all this with a substantial speed advantage over any .alternative environment.

Multitask beyond 640K.

When you want to use several programs together, you don't have to leave your current program. Just open the next program. View your programs in windows or



grams than you titask them. In

own a special AS memory PC, DESQview hrough the DOS r multitasking. If you have other non-EMS memory expansion products like AST's Advantage or the IBM® Memory Expansion Option, we have a

solution for you, too. The ALL CHARGE-CARD™ 'unifies' all your memory to provide up to 16 megabytes of continuous workspace. DESQview lets you use this memory to enhance your productivity. You can start 1-2-3 calculating and tall Paradi

Fulfill the 386 promise.

For 80836 PC users, DESQview becomes a 386 control program when used in conjunction with Quarterdeck's Expanded Memory Manager (QEMM)-386—giving faster multitasking as well as virtual windowing support.

And when you use DESQview on an IBM PS/2™ Model 50 or 60 with OEMM-50/60 and the IBM Memory Expansion Option, DESQview gives you multitasking beyond 640K.

Experts are voting for DESOview. And over a million users, too.

If all of this sounds like promises you've been hearing for future systems, then you can understand why over a million users have

chosen DESQview. And why PC Magazine gave DESQview its Editor's Choice Award for "The MAGAZINE Best Alternative to OS/2," why readers of InfoWorld twice voted
NOV. 24, 1987

DESQview "Product of the Year"

why, by popular vote at WORLD AND 19 Comdex Fall for two years in a row, DESQview PRODUCT OF THE was voted "Best PC Environ-Y E A R ment" in PC Tech Journal's Systems Builder Contest.

uu o .ew	r .	Total Revenue		Cos Se l
ves.	And			
le rei ius	nemberir	full screen. have memo	Open more pory for. And r	nul
our be — e	API, with task comm tasking, br way to ada	immers, DESQview's its strengths in inter- nunications and multi- ings a quick and easy apt to the future. With nailboxes and shared	640K. Or if y EMS 4.0 or 1 board, or a 3 lets you brea 640K barries	EEN 386 ak t

programs, programmers are

on DOS with capabilities like

those of OS/2.

able to design programs running

DESQVIEW SYSTEM REQUIREMENTS: IBM Personal Computer and 100% compatibles (with 8086, 8088, 80286, or 80386 processors) with monochrome or color 81888, 81289, or 60200 processors, which instructed the display, IBM Personal System/2• Memory: 640K recommended; for DESQview itself 0-145K • Expanded Memory (Optional): expanded memory boards compatible with the Intel AboveBoard; enhanced expanded memory boards compatible with the AST RAMpage; EMS 4.0 expanded memory boards • Disk: two diskette drives or one diskette drive and a hard disk • Graphics Card (Optional): Hercules, IBM Color/Graphics (CGA). IBM Enhanced Graphics (EGA), IBM Personal System/2 Advanced Graphics (U.G.), IBM rersonal system/ ZAUVARIKEV LIGHTURES (VGA)* Mouse (Optional): Mouse Systems, Microsoft and compatibles Modern for Auto-Dialer (Optional): Hayes or compatible* Operating System: PC-DOS 20-3.3; MS-DOS 20-3.2* Software: Most PC-DOS and MS-DOS application programs; programs specific to Microsoft Windows 1.03-203, GEM 1.1-3.0, IBM TopView 1.1 • Media: DESQview 2.0 is available on either 5-1/4" or 3-1/2" floppy diskette.

ws or calculating and ten r	aradox to print mailing	DESQVIEW lets yo	ou nave it all	now.					
YES!	Qty Product	Format	Price Each	Totals					
,	DESQview 2.0	□5-1/4 □3-1/2	\$129.95						
I need increased	QEMM-386	□5-1/4 □3-1/2	\$59.95						
productivity now!	QEMM-50/60	□5-1/4 □3-1/2	\$59.95						
productivity now.	ALL CHARGECARD (Special for	or DESQview owners)	\$200.00*						
Name	Shipping & Ha	andling \$5 in USA/\$10	outside USA						
Address	Ca	lif Residents add 6.5%							
City	State Zip	(Grand Total						
Payment Method Usia MasterCard Expiration /									
Account # 150 Pico Boulevard, Santa Monica, CA 90405 (213) 392-9851									

"This ALL CHARGECARD is designed for the IBM PC AT and PS/250 and 60. If you have another type of 80286-based PC, there's a version for you, too. Please call 1-(800) 387-2744 for special ordering information. Offer expires August 31, 1988. Trademarks are property of their respective holders: IBM, OS/2, PS/2, 1-2-3, Paradox, Word Perfect, Ventura Publisher, AutoCAD, Intel, Above Board, AST, RAMpage, Advantage, Hercules, Mouse Systems, Hayes, Microsoft, Windows, Top View.

FLEXSCAN 9070S, PC Hi-Res That Looks Like a Million.

The FLEXSCAN 9070 Multiple Scan monitor is of course compatible with other multi-scans, but includes improvements that will give you the professional edge which is the mark of a good investment.

You can extend your multi-scan range from 20kHz to 50kHz in practical terms. This means that, at the 48-50 kHz range, you can make use of PC CAD/CAE capabilities at a resolution of up to 1024 dots \times 768 lines. The FLEXSCAN 9070 takes advantage of non-interlace high resolution signal as high as 1024 × 768 to provide you with a flicker free display at much brightness. You can also use the 9070 with IBM PS/2 or VGA compatible boards at a high resolution mode like 800 × 600 and 1024 × 768 (non-interlace).

The FLEXSCAN 9070 provides a 16-inch screen, large enough for CAD/CAE and 3-D projections, yet small enough to fit comfortably into your home work space.





1024 dots × 768 lines Graphics (Non-interlace) **AutoCAD**

Also, for your convenience, all controls and switches, including the alternate video input, are located within easy reach on the front panel. The FLEXSCAN 9070 is compatible with a wide range of IBM, Apple, and other products, allow you to use all of today's popular programs---at a resolution that looks like a million.

FLEXSCAN MODEL 9070S

- ●IBM VGA(PS/2), 8514/A, PGC, EGA compatible and CAD/CAE use.
- Apple Mac. II and SuperMac Spectrum compatible
- Max. 1280 dots × 800 lines high resolution
- ●1024 dots × 768 lines display on Non-Interlace signal delivers flicker-free high-res graphics
- 20kHz to 50kHz horizontal scan automatic adjustment. 50Hz to 80Hz vertical scan automatic adjustment
- ●16 inch, 0.31mm dot pitch and newly developed XF(Extended Field) Gun to obtain both brightness and sharp focus.
- Front mounted controls including the input signal select switch between 2 video input.
- Selecting white or Amber displays colored application in shades of gray or amber
- Tilt-Swivel stand standard




NANAO USA CORPORATION

23510 TELO AVE., SUITE 5 TORRANCE, CA 90505 PHONE (213) 325-5202 FAX (213) 530-1679

Specifications are subject to change without notice.



Total Word



Does it offer the total solution for wordprocessing and desktop publishing?

Lamont Wood

f you're a closet typographer or graphics designer, you want an infinite number of desktop publishing features. But if you're like most people, you just want your printouts to look good-without having to learn the difference between a point and a pica, and without having to take a sabbatical to get your font files, software, and printer configured the way you want.

Total Word 1.012 (\$495) from Lifetree Software—the company behind the Volkswriter dynasty of MS-DOS word processors-is for that latter group. It works on the IBM PC and compatibles with 480K bytes of RAM and a CGA, EGA, VGA, or Hercules graphics adapter. The program also requires a hard disk drive, where it occupies about 2.7 megabytes of space (including LaserJet fonts).

Total Word offers you enough functionality to produce handsome documents with all the trademarks of desktop publishing, but it still manages to keep things simple. It includes differing typefaces and sizes with or without proportional spacing, boxes, columns, graphics, and special characters for engineering and scientific formulas, and it takes a stab at WYSIWYG (what you see is what you get). Basically, it's a word processor with limited desktop publishing features for those who are more interested in content than appearance but who still want presentable printouts in a world

where typewriter emulation is no longer good enough.

The program achieves its simplicity by, essentially, limiting and prescribing what you can do in terms of graphics layout. But its limitations probably still exceed the ambitions of many users.

Indeed, Total Word is still a word processor. As you type, your text appears on an alphanumeric screen with fixed spacing. It gives you full editing features, plus a dictionary and a thesaurus. In fact, it has all the features you'd expect from a word processor.

Beyond that, things get interesting. You can capture and include graphics images in your word-processing files; you can type math, engineering, and chemical equations straight from the keyboard; and you can change fonts easily.

Almost Desktop Publishing

Call up Total Word and start typing, and there is little to differentiate it from the scores of other MS-DOS word processors—except for the intriguing label in the status line at the bottom of the screen: "Type: Built-in Font Courier 10 Pitch Medium 12 pt Roman." This refers to the default font in a Hewlett-Packard LaserJet Plus (I tested it with a Quadram QuadLaser emulating a LaserJet Plus).

As you might expect from a program that carefully labels the font it's using, it also knows other fonts. Pressing Alt-Y brings up the Typestyle menu with a list of other possible fonts (for the LaserJet): standard, bold, italic, small headline, large headline, and small text. These turn out to be rather disingenuous labels for softfonts (i.e., downloadable typefaces for a laser printer) included with Total Word; they are, respectively, Times Roman 12-point medium, bold, and italic; 10-point medium; 16-point medium bold; and 24-point medium bold. (A point is $\frac{1}{12}$ inch.)

Switching to one of these typefaces continued

Total Word 1.012

Type

Word processor with desktop publishing features

Company

Lifetree Software, Inc. 411 Pacific St. Monterey, CA 93940 (408) 373-4718 (800) 543-3873

Format

Nine 51/4-inch floppy disks or five 31/2-inch floppy disks

Language

Pascal, C, and assembly

Hardware Needed

IBM PC or compatible with 480K bytes of RAM, a hard disk drive, and CGA, EGA, VGA, or Hercules graphics adapter

Software Needed

DOS 2.1 or higher

Documentation

480-page Total Word Manual 48-page Printer Technical Information 16-page Total Word Quick Reference

Price

\$495

Inquiry 897.

produces no immediate change on the screen—except that the right margin shifts and there's a new label for the type name. However, once you start typing, it's a new experience. The format line on the bottom of the screen, which has a marker showing the position of the cursor, no longer seems to match the actual cursor position.

Unlike many word processors that offer some sort of proportional spacing, Total Word has a preview-page mode that toggles the screen to graphics mode (if available) and shows the page as it will look when printed.

The preview screen has two modes: full page and half page. In full-page mode, you can see the image of a full page, but the text is illegible except for the headlines. The half-page mode has a high-enough resolution for you to make out the text immediately, although I did not find it comfortably legible.

Mixing different sizes on a line, which often spells trouble in other word processors, didn't bother Total Word. It still

managed to figure the spacings as it went along, and the printed margins tracked nicely. What you see with the preview screen matches the printout exactly. However, vertical spacing is based on whatever typeface the line begins with, so tossing a headline typeface into the middle of a line of 12-point type can cause problems.

Total Word controls appearances with precision because it supplies the fonts and oversees the installation of any new Hewlett-Packard or PostScript fonts you purchase from a third party, such as Bitstream (although, realistically, the supplied fonts probably cover the average user's requirements). You can name the font whatever you wish when you install a new one, and it is added to Total Word's list of fonts. The confusing details of width tables and software installation are handled for you.

But with simplicity also comes limitations. Total Word supports hundreds of printers, but only because those printers emulate one of the several printer definitions that Total Word recognizes: Post-Script, Hewlett-Packard LaserJet, Epson, IBM Proprinter, NEC Pinwriter, Okidata Laserline, Toshiba, and the Xerox Diablo 630. The software is familiar with the various cartridges available for each.

Scientific Word Processing

The softfonts supplied with Total Word include more than 300 special characters, from the integral sign to the null set to the Hebrew aleph. These special characters are useful in transcribing scientific and engineering formulas.

You call up these formulas by pressing Alt-K. The program then gives you a list of possible keyboards (1 through 10); you invoke one by pressing Alt plus the number of the one you want. A diagram of the key assignment of the keyboard you choose is displayed while you are in the Alt-K mode.

The first keyboard has the standard QWERTY layout, and the second adds bullets, blocks, and business symbols, like the trademark sign and the British pound. The eight remaining keyboards offer the following additional features in their respective order: international characters (i.e., letters with umlauts and accents, and foreign punctuation); math logic and set symbols, such as union, congruent, and such that; square root, delta, sigma, and other special math operators; the Greek alphabet; a collection of arrows; various lines and brackets for box drawings; the standard IBM extended graphics; and various angled

slashes used in organic chemistry.

To actually see these symbols as they are supposed to look, you need EGA, VGA, or MCGA circuitry, or a Hercules RAMfont card. Otherwise, you see some other standard characters, unrelated to the ones you want to use, that are either boldfaced, blinking, or both.

If you can put up with those blinking oddments on the screen, you don't really need the correct graphics boards. Total Word comes with printed keyboard charts that let you pick your symbols even without being able to recognize them on the screen.

But keep in mind that, to Total Word, the symbols are just that—symbols. It has no sense that the formulas are as meaningful as words. The integrals and root signs, for instance, do not grow to cover the formula, as some scientific word processors can do. In other words, you're just doing typewriter drawings. Still, it's a lot more functional than most general-purpose word processors.

Total Word will do arithmetic, however, and it adds up rows and columns (and even blocks) of numbers. Unlike some word processors with this capacity, Total Word can even multiply and divide

as well as add and subtract.

Graphic Imports


Many of the leading word processors lack any graphics capabilities, but depend on the user to create a print file with some graphics package. The user can then insert a command in the word-processing document to have the file printed on the page at that point, perhaps with some instructions for how it will be placed between the margins.

Total Word elaborates on this theme. The package includes a utility called Snapshot that you have to invoke from DOS. It sits in the background until, one moment when you're using some graphics program, you press Ctrl-Alt-Q. Snapshot then takes over and lets you crop the image on the screen and save it to a file. Control then reverts back to the graphics program.

Later, back in Total Word, you can call up the graphics menu with Ctrl-G, give it the name of the file, and answer some questions about the type of formatting you want, such as the size (100 percent means it will stretch from margin to margin), whether you want a border around it, and how dark you want it. Total Word then inserts a print-file command in your document to invoke graphics printing; you don't have to fool with the syntax at all.

Never Lose Your Work Again!

Introducing Cocoon, A Genuine Breakthrough.



Cocoon's Recover Mode Brings Back Every Key Stroke.

Remember all those times you've had an important work session disappear from the computer? Well, that's one problem you can forget for good!

Instant Disaster Recovery Cocoon, a uniquely powerful utility from Daybreak Technologies, protects your work from power failures, system failures, assorted accidents and just plain human error.

Cocoon is virtually invisible as it logs each keystroke to hard disk. It stays in the background, with no sacrifice of system or software speed. And your key log file takes up just 10K on your disk!

Document Your Work And Review Your Logic Cocoon captures your train of thought while it's recording your work. You can easily get an instant replay of entire session to reconstruct your logic and assumptions.

Create Custom Tutorials And DemosIt's easy to train and sell with Cocoon. Play back one keystroke at a time. Or use fast-forward to skip ahead.

Create Keyboard Macros Versatile Cocoon translates keystrokes into macros that you can transport to your application program for use later.

Debug Programs Software developers can resimulate the problem or bug — again

and again — while reading the program map through the debugging utility to locate the difficulty.

Truly A Must-Have Utility Daybreak first introduced this remarkable function in the Silk® spreadsheet. PC Magazine put our recovery capabilities high on

their "1-2-3 WISH LIST." "At most, this feature is a life-saver; . . . it can save the day (and maybe a job). — J. Blake Lambert, *Computer Age*, August, 1987. Well, we say this is the second most important piece of software you can buy, right after DOS.

You'll find Cocoon indispensable in a wealth of applications, including...

Lotus 1-2-3 and Symphony, WordStar 2000 and WordStar Professional, WordPerfect, Codesmith, P-fix, Enable, IBM PE-II, Ability Plus, And many, many more!

Special Introductory Offer — Just \$49.95! No other PC utility offers you Cocoon's solid protection and worksaving features.

Enjoy these unequalled advantages soon — and save with our special publisher-direct introductory offer. Order by mail through September 30, 1988 for just \$49.95. (After that, Cocoon retails for \$99.00)

Credit card holders can call toll-free — or use the coupon today. Act now — you really need Cocoon, and you'll save by getting it right away. Fact is, Daybreak's "work insurance policy" pays for itself the first time you recover a session!



DAYBREAK

TECHNOLOGIES, INC.

Charge to your credit card and call toll-free: **1-800-443-0100**, ext. **361N**

Toll-free number is for credit card orders only. For product information, call Customer Service at (213) 542-5888.

System Requirements: IBM or compatible with DOS 2.0 or higher and hard disk.

Rush My Cocoon Today!	copies of Cocoon @ \$49.95
Name	Add \$5 per copy if you want 3.5" diskette Add shipping & handling (\$5.00 each for U.S. & Canada. \$20.00 each all other countries)
Organization	Calif. residents add 6.5% sales tax
Address	Total \$
CityStateZip	Payment Method
Phone ()	Check or money order enclosed, made payable to Daybreak Technologies. (Sorry, no CODs!)
	Charge my ☐ Visa ☐ Master Card
Mail To: Cocoon Introductory Offer, Dept. 361N Daybreak Technologies, Inc., P.O. Box 5629,	Acct. #Expir. Date
21213B Hawthorne Blvd., Torrance, CA 90509	Signature
Do not enclose cash. Offer valid through Septem	aber 30, 1988. Please allow 4-6 weeks for delivery.

Cocoon and Silk are trademarks of Daybreak Technologies, Inc. IBM and PE-II are registered trademarks of International Business Machines Corporation. Lotus, 1-2-3 and Symphony are registered trademarks of Lotus Development Corporation. Microsoft and MS-DOS are registered trademarks of Microsoft Corporation. WordPerfect is a registered trademark of WordPerfect Corporation. WordStar 2000 and WordStar Professional are registered trademarks of MicroPro International Corporation. Enable is a registered trademark of the Software Group. Ability Plus is a registered trademark of Migent Software Inc. Codesmith is a registered trademark of Visual Age. P-fix is a registered trademark of Phoenix Computer Products Corporation.

Table 1: Total Word did poorly in BYTE's reformat and search-and-replace tests compared to Word 4.0.

	Keystroke count	Search & replace	Reformat 4K file	Convert ASCII to WP*	Convert WP to ASCII	Print in columns	Scroll test	Load WP file	Save WP file
Total Word 1.012	322	364	94	18	8	170	42	16	9
Microsoft Word 4.0	158	24	< 1	1	5	160	35	3	6

*Text format used by word processor.

Note: Results are in seconds, except for keystroke count, which is the total number of keystrokes necessary to edit a standard document.

All you see in word-processing mode is that one-line command, but you can go into page-preview mode (although you have to use the full-page option) to see that miniature rendition of the page with the graphic on it.

When printed, the graphic is a faithful representation of the screen you captured, except for whatever minor distortions crept in when it was resized. However, it is also faithful to the original resolution of the screen from which it was captured, and that resolution can be markedly inferior to your laser printer's resolution.

Total Word also includes several other printer commands, mostly inherited from Volkswriter. These commands, which you embed in the text by preceding them with two periods, are intended for mail-merge projects, chain printing (i.e., one document invoking another), sophisticated printer control, and the generation of an index or table of contents.

Full-Featured Word Processing

Aside from desktop publishing-like features, Total Word remains a word processor with strong roots in Volkswriter, including peculiarities you may not like.

Like Volkswriter, Total Word does not reformat as you go along. If you are inserting text in the middle of a paragraph, it adds blank lines for you to type the new text in, making it look like a mess until you stop and press a cursor-control key or the F8 (reformat) key. This is a rather antiquated approach, and the only apparent advantage is that it will be familiar to Volkswriter users.

The cursor-control keys can also fluster you. While the arrow keys work as expected, both the Home and End keys mean the same thing (i.e., "go all the way") when used with an arrow key. For instance, Home-left arrow means "go to the start of the line." Most word processors simply use Home for this purpose. And since after inserting some text, you first want to move elsewhere with the cursor-control keys, you, of course, press one, but this causes the text to reformat, and you end up going to the wrong place.

Surprising Performance

Total Word is the first word processor I've encountered in a long time that cannot keep up with my typing, especially when I used a proportional typeface (although it also happened in Courier mode); the moment it word-wraps to start a new line, it falls behind and starts to issue warning beeps. After the beeps, it picks up only about half of what I typed.

I used a 4.77-MHz 8088 machine, but I discovered that the problem lessened on a PC AT-class machine (which was at least three times faster). Still, it was a disappointment not to be able to type two lines on a run without trouble.

In fact, Total Word presented a mix of comfortable speed and frustrating sluggishness. File loads and saves were tolerable, print speed and cursor movement were average, reformatting was tedious (because the program scrolls through the text and shows what's being reformatted), and the search-and-replace feature was embarrassingly slow—more than 15 times slower than Microsoft Word (see table 1) and more than 45 times slower than WordPerfect. The keystroke-count benchmark gave poor results, even among mouseless programs.

Speed aside, Total Word has impressive functions, most of them quite easy to use. You can add footnotes, for instance, just by pressing Alt-F. It takes care of placing the reference number in the text and the footnote at the bottom of the page (or on the last page—you get to choose). All you have to do is type Alt-F, then type the footnote text, and go on. A slight annoyance is that the spelling dictionary does not access the footnote text.

Redlining is also available, in which inserted text is shown with a special demarcation, and deleted text is not deleted but given yet another demarcation. Total Word also includes a command that lets you jump through the file from one change to another, and a global command to make all the redline insertions and deletions official.

There's also a feature that lets you define an abbreviation. Once Total Word

notices that you have typed a defined abbreviation, it backspaces over it and then types the full text. This feature would be more impressive if it were faster, since I had to stop and wait for the replacement text to type itself, which rather defeated the whole idea.

You can print text in multiple columns, but in text mode you see only one column on the screen. You have to go to page-preview mode to see how the multiple-column page will really look.

The spelling dictionary has 170,000 words—about 50 percent more than average—and it can recognize words that were accidentally repeated, or abbreviations that need a period. There is also a word-count feature. The built-in thesaurus has 30,000 root words.

You can also store document formats in style sheets, create macros, insert commands that will not print, print in background mode (with DOS 3.0 or higher), create and fill out data-entry forms, generate form letters, sort lists, and exit to DOS to run DOS commands.

All in all, Total Word would seem to demonstrate the state of the market rather than the state of the art in word processors. It has every feature you would expect from an old warrior in the checklist word-processing wars—the ongoing competition to cram in every feature that any competitor ever found marketable. Now that desktop publishing has come along, some of its features must also be embraced by serious contenders, and in Total Word, they certainly are.

How few or how many desktop publishing features the market will bear (i.e., how many typographic complications users really want) has yet to be determined. But Total Word is in the forefront of those trying to find out.

Editor's note: At press time, Lifetree began shipping version 1.1, which it claims is faster than version 1.012.

Lamont Wood is a freelance writer in the computer and electronics fields and lives in San Antonio, Texas. He can be reached on BIX as "editors."

Get A Better Spreadsheet Than Lotus For Only \$6005

MAGAZINE EDITOR'S CHOICE


"Silk's improved graphics, fine use of function keys, interactive help, global search and replace, and easy-to-rearrange worksheet are reason enough to buy... At some point, you have to think about moving onward and upward (from Lotus). Silk gives you reason enough."— PC MAGAZINE

While it's not a clone, Silk has a Lotus-like user interface and easy file transfer (to/from Lotus) for a smooth transition to exciting new capabilities...

- Twice as fast as Lotus® with 8087/80287 coprocessor installed
- Keystroke logging prevents the loss of your worksheet sessions
- Fast, productive forms processing just fill in the blanks
- Allocation models cut the pie any way you want
- Easy-to-rearrange worksheets
- Goal seeking, i.e. what price to charge to make X% profit?
- · Two foreign exchange formats

Javelin®-type time series model in your conventional spreadsheet

Live help



English language formulas

User-defined validation criteria

Spreadsheet validation

And That's Just The Start Of Silk's * Exciting Features . . .

With all this — and more — going for Silk, Jim Gultinan of Cordata concludes "On a scale of 1 to 10 with Lotus being a 10, Silk is a 12." Soft Sector sums it up by saying "Silk is one of the most complete spreadsheet packages on the market today."

Yes, here's your spreadsheet wish list come true. At a price you dreamed of!

Special Introductory Offer — New Version 1.1 Is Just \$69.95!

In reviewing the original Silk spreadsheet, Seybold Outlook said "this is a lot of software for the money." And we say "with this special introductory offer, it's a lot less!" Enhanced Silk 1.1 is just \$69.95 when you order directly from the publisher, now through September 30, 1988. After that, it's still an exceptional value at \$298.00 retail.

Why not order right now? And see for your-self why Orange Bytes Magazine says "Try Silk, but be careful, you may find your copy of 1-2-3 collecting dust."

Rush My Silk 1.1 Today!	copies of Silk 1.1 @ \$69.95			
	Add \$10 per copy for 3.5" diskettes			
Name	for U.S. & Canada. \$40.00 each all other countries)			
Organization	Calif. residents add 6.5% sales tax			
	Total \$			
Address	 Payment Method 			
CityStateZip	Check or money order enclosed, made payable to Daybreak Technologies. (Sorry, no CODs!)			
	Charge my ☐ Visa ☐ Master Card			
Phone ()	Acct. #Expir. Date			
MAIL TO: Silk 1.1 Introductory Offer, Dept. 361N Daybreak Technologies, Inc., P.O. Box 5629, 21213B Hawthorne Blvd., Torrance, CA 90509	Signature			
Do not enclose cash. Offer valid through Septi	ember 30, 1988. Please allow 4-6 weeks for delivery			

DAYBREAK TECHNOLOGIES, INC.

Charge to your credit card and call toll-free: **1-800-443-0100**, ext. 361N Toll-free number is for credit card orders only. For product information, call Customer Service at (213) 542-5888.

System Requirements: IBM® PC or compatible with PC-DOS® or MS-DOS® 2.0 or higher, with 512KB memory; hard disk recommended.

Silk is a registered trademark of Daybreak Technologies. Inc. IBM and PC-DOS are registered trademarks of International Business Machines Corporation. Lotus and Lotus 1-2-3 are registered trademarks of Lotus Development Corporation. Microsoft and MS-DOS are registered trademarks of Microsoft Corporation. Javelin is a registered trademark of Javelin Software Company.



"Borland•Osborne/
McGraw-Hill offers you
the only full line of
endorsed books on
Quattro. These titles
combine Borland's own
technical expertise with
Osborne/McGraw-Hill's
publishing savvy. With
these official Quattro
titles, you'll have a comprehensive library that
keeps pace with you as you
develop greater skills with
Quattro."
Philippe Kahn President &

Philippe Kahn, President & CEO, Borland International,

step-by-step introduction \$19.95 600 pp. ISBN: 0-07-881347-6

The Professional Spreadsheet

Gets you up and running fast with basic to more advanced

Quattro tricks. \$21.95 650pp. ISBN: 0-07-881400-6

tro®: Power User's

Unlocks Quattro's full power for serious business.

Details every Quattro feature, command, and function. \$24.95 666pp. ISBN: 0-07-881337-9

Puts essential commands and features at your fingertips. **\$5.95** 128pp. ISBN: 0-07-881378-6

ORDER TODAY!


Available at Fine Book Stores and Computer Stores

American Express Accepted





Data Entry Goes High-Tech



DataPlex provides data conversion and a universal front end for data entry

Lamont Wood

f the computer world has a hierarchy, data entry is at the bottom. It offers no glamour, and it gets no attention. The rest of the computer world seems to see it as a necessary evil. But someone has to do it. Those ill-paid someones used to be found struggling mainly with card-punch machines, but in this increasingly personal computer-oriented world they're far more likely to

be struggling with off-the-shelf software whose data-entry facilities were, at least in many cases, an afterthought.

Those data-entry struggles may be over: Now there's DataPlex, from Tools & Techniques of Austin, Texas. Touted as a "universal front end" for data entry, DataPlex uses a low-level form of artificial intelligence to format incoming data. Its attempt to be universal offers a side effect—data conversion—that may make it noteworthy even to those who could otherwise never work up an interest in data-entry software.

DataPlex runs on an IBM PC or compatible with two floppy disk drives and 512K bytes of RAM, though the company recommends a hard disk drive and 640K bytes of RAM. It works with DOS 2.0 or higher and sells for \$195.

The Problem

By "data entry," I mean more than the thankless mechanical task of keying information from paper into a computer. Of course, that keyboard entry has to happen, but the computer ought to be doing data checking and editing. Range checking can keep a typist from inadvertently paying someone \$3 trillion an hour, or from doing anything on February 31. Data typing can ensure that ZIP codes and Social Security numbers aren't confused. The software ought to supply prompts that lead the typist through the task. And the typist ought to have the option of checking and editing data that's been input during that particular session.

Generally, if an organization has any software addressing the task, it's something cooked up by an in-house programmer who reinvented the wheel while doing so. So there are no standards: The data-entry clerks have to relearn every system they encounter. When you consider that one package might use the Tab key to move between fields, the next might use the Return key, and the next might use the space bar, you can see why data entry is considered a high-stress job. The big advantage to DataPlex, therefore, is not that it provides just the data-entry facilities mentioned, but that it eliminates the problem of learning a new system when the data-entry clerk moves to another system.

To be such a universal front end, Data-Plex must address all major data-file formats. And it stands to reason that if it can do that, DataPlex can also let you move existing data from one package to another, so that database files can be fed directly to a spreadsheet, and vice versa. And DataPlex does, indeed, do that.

DataPlex Explained

While DataPlex helps you enter data that can be used by off-the-shelf PC software packages—chiefly dBASE II and III, Lotus 1-2-3, Paradox, SuperCalc 4, and their many compatibles—it does not actually use those software packages. Instead, it produces files in the formats they use. If data input (as opposed to data

DataPlex 2.0A

Type

Data entry and conversion package

Company

Tools & Techniques, Inc. 1620 West 12th St. Austin, TX 78703 (800) 444-1945

Format

Eight 51/4-inch floppy disks

Language

C

Hardware Needed

IBM PC or compatible with two floppy disk drives and 512K bytes of RAM

Software Needed

DOS 2.0 or higher (Xenix-286/386 and UNIX V-68000 versions available)

Documentation

290-page user's guide

Price

\$195

Inquiry 908.

manipulation) is all you're interested in, you don't even need to possess those packages.

The list of packages that DataPlex is compatible with is much longer than it seems, because many packages use or at least load files in 1-2-3 or dBASE formats, even if they are not functional clones of those two products. DataPlex can also use ASCII files, which most packages can at least import. DataPlex also supports the mail-merge data list formats used by WordStar, WordPerfect, and Microsoft Word. DataPlex's menu lists 24 formats or packages it can work with (see table 1), and it seems the list could easily be lengthened by adding more clones or packages that can use an intermediate format for input purposes. (The company says it intends to add about one new format a month.)

But you don't need to worry about formatting when you start using DataPlex. All you need is the ability to type and a vague realization that data files should be arranged in records that are themselves divided into fields. The address of BYTE magazine would be a record; the name, street address, city, state, ZIP code, and phone number would be fields.

The screen is divided into three windows. The bottom one has a list of com-

mand options that you select by moving a color bar from one to another and then pressing Return, as in Microsoft Word. The middle third of the screen has a box where help messages appear. (Contextual help messages are available at any time by pressing Alt-H.) The top of the screen is where your data is shown.

When you fire up the software and go into data-entry mode, the data-entry area of the screen has, centered in it, an enclosed space marked FIELD 1. If you type BYTE magazine, the words appear in the field. (For longer entries, the field expands to include the text.) When you press Return, FIELD 1 is joined on the right by FIELD 2. You can go on entering the street address, city, state, ZIP code, and phone number. Each time you hit Return, a new field is added.

At the end of the address, you press Return twice—and the magic begins. The software pauses for about 20 seconds (on my 4.77-MHz system), and the word Styling appears in the help box.

Then the data reappears. The name, address, and city fields are, as before, labeled FIELD 1-4. But the state field (containing NH for New Hampshire, BYTE's home) is labeled ST (state). And the phone number field is segmented into three subfields, labeled Area Code, Exchange, and Number.

In other words, DataPlex recognizes data for what it is. On subsequent records, you will not be able to enter anything in the ST field except a valid state abbreviation, and the phone field will accept only appropriately formatted numbers.

It's not perfect. BYTE's ZIP code, 03458, comes out as 3458, DataPlex having seen it as just a five-digit number. But leaving that field highlighted, you can go into command mode (by pressing Escape) and go to the Format menu, choose the Use command from the menu, and choose ZIP Code from the list of possible formats that appears. Suddenly, the ZIP code turns back into 03458. According to the company, DataPlex's designers were leery of letting the software classify every five-digit numeric field as a ZIP code, so you have to format it manually. The software readily recognizes ZIP+4 codes, however.

There are 44 different data formats it can recognize (actually more, if you count a number coupled with a unit measure as a format), including Social Security numbers, Canadian and European postal codes, 26 formats for calendar dates, and 6 formats for time of day.

These aren't perfect either. The date formats will let you specify February

31—but not February 32. The system knows only that a month should not have more than 31 days, or a year more than 12 months.

You can specify your own formats for a field, too. Numbers can be assigned a range, and an entry outside that range won't be allowed; thus, the computer can't try to pay someone \$3 trillion an hour. Or you can assign a list of possible entries. Anything not on the list will not be allowed, and as you type your entry DataPlex will try to match it with the entries on the list, beginning with the first letter. Generally, two or three keystrokes will be enough to produce a correct match. You can also compose your own lookup tables, so that an entry in one field will trigger an entry in another. For instance, an entry of 0 to 59 in a Semester Average field of a classroom tracking system could trigger the entry of an F in the Semester Grade field.

You can also set prompts for a particular field, so the computer can ask the typist to Enter last name, for example, instead of displaying a default prompt like Enter Data for FIELD 1.

Once you're finished with a session, you then use the Transfer command to save the file. DataPlex then saves it in a proprietary format with a .DP2 file extension.

At this point, you still don't have a database or spreadsheet file. To produce one, you invoke DataPlex's Connect facility and choose from the list of 24 formats, and the system produces a file of the corresponding file format and extension. The original .DP2 file still exists, so you can render it in multiple formats if you want.


DataPlex has no data-processing facilities of its own, but you can have it filter the data you want to output by using the Extract command in the Connect facility. Using simple logical operators tied to specified fields, you can have DataPlex output only those records that have fields meeting the requirements of the logical operators. Using the example address file mentioned above, you could specify the ST field, set the logical operator to =NH, and output a file containing only records with New Hampshire addresses. In fact, I found DataPlex's Extract function more approachable than the similar function in my database package.

A Data Converter, Too


The data input procedure described above also works with existing data files. When you import a data file in one of the listed formats, DataPlex will attempt to

STATGRAPHICS

Uporades Available



Select the points you want to remove from your regression model . . .



...Then press F6 to refit the model and recalculate the statistics.

Because "Statistical Graphics" Is Better Than Just Statistics and Graphics

Most of today's PC statistical packages give you all the statistics you'll ever need. Some even give you a few graphics. But only STATGRAPHICS from STSC gives you integrated statistical graphics in an environment you control.

Unique "What If" Interactivity

STATGRAPHICS lets you explore data relationships fully, producing higher quality, more timely solutions. Define your data and assumptions, run the procedure and review the results, modify data and assumptions repeatedly and take another look—and another. All without leaving the procedure or making permanent changes to your data.

((SIN X)^2) + ((COS Y)^2) SURFACE PLOT

Integrated Statistical Graphics

Coupled with STATGRAPHICS' interactive environment are over 50 types of graphs—traditional pie and bar charts, histograms, 3-D line and surface plots, quality control charts, and more. All are integrated with the procedures so that they can be displayed instantly and modified repeatedly.

Query data points, do on-screen forecasting and model fitting, overlay graphs, or zoom-in on any area for a closer look. With flexibility like that, you can spot and investigate visual trends in your data—trends you may have missed if you looked only at the numbers.

A wide variety of graphs supported on over 100 displays, printers and plotters, including the new IBM PS/2™ Series.

Over 250 Statistical Procedures

- Direct Lotus® and dBASE® interfaces
- ANOVA and regression analysis
- Experimental design
- Quality control procedures
- Multivariate techniques
- Nonparametric methods
- Exploratory data analysis
- Forecasting, time series analysis, and more.

STATGRAPHICS-

The Best Way to Do Statistics!

Put the power of STATGRAPHICS to work for you today—all for only \$895*. For our free convincer kit or the name of a dealer near you, call

(800) 592-0050 ext. 400

In Maryland, (301) 984-5123; Internationally, (301) 984-5412. Telex 898085 STSC ROVE


STSC

STSC, Inc. 2115 East Jefferson Street Rockville, Maryland 20852

*Suggested retail price in U.S. and Canada. International prices vary. Available through dealers and distributors worldwide. STATGRAPHICS, Lotus, and dBASE are registered trademarks of Statistical Graphics Corporation, Lotus Development Corporation, and Ashton-Tate, respectively.

IOtech offers the widest selection of easy-to-use IEEE 488 (GPIB) interfaces for the Macintosh.

- NuBus IEEE board for the Macintosh II
- SCSI / IEEE controller for the Macintosh Plus, SE & II
- Serial / IEEE controller for long-distance applications



- Serial / IEEE plotter converter for HPIS olotter interlacing
- Desk accessory software for IEEE control from any application
- Language drivers for IEEE control from Basic, C, Fortran, Pascal, Hypercard and more
- Menu-driven software for scientific analysis and graphics
- ·30 day money-back guarantee
- ·2 year warranty
- ·Call or send for your FREE Technical Guide



IOtech...the choice is easy



(216) 439-4091 Telex 6502820864 Fax (216) 439-4093

25971 Cannon Road . Cleveland, Ohio 44146 London (0734) 86-12-87 • Paris (1) 34810178 • Zurich (01) 821 944
Milan 02-4120360 • Linkoping 013 11 01 40 • Gorinchem 01830-35333
Sidney (2) 452 3831 • Seoul 784-9942 • Munich and other European,
North African and Middle East countries not listed (089) 710020.

Table 1: A list of file formats currently supported by DataPlex.

ASCII delimited-field format (delimiters can be specified) ASCII fixed-field format IBM binary (EBCDIC) dBASE II dBASE III DIF (Data Interchange Format) Lotus 1-2-3 Paradox **FoxBASE** FoxBASE Plus Microsoft Word (mail-merge list format) WordPerfect (mail-merge list format) WordStar (mail-merge list format) Symphony Catamount (nine-track tape interface board) Overland (nine-track tape interface board) Framework II (database format) Framework II (spreadsheet format) Multiplan 2.0 (ASCII list format) Multiplan 2.0 (spreadsheet format) Reflex SuperCalc 4 VP-Info VP-Planner

classify the contents of each field in the first record (or the first row in a spreadsheet file) and apply it to the rest of the file. After it's loaded, you can add further data, or you can edit the data and (after saving it as a .DP2 file) output it in either the same format or a different one.

A new file or a newly converted file can also be appended to an existing data file, although the manual warns against doing this with certain spreadsheets.

Actually, you can use the program as a data converter independent of data entry, and vice versa. DataPlex can be invoked with its FE (front end) command, in which case you're immediately in the data-entry facility, or through the regular DP (DataPlex) command, which gives you access to both the data-entry and file conversion commands. So it's possible to use DataPlex as purely a data converter without being aware of its data-entry facilities.

DataPlex also handles binary data entry downloaded through a modem. This refers to data in IBM mainframe format, using the EBCDIC alphabet code instead of the ASCII code and representing numbers in packed decimal format. DataPlex can also convert data from nine-track tapes when used with a PC equipped with a Catamount or Overland tape interface board and an optional DataPlex software enhancement that costs \$595.

Inside DataPlex, a numeric field can be assigned a unit of measure; the unit will not be listed in the field, but it will appear in the prompt. DataPlex has 31 units of measure, covering distance, weight, and volume. After assigning a unit to a field, you can then change the measure and DataPlex will recalculate the figure. Thus, for instance, you can convert from English to metric and change all your tons to kilograms automatically.

All Things to All People?

The manual is thorough, but it was apparently written by and for programmers, saying things like "connect to an outside application" when it means "output your data in a particular file format." Nor were things clear even after I broke this code: Pertinent information tends to get lost in the forest of options. For instance, it turns out that to output the ZIP code mentioned above correctly to a data file (as 03458 instead of 3458), you also have to format that field with the Width command in the Format menu to add leading zeros.

And while DataPlex seeks to be a "universal front end" for data-entry tasks, that means the company is offering its data-entry screen as the universal data-entry screen—and a lot of people won't be happy with it. The (usually empty) help box and the command lines consume so much of the screen that you only see the data record you're working on, plus the last three records (which are shown at the top of the screen). There's no way to adjust the size of the data-entry area, so what you see is what you get. In addition, there is no provision for using color to give extra meaning or emphasis to the input screen, although color is all the rage nowadays.

DataPlex is easy enough to use for a data-entry clerk, although the naive user is in danger of getting lost in the formatting options when approaching anything but the most rudimentary task. But it is a powerful tool in the hands of a computerliterate manager. When you have scores of people struggling through the ghastly tedium of inputting data into the typical spreadsheet, even slight improvements in productivity are important, and Data-Plex offers major improvements for most folks. And in any office where the professionals each have their own unique and beloved software package, DataPlex is an invaluable integration tool.

Lamont Wood is a freelance writer in the computer and electronics fields and lives in San Antonio, Texas. He can be reached on BIX as "editors."



DOS system running Lotus 1-2-3

THIS IS AN IBM PS/2 MODEL 80 **RUNNING DOS**

Under DOS, this PS/2™ is a powerful 80386-based singletasking, single-user computer that can run thousands of DOS applications. In 16-bit, 8086 mode.

One at a time.

When OS/2™ software becomes available, the PS/2 can become a multitasking, single-user computer running in 16-bit, 286 mode that can also single-task those DOS applications under OS/2.

One at a time.

With DOS or OS/2, the PS/2 will support one user.

	1 user (DOS)	1 user (OS/2)
Cost per system**:	\$12,389	\$12,594
Cost per user:	\$12,389	\$12,594

SCO XENIX system running SCO Professional

THIS IS AN IBM PS/2 MODEL 80 RUNNING SCO XENIX

Under SCO XENIX,® this PS/2 becomes a powerful 80386based multitasking, multiuser computer that can run thousands of XENIX applications. In full-tilt, 32-bit, 386 mode.

Many at a time.

And using SCO VP/ix,™* the PS/2 can multitask DOS applications under SCO XENIX.

Many at a time.

With SCO XENIX, the PS/2 will support one user. Or 9 users. Or even 33 users.

And it can do all that today because you can get SCO XENIX for the PS/2—now!

	1 user	9 users	33 users
Cost per system**:	\$14,559	\$19,726	\$40,402
Cost per user:	\$14,559	\$2,192	\$1,224

SCO XENIX System V and the SCO XENIX family of software solutions are available for all industry-standard 8086-, 80286-, and 80386-based computers, and the IBM® Personal System/2™ Models 50, 60, and 80.



(800) 626-UNIX (626-8649) (408) 425-7222

FAX: (408) 458-4227

TWX: 910-598-4510 SCO SACZ


uucp: ... decvax!microsoft!sco!info!

Circle 239 on Reader Service Card

^{*}SCO VP/ix available as separate product.

^{**}Cost comparisons are based on most recently published U.S. domestic suggested list prices. Cost model: Base machine: IBM PS/2 Model 80, 70Mb disk, 1Mb RAM, IBM 8512 color monitor, 1Mb additional IBM RAM, IBM ProPrinter XL.® 1-user DOS system: Base machine, plus DOS 3.5, WordPerfect 4.2, Louis® 1-2-3, @dRaSE III PILX.® 1-user DOS system: substitute OS/2 for DOS. 1-user SCO XENIX system: Base machine, plus DOS 3.5, WordPerfect 4.2, Louis® 1-2-3, @dRaSE III PILX.® 1-user OS/2 system: 1-user DOS system: substitute OS/2 for DOS. 1-user SCO XENIX system: Base machine, plus SCO XENIX 386 for PS/2, SCO VP/1x, SCO Lyrix.® (word processing), SCO ForBASE+1* (dBASE III PILX.® 1-user SCO XENIX system: 1-user SCO XENIX system: 1-user SCO XENIX system: 9-user SCO XENIX system; 9-user SCO XENIX system; plus 3151 ASCII terminals. 3-user SCO XENIX system: 9-user SCO XENIX system; plus 3151 ASCII terminals. 4 Mb additional 70Mb disk.

Some Datacomm Standards Should Be Carved in Stone



In the matter of full-duplex data communication at 9600 bps, a number of approaches have been discussed. There's the CCITT-approved V.32. There are even some "pseudo V.32s" around. Some suggest that, because of their somewhat lower cost, non-standard modems may be the answer.

At Universal Data Systems, our position is carved in stone: for full end-to-end compatibility, regardless of equipment source, standardization on true V.32 is the only workable solution.



That's why the fully featured UDS V.32 is the acknowledged price/performance leader.

Our exclusive near-end/ far-end echo cancellation techniques, combined

with trellis coding, result in -17dBm signalto-noise ratio; that's plenty of horsepower for voice-grade lines.

As back-up for your dedicated four- or twowire system, or for a 9600 bps upgrade of your present dial-up communications, check out the UDS V.32. It's the standard!

Universal Data Systems, 5000 Bradford Drive, Huntsville, AL 35805.

Telephone 205/721-8000; Telex 752602 UDS HTV.

Quantity One



Universal Data Systems



MOTOROLA INC.

Circle 286 on Reader Service Card

Review Update

NEC's Newest MultiSyncs

Since the February review of multiscan color monitors, we've been able to test NEC's three new monitors: the Multi-Sync II, XL, and GS.

The \$899 MultiSync II, the successor to NEC's original MultiSync, has a 13inch screen with a 0.31-millimeter tridot pitch. Front-panel controls include brightness, contrast, and power. You can access more switches from beneath a front-panel cover. These include vertical position and size, horizontal position and size, text mode, and text color. When the text-mode switch is on, text appears in the color selected by the text-color switch—white, amber, or green.

Rear controls include a manual switch, a mode switch, and a color-mode switch. When the manual switch is off. the MultiSync II automatically adjusts to the scanning frequency, resolution, and color requirements of the graphics adapter you're using. With the manual switch on, you select the mode (grayscale or color) and the number of colors (8, 16, or 64) that the graphics adapter requires. The monitor's single D-sub 9pin adapter accepts digital or analog inputs, and the unit comes with a tilt-swivel base.

The monitor's horizontal scan frequency automatically ranges from 15.5 kHz to 35 kHz, and vertical scan ranges from 50 Hz to 80 Hz. The bandwidth is 30 MHz, and resolution runs 800 dots horizontal by 560 lines vertical. A 21page manual covers adjustments, connections, basic troubleshooting, pin assignments, and timing charts. The MultiSync II's warranty is limited to 1 year for labor, 2 years for parts.

Our Microvision Superspot 100 tests recorded a 0.534-mm spot size for the MultiSync II. The monitor's spot size bloomed to 0.642 mm at maximum brightness, but this difference is within acceptable limits. Spot size indicates the true fineness of the display, while blooming reveals how resolution is affected by brightness. A small spot size

and a small difference between low and high levels are best. In earlier tests, the Electrohome ECM 1910 and the NEC MultiSync Plus registered the best spot sizes—around 0.45 mm. The MultiSync II numbers represent a median range.

Spot sizes usually deteriorate at the corners. Too much difference between a center spot size and a corner spot size reveals poor design. Corner spot size for the MultiSync II measured 0.648 mm at normal brightness and 0.75 mm at maximum brightness. These numbers fall within tolerable bounds. The finest corner spot sizes of the monitors we tested fell between 0.55 mm and 0.60

The MultiSync II displays pure colors, but it lacks striking sharpness. Our tests noted very little misconvergence, but they did reveal some unacceptable jitter. Swim and drift were not problems. In fact, the MultiSync II monitor posted exceptionally small numbers for horizontal time variance.

In the February review, we presented general specifications for NEC's 19-inch MultiSync XL, but we hadn't received the monitor in time to run our Microvision tests. The XL has a 0.31-mm tridot pitch, and our equipment measured a center spot size of 0.562 mm and a corner spot size of 0.585 mm. Both the spot size itself and the difference between best-case (center) and worst-case (corner) measurements were small. However, at high intensity, blooming begins to affect the display. The center spot size increases to 0.809 mm at maximum intensity: the corner spot size rises to 0.919 mm.

Measurements for jitter and swim were average, but the XL's numbers for both vertical drift (0.041 mm) and horizontal drift (0.015 mm) were exceptionally low. The XL also scored very well on our misconvergence tests, registering less than 0.1 mm in red-to-green, blueto-green, and red-to-blue errors. The tests also revealed very little difference between misconvergence at the center of the screen and at the corner.

The MultiSync XL comes with a 25page pamphlet that covers adjustments, connections, basic troubleshooting, pin assignments, and timing charts. Like the MultiSync II, the XL's warranty is 1 year for labor and 2 years for parts.

The \$279 MultiSync GS (gray scale) monitor has a 14-inch screen with a flattened face to minimize glare. The monitor comes with a tilt-swivel base. The controls are easily, though somewhat inconveniently, accessible atop the monitor. These controls include brightness, contrast, vertical size, vertical position, horizontal position, and power. A TTL/analog switch at the rear of the monitor selects the proper video input mode. The monitor comes with an adapter to interface it to the analog video port of IBM PS/2 systems.

Resolution for the MultiSync GS reaches a maximum of 720 dots horizontal and 480 lines vertical. The horizontal scan frequency automatically adjusts to a maximum of 31.5 kHz; the vertical scan reaches a maximum frequency of 70 Hz. A 17-page manual covers controls, connections, basic troubleshooting, pin assignments, and timing charts.

Spot sizes for the MultiSync GS were fairly high: 0.719 mm at the center and 0.765 mm at the corner. However, spot size did not vary greatly from best-case (center) to worse-case (corner), and intensifying the brightness did not cause excessive blooming. These numbers reveal a well-designed monitor with average fineness.

Our time variance tests for the Multi-Sync GS registered excessive jitter: vertical jitter measured 0.016 mm, and horizontal jitter measured 0.0089 mm. However, measurements for swim fell within the median range, and drift measurements were very low.

Visually, the GS display is much more appealing than a conventional monochrome screen. Colors are represented by up to 64 shades of gray, providing greater clarity and versatility than the monochrome option offers. For programs that use extensive graphics or color menus, the GS display also enhances functionality.

All three monitors are available from NEC Home Electronics (USA), Inc., 1255 Michael Dr., Wood Dale, IL 60191, (312) 860-9500.

—Stan Diehl



T-shirt from Robert Tinney Graphics! The colored sleeves and neckline vividly complement the full-color design. And don't mistake this for a rubbery

patch that cracks and peels off after a few washings. This is true fourcolor process: the permanent inks are silk-screened into the fabric, resulting in a beautiful, full-color image that lasts!

You'll also appreciate the shirt itself: a heavyweight cotton/polyester blend which combines tough washability with the cool, soft comfort of cotton. Each Byte T-shirt is priced at only \$12.50 (\$11.50 each for 3 or more). Be sure to include shirt size: C-(child 10-12), S-(34-36), M—(38-40), L—(42-44), and XL—(46-48). Most orders shipped within a week.




#T1—Computer Engineering



Intelligent Reflections

TWO NEW

DESIGNS!



Human Dimensions









#T5—Breakthrough

Send t	the f	ollowing T-shirts(s) at \$12.50 each, or \$11.5 ve included \$2 for shipping & handling (\$	0 ead	ch for 3 or erseas).	☐ I have enclosed U.S. check or money order.☐ C.O.D. (via UPS—stateside orders only)	mail this coupon to
QTY.	#	TITLE	SIZE	AMOUNT		Robert Tinney Graphics
				\$	Card #:	1864 North Pamela Dr
				\$	Expires:Signature:	Baton Rouge, Louisiana 70815
				\$	Ship my shirt(s) to:	For VISA, MasterCard o
				\$	Name:	American Express orders or for more information
				\$	(Business):	Call 1-504-272-7266
				\$	Address:	Ouii 1 004 272 7200
				\$	No. Control of the Co	
		Shinning & handling (see ab	ove)	\$	City:	-


State: _

TOTAL \$

☐ Please send your COLOR brochure

BIT Limited Editions





Striking 16" × 20"
Limited Edition
Prints from the pages of Byte.
Each print is signed and numbered by the artist, Robert Tinney.

Limited Edition Classics

You've seen them on the cover of Byte — now enjoy these delightful images as stunning limited edition prints! Each print pictured here is published in an edition strictly limited to only 1000 signed and numbered prints, and each is accompanied by its own Certificate of Authenticity.

These gorgeous reproductions are printed on select 100% cotton fiber stock; this is a museum grade acid-free paper, highly resistant to yellowing and cracking. You will be assured of a print which will retain its color and beauty for generations.





Price and Shipping


The price of Byte Limited Editions, which depends on the number of unsold prints in each edition, is shown above each print pictured here. In addition, a 15% discount is available if you order two or more prints.

Your prints will be shipped flat, usually within a week of our receipt of the order. Shipping is via UPS Blue Label.

Guarantee

Ship your prints back to us within 30 days of your order, and you will be given a complete, no-questions-asked refund.





Yes! S		the following Byte Limited Editions. TITLE	AMOUNT \$	☐ I have enclosed U.S. check or money order. ☐ C.O.D. (via UPS—stateside orders only) ☐ VISA ☐ MasterCard ☐ American Express Card #: Expires: Signature:	mail this coupon to: Robert Tinney Graphics 1864 North Pamela Dr. Baton Rouge, Louisiana 70815
			\$	Ship my Print(s) to: Name:	For VISA, MasterCard or American Express orders, or for more information
			\$	(Business):	— Call 1-504-272-7266
		Deduct 15% if ordering two or more prints.	\$	Address:	
		Shipping: \$4 (\$20 overseas).	\$	City:	
☐ Ple	ase send	TOTAL your COLOR brochure	\$	State:Zip:	

Display Technology

- Face to Face by Gene Smarte and Nicholas M. Baran
- 257 Taking the Wraps off the 34020 by Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag
- Lighting the Way by Rolland Von Stroh and Brian Dolinar
- 282 Monitor Makers

hat you see isn't just what you get—it's everything. When you're interacting with a computer on a visual level, as many of us spend a great deal of time doing, what you see and how well you see it often makes the difference between health and headaches, efficiency and eyestrain. The quality of that visual interaction can-dare I say it-affect the very quality of our lives, at least the portion that we spend looking at our display screens.

As soon as you start talking about various types of displays, it becomes very clear that there are almost as many opinions about what is best as there are people working at display monitors. One person wants an amber monochrome display while another prefers green. One person likes a display that is garish with bright colors while another wants just a few carefully chosen soft colors. One person wants as sharp a contrast as possible between the characters on the screen and their background, while another finds that combination blinding. And who among us hasn't had to adjust the brightness controls and the viewing angle on nearly every monitor we've used?

This month, BYTE looks at display technology and the various types of monitors popular today. In "Face to Face," Gene Smarte and Nicholas M. Baran look inside the CRT, gas-plasma, liquid crystal display (LCD), and electroluminescent (EL) display and describe what they find there. Gene and Nicholas explain the hows and whys of these technologies, how each one creates the light we see, and what the various problems with

"Behind every successful monitor is a hard-working graphics chip." Well, maybe not every one, but certainly the various graphics chips are heavily in-


volved in "what you see." This month we are excited to present "Taking the Wraps off the 34020" by Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag. The 34020 is the new 32-bit graphics microprocessor from Texas Instruments, and these gentlemen have been intimately involved with its design and implementation. It's a fascinating article about a chip sure to have an effect on the marketplace, and we are delighted to be able to give you the inside scoop so soon after its release.

Next, we take a look at a screen type undergoing significant changes—the EL display. In "Lighting the Way," Rolland Von Stroh and Brian Dolinar expose the secrets of electroluminescence, how and why it's so bright, and Planar Systems' recent foray into the world of EL color.

There may never be one monitor or one type of display that pleases all of us all the time, but as the technology improves, choosing the best is becoming more and more difficult. There are literally hundreds to choose from. In fact, there are simply too many to list, so this month rather than listing monitors you might pick, we have included a list of the companies that make microcomputer monitors in "Monitor Makers."

As headaches and sore eyes—at least those caused by poor display qualitybecome a thing of the past, and display technologies approach each other in quality, prices will have to come down. As a result, the choice between monitors will become just that—a choice, a matter of personal preference. Then, it will be interesting to see which technology comes out on top.

—Jane Morrill Tazelaar Senior Technical Editor, In Depth



THE BEST WAY TO SEE THE FRUITS OF YOUR LABOR.

Seiko Instruments' CM-1430 Monitor offers you the finest color image of any monitor available today.

More precise focus. Better contrast. A brighter picture. The richest colors. No other color monitor made today offers your IBM® XT, AT, PS/2™ or compatible system a better image than that produced on our Super Fine Pitch™ Black Trinitron™ screen.

The CM-1430 Color Monitor is compatible with CGA, MDA, HGC, EGA, PGC, MCGA and VGA software modes. It also supports the IBM 8514/A graphics adaptor in resolutions as high as 1024 x 768. So it's ready for the next generation of video standards even before you are.

And, to make compatibility even easier, the CM-1430 automatically switches itself to work in whatever mode you're using. So now, all of your applications can be handled by just one high per-

formance yet very affordable monitor. You'll never have to spend money upgrading or adding extra boards again.

Of course, the color monitor with the best picture is backed by the company known for quality — Seiko Instruments. Call today for the name of the Seiko dealer nearest you. And see for yourself how the fruits of your labor can now blossom with more vivid, life-like colors than ever before.

Inquiries, call Bob Clark (408) 922-5900.

Circle 244 on Reader Service Card

Seiko Instruments

Seiko Instruments USA, Inc. PC Products Division (408) 922-5900

© 1988 Seiko Instruments USA. IBM and PS/2 are registered trademarks of IBM Corp. Super Fine Pitch and Trinitron are registered trademarks of Sony Corp.



Face to Face

Where are we now, and where are we going?

Gene Smarte and Nicholas M. Baran


our major display technologies compete for the right to go "face to face" with all of us. They appear not only in computers, but also in televisions, household appliances, medical equipment, military equipment, and in other devices that need to display text or graphics.

These technologies are the CRT, liquid crystal display (LCD), gas-plasma display, and electroluminescent (EL) display. Other technologies, such as vacuum fluorescent displays (VFDs), electrophoretic displays, and light-emitting diode (LED) displays, are comparatively minor, and we won't cover them here.

Due to the great number of display products manufactured and their complexities, it's impossible to provide technical details of all the

competing products. However, we have tried to show the technology behind each approach in a representative manner.

In the midst of continual improvements in computer-processing power, I/O speeds, and storage capacity, advances in display technology are often overlooked. But with the increasing importance of the graphical user interface in all aspects of computing, advances in



display technology will play a key role in defining the computer of the 1990s.

Over the years, many industry watchers have predicted that one or another display technology would dominate and eventually wipe out its competitors. However, there seems to be no basis for this prediction. As industry analyst David Mentley of Stanford Resources in San Jose, California, points out, "Each

technology finds its own niche. The concept that one technology is going to dominate the market is not valid."

Two major forces are driving the display market. One is the television industry. According to Mentley, "The Japanese display effort is driven by televisions, not by computers." The Japanese dominate the television industry and are devoting major efforts to improving displays for both portable, pocket televisions and large-screen, high-definition TVs. Of course, the technological advancements in television then have a corresponding effect in the computer industry. "It's a short drop back to produce monitors instead of TVs," says

The second driving force is the demand for color. As graphical user interfaces are

becoming increasingly popular, color is almost a necessity in a graphics environment. At this time, CRTs still have the edge in displaying color.

CRTs

Even though it's about 85 years old, the CRT still has many miles left in it, according to companies who use the tubes

in their monitors. They may be investigating other display technologies, but they are not abandoning their bread and butter. The CRT's reliability and price-to-performance ratio are tough to beat, and millions and millions of these tubes are in use around the world.

Currently, the CRT is the only relatively inexpensive system that can produce large full-color images. As Dick Sager, product manager for high-resolution monitors at Mitsubishi, said, "For the past 20 years I've heard that the CRT would be dead in about 5 years."

The "Multiscan Color Monitors" review in the February BYTE takes a close look at how 14 modern color monitors performed and provides detailed technical information on monitor specifications.

A CRT Primer

Let's take a quick look at how a CRT works before we look at today's technology. Conventional CRT displays produce an image by directing an electron beam on a phosphorescent coating on the glass face of the tube. When struck by the electron beam, the phosphor glows, producing the light that reaches our eyes. When the electron beam stops hitting a phosphor, the light quickly fades. Different phosphor compositions control how long the glow lasts, their persistence, and, in color CRTs, what colors are produced.

Figure 1a shows a simplified cross section of a CRT. The negatively charged electron beam starts in an electron gun at the back of the tube and is accelerated toward its face by a large positive voltage. Along the way, the beam is focused into

a round shape and swept across the tube face horizontally and vertically.

These days, most video-monitor CRTs use electromagnetic focusing and deflection coils, the windings of which are often referred to as a *yoke*. Turning the electron beam on and off at appropriate times via the control grid produces a glowing pattern on the tube's face. For monochrome displays, the phosphors can be just about any color: white, green, amber, and so forth. But that's just what you get—one color.

The long "neck" of the CRT significantly contributes to cabinet depth. Efforts to shorten the neck create deflection and focusing problems, because then the electron beam must be moved through large angles; it strikes the tube face more obliquely as it moves away from center.




Figure 1a: Typical monochrome CRT operation. Negatively charged electrons are produced in an electron gun and are attracted to the high positive voltage at the front of the tube. The resultant electron beam is focused on and deflected across the CRT face.




Figure 1b: A typical color CRT uses three electron guns for red, blue, and green, and corresponding colored phosphor dots on the CRT face. A thin metal screen, a shadow mask, is perforated with tiny holes that must align with the phosphor dots (see figures 1c and 1d).




Figure 1c: Close-up of a round-holed shadow-mask and phosphor-triad arrangement.




Figure 1d: Close-up of a rectangular-holed, stripedphosphor shadow-mask arrangement.

Full-color displays add complexity to the basic CRT design. Figure 1b shows that a typical color CRT has three electron guns, one each for red, green, and blue (Sony uses a single gun); a tube face covered with tiny triads of red, green, and blue phosphors; and a shadow mask.

You will often hear the dot-pitch specification mentioned when comparing CRT monitors. Dot pitch or tri-dot pitch is the distance in millimeters between the phosphor triads and is some measure of the resolution capabilities of the CRT itself. Many EGA monitors have dot-pitch measurements in the 0.28- to 0.31-mm range, and the trend is toward finer dot pitches.

The shadow mask is made of metal and has tiny holes in it that must be precisely aligned with the phosphor triads to prevent the beams from striking and illuminating other phosphor triads. The holes are often round with corresponding round phosphors on the face of the tube (see figure 1c).

Some CRT designs use a shadow mask with rectangular slots to illuminate alternating stripes of red, green, and blue phosphors (see figure 1d). As in a monochrome display, the beams are swept across the tube face, striking their appropriate phosphors through the shadow mask. By controlling which electron beams strike which of their corresponding phosphors, full color can be realized.

Recently, a big change in monitors has been the introduction of multifrequency scanning capability. Pioneered by NEC and its MultiSync family of monitors, multifrequency scanning capabilities have rapidly become commonplace. Early on, computer monitor manufacturers used the same horizontal and vertical scanning rates as television—that is, 15,750 Hz for horizontal and 60 Hz for vertical. To improve brightness (by hitting the phosphors more often in the same amount of time), permit faster screen updates, and reduce flicker, many monitors and controllers can now operate under a wide range of frequencies.

This flexible scanning approach also lets your monitor adapt to different graphics display standards. Generally, as the scanning frequencies increase, the image quality increases. But a system designed to operate at only one frequency can usually be optimized to produce a better-quality image than one that must be capable of accepting a broad range of operating conditions.

Bigger and Better

There's an ongoing demand for higher resolutions and larger displays in both monochrome and color. In CAD, image processing, graphics specialties, and others, the demand is for photographic resolutions. The trend seems to be toward color, even though certain applications, such as word processing, can seem cluttered with extraneous color boxes and menus. Also, monochrome monitors clearly have the edge in resolution. A CGA display is harder on the eyes than a decent monochrome monitor.

The desire for higher resolution runs into two old problems: lack of brightness and unwanted heat. With monochrome monitors, heat is a persistent, but not insurmountable, problem. There's no shadow mask to absorb and waste energy.

MegaScan Technology in Gibsonia, Pennsylvania, holds a patent on a yokeheat dissipation technique and uses it in a 19-inch white monochrome monitor. It provides up to 4096- by 3300-pixel resolution using an electron-beam spot size of 0.005 inch. This precision translates to 300 dots per inch. Photo 1 shows the ultrahigh-resolution MegaScan screen; the actual screen looks better than the original photo, whose appearance has been slightly degraded through the offset-printing process.

This extremely high resolution is excellent for use in medical imaging and in desktop publishing for font inspection.

According to Gary Zeller, a sales-support engineer for MegaScan, 3-point type displayed on the 19-inch monitor is readable, "though not for very long." This resolution comes with a price: about \$16,000 for an "intermediate-level" system consisting of monitor, controller, and interface in single-lot quantities.

Also, tube shape is now affecting display quality. Because of the way the electron beam is deflected across the face of the tube, it makes sense to have the face curved hemispherically. The electron beam then acts like the radius of a circle whose circumference is the tube face. Once focused, the round-shaped beam strikes the tube face perpendicularly regardless of position as long as the beam radius matches the spherical dimension. Because of manufacturing requirements and the methods employed to deflect the beam, maintaining a round spot on the tube face is difficult anyway. And it becomes even more difficult as tube faces become flatter and flatteranother trend.

As the focused round beam moves away from the center position in a "flat" tube, the radius length increases, changing the focus, and it also begins to strike the tube face at an angle, forming an ellipse. This ill-shaped beam degrades the




Photo 1: A display on an extremely high-resolution monochrome monitor screen. The actual quality of the screen display has been degraded by the printing process. What you see is only about one-third the quality of what you get. (Photo courtesy of MegaScan Technology, Inc.)

image. Different manufacturers address this problem through various means, but they generally employ some kind of beam-shaping circuitry to adjust the shape of the beam on-the-fly, according to where on the tube face it's located.

To get higher resolution in color tubes, shadow-mask holes and phosphor triads need to be smaller. Reducing phosphor size means that there is less material to glow, reducing brightness. Also, with smaller shadow-mask holes, fewer electrons strike the phosphors if the electron-beam intensity is held constant.

Generally, to get more electrons to strike the phosphors, you can increase the number of times the phosphors are illuminated in a given period or increase the electron-beam intensity. Unfortunately, either way, the energy that strikes the shadow mask then also increases, manifesting itself in the form of heat. This heat can warp or dome the mask and distort the alignment between hole and triad, degrading the image. One CRT manufacturer said that less than onethird of the electron-beam energy actually reaches the phosphors. This means that more than two-thirds never makes it beyond the mask and turns into unwanted heat.

A couple of different approaches are being taken to stabilize the shadow mask. One is to replace the common iron mask with a more thermally stable material such as Invar, an iron-nickel alloy. Another method, used by Zenith, is to put the shadow mask under tension to prevent it from moving when it heats up.

According to a Zenith spokesperson, the flat-tension mask (FTM) is tightly stretched steel that is much thinner than

standard masks. As a result, fewer electrons are absorbed by the mask, while the tension in the mask prevents distortion and misalignment as it heats up. The upshot is a much brighter picture with more contrast—50 percent brighter and 70 percent better contrast, according to Zenith—and improved color purity.

Unlike other CRTs with a uniform dot pitch, the Zenith tube has an "average" 0.28-mm dot pitch. In the center of the tube, the dot pitch is 0.27; at the edges, it's 0.30. Zenith owns several patents on the technology behind the FTM. The company also says that while it has experienced the normal problems associated with a project start-up, it is going forward with the program. Other CRT manufacturers claim that the FTM is viable from a technological standpoint, but it is also expensive.

In spite of the problems that have been encountered, several CRT-based monitor manufacturers continue to increase resolution and performance. Mitsubishi recently showed a prototype of a 19-inch color monitor with a 2000- by 2000-pixel resolution. It uses 0.21-mm dot pitch and a horizontal scanning-frequency limit of 128 kHz. Toshiba has worked on the shape of its CRT, added an Invar mask, and improved the electron gun, focusing elements, and deflection system to provide a unit that is 50 percent brighter than before. The battle to improve the CRT is in full swing.

A Moving Target

The CRT has turned out to be a very robust and continuously evolving technology. As David Mentley says, "The CRT is a moving target: 1280 by 960 shadow

masks are now quite common. Who would have predicted that 5 years ago?"

In addition, the development of multiscan gives CRTs a big edge over the competition. With a multiscan CRT, you can change from one resolution to another (by changing the graphics controller or mode) without having to replace the monitor.

The competing technologies are all fixed-format displays that are built for a specific resolution. Once you buy one, you're stuck with it. If you have a gasplasma or LCD display and want to switch to a higher-resolution controller, you'll have to buy a new display, too. You *can* use these fixed-format displays at *lower* resolutions, however. For example, a 640- by 400-pixel display also supports 640- by 200- or 320- by 200-pixel resolutions (the maximum specified resolution must be evenly divisible by the supported lower resolutions).

LCDs

Once a "hold it just right and you can read it, sort of" laptop computer display, the LCD now competes favorably with parts of monochrome CRT technology and may eventually supplant the color CRT. The old problems of low contrast and poor readability in low ambient light are mostly behind us.

LCDs offer many advantages: small size, light weight, low power consumption, and good resolution, typically 640 by 480 pixels. But making large LCDs to compete head-to-head with CRTs is difficult. Manufacturing large LCD panels in which *every* pixel must be operable strains the fabrication capabilities of many companies. Prototypes are one




Figure 2a: When an LCD pixel is off, the polarized light reflects uniformly on the liquid-crystal material; thus, no contrast is created.




Figure 2b: When an LCD pixel is activated, it lets polarized light pass through it to strike a rear polarizer and be absorbed. The absorbed light appears dark.

thing; production runs are quite another.

Color LCDs currently are available only in relatively small sizes. Many are 4-inch diagonal (3½-inch viewable) displays with 480- by 220-pixel resolution and are used in portable TV receivers. Larger LCD color displays are the center of attention in the research and development departments of many companies.

An inherent advantage of LCD and other flat-panel technologies is their linearity. The screens are flat, unlike the CRT, and because the illuminating elements are addressed directly, there is no electron beam to deflect and distort.

Figure 2a is a simplified drawing of a typical twisted nematic-crystal monochrome display, probably the most common in use today. Nematic crystals are stable between liquid and solid and are responsive to electric fields, among other things.

The example LCD panel consists of a matrix of twisted crystal pixels that can be addressed via a row-and-column scheme. The crystals are sandwiched between two polarizers. In their normal twisted "off" state, the crystals modify the polarization of the light striking the panel so that most of it is reflected back; the panel color appears as the familiar uniform gray.

When voltage is applied (see figure 2b), crystal molecules untwist, changing the polarization of the incident light. When the light is able to pass through the crystals, it strikes the back polarizer and is absorbed; thus, the addressed pixel looks dark compared to the rest of the panel. Unfortunately, incident light scattered in the panel's layers and reflected back through them diminishes contrast.

The early problems with low contrast and poor readability have been nearly eliminated by using a rear-lighting, or backlit, approach that does away with a dependence on ambient light.

Because of backlighting, reflective LCD displays are on their way out. In fact, so-called supertwist LCDs require backlighting to take advantage of their increased contrast, and it's often more appealing to have a light-emitting display. Also, color LCDs require backlighting. Still, it's a trade-off between readability and power consumption. A passive LCD panel uses a tiny amount of power, while the light source used for backlighting usually consumes many times the power required to control the liquid crystals.

In addition to the portable or laptop computer displays, an interesting and growing application for LCD panels is coupling a computer and an overhead projector. Whatever you have on your computer screen can be displayed on a portable window-like panel that sits on top of the projector in place of transparencies.

An Active Future

The most promising type of LCD is the recently developed active-matrix or thin-film transistor (TFT) LCD. Rather than using standard multiplexing techniques (e.g., time-sharing of pixel electronics drivers) to address the matrix of crystals, the active-matrix LCD includes a thin-film transistor fabricated along with each pixel. These transistors act as switches to turn on individual pixels.

The TFT method eliminates the time dependency associated with multiplexing (diminishing contrast as more lines are displayed) and allows direct addressing of each pixel. Color is added by using organic filters and backlighting.

Currently, active-matrix LCDs have primarily been produced for full-color

3½-inch pocket TVs. The Japanese produced some 2 million active-matrix LCD pocket TVs last year. At the Society for Information Display (SID) convention in May in Anaheim, California, several manufacturers displayed 9-inch active-matrix LCD screens.

The major obstacle to producing 9-inch and larger screens is the low throughput and poor manufacturing yield of current photomasking equipment. Defective panels have to be thrown away, and typical manufacturing yields are 20 percent. However, David Mentley says, "It's going to happen." According to his research, there are some 30 Japanese companies heavily investing in advanced-matrix LCD technology. Within a few years, we should see 9- and 11-inch advanced-matrix LCD monitors.

Gas-Plasma Displays

Gas-plasma displays operate by exciting a gas, usually neon or an argon-neon mixture, through the application of a voltage. Figure 3 shows the general construction ideas embodied in gas-plasma displays. The two types of displays are AC and DC. In both cases, a matrix of electrodes, separated by the gas, allows a certain point or pixel to be addressed.

By applying sufficient voltage at an addressed matrix intersection, the gas is excited, emitting an orange-red light. The DC type is simpler to construct but usually has an inherent background glow due to the continuously present DC voltage necessary for refresh. The AC version is more complicated to build but has no background glow or image-refresh requirements.

Because gas-plasma displays produce light, they need no backlighting. Still, they use more power than a backlit LCD.




Figure 3: Gas-plasma displays use tiny pixels of gas to produce visible light. When sufficient voltage is applied at the intersection of two electrodes, the gas glows an orange-red.

Because of the need for operating voltages higher than normal, few battery-operated computers with this type of display have appeared. Manufacturers have to include converter circuitry to change the low voltage of the batteries to high voltage for the screen (about 200 volts for DC), and that adds power consumption, weight, and complexity.

Originally, gas-plasma technology provided only on-off control. Recent advances have improved control over the brightness of the pixels and provided several steps between the dimmest and brightest conditions, sort of an orangered "gray" scale. Photo 2 shows a gasplasma panel that offers both 4- and 16step "gray" scales.




Photo 2: Gas-plasma displays can now display up to 16 levels of so-called 'gray." (Photo courtesy of Panasonic Industrial Co.)




Figure 4: EL displays address pixels of EL material with electrodes. An AC voltage causes the material to produce its characteristic yellow light.

Gas-plasma displays have faced many problems. Their lack of full-color capabilities, their relatively short life span, and their cost have all contributed to their slow emergence. IBM's 17-inch gas-plasma display panel listed for about \$3300 in 1985, which is hardly competitive with CRTs. Another company recently bought the AC plasma technology from IBM and made some innovations in reducing driver count and power consumption, hoping to reduce the cost significantly.

At the May SID show, NHK Laboratories discussed its full-color 20-inch DC plasma panel intended for use in highdefinition television. (This is another example of how television can drive the display-technology industry.) Also, Fujitsu has announced 8- and 15-inch color displays with 76,000- and 256,000-pixel resolutions, respectively. Most important, the company claims that the life expectancies of the new displays now match those of CRTs. As with LCDs, a great deal of effort will be expended before large, full-color gas-plasma panels are ready for mass marketing.


EL Displays

EL displays operate on the principle of electroluminescence-phosphors emitting light in the presence of an alternating electrical field. EL displays are becoming increasingly popular in military and industrial applications requiring portability and reliability in hostile environments. Their truly solid-state construction makes them rugged.

A typical EL display consists of a thin film of EL material (phosphor) sandwiched between thin films of insulating dielectric material (see figure 4). The front material is transparent, while the rear material is reflective. The zinc-sulfide-with-manganese phosphor emits a bright yellow light when subjected to approximately 200 V AC. The voltage is applied via a grid of electrodes (also very thin), each pixel of which can be individually switched on. Other phosphors can be used for different colors.

EL displays range in size from 2 by 2 inches to 12 by 14 inches, with resolutions ranging from 320 by 128 pixels to 640 by 400 pixels. As with gas-plasma displays, a "gray" scale can be achieved by using a controller chip that provides that function. Planar Systems of Beaverton, Oregon, plans to introduce a 640- by 480-pixel display early next year. (See "Lighting the Way" on page 275 for additional information on EL displays.)


EL displays offer better contrast and



MICRO-CAP II. The CAE tool with fully interactive analog simulation for your PC.

Spectrum Software's MICRO-CAP II® is fast, powerful, and feature rich. This fully interactive, advanced electronic circuit analysis program helps engineers speed through analog problems right at their own PCs.


MICRO-CAP II, which is based on our original MICRO-CAP software, is a field-proven, second-generation program. But it's dramatically improved.



Schematic Editor

MICRO-CAP II has faster analysis routines. Better resolution and color. Larger libraries. All add up to a powerful, cost-effective CAE tool for your PC.

The program has a sophisticated integrated schematic editor with a pan capability. Just sketch and analyze. You can step



Transient Analysis

component values, and run worst-case scenarios—all interactively. And a 500-type* library of standard parts is at your fingertips for added flexiblity.

MICRO-CAP II is available for IBM® PCs and Macintosh.™ The IBM version is CGA, EGA, and Hercules® compatible and costs only \$895 complete. An evaluation version is available for \$100. Call or write today for our free brochure and demo disk. We'd like to tell you more about analog solutions in the fast lane.

- Integrated schematic editor
- Fast analysis routines
- High-resolution graphic output
- Standard parts library of 500* types
 *IBM versions only.

- Transient, AC, DC, and FFT routines
- Op-amp and switch models
- Spec-sheet-to model converter*
- Printer and plotter* hard copy



AC Analysis



1021 S. Wolfe Road, Dept. E Sunnyvale, CA 94087 (408) 738-4387

MICRO-CAP II is a registered trademark of Spectrum Software.

Macintosh is a trademark of McIntosh Laboratory, Inc. and is being used with express permission of its owner.

Hercules is a registered trademark of Hercules Computer Technology IBM is a registered trademark of International Business Machines, Inc broader viewing angles than gas-plasma and LCD displays. They use more power than LCDs but less than gas-plasma and considerably less than CRTs. As with gas-plasma, operating an EL display from batteries has its drawbacks.

In addition to being more compact and lightweight than CRTs, EL displays are much more reliable. Manufacturers claim an average mean time to failure of about 40,000 hours, in contrast to an average of 10,000 hours for typical CRTs.

While EL displays are rugged and feature excellent contrast, they are still quite expensive. A typical 640- by 400-pixel 12-inch EL display costs about \$400 to manufacture today, while an equivalent CRT costs under \$100. However, industry analysts expect the price of EL displays to drop to about half their present cost by 1990.

However, the EL display market is faced with the "chicken and egg" problem. The prices won't come down until the displays are manufactured and sold in larger volumes, and that's dependent on the prices coming down. According to spokespersons from Planar Systems, many workstation vendors are expressing greater interest in EL displays.

EL displays are still offered primarily in monochrome configurations. Fullcolor EL displays have been hampered by difficulties in producing a good blue phosphor. Planar Systems plans to offer a red and green EL display for military applications in late 1989 and hopes to bring full-color displays to market by late 1990.

In spite of their appeal, EL displays are still at the high end of the market and are likely to remain so. The color problem is another obstacle to widespread acceptance. Since most commercial computers are priced extremely competitively, it's likely that many manufacturers will continue to opt for the lower-priced gas-plasma displays, while EL will remain the favorite in military applications and perhaps in high-priced workstations.

Chips Ahead

The consensus among display manufacturers is that, although some interdependency exists, the chips and controllers to drive the displays seem able to stay up with or keep slightly ahead of the actual light-producing displays.

This is evidenced by an announcement from Yamaha's Systems Technology Division concerning its new Enhanced Panel Display Controller chip. This 128-pin package will support IBM monochrome, CGA, EGA, NEC MultiSync, LCD, EL, and gas-plasma (with "gray" scale) in 640- by 200-, by 400-, and by 480-pixel, and 320- by 200-pixel modes. For 640 by 480 pixels, the package supports 16 colors. For the LCD's 320 by 200 pixels, it supports 8 colors. (For a

look at Texas Instruments' new graphics chip, see "Taking the Wraps off the 34020" on page 257.)

Back to the Future

Despite advances in display technologies over the years, information traditionally has been presented in a two-dimensional flat format. For most text-based applications, two dimensions appear to be enough. Humans are used to seeing in three dimensions, but often little is gained by adding depth to words and numbers alone. For just about everything else, however, three-dimensional displays make sense.

Experiments with three-dimensional displays go back to the stereoscopic viewers that used still photographs to add depth, proceeded through movies, and into television. Holography was once in vogue. In CAD and other real-world applications where a picture is worth a thousand words, a genuine need for three dimensions exists. As with most display systems, cost and image quality figure heavily into the future of such displays.

There have been many different approaches to three-dimensional displays, some involving mechanical motion and others strictly electronic. One solid-state approach from Tektronix in Beaverton, Oregon, uses special liquid-crystal shutter (LCS) eyeglasses synchronized with a CRT display.

Binocular vision—seeing two images from slightly different locations—contributes to our depth perception. Early attempts to exploit this used red and blue lenses and corresponding red and blue images. Other versions have employed polarized light, prisms, and lenticular screens.

With the LCS system, each side of the glasses worn by the viewer is alternately transparent and opaque while the corresponding image shifts slightly on the CRT screen. The viewer's retinas retain each image long enough to minimize the switching flicker and fool the brain. Having one eye see an image in a slightly different position than the other provides the three-dimensional illusion on a flat screen.

An intriguing approach to truly threedimensional displays was demonstrated by Texas Instruments (TI) at the May SID show. A common drawback to LCS or polarized viewing of two-dimensional images to simulate three dimensions has been the limited viewing angle. As you move away from an ideal viewing position, usually directly in the center of the display, the depth illusion fades. Often




Figure 5: Will this be the wave of the future? A prototype display system uses a laser and rotating translucent disk to produce the elusive third dimension. (Diagram modified. Original courtesy of Texas Instruments, Inc.)



Screen stars with The Visible Edge.

What gives Princeton's new generation of screen stars the Visible Edge is a screen image of incomparable clarity and resolution. Where brilliant colors and infinite shades of gray, with striking contrast and dimension, are commonplace.

The versatility of the Princeton family of monitors gives the new generation (and present generation) of computers, the greatest autosynchronous horizontal/vertical scan range combination available (ULTRASYNC and MAX-15). The clarity of .28mm dot pitch (ULTRASYNC and PSC-28). 1024x750 display resolution (MAX-15). And the entire spectrum of color, with the ease and comfort that can only accompany an ergonomically designed monitor.

Experience a world of unlimited vision. And the technology that's made our high level of quality, service, value and performance, second nature. Experience the Visible Edge. And see what we do best. For more information call (609) $683-1660 \times 100$.

PSC-28



PSM-03



ULTRASYNC



MAX-15



Compatibility: IBM PC, XT, AT, PS/2, Apple Macintosh SE

Compatibility: IBM PC, XT, AT, PS/2, Apple Macintosh II, SE



YOUR MACINTOSHT CAN READ BAR CODES & MAGNETIC STRIPES

with TPS ELECTRONICS' WEDGE READERS

- Connects on ADB or in series with keyboard cable
- Does not affect keyboard operation
- No additional port needed
- No card slot needed
- No extra software needed
- Completely transparent to any program; looks like keyboard input
- Most formats available
- · Also available:

Bar code printing software Magnetic encoders Portable bar code readers Readers for other micros and terminals

TPS ELECTRONICS

4047 Transport Street Palo Alto, CA 94303 415-856-6833 Telex: (Graphnet) 371 9097 TPS PLA

FAX: 415-856-3843




Photo 3: Artist's conception of a three-dimensional image produced using the laser system described in the text. (Photo courtesy of Texas Instruments, Inc.)

three-dimensional schemes also require some sort of special glasses or goggles.

Using an electromechanical approach as shown in figure 5, Don Williams of the User System Engineering Group at TI displayed a system that uses low-power laser light to project images onto a slanted 10-inch rotating translucent disk. The result is a "real-time, auto-stereoscopic, multiplanar three-dimensional display system" (patent pending).

In the \$10,000 proof-of-concept prototype, the disk rotates at between 400 to 600 revolutions per minute to synchronize with the laser light source. The rotation provides a translucent display volume into which a laser projects points of light. By scanning the laser in two dimensions on the rotating disk, a viewer's eyes fuse the points of light into a "solid" object. The resulting image can be viewed from any angle and has a resolution of 500 by 500 pixels and a 4-inch depth of field. Williams said that with larger disks and higher resolutions, bigger and better images can be generated, and by mixing red, green, and blue laser light, full color would also be possible.

A potential use of this system promoted by TI would be in air-traffic control. An entire airspace around an airport might be displayed, with air-traffic controllers able to walk around the scene, viewing it from different angles and heights, and identifying aircraft using small hand-held lasers (see photo 3). Williams is a human-factors engineer, and, for him, the driving force be-

hind three-dimensional displays is to come up with something that works well with humans.

Going Up?

Considering the advantages of thin, lightweight displays and our affection for solid-state construction, it looks like flat panels could eventually replace CRTs, but don't count our old friend out yet. It's pretty commonplace to produce large, full-color display panels when cost is of little consideration. Reducing costs so that mass production is possible will take some time. And who knows what kinds of technological breakthroughs might launch another display scheme along the way and perhaps displace all the current contenders?

The synergy of physics, chemistry, and fabrication technologies seems to be taking display development along an exponential increase. The future is bright, in full color, and maybe even in three dimensions.

ACKNOWLEDGMENT

Special thanks to David Mentley of Stanford Resources, Inc., a consultant on display technology based in San Jose, California.

Gene Smarte is West Coast bureau chief for BYTE in Costa Mesa, California. You can contact him on BIX as "gsmarte." Nicholas M. Baran is a BYTE technical editor in San Francisco. You can reach him on BIX as "nickbaran."

Our Profile Will Make You Smile!



Our Price Will Make You Happy!

Introducing IntelliSync.® The New Intelligent Multi-Frequency Monitor From 3LYNX.®

It starts with the outstanding design features such as the small foot print, and streamlined profile (even slimmer than single frequency color monitors).

Next the IntelliSync is compatible with the CGA, EGA, VGA, and more, as well as being an excellent companion to all PC/XT/AT;* Apple Macintosh II;* and the new IBM PS/2* systems.

The cost of IntelliSync is nearly 1/3 less than its major competitor. Most impressive is that it is manufactured by 3LYNX, a video

display monitor manufacturer producing critical video components for the majority of the top FORTUNE 500 computer companies for years.

For information on the new 3LYNX IntelliSync Monitors call or write today. Call toll free 1-800-243-5969. Or 1-800-24-3LYNX. Fax # (408) 434-0466.



IntelliSync Monochrome Monitor 15" flat screen with vivid gray scale.

IntelliSync The Best Choice

FEATURES	3LYNX INTELLISYNC	NEC MULTISYNC II *
Size	14"	14"
Front Controls	Yes	Yes
Auto Horizontal Frequencies	15.50-35KHz	15.50-35KHz
Tilt & Swivel	Yes	Yes
	corporated all of the isync II plus more	e features of
Auto Vertical Frequencies	45-120 Hz	50-80 Hz
Inverse Video Option in MDA Mode	Yes	No
Selection of Text Color	Auto	Manual
Color Text Options	7	3
Dimensions (mm)	341(w) 346(h) 386(d)	369(w) 357(h) 406(d)
Weight	29(lbs)	31(lbs)
Suggested Retail Price	\$695.00	\$899.00



1450 Seareel Lane San Jose, CA 95131



One Language For V

BB^{X®} Specifications:

most powerful development tool available for business oriented program creation. Programmers can write code in minutes

Execution time—BBX's partially compiled format provides enhanced execution speed.

Easy Maintenance-BBx is an interactive programming language, with a trace facility and a full screen editor which makes program maintenance a snap.

Portability—BB^x runs under UNIX and other operating systems without recompilation.

Compatibility—BB^x is an enhancement of the Business BASIC language, an industry standard, giving you access to thousands of applications.

Supportability—Program maintenance utilities and complete

documentation save considerable time and money. It lets you build and support applications easily Utilities—A complete set of BB^X utilities are provided for program and file management.

Conversion—A complete set of conversion utilities are provided with every BB^x package.

Math Functions

- 14 place precision and computational accuracy
- · Floating point conversion
- · Task specified rounding precision
- · Binary to decimal conversion Long function names
- Dynamic arrays
- String Functions
- · Numeric to string conversion
- · String manipulation
- No string length restriction
- I/O Functions Windowing
- I/O mnemonics
- · Device independent verbs
- · X,Y cursor addressing
- Masking
- · Soft key loads
- · No record length restrictions
- BB^x file sizes are limited only to the size of the available media
- File Structures

- SERIAL
- · SORT PROGRAM
- STRING
- System Structure
- Multi-tasking which provides record and file level locking
- Program overlay
- · Public programming which

 - provides:
 Local variables
 Dynamically called sub-
- Dynamically called sub-programs
 Argument passing
 Automatic public program drop from memory at exit
 Public program in memory lock option

Language Structure

- Interactive program development Online syntax checking
- Compound statements
- User defined functions
- Unlimited nesting
- Remote I/O lists
- Program self modification
- · Case insensitive console mode Various debugging tools
- BBX Utility Set
- File Browse
- Create Data Bundle
- Calculator
- Clear Workspace
- Program Compare
- · Copy File
- Define/Redefine File
- Directory Listing
- Erase File
- Generate Filelist · Program List/Cross Reference
- Move File
- Program Renumbered
- Rename File
- File Resizer · Execute O/S Shell Command
- · Search and Replace Program
- Color & FUNC Key Setup
- · Time/Date Examine/Set
- Utility Menu
- Visual Utility Interface
- BXSND/BXRCV conversion

Its portability crosses all operating environments, and now its performance is crossing all oceans.

Around the world, the industry's best and brightest programmers are discovering the astonishing power that BBx brings to Business BASIC. Write your program once, and have complete movement to MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 and VMS.

This year, over 50,000 copies of BB^x are performing throughout the United States, Canada, Europe, Asia and South America.

Commitment to innovation, development within industry standards and technological leadership have grown BBx around the globe.

In 1988, aggressive marketing and uncompromising customer support will continue to compliment our success, and expand the BBx standard among many of the world's most respected companies.

Get in touch with one of our world distributors, and feel the pulse of the power of BBx!

Die Portabilität schlägt sämtliche, bisher bekannte und unbekannte, EDV-Emgebungen. Die Leistung überzeugt inzwischen die gesamte EDV-Industrie.

Weltweit entdecken die besten Software-Entwickler die erstaunliche Leistung von BBx, mit der Business BASIC bereicher wird. Die Anwendungen werden nur einmal entwickelt und laufen ohne Änderungen oder Anpassungen auf MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 oder VMS.

Mehr als 50.000 BB^x-Lizenzen stellen die Leistung in den USA, Canada, Europa, Asien und Süd-Amerika unter Beweis.

Zur Innovation nach Industrie-Standard Spezifikationen verpflichtet, und mit dem Ziel nach technologischer Führung, wächst BBx um die Welt.

Mit aggressivem Marketing ohne Kompromisse im Bereich Kundenservice, wird der Erfolg von BBx in 1988 fortgesetzt. Es steht auf sämtlichen Systemer namhafter Computerhersteller zur Verfügung und stellt seine Akzeptanz bei den anspruchvollsten Anwendern unter Beweis.

Kontaktieren Sie unsere Vertretungen in aller Welt. Entdecken Sie die Schlagkraft von BBx!

BBx PROGRESSION/2® is available for Intel Based Computers, Altos, Arete, AT&T, PCS Cadmus, Computer Consoles, Convergent Technologies, Counterpoint/MultiTech, Cubix, Data General, Digital Equipment, Fortune, Honeywell, Hewlett Packard, ICL, Motorola, Nixdorf, Prime, Pyramid, Rexon, Sanyo, Sequent, Siemens, Texas Instruments, Unisys, and the IBM family of products. BASIS is continually adding new systems.



brld Class Business.

Portable, il franchit tous les cadres d'opération, et sa performance traverse, maintenant. tous les océans.

Dans le monde, les meilleurs et les plus brillants programmeurs de l'industrie découvrent l'étonnante puissance que BB^x amène au BASIC des affaires. Ecrivez votre programme une seule fois, et accédez totalement à MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 et à

Cette année, plus de 50 000 copies de BBx fonctionnent aux Etats-Unis, au Canada, en Europe, en Asie et en Amérique du Sud.

Un esprit constant d'innovation, un développement conforme aux normes de l'industrie, et une position de leader dans le domaine technologique, tels sont les atouts qui ont contribué à la croissance de BBx dans le monde

En 1988, un marketing dynamique et un appui inconditionnel à notre clientèle continueront à couronner notre réussite, et à étendre le standard BBx à de nombreuses sociétés parmi les plus respectées au monde.

Contactez l'un de nos distributeurs mondiaux et découvrez la puissance de BB^x!

Su portabilidad traspasa todos los medios de operación y ahora su funcionamiento esta cruzando todos los océanos.

Los mejores y más brillantes programadores del mundo, están descubriendo la asombrosa potencia que BB^x ofrece al negocio BASIC. Escriba su programa una vez y tenga movimiento completo a MS/PC-DOS, OS/2, UNIX/XENIX, AIX, IX370 y VMS.

Este año, más de 50,000 copias de BBx estan funcionando en Estados Unidos, Canadá, Europa, Asia y América del Sur.

Empeño de inovación, desarrollo en los estandards de la industria y superioridad tecnológica han hecho crecer a BB^x en todo el mundo.

En 1988, mercadotecnia agresiva y apoyo constante a nuestros clientes seguirán complementando el exito y desarrollo de BBx entre las compañías más respetadas del mundo.

Comuniquese con uno de nuestros distribuidores mundiales y sienta la potencia de BBx!

World Distributors:

Edias Hans Kirchhoff & Co. KG Pfingstbornstr. 25, 6200 Wiesbaden West Germany TEL: (06122) 2016 FAX: (06122) 16505 TLX: 418-2563 edia d

Multisys Torgeir Vraas Plass 5A 3044 Drammen Norway TEL: (03) 83.86.05 FAX: (03) 89.02.53

J. P. Brown and Associates 780 Gordon Baker Road Willowdale, Ontario M2H 3B4 TEL: (416) 494-0472

Pl Informatique

Pl Informatique 8, rue Benjamin Constant 75019 Paris, France TEL: (01) 40.05.10.65 TLX: 214.583 FAX: (01) 40.05.99.63

Softech Pty. Limited 10 Eileen Road, Blairgov Randburg 2194, South Africa TEL: (011) 787-8839 FAX: (011) 886-3890 TLX: 422669 S.A.

Risegold Pty. Ltd. 678 Paramatta Road Croydon, N.S.W. 2132 TEL: (02) 799-6622 FAX: (02) 799-9090

Tempo Computadoras Av. Americas #670 Guadalajara 44680 Jalisco, Mexico TELS: 30-28-45

30-28-46

In the United States:

BASIS Incorporated P.O. Box 20400 Albuquerque, New Mexico 87154 TEL: (505) 821-4407 FAX: (505) 821-1625

Denmark, Luxembourg, Belgium England, Italy

Norway, Sweden, Finland, Greenland, Iceland

France, Spain, Portugal

South Africa

Risegold Pty. Ltd. 86 Havelock Street West Perth Australia

Western Australia 6005 TEL: (09) 481-0607 FAX: (09) 481-3162

Infotel, S.A., de, C.V. Laguna de Mayran No. 258 3 piso Col. Anahuac C.P. 11320 Mexico D.F. TELS: 05 45 6730 al 05 45 6734

BB* PROGRESSION/2®, BB* and BASIS Incorporated are trademarks and/or service marks of BASIS Incorporated, Albuquerque, New Mexico. All references to computer systems and software products contained within this advertisement recognize the trade and/or service marks of the corresponding manufacturer and holder of the trade and/or service mark

MICROMINT'S Gold Standard in Single Board **Computers and Industrial Controllers** -Announcing

\$395.00




The BCC180 only 45" x 85" uses the same 64180 CMOS 780 instruction, only 4.3 x 8.3 uses the same 64160 CMOS 260 instruction compatible processor as Micromint's SB180 and SB180FX single board computers. Configured primarily for process control w/ 384K of memory, 6 parallel I/O ports, console serial port, RS-232/422/ 485 selectable auxiliary serial port, and an interrupt driven ROM-4-03 selectable abundary Serian port, and an interrupt oriven Kown-resident multitasking BASIC-180 compiler, the BCC180 uses the same 44-pin I/O expansion bus as Micromint's BCCS2 controller board. PIOCESSOR COMES INDEA

NAME OF THE STATE
user's manual For Additional 256K DRAM add \$100.00 BCC180-1 100 Quantity w/32K RAM w/o ROM Monitor \$209.00

BCC52 — **-**\$189.00 BASIC-52 Computer/Controller

The BCC52 Computer/Controller is Micromint's hottest selling standalone single board microcomputer. Its cost-effective architecture needs only a



plications.

Since the BASIC-52 is bus oriented, it supports the following Micromint expansion boards in any of Micromint's card cages with optional power supplies:

optional power supplies:

BCC22 Smart terminal board
ADP500 User vocabulary, digitized
speech board
BCC23 LCD display board
BCC33 3 port I/O expansion board
BCC40D 8-Channel optoisolated
I/O expansion board
BCC18 8-Channel relay output
board
BCC55 LCM demory and 6 port I/O
expansion board
BCC18 8-bit and BCC30 12-bit
A/D converter boards
BCC18 Dual channel serial I/O
board

BCC\$2 BASIC 52 Controller Board
BCC-\$YST.5 "52 PAK" Starter System includes:
BCC52, ROM A&B UTIL., CC01, MB08, UP\$10
BCC\$2 OEM 100 Quantity Price -- \$149.00

BCC52C Lower power all CMOS version of the BCC52 \$199.00 NOTE: The BCC52 series is available in Industrial Temperature Range, fully tested at temperature. Prices start as low as \$294.00 in single quantities. Be sure to call for a quote on your specific Industrial OEM

BCC11 —— Z8 BASIC Computer - \$139.00



Features:


- Uses Z8 single chip microcomputer
 On-board tiny BASIC interpreter
 2 on-board parallel ports & serial port
 6 interrupts (4 external)
 Just connect a terminal and write control
 programs in BASIC
 6K bytes of RAM or EPROM memory
 on-board
 Baud rates 110-9600 bps
 Data and address bus available for 56K
 memory and I/O expansion
 Consumes only 1.5 watts at +5, +12,
 and -12V

BCC11* BASIC System Controller \$139.00

OEM 100 Quantity Price \$89.00

Now Available in Industrial Temperature Range

Annum BCC40D—\$139.00



The Micromint BCC40D is an 8



SPECIFICATIONS

- SPECIFICATIONS

 * Latched outputs

 * Uses industry-standard OACS,

 * USES, IDCS type modules

 * Dual-ported module addressing

 * LED on/off indicator on each

 * channel

 * IEC OACM on other BCC-bus pe
 ripherals

 * Operates on +5V

 * Operating conditions

 * temperature: 0-50°C (32-122°F)

 * relative humidity: 10-90% non
 * dual 22-pin (0.156°) edge connec
 tor

 * dual 22-pin (0.156°) edge connec
 tor

 * Operation of the Comment

 * Operation o

- tor 16-terminal screw connector (#14 wire)

BCC40D/0 without modules BCC40D/4 with 4 modules BCC40D/8 with 8 modules

\$139.00 OEM 100 Quantity pricing starts at \$95.00 \$229.00



Annownoing BCC40R — \$169.00 8-Channel Relay Output Board

The Micromint BCC40R is an 8-

The Micromint BCC40R is an 8-channel relay output expansion board designed for use with Micromint's family of BCC-bus Computer /Controllers. Using efficient mechanical relays, the BCC40R provides contact-closure on/off control of eight AC-or DC-powered devices for data acquisition and control applications. Up to 16 BCC40R boards can be used together in a single system to provide a total of 128 relay output channels. The relays are controlled by writing to a board-specific I/O address. The relays at a single I/O address or individual relays at eight separate I/O addresses.



have single-pole-single-throw (SP:
SPECIFICATIONS

Contacts rated for: 1/10 HP, 3A 120V
resistive, or 3A 30VDC
Latched refly output on each channel
Power on/off failsafe: No arbitrary
closures on power up/down
Can be used concurrently with
BCC40D and other BCC-bus
peripherals
Querating conditions: 0-50°C
Operating conditions: 0-50°C
Operating conditions: 0-50°C
and the power of t

BCC40R



8-Channel relay output board OEM 100 Quantity price \$124.00

BCC18 — Dual-Serial Board

The BCC18 is a general-purpose dual-serial-port interface board for use with the Micromint BCC-bus. Optional support software is available for the BCC52 and BCC180 computer/ controllers.
The BCC18 Serial Board contains

The BCC18 Serial Board contains two serial interfaces. Each interface can be either a 110/300/1200-bps modem, or a hard-wired RS-232C/RS-422/RS-485 interface. The modem interface uses a Xecom XE1201/XE1203 MOSART (MOdem Synchronous/Asynchronous Receiver/Transmitter), capable of 110, and 1212A standards. The hard-wired serial interface uses an industry-standard 8231A USART (Universal Synchronous/Asynchronous Receiver/Transmitter), capable of supporting asynchronous region of 100 pt. stops and synchronous serial communications at speeds up to 64k bps.

The BCC18 can be configured with two MOSARTs, two 8251As, or one of each. Up to 16 BCC18s can be used in a single system (for a total of 32 serial ports).

- Sync byte detection/insertion
 Extensive built-in diagnostics
 Telephone-line diagnostics
 Synchronous and asynchronous operation
 Voice synthesis capability (XE1203 only)
- 51A Full-duplex, double-buffered transmitter and receiver Fully programmable with several speed and character modes Error detection for parity, overrun, and framing False start bit detection; automatic break detect and handling Supports bisyaction;
- Supports bisync Bit rate is software programmable using an on-board 8253 counter/timer RS-232C, RS-422, and RS-485 supported

aftware
MOSART and \$251A use the same program interface, so most software will work with both
Optional support software for the BCC52 and BCC180 is available that makes it easy to access
and use most of the features of the MOSART and \$251A from within user- written programs

BCC188 OEM configuration fixed dual 8251 RS-232 only \$175.00 serial port board

BCC18S OEM 100 Quantity Price \$134.00

8251/8251 Dual RS-232/485 serial 8251/1201 Modem and serial port 1201/1201 Modem /Modem board BCC52 serial port utilities software

BCC-BUS

Single Oty, Price \$149.00 Single Channel LIART Serial Board Single Channel A/D Board
12-bit, 16 Channel A/D Board
25-line, 80 Character Terminal Board
LCD Board (4x20) or (8x40*) \$129.00 \$197.00 \$249.00 BCC25 Fully Decoded & Buffered Prototyping Board X-10 Power Line Controller BCCSS \$ 79.00 BCCxx BCC53 MB04 \$ \$9.00 Multifunction Expansion Board 4 Slot Mini-Motherboard 8 Slot Full Motherboard

*Call for current pricing MBOS \$ 85.00

REPRESENTATIVES

ACCESS TECHNOLOGIES

1408 Richmond Dr Placentia, Ca. 92670 Tel:(714) 996-3917

MICROFUTURE

41040 Cornac Terrace Fremont, Ca. 94538 Tel:(415) 657-0264

DISTRIBUTOR J.B. DESIGNS & TECHNOLOGIES LTD.

15 Market Place Cirencester, Glos. GL7 2PB

England Tel: 0285-68122 Fax: 0285-68859

To order call

1-800-635-3355

TEL: (203) 871-6170 TELEX: 643331 FAX: (203) 872-2204

MICROMINT INC **4 PARK STREET** VERNON, CT. 06066



Taking the Wraps off the 34020

A trio of chips that puts workstation power on a small board

Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag


he new TMS34020 32-bit graphics microprocessor (the '20) is well suited to workstations and personal computers requiring highly interactive user interfaces. The '20 is also suited to laser printers, which are becoming more performancehungry, with requirements for on-the-fly font compilation, and the increased complexity of page-description languages, which are constantly demanding more performance.

Data and image compression such as facsimile and CD-ROM are other areas where the '20 will find ready applications, since fast bitaddressable processors provide inherent advantages over general-purpose processors for performing the Huffmantype encoding and decoding

necessary for CCITT Groups 3 and 4 fax standards. In fact, for TMS340 Graphics System Processors (GSPs), fax-type compression and decompression is just another program (i.e., no additional hardware is required).

A Chip off the Old Block

The '20 is the newest member of Texas Instruments' (TI) TMS340 GSP family.



Depending on the instruction mix, it's between 6 and 50 times faster in key graphics operations than its predecessor. the TMS34010 (the '10). The '20 runs at 10 million instructions per second (MIPS) when executing from its 512-byte instruction cache. It's designed to connect directly to a second '20 as well as to the 40-million-floating-point-operation-persecond (MFLOPS) TMS34082 graphics

floating-point coprocessor (the '82 FPU). The '20 has instructions that can perform pixel- or bit-aligned block transfers at 142 megabits per second, and when using the TMS44C251 1-megabit video RAM (the 44C251 VRAM), the '20 can execute fills at up to 1.136 gigabits per second.

The '20 has all the architectural features that define TI's TMS340 GSP family (see figure 1). These features include a host-bus interface, a local-bus interface with semiautonomous memory controller, a display-control interface and registers, instruction cache, 31 32-bit registers, single-cycle general-purpose instructions, and multiple-cycle graphics instructions. (For details on the '10, see "The TMS34010 Graphics System Processor" in the December 1986 BYTE.)

The '82 FPU is based on the same design used by many bit-slice graphics workstation engines. It directly connects to the '20's coprocessor interface and has external expansion for both microcode and data.

The '20 has also been designed to take full advantage of the features of the 44C251 1-megabit VRAM. These im-

continued

provements allow faster fills, masked operations, and text without resorting to the expense of the wide data buses used in many workstations.

Theory of Evolution

The concept of a graphics engine designed around a fully programmable microprocessor is what made the '10 different from other graphics chips and has led to the TMS340 family's success. The device differs from a normal microprocessor in the special hardware and microcode included to support bitmapped graphics operations. It also integrates graphics system-control features for the CRT, dynamic RAM (DRAM), and VRAM onto one device. The underlying goal in this design was to let the

flexibility of bit-mapped graphics be matched by the flexibility of a graphics processor.

The definition of the '20 began during final development of the '10. Features that were too expensive or that would cause major schedule delays on the '10 were slated for implementation on the '20. The first issue was to obtain an overall speed improvement over the '10. This began with the obvious expansion of the '10's 32-bit internal and 16-bit external busing to a full 32 bits for both on the '20.

With the addition of 32-bit pixel and 32-bit external bus support, several graphics features have been enhanced on the '20. Pixel-formatted registers are expanded from 16 to 32 bits in significance; these include the color-expand

registers and the plane-masking register. Other enhancements include improving the processor cycle time and utilizing the fast page mode of DRAM. Also, the instruction cache was doubled to 512 bytes on the '20 to reduce cache misses and let larger algorithms fit into the cache.

New capabilities were also added. Three-operand block transfers were needed by both laser-printer manufacturers dealing with large textured objects and system developers building extensive window environments. Many system designers using the '10 had requested better support for direct host access to the TMS340's memory, and some of the more sophisticated applications required the graphics processor to do operations

continued





Figure 1: The TMS34020 block diagram. Note the coprocessor interface and the built-in host attachment capabilities.



THE ST225

Proven reliability. That's the reason Seagate's 20 MB half-height hard disc drive is so popular, with over 3 million sold in less than three years.

Who proved it? Millions of computer users around the world. They've benefited from our continued design and manufacturing improvements. And they've proved that the ST225 has an MTBF of 30,000 hours.

Which means years of uninterrupted performance. And a disc drive you can rely on.

Reliability has helped make Seagate the world's leading independent manufacturer of 51/4" and 31/2" hard disc drives.

If you're looking for a proven 20 megabyte drive, ask for the ST225. Call Seagate at 800-468-DISC. Put the best seller to work for you.






Figure 2a: TMS44C251 VRAM internals. Notice the four banks of 64K-by-4-bit memory, for a total internal width of 16 bits.




Figure 2b: An overall picture of the 44C251 and its connection to the '20. Notice how the '20 expands the 32-bit data path to 128 bits wide inside the VRAM.

Compose Yourself!

Now create superb sounding music on your IBM® PC. Ad Lib™makes it easy.

Just when you thought you'd heard it all, along comes Ad Lib.

And with it comes rich, room-filling music like you've never heard from a PC before. With rumbling bass, crystal clear highs, upfront mid-range. All of it composed and performed on the first complete PC music system for people like you — long on desire, a little short on experience.

The heart of the system is the Ad Lib Music Synthesizer Card!

An electronic sound synthesizer based on the same digital technology found in professional keyboards and the finest music computers.

Just plug it into your PC and get clean, powerful music through high fidelity head-phones, bookshelf speakers, even your home stereo. It'll handle up to eleven different instrument sounds playing at once, so it's perfect for anything from a solo to a symphony.

There's also Ad Lib Visual Composer," about the most instinctive composition software ever devised. Simply draw lines to indicate notes, using the onscreen piano keyboard as a guide. Change instruments, tempo and volume with a couple of keystrokes. Cut, copy and paste portions of your music in a snap.

Included with the program is Composition Projects ™#1, a step-by-step guide to creating all kinds of music, including classical, jazz, bossa nova, ragtime, and more. Just the thing for an ever-expanding repertoire.

Visual Composer is worth \$89.95 if purchased separately, but it's yours free when you buy the system.

Then play back all of your creations, as well as several preprogrammed selections, on the Juke Box™ playback software, also included with your system.

Look for the Ad Lib Personal Computer Music System™ at selected computer and music stores, or order direct from Ad Lib with your check, Visa or MasterCard.

The Ad Lib Personal Computer Music System. At last, you have what it takes to make great-sounding music.

The Ad Lib Personal Computer Music
System. Includes the Ad Lib Music Synthesizer Card, Juke Box playback software, free
Visual Composer software with 50 pre-set
instrument sounds and Composition
Projects #1\$245.00

Enhance your system further with this additional Ad Lib software:

Music Championship "#1 — Basic Concepts. Learn to identify basic musical concepts, including tempo, mode, rhythm and key. Perfect for all ages. The first in a series of music training programs combining syn-

Worked all and the second computer their System

thesized music with exciting computer game competition \$39.95

Instrument Maker software. Lets you create and save new instrument

sounds for use with Visual Composer. Alter 23 sound characteristics like attack, sustain and decay. Modeled after professional music synthesizer software\$49.95

Look for more Ad Lib music software titles coming soon.

Requires IBM PC, XT, AT or compatible, 256K RAM, CGA, EGA, or MGA.

For the name of your nearest dealer and a free demonstration recording, or to place an order, call us toll free today from either the US or Canada.

Ad Lib Inc. 50 Staniford Street Suite 800 Boston, MA 02114 AdLibTM
Personal Computer
Music System

1-800-463-2686

Circle 7 on Reader Service Card

in the host's memory space.

As a result, the host interface was totally revamped for the '20. Better CRT timing control was added to the display controller to enable broadcast-quality RS170 National Television System Committee (NTSC) timing. New XY addressing support and improved VRAM control were also added to pack together frame-buffer scan lines for better memory utilization. The '20's VRAM support takes advantage of the 1-megabit

VRAM's split shift register as well as the older (and less efficient) 256K-bit VRAM's midline reloading.

The '20 has enhanced the XY addressing support of the '10 to include direct support for pitches other than binary for the XY address space. (Pitch is the distance between pixels on corresponding lines.) Both pitches that are the sum of two powers of 2 (A + B) where both A and B are powers of 2) and completely arbitrary pitches are supported. This makes

• • 512K-1Mbyte

onboard DRAM

trollers and bus

expansion

controller • EGA/CGA/MDA/

Floppy disk

• 80287 coprocessor

AT-compatible con-

Hercules video options

"Trademarks: AT & PC—IBM Corp.: Hercules—Hercules Comp. Tech., Inc.: MS-DOS—Microsoft Corp.: Little Board-

408-734-2800

Fax: 408-734-2939 TLX: 4940302

1130 Mountain View/Alviso Road

Sunnyvale, CA 94089

UTERS, INCORPORATED

Hard disk, tape bubble

· Two byte-wide sockets

for on-board solid-state

Single voltage (+5 VDC only, 8W power

umption)

• 0-60°C operating

drives, etc.

disk support

the coding of output routines into linear memory and instruction support for packed screen organizations much easier. In addition, both X and Y values on the '20 are treated as signed 16-bit numbers.

The definition of the '20 has gone far beyond its own chip boundaries to include the development of an extremely fast graphics floating-point coprocessor, the '82. This processor is 30 to 100 times faster than the typical microcomputer's FPU. (See the text box "The Class of '82" on page 264.)

The '20 project team also worked closely with TI's memory-design engineers to allow the '20 to distribute some processing within the new 1-megabit VRAM, the 44C251. (See the text box "Making Videos" on page 272.) Coordination between the development programs and the resulting cooperation between these three chips enables simpler system design and higher performance.

A Marriage of Convenience

Since the '20 and the 44C251 1-megabit VRAM definitions were coordinated during development, the '20 supports performance and system features added to the 44C251. The designers of the '20 had the advantage of knowing and influencing the definition of the VRAM, so the two architectures fit together.

The importance of that joint definition can be seen most clearly with the blockwrite mode (BWM). The 44C251 has four banks of 64K-by-4-bit memory, for a total of 16 bits wide internally (see figure 2a). In normal mode, the two leastsignificant bits of the address select one of four banks—only one can be selected at a time—and the four data lines provide the data. In BWM, the four data lines used enable writing to any and all combinations of the four banks within each 44C251, and the special color-latch data is multiplexed to provide the data when it's written. The '20 controls the 44C251 to expand the 32-bit data path to 128 bits wide inside the VRAM (see figure 2b).

The BWM function is modeled after the TMS340 family's "binary to color expand" function. Color expansion works by turning data into control signals that select whether or not to write a color. Since each data line controls a multiple-bit color value, we use the term "color expansion."

Both the '20 and the '10 have flexible color expanders that turn 1-bit-per-pixel shape information into 1, 2, 4, 8, or 16 bits per pixel. The '20 extends this function to 32 bits per pixel. This function,





Board/286 product literature.

in the cubic inches of a half height 51/4" disk drive. It's a

Ideal for embedded applications. Its low power

complete AT-compatible system that's functionally identi-

cal to the 5-board system above. And it runs all AT software.

requirement, wide operating temperature range, solid-state

disk support and tiny form factor make Little Board/286

comm, workstations ... anywhere small size and complete

Better answers for OEMs. Little Board/286 is not only a

smaller answer, it's a better answer ... with the packaging

flexibility, low power, I/O capabilities and pricing OEMs need. For information and the name of your nearest U.S. or

international Ampro rep, call us today. Or, write for Little

Reps: Australia-61 3 720-3298; Belgium-32 87 46.90.12; Canada-(604) 438-0028; Denmark-45 3 66 20 20; Finland-358 0 585-322;

France-331 4502-1800; Germany, West-49 89 611-6151; Israel-972-3 49-16-95; Italy-39 6 811-9406; Japan-81 3 257-2630;

Spain-34 3 204-2099; Sweden- 46 8 55-00-65; Switzerland-41 1 740-41-05; United Kingdom-44 2 964-35511; USA, contact AMPRO

perfect for embedded applications and harsh environ-

ments: controllers, data acquisition, instruments, tele-

AT hardware/software compatibility are important.

Make a Great Impression

How do you make a great impression in an industry where everything is so impressive? We made it with the Graphics Solution, a multipurpose Monochrome-Color Graphics Card. Displaying Color Graphics, Games or the latest Software Applications on either Monochrome or RGB monitors are not the only features of the Graphics Solution. It's ease of use

Circle 21 on Reader Service Card

which has made this card so attractive to hundreds of thousands of Computer users. The ability to display spreadsheets and word-processing in the wide screen format of 132 columns is another of its many impressive features. Uncomplicated and dependable, just what

you're looking for?
Check it out; even the ®
price will impress you.
Available at all
leading Computer
dealers.



Technology you can Trust.

ATI Technologies Inc. 3761 Victoria Park Ave. Scarborough, Ontario, Canada MIW 3S2

> Telex 06-966640 Fax: (416) 756-0720

The Class of '82

The 34082 is a high-performance graphics floating-point coprocessor developed exclusively for the 34020. Integrating a microsequencer, register file, floating-point ALU, and multiplier onto one chip (see figure A), and supporting high-level graphics instructions, the '82 can execute floating-point operations at up to 40 MFLOPS.

The register file on the '82 consists of 22 64-bit registers. The file has 10 A-file registers and 10 B-file registers for data storage and two C-file registers for feedback. This large register file lets complex algorithms store intermediate results internal to the device, thereby reducing the memory cycles necessary to reload these operands for future cal-

culations. The device also incorporates a local bus for storing up to 64K 32-bit words for data and microcode expansion. This expansion memory lets you develop your own functions or store data local to the '82.

Using the '20's coprocessor interface, the '82 directly interfaces to the '20 with no "glue" logic, letting the '82 be either initially designed into the system or socketed for later addition. This interface allows connecting up to four '82s to the '20. The '20 provides a general coprocessor interface to let the external implementation of advanced functions improve performance. The '82 is one example of a coprocessor taking advantage of this interface for per-

formance increases. The interface consists of five basic cycles for data communication and control:

- Move data from '20 register to coprocessor.
- 2. Move data from coprocessor to '20 register.
- 3. Move data from memory to coprocessor (indirect '20 register move).
- 4. Move data from coprocessor to memory (indirect '20 register move).
- 5. Execute coprocessor command.

Not only does it support fully compatible IEEE Standard 754-1985 additions, multiplications, divisions, square roots, and comparisons, the '82 has instruc-




Figure A: TMS34082 floating-point coprocessor block diagram. Notice the 22 64-bit registers internal to the chip.

widely used in bit-mapped color graphics, would be very tedious without hardware help.

Although the BWM has the potential to give an additional performance increase of four times or more for fills and color text, it requires special addressing and control- and data-mapping hardware built into the '20. The mapping hardware makes writing pixels into the memory

consistent with how they would be written without BWM and can be thought of as the "key" that unlocks the block-write feature.

When using the BWM, you can think of each 44C251 VRAM as having four 1-to 4-bit fixed color expanders in it; in other words, each memory can expand 4 bits of incoming data or control information into 16 bits. By combining two

VRAMs (to get an 8-bit-wide color latch and expander), you can get four 1- to 8-bit expanders.

By using the '20's color-expander hardware plus additional on-chip hardware to generate the control signals necessary to interface to the VRAMs, the '20's 32-bit data bus is effectively expanded to 128 bits during BWM cycles. The '20 also supports the color-expand

tions for complex graphics math. Table A gives a complete list of instructions. And the expansion capability of the '82 allows for the creation of an indefinite number of user-defined functions.

Table A: Capabilities of the 34082 FPU instruction set.

One-operand operations

Absolute value Square root 1's complement 2's complement

Two-operand operations

Add

Divide

Subtract

Compare

Multiply

Conversions

Integer to single Integer to double Single to double Single to integer Double to integer Double to single

Matrix operations

4x4, 4x4 multiply 1x4, 4x4 multiply 3x3, 3x3 multiply 1x3, 3x3 multiply

Graphics operations

Backface testing

Polygon clipping Polygon elimination

Viewport scaling and conversion

- 2-D linear interpolation
- 2-D window compare
- 2-plane clipping (X,Y,Z)
- 2-D cubic spline
- 3-D linear interpolation
- 3-D volume compare
- 2-plane color clipping (R,G,B,I)
- 3-D cubic spline

Image processing

3x3 convolution

Chained operations

Polynomial expansion

1-D minimum/maximum

Multiply/accumulate

2-D minimum/maximum

Vector operations

Add Subtract Magnitude

Scaling


Dot product Cross product Normalization

Reflection

function for memories without BWM, which still gives an improvement that is roughly 10 times that of microprocessors without color-expand hardware.

Two special instructions were added to the '20 to take advantage of the BWM. VFILL is used for fast solid filling. The VBLT instruction reads binary shape information and controls the VRAM for

continued



In Alaska there's a place as magnificent and rare as the Grand Canyon—the Coastal Plain of the Arctic National Wildlife Refuge. More animals than you could ever see in Yellowstone live and migrate through there.

The oil companies want permission from Congress to drill on the Coastal Plain (even though the odds are four in five that there's no oil). That's like damming the Grand Canyon for hydropower.

Approval to drill will destroy our most spectacular Arctic wilderness. Future generations will never see it, or even have the comfort of knowing it's there. The Coastal Plain is the only part of Alaska's north coast that hasn't been opened to oil development—our last 100 miles. To learn how you can help us preserve it, write or call: Sierra Club,



text and pattern color expansion.

Another area of improvement is in the plane-masking function. The 44C251's 'persistent write per bit" speeds up this function. The '20 doesn't have to do read-modify-write (RMW) cycles to perform the masking operation.

By combining the wider data bus, fast page mode, faster processor cycle, and BWM support on the '20, you get a performance advantage of up to 50 times over the '10 when writing color text.

Remarkably, the '10's internal colorexpand hardware already gave it a significant advantage over general-purpose processors at this function.

The 44C251's split shift register greatly simplifies the timing requirements for loading the shift register while it's still allowed to shift. The special control and timing are directly supported by the '20, removing the time-critical real-time reload headache from the system designer.

Strike Up the Band

The '20 significantly increases the system-bus bandwidth of the '10 due to improvements in three basic areas: a wider data bus (32 bits on the '20 versus 16 bits on the '10), exploiting enhanced pagemode accesses on DRAMs and VRAMs, and a faster clock speed or state rate. The wider data-bus and page-mode accesses let the '20 fetch more instructions in less time on a cache miss. And, at a clock speed of 40 MHz, the '20 typically fetches 16 instructions in 900 nanoseconds, while a 50-MHz '10 fetches only 3. Together, these improvements provide performance increases of three to seven times on the '20 when executing programs written for the '10.


The largest performance increases due to local-bus bandwidth improvements, however, come in the multiple-cycle data-manipulation instructions. The '20's FILLS, PIXBLTS, and BLOCK MOVES have improved the most. For example, a fill operation on the '20 paints the screen in one-seventh the time required by the '10; you can get even more dramatic performance increases, up to 50 times that of the '10, if you use the block-write capabilities of the 44C251 VRAM. For large data transfers, the '20 incorporates an eight-word (32 bits per word) first-in/ first-out that scoops up the source data, modifies it, and returns it to the destination within local memory.

Another unique feature of the '20 is the four CAS- outputs (see figure 1) that support byte-write operations, thus avoiding RMW cycles. Many graphics and string operations require intensive byte manipulation provided by the '20's CAS- strobes. Furthermore, these strobes let the '20's line-drawing engine splatter the display with 5 million pixels in a single second (RMW cycles would reduce performance to less than 3 million pixels per second).

In addition, the '20 dynamically sizes to 16- and 32-bit-wide memories via the SIZE16- input; simultaneously, the '20 can dynamically change its column and address multiplexing to support memories of different array sizes in the same system without additional hardware.

Hosting the Affair

The '20 operates as either a host processor or a graphics processor attached to a host bus. The host interface on the '20 is completely transparent to the host system. When the '20's memory is mapped directly into the host system's memory map, the '20 functions as a DRAM controller.



Books that point the way from Morgan Kaufmann Publishers

1. Computer-Supported Cooperative Work: A Book of Readings edited by Irene Greif. An exciting new discipline devoted to understanding group work processes and developing tools to enhance collaborative efforts. 783 pp. \$36.95 2. Readings in Database Systems edited by Michael Stonebraker. Forty key articles present the breadth of database research and applications through original research...with fascinating commentary by the editor. 650 pp. \$29.95 3. Readings in Human-Computer Interaction: A Multidisciplinary Approach by Ronald M. Baecher and William A. S. Buxton. Drawing on research from diverse fields, over 60 papers are balanced by relevant case studies and synthesizing original material, discussing approaches and core concepts. 738 pp. \$32.95 Exploring Artificial Intelligence: Survey Talks from the National Conferences on Artificial Intelligence (not shown) edited by Howard E. Shrobe and the American Association for Artificial Intelligence. Each chapter is based on a survey talk by a leading researcher who has updated his information for publication here. 4. Hardcover Approx. 600 pp. \$34.95

	McGraw-Hill Bookstore
Please	1221 Ave. of the Americas, New York, N.Y. 10020 MB9
use	Please send me (circle) book # 1 2 3 4 5 Number of copies
	Check or credit card: Visa Amer . Exp Mastercard
coupon	Acct. NoExpires
at right, or	Name
call (212)-	Address
512-4100	City State ZipAdd applicable sales tax, plus \$2.50 postage and handling.
	L

continued

5. Softcover Approx. 600 pp. \$19.95

Price is one reason to buy Print Master II for printer sharing. Print Master II

Performance and support are two others.

- 6 serial and 2 parallel ports
- Any port can be a computer or printer port
- All ports can send and receive data simultaneously
- Computer to computer data transfer
- Printer selection via resident pop-up menu
- 256 KB buffer saves computer time
- Buffer may be field expanded to 1.25 MB

- Easily connects to computers, printers, plotters, and modems
- Competitive price
- Unlimited toll-free telephone support
- 30 Day money back guarantee

BayTech

Bay Technical Associates, Inc., Data Communications Products Division 200 N. Second St., Bay Saint Louis, Mississippi 39520 USA Telex: 910-333-1618 BAYTECH, Telephone 601-467-8231 or toll-free

800-523-2702

Table 1: New 34020 instructions added to the current set for the TMS340 GSP family.

A	 instructions	

CLIP	Clip DADDR, DXDY to window

Convert source XY address to linear address CVSXYL RS, RD

Fast line draw with linear addressing FLINE Z

Find pixel equal to COLORO FPXLEQ FPXLNE Find pixel not equal to COLORO

Get pixel size GETPS RD

Horizontal pattern fill HPFILL XY VRAM load-color latch LCOLOR Line initialization LINIT

Masked PixBIt: binary to linear PIXBLT B, M, L PIXBLT L,M,L Masked PixBlt: linear to linear Process pixels in registers PPROCRS, RD

Replicate pixel RPXL RD

Set CONVDP I/O register based on DPTCH register SETCDP SETCMP Set CONVMP I/O register based on MPTCH register Set CONVSP I/O register based on SPTCH register SETCSP

VBLT VRAM pixel block transfer

VRAM fill array with processed pixels: linear VFILL

Coprocessor instructions

COPICCO	3301 IIIoti dotiono	
CEXEC	S,coin,i	Coprocessor internal operation: short
CEXEC	S,coin,i	Coprocessor internal operation: long
CMOVCG	RS,RD,S,coin,i	Move from coprocessor to 34020 register(s)
CMOVCG	RS, coin, i	Move from coprocessor to 34020 register(s)
CMOVCM	-*RD,K,S,coin,i	Move coprocessor to memory indirect (predecrement)
CMOVCM	*RD+,K,S,coin,i	Move coprocessor to memory indirect (post-increment)
CMOVCS	coin,i	Move coprocessor to 34020 status register
CMOVGC	RD, coin, i	Move one 34020 register to coprocessor
CMOVGC	RS,RD,S,coin,i	Move two 34020 registers to coprocessor
CMOVMC	-*RS, K, S, coin, i	Move indirect (predecrement):
		memory to coprocessor
CMOVMC	*RS+,K,S,coin,i	Move indirect (post-increment):
		memory to coprocessor
CMOVMC	*RS+,RD,S,coin,i	: Move indirect (post-increment):
		memory to coprocessor
where:	i = the coprocessor	ID (0-7)

K = a count of parameters to move

S = size of values operated on (0 = 32-bit, 1 = 64-bit)

coin = the coprocessor instruction field

Move instructions

Move block BT.KMOV

General instructions

RMO RS, RD Rightmost one

Program-control and context-switching instructions

Idle: Wait for interrupt

Memory wait TIAWM

Swap field (read-modify-write field) SWAPF *RS, RD

Software interrupt: long TRAPL N

On a host access to the '20's local memory, the host's address is latched into the '20. The address is then reformatted and presented on the LAD and RCA buses to the '20's local memory (see figure 1). Data is routed via external data buffers that are directly controlled by the '20.

The 38-pin interface supports burst rates of up to 20 megabytes per second in either block-transfer or random-access mode. The '20 provides option bits in the internal host control register to let the interface pipelining be configured for block (read or write) or RMW operations for maximum performance.

The '20 supports multiprocessing environments and can access host memory directly to improve system performance when accessing host resources. Built-in bus-fault and retry mechanisms handle address violations and bus-contention conditions. The '20 supports data operations in big endian (data indexed from the most-significant data bit) and little endian (data indexed from the least-significant data bit) modes, thus removing swizzling (data remapping) operations.

Hold That Line

The '20's Hold/Holda protocol not only lets another processor suspend the master GSP from operating on its local bus, but also lets other GSPs be directly wired onto the same local bus. Three signal lines-grant in (GI-), low-priority request (RL-), and high-priority request (RH-)—provide the handshake mechanism on this interface (see figure 1). These three lines are necessary to handle special problems associated with both graphics systems and DRAM- and VRAM-based systems.

In a typical Hold application, the '20 must reassert bus control if a shift-register-transfer (display-refresh) or memoryrefresh cycle is pending. Internal counters schedule latency of these events to provide maximum performance. Internal refresh queuing of up to 12 DRAM refresh cycles limits bus rearbitration.

Two or more '20s can be directly wired together to increase system performance. Multiple GSPs synchronized to the same local clock can efficiently handshake over the three-wire interface, allowing control of the bus to be passed between processors on every local memory cycle. With the increased size of the instruction cache and the improved efficiency of instruction acquisition, a significant performance increase can be obtained by using this interface.

Learning the Rules

The '20 has built on the '10's full suite of general-purpose instructions and combined them with a rich set of applicationspecific graphics instructions (see table 1). Note that the processors have a sufficient set of the necessary assembly language instructions to support a robust C language with direct field support.

Both the '10 and the '20 have direct support for operations on fields in memory. Since they are bit-addressable processors, fields in memory can start on any bit boundary; the instruction set fur-

continued

RUNNING TOTALS

WINDOWS FOR DATA®

MULTI-LEVEL
MULTI-LEVEL
MENU SYSTEM
NESTED FORMS
POP-UP FORMS
POP-UP FORMS
REGION
CHOICE LIST

	Invoice No	.: 008784	l	ate:	12/8	3/87 —Customer—		16:43:19	
	Search for	customer re	cord? (Y/	N): H		William Jo	mes		
A.	Inter cust	omer informa	tion? (Y/	H :CM		Innovative	Softwar	е	
		ing address?				351 Bullet	in Avenu	е	
	Inter mark	eting inform	ation? (Y/	H : CH	350	Needham, N		4	
						(617) 394-	-5512		5
	No. PROD	UCT	DESCRIPTI	ON		QUANTITY	PRICE	AMOUNT	
	5 WDM	S Windows	for Data	Micro	soft	10	295.00	2950.00	
	6 WDL	A Windows	for Data	Latti	ce		295.00	1475.00	-
	7 WDT	C Windows	for Data	Turbo	C		295.00	1475.00	D
	8 WDX	E Windows	for Data	XENIX			795.00	1590.00	
	9	- Parties					0.00	0.00	
	JDXE	Windows for	Data - XI	NIX		Subto	tal:	11325.00	
	WD3B2	Windows for	Data - 31	2 Unix	134		ing:	0.00	
8	WDSU2	Windows for	Data - Su	m Unix	10				1
	WDVM3	Windows for	Data - Mi	croVax	n 14	TOTAL		11325.00	13
	WDUM4	Windows for	Data - Va	x 780	والإراب	Payme	ent :	0.00	

If you program in C, take a few moments to learn how Windows for Data can help you build a state-of-theart user interface.

- ☑ Create and manage menus, data-entry forms, contextsensitive help, and text displays — all within windows.
- ✓ Develop window-based OS/2 programs right now, without the headaches of learning OS/2 screen management. Run the same source code in PCDOS and OS/2 protected mode.
- Build a better front end for any DBMS that has a Clanguage interface (most popular ones do).



FROM END TO BEGINNING

Windows for Data begins where other screen packages end, with special features like nested pop-up forms and menus, field entry from lists of choices, scrollable regions for the entry of variable numbers of line items, and an exclusive built-in debugging system.

NO WALLS

If you've been frustrated by the limitations of other screen utilities, don't be discouraged. You won't run into walls with Windows for Data. Our customers repeatedly tell us how they've used our system in ways we never imagined — but which we anticipated by designing Windows for Data for unprecedented adapatability. You will be amazed at what you can do with Windows for Data.

YOU ARE ALWAYS IN CHARGE

Control functions that you write and attach to fields and/or keys can read, compare, validate, and change the data values in all fields of the form. Upon entry or exit from any field, control functions can call up subsidiary forms and menus, change the active field, exit or abort the form, perform almost any task you can imagine.



OUR WINDOWS WILL OPEN DOORS

Our windows will open doors to new markets for your software. High-performance, source-codecompatible versions of Windows for Data are now available for PCDOS, OS/2, XENIX, UNIX, and VMS. PCDOS

versions are fully compatible with Microsoft Windows. **No royalties**.

MONEY BACK GUARANTEE

You owe it to yourself and your programs to try Windows for Data. If not satisfied, you can return it for a full refund.

Prices: PCDOS \$295, Source \$295. OS/2 \$495. XENIX \$795. UNIX, VMS, please call.

Call: (802) 848-7731

ext. 51

Telex: 510-601-4160 VCSOFT

FAX 802-848-3502



21 Elm Ave. Richford, VT 05476 ther supports varying field widths (from 1 to 32 bits). This can be especially important in manipulating C "fields" and in the memory storage required for packed arrays in C. The TMS340 family's hardware support for fields augments these operations. (Pixels are a special case of regularly sized, packed fields in frame-buffer memory.)

Two-operand pixel-block-transfer instructions (PIXBLTs) perform 16 binary and 6 arithmetic raster operations on a pair of two-dimensional pixel arrays. The two-operand PIXBLTs are useful for manipulating and moving bounded objects and operating with solid color.

You can simulate more elaborate operations using multiple PIXBLTs, arithmetic raster operations, and the 10's binary-expand operations. Using the binary expand, fonts stored as bit patterns form color text (with transparency), and two-color patterned operations can be performed on the bit map. The flexibility of the PIXBLT instructions lets you build operations such as the 8514/A's compare operations, as well as foreground and background raster operations. In addition, you can build support for nonrectangular objects on top of two-operand PIXBLTs.

The '20 extends the '10's PIXBLT instructions by adding a third operand, a binary-mask operand. While the '10 supplies hardware support for rectangular window regions and pixel blocks, many applications have begun to require control and rendering of nonrectangular window regions. The third mask array supports this feature on the '20. The mask is used to describe the window region on a pixel-by-pixel basis. This provides complete flexibility in describing a region: It can be filled, concave, convex, outlined, have holes, and so on.

The three-operand PIXBLT employs the binary-mask array to act on the first operand, the source-pixel array. This mask array selects individual pixels in the source array to be combined with the destination array (an independent operand). For text, the source array can be an arbitrary pattern (dithered or halftoned) describing the "color" or "shading" of the text (see figure 3). The mask array contains the description of the shape of the character, or glyph. The destination array is the displayable "canvas" onto which the character is painted.

In this way, the bits having a value of 1 in the mask select pixels (1, 2, 4, 8, 16, or 32 bits deep) in the source-array pattern to transfer to the destination location. There is the additional option of performing one of 22 raster operations on the selected source or destination pixels, as well as several transparency and plane-masking options.

See-Through Pixels

Raster operations on the TMS340 family include all the Boolean combinations of 2 bits and their complements, plus an arithmetic set. This latter set supports addition and subtraction of pixels as well as a unique pair of comparison operations. The first computes the maximum of the source and destination pixels. The second computes the minimum pixel value. These operations are useful for layering "planes" of data via the intelligent ordering of pixel indexes or colors. They have been used to "drag" spritelike objects around the screen without corrupting background or foreground images. Pixels are combined through binary or arithmetic raster operations to form a resultant pixel.

Raster operations for the '20 contain several new transparency modes. Trans-

parency is the notion that there are cases in which it is useful to inhibit the writing of new pixel data to the destination based on information within the actual operands of the raster operation. Thus, transparency circumvents the normal determination of what value is to be written to the destination pixel.

The four '20 transparency modes are transparency inhibited, transparency on resultant pixel = 0, transparency on source pixel = 0, and transparency on destination = COLORO. The first two are '10-compatible modes.

When transparency is inhibited, raster operations proceed as normal. For transparency on the resultant pixel equal to 0, the '20 checks the pixel value that results from the raster combination for zero-valued pixels. The zero value is then replaced with the original destination-pixel value so that the destination-pixel location is not changed.

For transparency on the source pixel equal to 0, the source-pixel value is checked before the raster operation for zero-valued pixels. Each zero value is identified so that the destination pixel retains its original value. This is useful for maintaining transparent pixels in the source-pixel array while using other '20 raster operations.

For transparency on the destination equal to COLORO, the destination-pixel value is checked before the raster operation for pixels that equal the "background" color (stored in the 32-bit COLORO register). Each background-value pixel in the destination is not modified by the raster operation. This is useful for maintaining background pixels in the destination bit map, regardless of the value of the source pixel and which of the 22 raster operations are enabled.

Working on the Line

Several design areas on the '10 in the area of line support were targeted for enhancement on the '20. Among these were fast line draw, line initialization, and support for patterned lines and arrays.

To enhance line-draw performance, the '20 has added a fast line-draw instruction to the '10's Bresenham-algorithm line draw (see "Better Bit-Mapped Lines" in the March BYTE). This FLINE instruction performs the same arbitraryangle algorithm found on the '10, but it assumes preclipped endpoints as input. This allows the CPU to bypass the window-checking microcode and execute the heart of the line-draw algorithm at memory-bandwidth speeds (raster operations, plane masking, and transparency




Figure 3: The three-operand PIXBLT. The third operand is a 1-bit-per-pixel array that provides a mask for pixel-by-pixel control over the destination pixels.

SCSystems 1-800-669-9933

Serving Computer Buyers For Eight Years

Para Asistirle En Espanol Llame Al Tel 1-800-842-1777

STAR NX1000 Printer \$174

SAMSUNG 12" Flat Amber Monitor \$82

LOGITECH

C7 Mouse W/Plus Software

\$68

HARDWARE

ACCESSORIES

CopyIIPC Brd Deluxe..... \$ 99 Masterpiece + 95

COMPUTERS

SCSystems Series 88 XT Computer

Slide Case Top w/upfront keylock, turbo button/led, reset button. 150 watt power supply, 360K drive, 477-10MHz, 640K. Phoenix Bios, AT style keyboard, Limited one year warranty.

\$565

Model 120 S Model 80	1629
Model 140X	2473

AST Adv Prem 1mb	& Call
AST 6Pac Prem 1mb	
AST Sixpac	
Hercules Grph +	
Intel Above 286	

FGA BOARDS

EGA BOARDS	
ATI EGAWonder\$	175
Genoa SuperHiRes+	195
Orchid Designer	Call
Paradise 480	155
Paradise VGA +XT	259
Paradise VGA Prof	385
Vega VGA	269

EGA MONITORS

NEC Multisync 2 Samsung	359
HARD DRIVES	

Seagate 125 w/cont \$ 321 Seagate 138 w/cont.....

Seagate 20MB w/cont 269

Seagate 30MB w/cont.....

411

MICE

Logitech	 	 			\$	68
MS Bus Mouse						99

MODEMS

Hayes 1200\$	Cal
Hayes 1200B	Cal
Incomm RPC1200	62
Incomm RPC2400	147
Incomm T1200	76
Incomm T2400	167
Incomm T2400EC	224

MONITORS

Amdek 410\$	145
Princeton MAX15	Call
Samsung RGB	215
Samsung Amber	

3COM

3C503 ELink II	\$345
3C523 ELink/MC	432

PRINTERS

Citizen

120D\$	Call
180D	199
MSP-15E	319
MSP-40	
C.Itoh	
ProWriter C715	925
ProWriter Jr.+	
NEC	
P2200	Call
Okidata	
Call on all models.	
Panasonic	
1080I/M9	164

1092I Call

NX-15	 	Call
Toshiba		
321SL	 	500
341SL	 	674
351SX	 	1005

SOFTWARE

ACCOUNTING

Dollars & Sense 95 Managing Your \$ 119	DacEasy \$	54
Managing Your \$ 119		

COMMUNICATION

Carbon Copy Plus\$	10
CrossTalk XVI	8
CrossTalk 4	11
PC Anywhere	5
SmartCom II	

DATABASE

Clipper						٠		\$ 370
Data Perfect								284
DBase III	i							379
DBXL Diamond	٠							109
Fox Base +					٠			190
Paradox 2.0			٠					Cal
Q and A								188
Relate & Report								100

DESKTOP PUBLISHERS

Pagemaker 3.0 \$ PFS First Pub Ventura	55
GRAPHICS	
Chartmaster\$	
Generic Cad 3.0	51
Printshop	33

Signmaster Call

INTEGRATED

Ability Plus.								\$	139
First Choice									89

LANGUAGES

MS QuickBas	i	•						٠		\$ 6
MS Quick C .										6
Turbo Basic .										5
Turbo C										5
Turbo Prolog										

SPREADSHEETS

Lotus 123									\$ Call
Plan Perfect									192
Quattro									150
Surpass									329

UTILITIES

CopyHPC\$	18
Desqview	71
Duet	48
Fastback Plus	88
Formtool	52
Mace	48
Norton Advanced	72
PC Tools Deluxe	36
Sidekick Plus	119
Sideways Print	30

WORD PROCESSING

Word Perfect 5.0\$	219
Wordstar ProPack	Call
Wordstar 2000	Call



No Charge for Mastercard or Visa



Call For Items Not Listed

SCSystems

205 S. 29th St., Phoenix, AZ 85034

Order Line 800-669-9933 Status Line 602-275-1395

Espanol 800-842-1777 FAX No. 602-273-0043

Order Line for Europe & Mexico 602-275-1395

TERMS: No charge for Visa or Mastercard. We do not charge your card UNTIL WE SHIP your order. Manufacturers warranty applies in all cases, all warranties are handled by the manufacturers. We accept Purchase Orders from authorized companies only, for 3.5% above cash price. No COD orders. No refund on opened software. All prices are subject to change. Allow 14 days for personal/company checks. Arizona orders add 6.7% tax. Add 2% for shipping plus \$2.00 for handling. We do not

Making Videos

The video RAM (VRAM) is a dynamic RAM (DRAM) modified to let it transfer a large number of bits from the memory array to a separate internal serial-shift register. Prior to VRAMs, the majority of the available bandwidth in conventional frame buffers (designed around DRAMs) was used for display refreshing. This left virtually no time for a processor to update the display data.

After making the transfer, the contents of the shift register are independently shifted out to the display. As a result, the random port of the VRAM allows unimpeded access to the graphics processor. With the increasing resolutions of graphics displays and denser memory devices, the VRAM is becoming indispensable to frame-buffer design.

The original 64K-bit VRAM was organized as a 64K-by-1-bit device and had a single 256-bit shift register with four *tap points* (the starting column position for the shift register). Memory-array-to-shift-register transfer cycles could be made only during horizontal retrace when the serial clock to the shift registers was stopped.

The next-generation VRAM was a 256K-bit device that combined the functionality of four 64K-bit VRAMs on a single chip. The device was organized into a 64K-by-4-bit device and contained four 256-bit "serial-shift" registers. A static RAM and counter emulated the shift-register function of its predecessor, allowing the shift function to start from any tap point.

Transfers in the middle of a line were enabled by changing the timing of the shift-register-to-memory transfer. This "midline reload" allowed designs to use fewer VRAMs for certain frame-buffer sizes, but the timing was so critical that few systems could take advantage of it. Furthermore, various manufacturers experimented with features including fast page mode, Boolean functions, and alternate shift-register timing modes.

The latest VRAM generation is a 1-megabit device that has several architectural enhancements to improve performance. The organization is 256K-by-4-bit with four 512-bit shift registers. Some manufacturers plan an alternative 128K-by-8-bit VRAM. It's important

to note that when graphics architectures use data buses wider than 128 bits, some memory devices will be only partially used, because they need extra devices just to reach the required data-bus width due to the "deeper" organization of the by-4 memories. To compensate for the increase in the depth of the memory, the 1-megabit VRAM includes features to improve its performance without requiring wider buses.

Most 1-megabit VRAMs support the block-write mode (BWM), which gives a performance improvement of four times or more on key graphics operations, such as fills and color-text generation. Fast page-mode accesses (common on 1-megabit DRAM) further improve memory bandwidth. Some 1megabit VRAMs will support "persistent write per bit," which lets color masking be "locked in" on the VRAMs, reducing read-modify-write (RMW) cycles. The 1-megabit VRAM will also support "split-shift-register transfers," simplifying the timing and control circuitry necessary for real-time reloading of the serial-shift register. The split shift registers provide memory savings in non-binary-powered display resolutions.

BWM is the most significant new architectural feature on the 1-megabit VRAM. On the 256K-by-4-bit VRAM, an internal 4-bit color register is loaded from the 4-bit-wide data bus during a special write cycle. At 4 bits per pixel, this latch contains the color value to be written; at 8 bits per pixel, two VRAMs are concatenated to form an 8-bit register.

When the VRAM's control signals select BWM, the two least-significant bits of the address are ignored, and the four "data pins" control the writing of the contents of the color register into any or all of four consecutive locations (a "block") in memory. A "1" on a data line initiates the writing of the colorregister value, while a "0" prevents that writing to the corresponding position in the block. With four data lines controlling the four 4-bit memory cells, the net effect is an effective increase of four times in write bandwidth. The ability to support individual pixel control in BWM allows this feature to be used for rendering color text and area filling.

are all active).

To reduce overhead during line initialization, the LINIT instruction performs the necessary setup for the LINE instruction. LINIT speeds up and simplifies the operation overhead associated with line initialization. More important, LINIT allows larger algorithms utilizing the LINE instruction to fit into cache, thereby increasing drawing performance.

For enhanced patterned-drawing support, the '20 adds a horizontal-fill instruction, HFILL, which supports patterns described in a 32-bit internal register. The repeating pattern is taken from the register and rotated as pixels are drawn if the register contains a nonzero pattern. The PATTRN register contains the current drawing position in bit 0 at the end of the instruction.

But Can I Use It?

The '20 offers a full line of development-tool support built on the '10 support environment. A full Kernighan and Ritchie optimizing C compiler utilizing many of the extended features of the TMS340 architecture is available. Supporting the C language environment is a full set of assembly language tools for building relocatable, ROMable, or all-RAM executable files. A TMS340 family commonobject-file-format (COFF) loader, C I/O package, and high-level-language debug support are planned for the '20

The '20 is object code-compatible with the '10. This means that math libraries, graphics libraries, graphics interfaces, and graphics-standards software are already available for the '20. These will be enhanced over time to use the extensions of the '20.

A Family Reunion

With the entrance of the '20 and '82, the TMS340 architecture addresses a very wide range of graphics applications. The '10's smaller package size and high level of system integration is ideally suited to high-volume cost-sensitive applications. The more powerful '20 provides an upwardly compatible migration path for '10 designs and meets the needs of higher performance systems.

By adding a TMS34082 Graphics Floating-Point Unit and TMS44C251 VRAM to a 34020-based system, a small board can have all the graphics and math capabilities of a high-end workstation.

Ron Peterson, Carrell R. Killebrew Jr., Tom Albers, and Karl Guttag are all members of Texas Instruments' design team for the 34020. They can be reached on BIX as "editors."

NATURAL LANGUAGE INTERFACE



THE COMPUTER CHRONICLES MAKES KEEPING UP WITH THE INFORMATION AGE EASY

Stewart Cheifet and Gary Kildall are your co-hosts for a weekly half-hour television program aimed at computer users, owners, educators and computer industry professionals. If you're looking for help in finding out what's new and what's news, tune in to THE COMPUTER CHRONICLES every week on your local public television station.

Regular commentators are Jan Lewis, President of Lewis Research Corporation and publisher/editor of



JAN LEWIS



The Computer Chronicles is funded in part by McGraw-Hill's BUTE magazine. The Computer Chronicles is a co-production of WITF/ Harrisburg and KCSM/San Mateo.

HyperAge magazine, and George Morrow, founder of Morrow Designs.

Topics this season include: CD ROMS — Shareware Multitasking — Business Graphics — Investment Software — PC Imaging — PC Networks — Decision Support Software — Laser Printers — Hypercard — Input Devices — and MUCH MORE.

Each week THE COMPUTER CHRONICLES looks at the top stories of the week in Random Access, a news segment designed to keep you informed about the latest developments in the computer industry.

THE COMPUTER CHRONICLES, a weekly halfhour of public television that just might be the help you


THE COMPUTER CHRONICLES IS NOW ON BIX

Bix, the Byte Information Exchange, now has a conference for the Computer Chronicles.

Now you can communicate directly with the staff of the Computer Chronicles to suggest topics for future shows or to request information or details on past shows.

Once on Bix, just type "join comp.chron" at the colon (:) prompt.

You can rely on a file server for LAN communications...



You're getting the drift of this message already. File servers aren't designed to solve the PC user's communications problem. But now there's a system that is.

Now there's COMMIX™32.

It's a general purpose local area network for PCs and minicomputer hosts. It connects you with the host, other PCs, and peripherals such as printers, plotters, or modems through simple, pop-up menu commands.

For file transfer and E-mail as a background task. For printer spooling and sharing directly from your applications programs. For terminal emulation that's automatic. COMMIX 32 will let anyone perform common LAN tasks—without the need for expert assistance.

Install it quickly. Expand it easily.

Almost any PC user can install and connect with COMMIX. With each connection, you're saving time and money. Because each COMMIX connection costs as little as \$150.

Circle 132 on Reader Service Card

Then take advantage of expansion possibilities. With our optional Ethernet® Link Module, you can create larger LANs with thousands of users. And through our optional Wide Area Network Module, distant COMMIX LANs can appear as one network.

If you're lost at sea.

And looking for solid LAN. The COMMIX 32 is available now. Send us a message: ITRON, a Division of Infotron Systems Corporation, 130 Gaither Drive, Suite 116, Mount Laurel, NJ 08054.

TEL: (609) 722-5575 FAX: (609) 234-0451 In the United Kingdom: (01) 735-0731

In Europe: (2) 725-0770





COMMIX is a trademark of Infotron Corporation. Ethernet is a registered trademark of Xerox Corporation.

Lighting the Way

The brightness of EL is expanding from yellow only to red, green, and blue

Rolland Von Stroh and Brian Dolinar


he importance of light-emitting flat-panel displays, the performance advantages of thin-film electroluminescent (TFEL, or EL) displays, and the development of color capabilities make EL a heavyweight contender in the high-information-content display field.

Ergonomic yellow color, brightness, contrast, angle viewability, ruggedness, reliability, and long life all stem from the structure of EL displays. These displays use a solid-state construction (no gases or liquids trapped between glass plates).

EL consists of layers of thin films (angstroms thick) that are deposited on a single glass substrate. These layers are composed of metals and dielectrics, similar to a semiconductor device. The solid-

state nature is responsible for both the long life and ruggedness of EL displays.

The core thin-film layer is a phosphor layer of zinc sulfide (ZnS) treated with manganese (Mn), which emits light when subjected to a high-voltage field. The phosphor layer is insulated from the outer electrodes—one reflective and one transparent—by two insulating dielectric layers (see figure 1).



The thinness of the overall thin-film stack provides several benefits: There is almost no physical thickness (approximately one micron) to the display, and light is emitted uniformly across a pixel and in a direction normal to the pixel surface. The light doesn't emanate in all directions, causing a Gaussian distribution, or "fuzzy-pixel," effect.

This means that with EL you see

bright, highly defined pixels. Cross-talk between on and off adjacent pixels, so common with light-emitting technologies, is almost nonexistent with EL due to the thin-film structure. This lack of crosstalk also provides the extremely wide viewing angle (about 160 degrees) and eliminates parallax—an important point for touch panels.

What You See Is...

The chief attribute of any display would have to be its viewability. It consists primarily of brightness, fill factor, contrast, angle insensitivity, and acuity. The amount of light a display emits is considered its brightness; this can be measured as an average or as pixel brightness. Fill factor is determined by comparing the amount of illuminated area to the surrounding nonillumi-

nated area; it's given as a percentage. The greater the fill factor, the greater the apparent, or perceived, brightness. For a 640- by 400-pixel format, EL has a pixel brightness of 30 footlamberts (ft-L) and a fill factor of 50 percent, for an average yield of 12.5 ft-L.

Contrast is the ratio of on-pixel brightness to the surrounding off-pixel bright-

continued




Figure 1: The basic device structure of the thin-film electroluminescent display panel.




Photo 1: The ergonomic yellow of the principal EL phosphor. Note the thinness of the overall display panel. (Photo courtesy of Planar Systems, Inc.)

ness. The greater the ratio, the higher the resulting contrast. At 500 lux of ambient light, a typical EL display/contrast ratio value is 20 to 1. A display's ability to maintain its contrast ratio over a wide viewing angle is called its angle insensitivity. We measured contrast ratio at various angles in a 500-lux environment and found that an EL display remains at or above 10 to 1 over a full range of viewing angles—up to about 160 degrees.

Acuity is the uniformity of light emission across a pixel and the amount of a pixel's edge definition. Once the contrast ratio is high enough to easily distinguish between on and off pixels, image crispness is determined by how uniformly the on pixels emit light and how minimally that light "leaks" into the adjacent off-pixel areas. EL has a highly uniform distribution of light over the pixel area and is also highly one-directional since the light-emitting layer is so thin.

An overall rating of good viewability

consists of good ratings in all these characteristics. Acceptable contrast with inadequate brightness or a small viewing angle, for example, won't suffice for most applications.

The light emitted by the principal EL phosphor, ZnS:Mn, is amber yellow with a peak of 585 nanometers. This "ergonomic" yellow (see photo 1) is the phosphor recommended by the German and Swedish display authorities.

The eye's peak response is located in the yellow-to-green region of the visible color spectrum (see figure 2). Although green is the more eye-sensitive color, amber yellow is less fatiguing to the eye over extended, intensive-use sessions.

Reflections

A contrast-enhancing filter helps any display technology achieve its optimum performance. Increasing ambient light reduces the display's contrast ratio until it reaches a level where the display is

washed out. To enhance the contrast, you need to use a filter with an anti-reflective coating; this will preserve a good luminance from the on pixels while reducing any undesirable reflection off the screen.

There are two primary types of ambient-light reflections that you must consider when viewing an EL display. The first is the front-surface reflection off the substrate glass on which the display is constructed (i.e., the front of the screen). About 5 percent of the incident light is reflected from this front surface; about 70 percent of it comes from the rear electrodes of the EL display. An unfiltered EL display is a 75 percent-efficient mirror (see figure 3). Both reflections need to be reduced, and although both appear to be a problem, they are not. In fact, the reflection off the rear electrodes actually enhances the contrast of an EL display when you use it with a filter.

For medium-to-high ambient-light levels, you'll want to use a circular polarizer (CP). It will remove nearly all ambient reflection from the rear electrodes. However, the fact that the rear electrodes are reflective enhances the CP's ability to improve the display's contrast.

When the light reaches the quarterwave retarder, the single electric-field vector divides into its two components, one pointing along each axis of the retarder (see figure 4). These components travel at different speeds. The result is right-circularly polarized light. This means that the tip of the electric-field vector traces a right-helical path through space. The direction of the helix is determined by the right-hand rule. When circularly polarized light is reflected off a smooth, shiny surface, the direction of its polarization changes. In this case, the right-circularly polarized light changes into left-circularly polarized light.

When this light reaches the quarterwave retarder, it approaches from the rear, and the retarder imparts an additional quarter-wave left-helical motion to the light wave's electric-field vector. The result is light that is linearly polarized perpendicular to the axis of the linear polarizer. Since this light cannot pass through the polarizer, you can't see any reflection from the back electrodes.

You also need to reduce specular as well as diffuse reflected light from the front surface of the filter. Two basic modes of anit-reflection work well: thin-film coating and etched, or frosted, surfaces. They are very different in their properties, however. Figure 5 shows the percentage of reflection on the front surface for untreated glass, etched glass, and thin-film coating.

The etched surface reduces reflections by scattering or diffusing the reflection. In high-ambient light like you'd find outdoors, the reflection washes out the display, since the etched surface doesn't diminish the reflected light but only scatters it. That is, the contrast between the signal and reflected light degrades to less

than 2 to 1, and displayed information becomes illegible. The etched surface is effective for indoor applications and for ground-based sun-shielded applications.

The thin-film coating has a lower reflection and is used for high-ambient-light applications, where the etched surface would be illegible.

Rough, Tough, and Ready

EL uses surface-mounted CMOS drivers and other circuitry, modulating between 185 and 215 volts. Surface mounting gives EL displays toughness and reliability and makes them easy to repair.

The luminance-voltage characteristics continued




Figure 2: The 1931 CIE chromaticity diagram of the color spectrum with approximate color names.

of a typical EL device feature a threshold voltage below which little light is emitted, then a steeply rising slope just above the threshold, and finally a leveling off, or saturation region. This nonlinear characteristic means that you can address the device electrically at a high multiplexing ratio and still maintain excellent contrast.

Hooking It Up

Three basic elements are involved in interfacing EL monitors with computergraphics hardware: a display-refresh RAM, a monitor controller, and a video clock. The RAM must be shared between the system CPU, which writes graphical data as bit patterns into the memory, and the monitor controller, which reads this data on a cyclical refresh cycle and translates it into information the display drivers and EL panel can use. In noninterlaced systems, this refresh cycle usually takes place at a 60-Hz rate to create a flicker-free image. In other words, the display controller reads one entire frame of RAM display data every sixtieth of a second.

The monitor controller converts this RAM data into a serial video-data (VID)

stream and provides a video clock (VCLK) and two basic synchronizing signals: horizontal sync (HS), which determines when to present each row of pixels, and vertical sync (VS), which determines when to present each new display frame. Usually, there is enough time between the presentation of individual pixel rows or display frames for the CPU to update the display-refresh RAM.

EL monitors operate on the same basic signals that CRT monitors do. Thus, off-the-shelf CRT-controller chips, which provide all the basic control signals plus the interface logic required to communicate with the display-refresh RAM and CPU, can now meet the monitor-control requirements of many systems.

In addition, since flat-panel use is increasing, display-control chip manufacturers are providing the necessary control signals and timing specifications so you can easily integrate EL into many of the designs using these chips. Both newgeneration chips (e.g., those produced by Yamaha, Paradise, and Gemini) and older CRT-controller chips work with EL. Due to similar phosphor speed, lineat-a-time addressing for EL is much like that for noninterlaced CRT circuits. You don't need to learn new interfacing techniques. The newer chips also contain many new modes, such as simulated gray scale, to display contrast for color software on a monochrome monitor.

RS-232 cards, video-controller cards, and touch panels have all been designed




Figure 3: Unfiltered EL display reflections. An unfiltered EL display is a 75 percent-efficient mirror.




Figure 4: This diagram shows how unpolarized incident light can be controlled and its reflection eliminated by using a circular polarizer.

for use with EL. Touch-entry devices work well with it. EL is flat, not curved like a CRT, so parallax with touch is not a problem. A touch-entry overlay—whether resistive or capacitive—reduces the optical transmission of a display. Infrared, resistive, and capacitive touch panels work well with EL due to its crisp image quality, low electrical emissions, and light-emitting properties.

The ability to perform to various datacommunication interface standards, such as RS-232, VT-100, or VT-220, is not a function of the EL device itself, but rather of the availability of chips and cards to support these applications. Support for these standards is available.

In Living Color

Planar Systems of Beaverton, Oregon, has developed the phosphors and processes to produce prototypes of two- and three-color EL displays. Full RGB monitors are feasible, and the next step is to come up with an economic manufacturing practice for color. The company recently shipped its second full-color prototype to the U.S. Army Laboratory




Figure 5: The comparative percentages of reflection off various front surfaces. Untreated glass fares the worst, and thin-film coating works better than etched glass in high-ambient-light situations.

at \$9900 Small talk is Cheap

PROCOMM v2.4.2

DELTAGOLD®

... at \$99, this modem is hard to beat. Ann Fischer Lent, p.98, BYTE, June, 1988

Voyager Modem

The most fully packaged, easy to use portable modem in the marketplace costs only \$99. The DeltaGold Voyager modem.

The Voyager modem is 100% Hayes compatible, has 300/1200 baud transmission speeds, and has a 28 character non-volatile memory.

It comes with features you wouldn't expect for \$99: Remote ring, low battery LED indicator, tone sensing, busy and dial tone monitoring, pulse/DTMF (touch tone) dialing, auto dialing/auto answer, and auto power on/off.

Like all DeltaGold products, the Voyager modem comes complete with everything you'll need: communications software, the best documentation in the industry, telephone cord, and an external 9-25 pin adaptor. And it's accompanied with an 18-month warranty.

The Voyager modem will work for approximately 10 hours on a 9-volt battery, or can be used with an AC adaptor, available for \$6.00.

So when you're looking for a full-featured modem that can travel anywhere, remember that small talk is cheap. The DeltaGold Voyager modem, for only \$99.



1-800-255-DELTA (617) 339-5575 (508) 339-5575



Command (LABCOM) Division in Fort Monmouth, New Jersey (see photo 2). The color prototypes have a pixel matrix of 320 by 240 (by 3 colors) and offer an active display area of 4.8 by 3.6 inches (a 6-inch diagonal). The pixel pitch is 0.005 inches (200 lines per inch).

Red, green, and blue phosphors are currently composed of ZnS:SmCl₃ (zinc

sulfide with samarium chloride), ZnS:TbF₃ (zinc sulfide with terbium fluoride), and SrS:Ce (strontium sulfide with cerium), respectively. A split-pixel approach, patterned for red, green, and blue (see photo 3), optimizes the tradeoffs in brightness, processing cost, and electronic addressing. When you mix them, the pixels are bright enough to gen-

erate a full white. For TV video, however, you want more brightness and color saturation from the blue phosphor. Planar is working on that problem, looking at processing enhancements, and exploring other phosphor compositions.

Bigger, Better, and Brighter

Over the last 2 years, the typical power consumption of a full-page EL display has decreased from the mid-20-watt range to under 10 watts. This has been accomplished by combining less-power-hungry drivers with power-recovering drive architecture. Since an EL display is a large capacitor, you can recover the capacitive current through an inductive design, reducing the power dissipation.

At the same time, breakthroughs in materials, architecture, and processing have brought a 50 percent increase in EL brightness. For outdoor applications, the brightness of EL panels increases with the refresh rate (up to 1 kHz).

Monochrome emulation of full-color information requires control of pixel-by-pixel brightness at various levels. EL's large bandwidth of on-to-off contrast provides wide levels for a discernible gray scale. Full 16-level gray-scale EL drivers have been developed and used to display sharp, clear video and graphics. EL provides a full range of gray-scale design options: voltage, pulse width, and refresh-rate modulation.

Multiplexed addressing of digital flatpanel displays has constraints in size and pixel count due to the time required to address each frame a line at a time within the common 60-Hz refresh cycle. Planar has recently expanded these constraints to produce glass panels of roughly 19 inches diagonal with a resolution of about 1024 by 1024 pixels. These developments potentially expand EL markets to workstations and other large-panel applications where compactness, high resolution, and image stability are important.

A Bright Future

In the past, EL's main problem in market acceptance has been its price. Now, it's in high-volume production, bringing down the costs of the ICs, circuit boards, glass, and other materials used in its creation, and thus the final cost of the EL panels as well. The bright clarity of EL, once too expensive for most of us, is coming into view.

Rolland Von Stroh is vice president, marketing, of Planar Systems, Inc. in Beaverton, Oregon. Brian Dolinar is marketing engineering manager at Planar. They can be reached on BIX as "editors."



Photo 2: An example of a color display on a full-color EL prototype display from Planar Systems. (Photo courtesy of Planar Systems, Inc.)





Photo 3: The red, green, and blue pixel matrix used to produce color in the traditionally "yellow only" EL display. (Photo courtesy of Planar Systems, Inc.)



Meet Fujitsu's new DL3000 series printers. All you ever wanted from a 24-wire dot matrix printer at a surprisingly affordable price.

Superb Paper Handling, Speed, and Quiet Operation.

First, with just a push of a button you can switch between letterhead and computer paper. The built-in tractor with paper parking does all the work.

Next, print fast. 288 characters per second, or one-page memos in 10 seconds.

Finally, print quiet. Quiet enough to let you comfortably carry on a conversation.

Easier, faster and quieter than the competition. Ask to see one. We'll prove it.

Comes Fully Loaded, Ready To Go To Work.

The DL3000 printers give you crisp graphics and exceptional letter quality printing.

They give you an easy-to-use programmable operator panel with memory for two different menus. And you'll be compatible with today's popular business systems and software.

You even get an industry leading reliability rating of

8,000 hours MTBF. For years of trouble-free performance.

Call 800-626-4686 today for more information on this or any of our world famous

DL3300 (Narrow	Carriage), DL3400 (Wide Carriage)				
Speed	High Speed Draft 288 cps at 12 cpi Draft Quality 216 cps at 12 cpi Letter Quality 72 cps at 12 cpi				
Fonts	Courier 10 Prestige Elite Compressed Optional Font Card with 2 Fonts per Card				
Paper Handling	Standard Push Tractors with Automatic Sheetloading and Paper Parking; Optional Single and Double Bin Cut Sheet Feeders				
Acoustic Noise	55 dBA				
Interfaces	Centronics Parallel or RS232C Serial				
Emulations	IBM® Proprinter XL® IBM Graphics Printer® Diablo 630® API, Epson JX80® (with Color Option)				
Color Option	User Installable Kit				
including daise					

family of printers, including daisywheel, dot matrix, laser and band

Because the more you ask, the more we can do for you.

A COMPANY WITH CHARACTER AND DRIVE



FUJITSU AMERICA

Computer Products Group

FOR MORE INFORMATION ON THE DL3000 SERIES PRINTERS, CALL 800-626-4686

Monitor Makers

Since the monitors available for microcomputers are too numerous to give here, this list contains only contact information for the companies that make the monitors

Amdek Corp. 1,2,A,B 1901 Zanker Rd. San Jose, CA 95112 (800) 722-6335 (408) 436-8570 Inquiry 968.

American Research Corp. 1,2,B 1101 Monterey Pass Rd. Monterey Park, CA 91754 (800) 423-3877 (213) 265-0835 Inquiry 969.

AOC International^{2,A,B} 10991 Northwest Airworld Dr. Kansas City, MO 64153 (816) 891-8066 Inquiry 970.

Apple Computer, Inc. 1,2,A,M 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010 Inquiry 971.

AST Research, Inc. 1,2,B 2121 Alton Ave. Irvine, CA 92714 (714) 863-1333 Inquiry 972.

Axtel, Inc.2,B,M 18848 Arbutus St. Fountain Valley, CA 92708 (714) 963-6790 Inquiry 973.

Aydin Controls^{1,B,M} 414 Commerce Dr. Ft. Washington, PA 19034 (215) 542-7800 ext. 229 Inquiry 974.

Beltron Computer Systems, Inc.1,B 2215 North Broadway Los Angeles, CA 90031 (213) 222-9680 Inquiry 975.

BFA Sales^{1,A,B} 8401 Washington Place NE Albuquerque, NM 87113 (505) 828-9100 Inquiry 976.

Blue Chip International^{1,2,B} 7305 West Boston Ave. Chandler, AZ 85226 (602) 961-1485 Inquiry 977.

- 1 = Color or RGB monitors available
- ² = Monochrome monitors available
- A = Apple II, IIe, IIc, or IIGS compatible
- B = IBMPC, XT, AT, RT, orPS/2 compatible
- ^C = Compaq compatible
- D = Data General compatible
- K = Kaypro compatible
- M= Mac 512, SE, Plus, or II compatible
- N = NEC compatible
- P = Sperry compatible
- R = Tandy compatible
- s = Sanyo compatible
- T = AT&T compatible
- U = Unisys compatible
- z = Zenith compatible

C. Itoh Electronics^{1,2,A,B} 2505 McCabe Way Irvine, CA 92713 (714) 660-1421 Inquiry 978.

Carroll Touch^{1,2,B} P.O. Box 1309 Round Rock, TX 78680 (512) 244-3500 Inquiry 979.

Chugai International Corp. 1,B 55 Mall Dr. Commack, NY 11725 (516) 864-9700 Inquiry 980.

Colorgraphic Communications Corp. 1,B 5388 New Peachtree Rd. P.O. Box 80448 Atlanta, GA 30366 (404) 455-3921 Inquiry 981.

Compaq Computer Corp. 1,C 20555 FM 149 Houston, TX 77070 (800) 231-0900 Inquiry 982.

Compuadd Corp. 1,2,B 12303-G Technology Blvd. Austin, TX 78727 (800) 531-5475 (512) 250-1489 Inquiry 983.

Conrac^{1,2,B} **Display Products Group** 1724 South Mountain Ave. Duarte, CA 91010 (818) 303-0095 Inquiry 984.

Control Systems, Inc. 1,B 2675 Patton Rd. P.O. Box 64750 St. Paul, MN 55164 (800) 826-4281 (612) 631-7800 Inquiry 985.

Cornerstone Technology^{2,B,M} 1883 Ringwood Ave. San Jose, CA 95131 (408) 279-1600 Inquiry 986.

Corvus Systems, Inc. 1,2,B 160 Great Oaks Blvd. San Jose, CA 95119 (800) 426-7887 (408) 281-4100 Inquiry 987.

CTX International^{1,2,A,B,C,M,N} 260 Paseo Tesoro Walnut, CA 91789 (714) 595-6146 Inquiry 988.

Data General Corp. 1,2,B,D North American Sales Division 4400 Computer Dr. Westboro, MA 01580 (617) 366-8911 Inquiry 989.

Datafox, Inc.2,B 2215 East University Phoenix, AZ 85034 (800) 821-6317 (602) 275-2072 Inquiry 376.

Dotronix, Inc. 1,2,B 160 First St. SE New Brighton, MN 55112 (612) 633-1742 Inquiry 377.

E-Machines, Inc.2,M 9305 Southwest Gemini Dr. Beaverton, OR 97005 (503) 646-6699 Inquiry 378.

Electro Mechanical Systems^{2,B} 801 West Bradley Champaign, IL 61820 (217) 359-7125 Inquiry 379.

Electrohome, Ltd. 1,2,B 809 Wellington St. N Kitchener, Ontario Canada N2G 4J6 (519) 744-7111 Inquiry 380.

4Site Technologies, Inc.1,M Machroma Division 200 Seventh Ave., Mail Stop 250 Santa Cruz, CA 95062 (800) 634-7483 Inquiry 381.

Goldstar Electronics International, Inc. 1,2,A,B 1050 Wall St. W Lyndhurst, NJ 07071 (800) 562-0244 (201) 460-8870 Inquiry 382.

Greatwest Technology^{1,2,B} SYSDYNE Products Division P.O. Box 30728 Oakland, CA 94604 (415) 639-2000 Inquiry 383.

Hitachi Sales Corp. of America1,2,A,B 401 West Artesia Blvd. Compton, CA 90220 (213) 537-8383 Inquiry 384.

Hyundai Electronics America^{1,2,B} 4401 Great America Pkwy. 3rd Floor Santa Clara, CA 95054 (408) 986-9800 Inquiry 385.

IBM Corp. 1,2,B Old Orchard Rd. Armonk, NY 10504 (914) 765-1900 Inquiry 386.

IMC Computer, Inc.^{1,2,B} 11100 South Wilcrest St., Suite H Houston, TX 77099 (713) 561-8857 Inquiry 387.

Indtech, Inc. 1.2.B 1349B Moffett Park Dr. Sunnyvale, CA 94089 (408) 743-4300 Inquiry 388.

Industrial Computer Source^{1,8} 5466 Complex St., Suite 208 San Diego, CA 92123 (800) 523-2320 (619) 279-0084 Inquiry 389.

Intecolor Corp. 1,8 225 Scientific Dr. Technology Park Norcross, GA 30092 (404) 449-5961 Inquiry 390.

Kaypro Corp. 1,2,B,K 533 Stevens Ave. Solana Beach, CA 92075 (800) 452-9776 (619) 481-3900 **Inquiry 391.**

Kimtron Corp. 1,2,8 1709 Junction Court Building 380 San Jose, CA 95112 (408) 436-6550 Inquiry 392.

Kraft Systems Co.^{2,8}
450 West California Ave.
Vista, CA 92083
(619) 724-7146
Inquiry 393.

Link Computer, Inc.^{1,2,8} 560 South Melrose St. Placentia, CA 92670 (714) 993-6976 Inquiry 394.

Logitech, Inc. 1.8 6505 Kaiser Dr. Fremont, CA 94555 (415) 795-8500 Inquiry 395.

MAI Basic Four, Inc. 1,2,8 14101 Myford Rd. Tustin, CA 92680 (800) 854-3194 (714) 731-5100 Inquiry 396.

MegaScan Technology^{2,B} 4000 Kenneth Dr. Gibsonia, PA 15044 (412) 443-5820 Inquiry 397. Micro Cellular Comm. 1,2,A,B 7100 West Camino Real Suite 402 Boca Raton, FL 33433 (407) 391-0808 Inquiry 398.

Micro Display Systems^{2,B,M} 1310 Vermillion St. P.O. Box 455 Hastings, MN 55033 (800) 328-9524 (612) 437-2233 Inquiry 399.

MicroGraphic Images^{2,M} 439 Calle San Pablo Camarillo, CA 93010 (805) 484-3799 Inquiry 400.

Microtouch Systems, Inc.^{1,B} 10 State St. Woburn, MA 01801 (617) 935-0080 Inquiry 401.

Microvitec, Inc.^{1,A,B,C,M,T} 1943 Providence Court Airport Perimeter Business Center College Park, GA 30337 (404) 991-2246 Inquiry 402.

Mitsuba Corp. 1.2,8 650 Terrace Dr. San Dimas, CA 91773 (800) 648-7822 (714) 592-2866 Inquiry 403.

Mitsubishi Electronics America, Inc. ^{1,B,T} 991 Knox St. Torrance, CA 90502 (213) 515-3993 Inquiry 404.

Moniterm Corp.^{2,B} 5740 Green Circle Dr. Minnetonka, MN 55343 (612) 935-4151 Inquiry 405.

Nanao USA Corp. 1,2,B,T 23510 Teleo Ave., Suite 5 Torrance, CA 90505 (213) 325-5202 Inquiry 406.

NEC Home Electronics^{1,2,B,M} Personal Computer Products Division 1255 Michael Dr. Wood Dale, IL 60191 (800) 323-1728 (312) 860-9500 Inquiry 407. Orientec Corp. of America^{2,B} 748 Monterey Pass Rd. Monterey Park, CA 91754 (213) 268-4001 Inquiry 408.

Packard Bell^{1,2,B} 21800 Oxnard St., Suite 700 Woodland Hills, CA 91367 (818) 716-2727 Inquiry 409.

Panasonic Industrial^{1,B,N} Computer Products Division 2 Panasonic Way Secaucus, NJ 07094 (201) 348-7000 Inquiry 410.

PDS Video Technology^{1,2,M} 1152 Santa Barbara St. San Diego, CA 92107 (619) 222-7900 Inquiry 411.

Personal Computer Peripherals Corp.^{1,M} 4710 Eisenhower Blvd. Tampa, FL 33634 (813) 884-3092 Inquiry 412.

Philips Consumer Electronics Co. ^{1,2,B} I-40 and Straw Plains Pike P.O. Box 14810 Knoxville, TN 37914 (615) 521-4316 Inquiry 413.

Planar Systems, Inc.^{2,B} 1400 Northwest Compton Dr. Beaverton, OR 97006 (503) 690-1100 Inquiry 414.

Princeton Graphic Systems^{1,2,B,M} 601 Ewing St., Building A Princeton, NJ 08540 (609) 683-1660 Inquiry 415.

QIC Research, Inc.^{1,2,B} 1961 Concourse Dr., Suite C North San Jose, CA 95131 (408) 432-8880 Inquiry 416.

Quadram Corp. 1,2,B One Quad Way Norcross, GA 30093 (404) 923-6666 **Inquiry 417.** **Qubie**^{1,2,B} 509 Calle San Pablo Camarillo, CA 93010 (800) 821-4479 (805) 987-9741 **Inquiry 418.**

Quimax Systems, Inc.^{1,2,B} 844 Del Rey Ave. Sunnyvale, CA 94086 (800) 228-0530 (800) 232-8282 in California (408) 773-8282 Inquiry 419.

Radius, Inc.^{2,M} 404 East Plumeria Dr. San Jose, CA 95134 (408) 434-1010 Inquiry 420.

Relisys^{1,2,B} 320 South Milpitas Blvd. Milpitas, CA 95035 (408) 945-1062 Inquiry 421.

Roland DG^{1,2,B} 7200 Dominion Cir. Los Angeles, CA 90040 (213) 685-5141 Inquiry 422.

Sampo Corp. of America^{1,2,B} Industrial Products Division 5550 Peachtree Industrial Blvd. Norcross, GA 30071 (404) 449-6220 Inquiry 423.

Samsung Electronics America, Inc.^{1,2,A,B} 18600 Broadwick St. Rancho Dominguez, CA 90220 (213) 537-6791 Inquiry 424.

Sanyo Business Systems^{1,2,B,S} Computer Division 51 Joseph St. Moonachie, NJ 07074 (201) 440-9300 Inquiry 425.

Sharp Electronics^{1,2,A,B}
Systems Division
P.O. Box 650
Sharp Plaza
Mahwah, NJ 07430
(800) 526-0264
(201) 529-9500
Inquiry 426.

continued

Sony Corp. of America^{1,B} Microcomputer Products Div. Sony Dr. Park Ridge, NJ 07656 (800) 222-0878 (201) 930-1000 Inquiry 427.

SuperMac Technology^{2,M} 295 North Bernardo Ave. Mountain View, CA 94043 (415) 964-8884 Inquiry 428.

Tandy/Radio Shack^{1,2,B,R} 1800 One Tandy Center Fort Worth, TX 76102 (817) 390-3700 Inquiry 429.

Tatung Co.^{1,2,A,B,C,M,T}
2850 El Presidio St.
Long Beach, CA 90810
(213) 637-2105 **Inquiry 430.**

Taxan USA Corp. 1.2,A,B,C,T 18005 Courtney Court City of Industry, CA 91748 (818) 810-1291 **Inquiry 431.** **Tektronix, Inc.**^{2,8} P.O. Box 14928 Portland, OR 97214 (800) 835-9433 ext. 100 (503) 627-7111 **Inquiry 432.**

Texas Instruments, Inc.^{1,2,8} Data Systems Group P.O. Box 181153 Austin, TX 78718 (800) 527-3500 Inquiry 433.

Thomson Information Systems Corp. 1.2,A,B,M 5731 West Slauson Ave. Suite 111 Culver City, CA 90230 (800) 325-0464 (800) 237-9483 in California (213) 568-1002 Inquiry 434.

3A Computer Corp. 1,2,8 45–56 Pearson St. Long Island City, NY 11101 (718) 361-7878 **Inquiry 435.**

3Lynx Technologies Corp. 1.2.B.M 1450 Seareel Lane San Jose, CA 95131 (408) 432-8833 Inquiry 436.

Toshiba America, Inc.^{1,2,A,B} 9740 Irvine Blvd. Irvine, CA 92718 (714) 583-3000 **Inquiry 437.**

TW Casper Corp. 1.2,A,B 2153 O'Toole Ave., Suite E San Jose, CA 95131 (408) 922-0188 Inquiry 438.

Ultra-Comp^{1,2,B} 2600 North Broadway St. Louis, MO 63102 (314) 621-4999 Inquiry 439.

Unisys Corp. 1,2,B,P,U 1 Unisys Place P.O. Box 418 Detroit, MI 48202 (313) 972-7000 Inquiry 440. Wells American^{1,2,8} 3243 Sunset Blvd. West Columbia, SC 29169 (803) 796-7800 Inquiry 441.

WYSE Technology^{1,2,8} 3571 North First St. San Jose, CA 95134 (408) 433-1000 **Inquiry 442.**

Xtron Computer Equipment Corp. 1,2,A,B
19 Rector St.
New York, NY 10006
(800) 854-4450
(212) 344-6583 **Inquiry 443.**

Zenith Data Systems^{1,2,A,B,Z} 1000 Milwaukee Ave. Glenview, IL 60025 (800) 842-9000 (312) 391-7000 Inquiry 444.

Before you buy 7 books and 2 compilers, get the *C Workshop*.

C is a great programming language. Now the C **Workshop** makes it easy. Whether you're new to programming or a dBase pro. You get:

- Interactive tutorial with 100+ program examples
- Full-screen editor with popup menus
- Online help in context
- Standard "K&R" C compiler
- Coordinated 384-page book

The C Workshop guides you with feedback on your program exercises. It's like getting private lessons from your computer.

Only the C Workshop gives you everything you need to learn and use C in one economical package. Move among tutorial, editor and compiler with a keystroke or two. It's all in RAM memory to give you instant response.



Here's the clearest presentation of C pointers you'll find. The **C Workshop** covers it all, from structured programming to advanced list techniques.

Write your own programs (up to 64K) or modules of a big project. Your code will move to virtually any other compiler.

Join companies like AT&T and thousands of people like Al Patrizio, who says, "What I learned in five days with your book and software has taken me over a month before."

ComputerWorld's William Zachmann advises, "I'd offer the C Workshop, an extremely well-done instructional package, to anybody on my staff who wanted one."

Satisfaction guaranteed or return in 30 days for refund. Order now and C how easy it is!

Call (800) 888-0852

ext. **955**. It's toll-free! Or write Wordcraft, 3827 Penniman Av, Oakland, CA 94619. Only

\$69.95 plus \$5 shipping (Priority Mail). In CA, add \$4.90 sales tax. Visa/MC/AmEx or check. Runs on IBM PC compatibles, uses 220K RAM.



WAREHOUSE SALE

Order The	езе Ба	CK ISSU	ies of	БІП	= ana	Popul	ar Co	mputing Before	They	re Go	ne Fo	rever.
BYTE Limited Quantities — Order Now! Limited Quantities — United Quantities — Order Now!											ow!	
T	1979	1980	1981	1982	1983	1984	1985	1	1982	1983	1984	1985
January					1			January				
February								February				
March								March				
April								April				
May								May				
June								June				
July								July	** * *			
August								August				
September				1	-21/96			September		5	1.015	
October				1				October				
November					M P (a)			November				
December		ni e		- unit				December				
Inside the IBM PCs								Special Guide			0.00	
								to Computers			N 30 - 2	
\$4.00 U.S. inclu \$5.00 foreign in Special Bo	cludes sl	hipping	and han	dling	Ava	ailable Iss	sues	\$3.00 U.S. incl \$4.00 foreign in	udes ship Icludes sl	oping an	d handli and hand	ng Iling
Volume I, Part 1— September 1975 through April 1976							Please indicate which issues					
Volume I, Part 2— May 1976 through							you would like by checking $()$ the boxes.					
Volume II, Part 1— January 1977 through							Send requ	ests wit	h paym	ents to:		
June 1977						ВҮТЕ Ва	ck Issue	s				
Volume III, Part 1— January 1978 through June 1978							One Phoenix Mill Lane Peterborough, NH 03458					
Volume III, Part 2— July 1978 through December 1978							(603) 924-9281					
\$9.95 U.S. includes shipping and handling \$11.95 foreign includes shipping and handling												
☐ Check enclosed. Payments from foreign countries must be made in U.S. funds payable at a U.S. bank.					Charge: □ VISA □ MasterCard							
Name						Card #	Card #					
Address							Exp. Date					
City			State		Z	Zip		Signature				

Country_

BYTE #

... With a 10 Day Trial Membership

If you've thought about joining **BIX** before but weren't sure it was what you needed, now is the time to try it. Because now for a limited time, we're inviting you to try **BIX** for 10 days. If at any time during this 10 day trial period you don't feel **BIX** has made you a more knowledgeable microcomputer user, we'll refund your entire registration fee. You pay only for time spent on the system.* (See log-on instructions for hourly rates).

Explore **BIX** in your home or office. Put its power to work for you and unleash your full microcomputer potential — programming, designing, specifying, researching — and more.

Try **BIX** for 10 full days and see what it can do for you. Explore more than 160 conferences. Access vendor support. Speak to expert consultants. Research new products and systems, and download public domain software.

Prepare yourself for success

It takes a sharp mind and hard work to stay ahead, and having the right tools helps.

Today, you can put one of the most powerful instruments for career advancement to work for you: **BIX.**

- Learn about new products before they hit the market.
- Get quality marketplace feedback on the products you're thinking of purchasing before you invest.
- Research problems and find the solutions that no one else has been able to render.
- Access some of the most advanced public domain software available in the industry.
- Increase your working knowledge of micros to make more confident purchasing decisions and recommendations.

Join BIX and arm yourself with the latest in microcomputerrelated information

BIX's exclusive *Microbytes* newswire gives you complete, daily, up-to-date computer industry information. You'll gain insight from BYTE editors and writers who analyze new products and their potential impact, inform you of the latest mergers and acquisitions, and report late-breaking news from important seminars and conferences.

Talk to colleagues worldwide

You'll stay on top of your company's

business with **BIX**'s electronic mail service.

"Talk" to your east coast, west coast
— even European — contacts all in the
same day.

Or, simply communicate with other **BIX** users worldwide. Share information and ideas privately, or in conference.

Choose any option for online access with a one time \$39 membership fee


- Use MasterCard, VISA or American Express and begin your 10 day trial use of BIX right now.
- The 10 day trial also applies if you open an individual pre-paid account on BIX. Trial commences once we open your account and notify you.
- Other billing options including qualified corporate accounts are available. (Sorry, our 10 day trial is not available for these accounts.) Call or write BIX for details.

Use credit cards for immediate access or call the **BIX** Helpline for information on any other payment option at, 1-800-227-2983 (from U.S. and Canada) 603-924-7681 (in New Hampshire and elsewhere).

Act now! Our 10 day trial offer is subject to cancellation at any time.

^{*}To notify **BIX** that you wish to discontinue service at any time during the trial period, call the **BIX** Helpline, and your entire membership fee will be refunded.

^{**}BIX can be accessed via Tymnet throughout the U.S. and Canada. For the Tymnet number nearest you, call the BIX Helpline or Tymnet at 1-800-336-0149. †If your local Tymnet number is a toll call you will receive additional charges from your local phone company at their prevailing rate. ††Continental U.S. Tymnet rates. Rates from other areas are available from BIX.



1 stop bit. Use 300 or 1200 baud.

Call your Tymnet number ** and respond as follows:

Tymnet Prompt	You Enter				
Garble or request for "terminal identifier"	a				
login:	bix (CR)				
BIX logo/name:	bix.038 (CR)				
200					

Callers outside the U.S. who have a communicating computer or terminal and a packet switching account with their host country phone system

to the BIX Learn Conference, an online tutorial that will show you how to begin using the system immediately. Time spent in the Learn Conference is FREE. Complete system documentation will be sent to you within a few days.

Access time will be billed at the following hourly rates.†

Off-Peak Time \$11/hr. (\$9 BIX, \$2 Tymnet)†† (7 PM – 6 AM weekdays, all day weekends and bolidays) **Peak Time** \$20/hr. (\$12 BIX, \$8 Tymnet)†† (6 AM - 7 PM weekdays)



One Phoenix Mill Lane Peterborough, NH 03458

BETWEEN MAN AND MACHINE

New advances in user-interface technology could change the way we interact with our computers

Ernest R. Tello

early a quarter of a century has passed since the publication of Marshall McLuhan's Understanding Media. During that time, the appearance of the personal computer has vindicated many of McLuhan's farseeing views. If he were

alive today, he would probably characterize the personal computer as a marriage of several previous inventions: the clock, the calculator, the typewriter, and the television. But the personal computer is more than just a marriage of separate inventions. It is a unique medium that specializes in conducting marriages between different media and technologies.

McLuhan believed that electronics represents an extension of the human nervous system. If he was right, then the new technologies being developed at research centers represent a quantum leap in the ways that human beings will be able to extend themselves into the worlds of digital electronic simulation and control. And given the speed with which new ideas migrate into end-user products, you might be seeing some of these innovations sooner than you think.

Datahands and Databodies

At present, getting data into a computer usually means typing it in or using a pointing device such as a mouse or trackball to interact with the screen. One company developing new ways of interacting with the computer is VPL Research of Redwood City, California. VPL specializes in devices that let you manipulate an on-screen "virtual" device that is the same shape as the actual input device. The firm now has two commercial products: the DataGlove and the DataSuit.

The DataGlove (see photo 1) is a hand-gesture interface invented by VPL's Thomas G. Zimmerman and Young L. Harvill. Used with advanced graphics workstations, the DataGlove lets you manipulate virtual tools and objects just as you would the real tools and objects they emulate. The DataGlove has applications in high-end graphics workstations, robotics, biomedicine, and human-factor engineering.

Running through the light material of the glove are treated

optical fibers that measure the degree of bending of the user's hand joints. The DataGlove also contains a magnetic sensor that tracks the absolute position and orientation of the top of the user's hand in reference to a magnetic source located within 30 inches of the glove.


A control unit connected to the glove transmits the position and orientation of the hand and the measured values of the hand joints to a host computer. The control unit can send this information, at up to 60 times per second, through the RS-232C or RS-422 port to your computer in a user-definable format. Using a Macintosh Plus, SE, or II, or an IBM PC, XT, or AT, you can create personalized calibration files and a library of your own gestures.

Recognizing and representing human hand gestures is a challenge that rivals speech and handwriting recognition in its potential difficulty. Gestures range from symbolic signals or commands, such as the peace sign, to dynamic actions such as grasping, lifting, tossing, and squeezing. VPL researchers have developed a technique in which they use dynamic-gesture templates and perform a finger-by-finger evaluation to match gestures with these templates.

VPL's newest product, the DataSuit (see figures 1a and 1b), is a whole-body input device that, using the same principles as the DataGlove, captures, records, and displays the movements of the human body. The DataSuit is used in applications such as kinesthetic learning, monitoring and feedback of certain aspects of human performance, and simulations for training personnel in hazardous environments. It can track up to 68 joints of a person's body moving within a 10- by 14-foot area.

The DataSuit system relies on software called Body Electric, a name derived from a poem by Walt Whitman and subsequently used by science fiction author Ray Bradbury. The software drives a graphical animation of a stick-figure representing the user. Body Electric incorporates a dataflow language called Flex, a hierarchical interactive tree interface called Tree, and an interpreter called Script, to customize the applica-

continued



tion to the user's requirements.

VPL is developing a commercial version of the DataGlove, incorporating a more sophisticated tactile-feedback system that will allow you to actually feel virtual objects that exist only on the computer screen. This system will evolve into force-feedback, a technology that will constrain your hand when it comes into "contact" with the virtual object.

The Force

Systems that imply force-feedback technology are being studied at other institutions, such as George Washington University, where Teresa W. Bleser, John L. Sibert, and their coworkers have created an intriguing artists' paint system.




Photo 1: The DataGlove is a device that uses optical fiber sensors to measure and evaluate the range of joint movement, hyperextension, and abduction in the hand.




Figure 1a: On an animation called Clint, you can see some of the real-time output from the DataSuit.

With this technique, called GWPaint, artists use a data tablet that senses not only the position of their drawing stylus, but also its orientation and the amount of force they apply. The computer uses this information to simulate the articulation of a piece of charcoal. When the stylus senses that the artist is applying downward force, it dynamically increases the width of the line. The computer can also vary the texture of the line with the angle of attack.

Another force-feedback device, the joystring (see figure 2), was invented by John Staudhamer of the University of Florida at Gainesville, and modernized and developed by Richard J. Feldman of the National Institutes of Health in Bethesda, Maryland. The joystring consists of a T-shaped hand grip whose vertices are kept in a state of tension by three taut, thin guy wires. Force sensors at the ends of the wires measure the force produced by various twisting movements of the user's hand and transmit that information to the computer. The computer, in turn, directs servo motors to exert the equivalent forces in real or virtual environments. In effect, the joystring recognizes and communicates the force and torque that you generate.

In settings where temperatures or other conditions make it impossible for humans to be physically present but where dexterity and strength are essential, force-feedback systems measure and mimic the delicate dynamics of our arms and hands. Another area in which this technology has been used is for remotely operated telerobots like those that handle radioactive materials. Applications such as physical therapy and athlete training systems could also emerge, using sophisticated tactilesensing and feedback systems.

Eyeing the Future

Although magicians often claim that the hand is quicker than the eye, in some applications the hand may be too slow-or too busy doing something else-to interact with a computer. A technology called eye tracking makes the human eye a computer-input device for such situations.

Perhaps naturally, one of the first organizations to show a serious interest in eye-tracking technology was the U.S. Air Force. However, the results of research in this area make it clear that there are more applications for it than in fighter jets.

Basically, eye tracking works by using special cameras that lock onto the eye, then bounce a beam off its cornea and continually record the direction in which the light is reflected. Current techniques allow resolution fine enough to determine




Figure 1b: Ralph is a post-processed animation driven by the DataSuit. Potential applications for the DataGlove and DataSuit include high-end workstations, robotics, biomedicine, and human-factor engineering.

which word on a computer screen you're focusing on. Various software systems have been devised for making use of this kind of information. For example, when coupled with a natural-language processing system and voice recognition, such a system would let you glance at a word and ask various questions about it, such as its meaning and other occurrences of the word.

Another scheme is graphical-display software programmed to respond dynamically to the user's focus of attention. Such systems could determine that you were focusing your eyes on one specific portion of the screen display and alter the display accordingly-bringing a window to the foreground of the screen, for instance.

Several eye-tracking projects are currently under way by both universities and commercial firms. At Texas A&M University, there has been ongoing research on an eye-tracking system using the frames of eyeglasses equipped with infraredemitting diodes and phototransistors. Basically, this device uses electro-optical sensing in such a way that the positioning of the eye determines the amount and intensity of the light emitted to the phototransistors.

Because the eye's response time is so rapid (20 to 30 milliseconds) you could conceivably give a computer commands with your eyes much faster than with your hands or even a mouse. Applications for a system like this include aircraft and air traffic control handling, wheelchair maneuvering, and certain types of microsurgery.

Sentient Systems Technology of Pittsburgh, Pennsylvania, develops eye-tracking systems for use mainly by health care personnel and handicapped persons. The Eye-Typer 300, an eve-gaze-controlled keyboard system, lets you enter information into a computer by focusing your eyes for a specified amount of time (called dwell-time) on LEDs positioned like a checkerboard around the edge of the unit. The camera, centrally located in the device, measures the reflection of an infrared light on your cornea relative to a reflection on a "target" worn on your face just below the eye. If you want, you can customize the specific fields on the face of the unit to represent words, phrases, or pictures.

You can plug the Eye-Typer 300 into an IBM PC, XT, or AT. You can send your input out the RS-232C port to a printer. A one-line liquid crystal display (LCD) across the bottom of the computer lets you see your input. As you "type" each letter, word, phrase, or picture with your eyes, the computer repeats it back to you using an embedded speech synthesizer. When you hit a carriage return, the computer repeats the entire sentence you have just entered. You can also use this device to operate an environmental control system and, for example, work lights, televisions, and other appliances.

A request from NASA led Analytics of Willow Grove, Pennsylvania, to come up with OASIS (Ocular Attention Sensing Interface System), an eye-tracking system that uses a combination of eye and voice input. With OASIS, without taking your hands off the controls of your airplane or car, you can, for instance, look at an analog gas gauge, ask it exactly how many gallons are left in the tank, and get a vocal answer.

The OASIS device consists of eye-position and voice-processing firmware, eye-tracking signal processing, and headmotion algorithms. Analytics provides the type of customized application I/O or interface software you would need to work with your existing system or create a complete system from scratch.

Another possible application for OASIS would be providing quality control functions on, for example, a widget production line. As the widgets go by, you would look at each one and speak into a microphone (either placed in your helmet or remotely embedded between the monitor and a keyboard), saying the words "Accepted" or "Rejected." The widgets would drop into the proper bins by themselves, without your having to stop to look down and write, or physically throw the widgets into "good" or "bad" bins. In this type of interface, your eye position works as the cursor, and your voice operates as a button, in place of computer keys.

Talk to Me

Systems that let you talk to your computer, long a staple of science fiction, are just now appearing as commercially available systems for desktop computers. Generally, these voice-recognition systems have a vocabulary in the range of 1000 to 10,000 words and have to be trained to recognize individual users' voices. Another limitation is that with most of these devices, you have to adjust your phrasing and choice of vocabulary to the machine.

Ray Kurzweil, the creator of the "voice typewriter," optical character readers, and music-synthesis devices, is the founder of Kurzweil Applied Intelligence in Waltham, Massachusetts. Kurzweil has produced a 5000- to 10,000-word voice-recognition system that consists of a printed circuit board and proprietary software for use with an 80386-type personal computer.

The Voice RAD and Voice EM systems let you talk directly into your machine, which can then send the information to your printer for text output. You still have to train the computer to recognize your voice, but you can customize your output by inputting "voice macros"—that is, teach your system words that




Figure 2: The joystring is a force-feedback device that recognizes and communicates the force and torque that you generate.

stand for complete phrases. Used largely by the medical community, the systems let doctors dictate a patient's medical findings or x-ray results into their computers and, without having to go through a transcriptionist, immediately receive a hard copy of the information.

Creating workable real-time speech-recognition systems will require some very advanced hardware-perhaps computers that use parallelism or the concept of neural networks. Among the companies and universities currently tackling this problem are BBN Laboratories and Thinking Machines, both of Cambridge, Massachusetts; Battelle Institute Columbus Labs in Columbus, Ohio; and Carnegie Mellon University in Pittsburgh, Pennsylvania.

Heads Up

At the Aerospace Human Factors Research Division of NASA's Ames Research Center in Mountain View, California, scientists have combined three of the most promising new interface technologies into one integrated environment. The Virtual Interactive Environment Workstation (VIEWS) uses headtracked and head-mounted displays, gesture-tracking, and voice input and output. (NASA's Langley research branch is also working on head-mounted VIEWS devices. See photo 2.)

VIEWS consists of a head-mounted stereoscopic display that projects a wide-angle three-dimensional panorama, which you can control with your head movements, voice commands, and hand gestures. The system lets you explore a 360-degree field of vision that can be either a simulated or remotely sensed environment, and you can have direct interaction with its virtual components.

The head-mounted display unit uses two medium-resolution monochrome LCD display screens, which can be seen through a wide-angle binocular optics viewer. The display is coordinated with the user's head movements in real time via a 6-degreeof-freedom tracking mechanism. The system uses various




Photo 2: Used as a research tool at NASA's Langley facility, this helmet is a flight simulator that enables pilots to try out technologies such as eye tracking, voice recognition and synthesization, and three-dimensional graphics displays.

video mixing and switching devices, combining both commercially available and custom equipment to merge images from a variety of sources into a single integrated representation.

VIEWS also incorporates a commercially available binaural, three-dimensional sound system. With headphones, you can hear sounds, either from within or outside your immediate field of view. A speech-recognition module lets you give vocal commands in a natural, conversational manner.

NASA's interest in these technologies stems from its desire to incorporate on the planned space station an implementation of the concept of "telepresence"—the ability to put yourself into almost any environment you can envision. The agency has committed itself to using the most advanced user-interface technology for control of autonomous and semi-autonomous telerobotics devices.

Breeding Ideas at MIT

The MIT Media Lab in Cambridge, Massachusetts, is a wellspring of human-machine interface research. Since the early 1970s, people such as Nicholas Negroponte, director of the Media Lab, and Seymour Papert, director of the Learning Research Group and head of the School of the Future project, have been actively working to develop novel ways for humans and machines to interact.

Papert's research has had wide-ranging benefits, such as the Logo programming language and the field of Turtle Geometry. Negroponte's interest in the expressive communication of the human body encompasses the subtle expressions of the faceparticularly the eyes and lips.

One of the projects under Negroponte's direction involved research with a full-body optical tracking suit that allows a computer to record the expressive movements of the entire human body. These recorded movements were used to drive a computer-animation system called the "Graphical Marionette," an undertaking that is part of ongoing work being sponsored by the Japanese Broadcasting Corp.'s NHK-TV. In another of his ventures, Negroponte studied how the human sense of "presence" (i.e., audio and visual representations of a person) might be captured and transmitted over long distances via

Delle Maxwell, a graduate of Negroponte's program, made use of her graphical animation background when she worked on NHK-TV's Dr. Holon project. This venture involved the creation of a (pre-Max Headroom) computer-generated TV-show host that, through hand gestures, could express emotion and personality while also walking and turning its body.

Another MIT Media Lab graduate student, Steve Strassman, has made an impressive achievement with his Hairy Brushes program. Hairy Brushes lets an artist "dip" a virtual paintbrush into different types of ink, use fast or slow drawing, apply splatter effects, and even simulate a drybrush style.

Strength in Synergy

As evidenced at Ames Research Center and MIT's Media Lab, the fullest potential for advanced user interfaces could come through the use of a combination of two or more interface technologies. By using more than one interface technology at a time, you can overcome the limitations of each; thus, the user can work in a way that is more natural. For example, using a natural-language interface combined with some type of pointing interface—whether a mouse, a datahand, or perhaps even an eye tracker-could simplify complex language-parsing problems and save precious CPU time for other tasks.

Eventually, full-body tracking suits may become valuable for systems that use video-camera-based vision systems to de-

A Stick with a Difference

Janet J. Barron

f it's important that you keep your hands on the wheel of your car while you are driving, think how important it is that pilots keep their hands on the controls of the plane while they are flying. A new user interface invented by scientists at NASA's Langley Research Center in Hampton, Virginia, lets pilots do just that. It is called the Thumball, a joystick with a trackball installed on it.

The Thumball was developed to enable pilots of military and commercial planes to make adjustments to the plane's electronic data system without taking their hands off the controls. With this device (see figure A), they can precisely enter data, position a cursor, and receive digital readouts in two axes on a CRT screen. Pilots will be able to use it to make changes in heading, pitch, or trim, or to make other precise adjustments. Currently, and until the Thumball becomes commercially available, pilots must take their hands off the controls and turn knobs to provide these functions.

The Thumball's mechanism, called a spherical integrator, works like an optoelectronic mouse. A pilot will be able to operate the device with his thumb while his hands remain on the controls. So far, only one of the devices exists. It is installed in the cockpit of a simulator at Langley for testing.

The Thumball is one step in NASA's development of the concept of a "Glass Cockpit." In this project, NASA is placing all the aircraft's controls and readings on one CRT display. This way, pilots can have a wider field of view than they now have and can see all the readings by looking at one screen instead of a whole bank of instruments.

In Boeing 757s and 767s, the Glass Cockpit's beginnings are already in place, says NASA's H. Douglas Garner.




Figure A: The Thumball, a joystick with a mouse on top, lets pilots enter data into their flight computers without taking their hands off the jet's controls.

While inflight, the pilots and the passengers are able to "see" where they are geographically. In the cabin, passengers can watch large projection screens showing macro and wide-angle representations of the plane's position.

The Thumball was created by Gar-

ner, Anthony M. Busquets, Thomas W. Hogge, and Russell V. Parrish of NASA's Langley Research Center.


Janet J. Barron is a BYTE technical editor. You can reach her on BIX as "neural."

rive gesture-recognition and other types of pattern-recognition data. With advances in artificial intelligence techniques, object-oriented programming, and graphics methodologies, you may someday soon be working in a three-dimensional simulation of an office environment. Such a setting would allow you to zoom in on objects not physically in sight or available for your use (such as a filing cabinet), extract information from the object (say, a letter or document), and manipulate the data with tools, such as a pair of virtual scissors.

In the end, the real key to advanced user-interface technol-

ogy lies in the development of software with enough intelligence to provide synergism between you and the machine. As user interfaces become more sophisticated, talking to our computers could become as natural as talking to each other-with all the speed, variety, and subtle nuances that implies. ■

Ernest R. Tello of Santa Cruz, California, is a contributing editor for BYTE and the author of Mastering AT Tools and Techniques (Indianapolis, IN: Howard W. Sams). He can be reached on BIX as "editors."



Five easy ways to boost your BASIC

Pro Bast

Professional Basic Programming Library

Probas is a library of 232 routines that kicks BASCOM and QuickBASIC into 5th gear and gives you powers and abilities far beyond those of mortal men. So much for the hype, now down to brass tacks:

- 600 page 3-part manual
- Full-featured windowing
- Screen snapshots
- Virtual screens in memory
- Lightning-fast file I/O
- Full mouse support

Plus over 200 essential services from directory and equipment routines to handy string, date, time, and input routines. For all versions of QuickBASIC and BASCOM including BASCOM 6.0 for OS/2. Just \$99.00!

Pro Reft

On-Line Help For ProBas

PROREF is a pop-up help system for the 232 routines in PROBAS, pop-up help for your routines, and an extension of the QuickBASIC programming environment. See the calling syntax and help for any PROBAS routine, or any of your routines, with just a few keystrokes or mouse clicks. Pop-up and ASCII chart, calculator, keyboard scan code module or almost any DOS program via hot-key. Just \$50.00!

$\begin{array}{c} P_{RO}B_{AS_m} \\ T_{OOL}K_{IT} \end{array}$

The ToolKit is a collection of assembly and BASIC modules that use the ProBas library to save you even more hours of grunt work. Why spend hundreds of hours reinventing the wheel when you can just plug in ToolKit modules like:

- Menu Generators
- Fast B-tree indexing
- Mini-editor with word-wrap
- Patch .EXE files
- Protected storage areas
- Julian date routines

Plus clock, calendar, BCD math routines, and much more. Complete with BASIC source code and comprehensive manual. The ProBas adds capabilities and helps conserve your most valuable asset of all, time! Requires ProBas. Just \$99.00!

ProScreen

Professional Screen Management System

PROSCREEN is a full-featured screen generator/editor that will save you more design and coding time than you ever thought possible. PROSCREEN works with screens like a word processor works with text to provide complete control over screen characters, placement and colors. PROSCREEN comes with subroutine source, extensive on-line help and a 285 page manual with tutorial and reference. Just \$99.00!

Pro Bas_{th} TeleCommToolKit

The Probas TeleComm ToolKit is a collection of high-level communications modules that you plug into your code to provide popular file transfer protocols, terminal emulations, login scripts and baud rates up to 57,600 bps. You get:

- Xmodem/Modem7/Xmodem-1k
- Ymodem (single and batch)
- CRC-16 and Checksum
- VT52, VT100, ANSI BBS etc.
- Auto Dialer & data base
- Documented BASIC source

Why use clumsy SHELLs to complex terminal programs when you can plug just the communications routines you need into your code? Implement just the features, and commands you want. Requires PROBAS. Just \$75.00!

Our thirty day, money-back guarantee assures you the highest quality and our technical support staff is always ready to help. Try our BBS at (301) 953-7738 or give us a call at:



8008 SANDY SPRING ROAD • LAUREL, MD 20707

(301) 953-2191

Add \$3.00 per item (\$7.00 Canada) for shipping. Trademarks ProBas, ProRef, ProScreen: Hammerly Computer Services, Inc. QuickBASIC, BASCOM: Microsoft Corp.

Circle 116 on Reader Service Card

THE BASIC REVIVAL

The "beginner's" language has significant new features and a structured approach

Namir Clement Shammas

his year marks a quarter of a century since the birth of BASIC at Dartmouth College. Just as people change and mature as they age, so has BASIC changed in 25 years.

The original BASIC interpreters became very popular because they were easy to use and widely available. But the advent of both the IBM PC family and Borland's very affordable, fast Turbo Pascal compilers opened the eyes of many BASIC programmers who had pushed the language to its limits. BASIC implementations, such as Applesoft BASIC and Microsoft BASIC, lacked many important features, such as callable subroutines, multiline functions, and local variables. In addition, Pascal already had a better reputation as a neat, structured language that fostered efficient modular coding.

Correcting these shortcomings, as well as other faults, has led to a BASIC revival. The new ANSI BASIC standard includes many new features, some of which have outdone Pascal, Modula-2, and even C. And the ANSI standard serves as a launching point for a number of BASIC implementations, such as True BASIC, Turbo Basic, and QuickBASIC, that also add their own extensions to the language.

A Break with the Past

The new BASIC implementations do not require the use of the much-criticized line numbers. Instead, numeric or alphanumeric labels can direct jumps in program flow. Listings 1a and 1b compare the coding of the same program under BASICA and QuickBASIC, respectively. Notice that the line numbers are removed in listing 1b, and lines 1030 and 2000 of listing 1a are replaced with the more meaningful and highly readable labels GetNum: and Center:. Even if the line numbers 1030 and 2000 were kept in the QuickBASIC version, they would still be regarded as labels. Using labels is a more mature route for highlighting program locations relevant to unconditional or subroutine jumps.

Turbo Basic and QuickBASIC support new features related

to data objects: long integers, structures (in QuickBASIC), and formal dynamic and static arrays. In previous BASIC interpreters, integers were limited to 2 bytes; this, in turn, limited the record number of random-access files to 32,767. Thus, only half the range of integer values was useful to file I/O. The new long-integer types extend the range of whole numbers to 2 billion. Using long integers, you can not only reach the previously sought limit of 65,535 records, but also go well beyond that number (the limitations are imposed by the operating systems). You use the & suffix to declare a variable or a function as having a long integer.

QuickBASIC supports constants of all simple types, such as the following:

CONST MAX.DIM% = 100, MAX.REC& = 65535 CONST MISSING.DATA# = -1.0E30

The type-declaration character is not part of the constant, and it can be dropped when using the constant in the program. For this reason, constant identifiers are unique: No two constants can have the same name and have different data types.

The support of symbolic constants is something new and important to BASIC. Symbolic constants replace numbers or strings with more meaningful identifiers. They also make updating the same constant value throughout the program quick, easy, clear, and less error-prone. Structured languages such as Pascal, C, Ada, and Modula-2 also support constants.

Unlike the BASIC interpreters, the early BASIC compilers that worked with Microsoft BASIC and BASICA programs did not support dynamic arrays. Now, the Turbo Basic and Quick-BASIC compilers support formal dynamic and static arrays. The \$STATIC and \$DYNAMIC compiler directives declare arrays as static or dynamic, respectively. You can also include the STATIC or DYNAMIC keywords with the DIM declarations to override the current default type of arrays.

You can erase and optionally redimension dynamic arrays at

continued

run time using the ERASE and DIM statements, respectively; applying ERASE to a static array merely assigns zero or null characters to its elements. True BASIC regards its arrays and matrices as dynamic. You can even redimension an array nondestructively to add more elements. BASIC's new support of dynamic arrays is very significant, since programs can now size up arrays and matrices on the fly. Languages like Pascal,

Listing 1a: A BASICA program.

```
1000 T$ = "Test Program" : GOSUB 2000
1010 T$ = "version 1.0" : GOSUB 2000
1020 PRINT : PRINT
1030 INPUT "Enter positive number ";X
1040 IF X <= 0 THEN 1030
1050 PRINT SQR(X)
1060 END
2000 ' Center string
2010 L = LEN(T$)
2020 PRINT SPC(40-L\2);T$
2030 RETURN
```

Listing 1b: The QuickBASIC version of the program in listing 1a.

```
T$ = "Test Program" : GOSUB Center
T$ = "version 1.0" : GOSUB Center
PRINT : PRINT
GetNum:
INPUT "Enter positive number ";X
IF X <= 0 THEN GetNum
PRINT SQR(X)
END

Center:' Center string
L = LEN(T$)
PRINT SPC(40-L\2);T$
RETURN</pre>
```

Listing 2a: The BASICA version of a quadratic equation solver.

```
1000 CLS
1010 PRINT "Solve for X in A*X^2 + B*X + C =
             O" : PRINT
1020 INPUT "Enter A, B, C "; A,B,C
1030 Determinant = B*B - 4*A*C
1040 IF Determinant > 0 THEN 2000
1050 IF Determinant = 0 THEN 3000
1060 ' solve for imaginary roots
1070 \text{ Root1} = B/2/A
1080 Root2 = SQR(-Determinant))/2/A
1090 PRINT "Root = "; Root1;" +/-i "; Root2
1100 END
2000 ' solve for real and different roots
2010 \text{ Root1} = (B + SQR(Determinant))/2/A
2020 Root2 = (B - SQR(Determinant))/2/A
                                Root2 = ";Root2
2030 PRINT "Root1 = "; Root1;"
2040 END
3000 ' solve for real and equal roots
3010 \text{ Root1} = B/2/A
3020 PRINT "Roots are "; Root1
3030 END
```

Modula-2, and C support dynamic arrays via dynamic memory allocations using pointers.

QuickBASIC 4.0 has introduced record structures that resemble those of traditional structured languages. To define a personal data record, for example, you declare the type PersonalRec as follows:

```
TYPE PersonalRec
PersonName AS STRING*30
Profession AS STRING*40
Age AS INTEGER
Weight AS SINGLE
END TYPE
```

This QuickBASIC record is made up of a 30-character name field, a 40-character profession field, an integer-type age field, and a single-precision floating-point body-weight field. Quick-BASIC records cannot contain fields that are either arrays or dynamic strings, but nested record declaration is allowed. Compare the above with a similar Pascal record:

An array of records for the personal data is declared as

```
DIM People (MAX.PERSONS) AS PersonalRec
```

Thus, QuickBASIC 4.0 has introduced the syntax to declare new data-type identifiers—something new to the purist BASIC programmer.

Beyond Simple Decisions

Decision-making constructs are more sophisticated under the new BASICs. They include, in a nutshell, an expanded IF statement and a powerful new SELECT CASE. These arm the new ANSI BASIC with constructs found in structured languages. For example, the old one-line IF...THEN...ELSE statement can be extended into a multiline version. You can also use ELSE-IF clauses like those in Pascal.

Listing 2a shows a BASICA program that solves for the root of a quadratic equation. Listing 2b contains the Turbo Basic version, which uses an IF...THEN...ELSEIF...ELSE statement. Note the difference in code readability between the two versions. Listing 2c shows a Turbo Pascal version of the same program; notice how similar the IF statements are in listings 2b and 2c. The new multiline IF statement also shows that BASIC fosters structured coding and simultaneously demotes the use of GOTOS.

The SELECT CASE statement is a new decision-making statement that resembles the Pascal CASE and C switch statements—and, in fact, it's even more powerful than CASE and switch. It is similar to the IF...THEN...ELSEIF statement, but it lets you try several tests. Consider the following SELECT CASE statement in QuickBASIC:

```
SELECT CASE NumData

CASE IS <= 0 ' relational test
 ' same as IF NumData <= 0 THEN

Message$ = "YOU HAVE NO DATA"

ErrNum = 1
```

```
CASE 1,2,3 ' enumerated list
    Message$ = "TOO FEW OBSERVATIONS"
    ErrNum = 2
CASE IS 4 TO 30 ' a value range
    Message$ = "MINIMAL SAMPLE SIZE"
     ErrNum = 3
CASE ELSE
    Message$ = ""
     ErrNum = 0
END SELECT
```

This example illustrates the three basic types of CASE labels: relational test, enumerated list, and value range. The relational CASE label in BASIC extends the use of SELECT CASE in place of IF...THEN...ELSEIF statements beyond that of other structured languages. In addition, the CASE labels can include several clauses of various types; for example, the statement CASE 1,2,3, IS > 100, 10 TO 30 is acceptable.

Another important feature, found in QuickBASIC and Turbo Basic, is that the CASE labels can also contain expressions. These compilers will accept a statement like CASE x/y, IS > SQR(h+1), for example. The popular structured languages do not support this use of expressions in CASE labels. The SELECT CASE statement lets you construct very powerful multiway decision making.

BASIC has also expanded the number and types of loops. The previous BASIC interpreters provided the fixed-iteration FOR ... NEXT loop and the conditional WHILE... WEND loop, and now the new ANSI standard also recognizes fixed, conditional, and infinite loops.

While the FOR... NEXT loop is still used in the new BASICs, the EXIT FOR statement now provides an elegant exit from that loop. There is also a DO...LOOP loop that provides the following versatile variations:

```
DO [WHILE <expression>]
  <loop statements>
LOOP [UNTIL <expression>]
```

The DO WHILE...LOOP loop is essentially the same as the conditional WHILE...WEND loop found in BASICA and Microsoft BASIC. The DO...LOOP UNTIL loop is new and resembles the REPEAT...UNTIL loops in Pascal and Modula-2. DO...LOOP is an open or infinite loop with parallels in Ada, C, and Modula-2, but not in Pascal.

Listing 3 shows a QuickBASIC program that employs DO ...LOOP, DO WHILE...LOOP, and DO...LOOP UNTIL. Note that you can use a DO...LOOP with both the UNTIL and WHILE clauses; this serves to monitor the continuation of the loop when two conditions must apply. (The conditions are separated into the UNTIL and WHILE clauses to enhance logical readability.) You can use the EXIT DO statement to exit any type of DO ...LOOP, especially the infinite type; listing 3 uses it to exit the outer DO...LOOP.

In general, the various forms of DO loops and the EXIT DO statement promote structured thinking and coding.

New Functions and Subroutines

The new BASICs promote the more powerful multiline functions. The familiar DEF FN<name> function can now be spread over multiple lines; under many of the older BASIC interpreters, you had to mimic such functions using subroutines. The other type of function does not begin its name with the letters FN, so you must list it in DECLARE DEF statements.

Under the new BASICs, functions can be recursive. Listing 4

shows a recursive factorial function. As with any multiline function, END DEF marks the end of the function. The function result is returned by assigning an expression to the function identifier. Function arguments are passed by value and, except in True BASIC, cannot be arrays. With the multiline function, the new BASICs support the EXIT DEF statement to allow an

```
Listing 2b: The Turbo Basic version of a quadratic
equation solver.
CLS
PRINT "Solve for X in A*X^2 + B*X + C =
        O" : PRINT
INPUT "Enter A, B, C "; A,B,C
Determinant = B*B - 4*A*C
IF Determinant > 0 THEN
  ' solve for real and different roots
  Root1 = (B + SQR(Determinant))/2/A
  Root2 = (B - SQR(Determinant))/2/A
  PRINT "Root1 = ";Root1;"
                              Root2 = ";Root2
ELSEIF Determinant = 0 THEN
  ' solve for real and equal roots
  Root1 = B/2/A
  PRINT "Roots are "; Root1
ELSE
  ' solve for imaginary roots
 Root1 = B/2/A
 Root2 = SQR(-Determinant))/2/A
 PRINT "Root = ";Root1;" +/-i ";Root2
END TF
END
```

```
Listing 2c: The Turbo Pascal version of a quadratic
equation solver.
Uses CRT;
VAR A, B, C, Determinant, Root1, Root2: REAL;
BEGIN
ClrScr:
WRITELN('Solve for X in A*X^2 + B*X + C = 0');
          WRITELN;
WRITE('Enter A, B, C '); READLN(A,B,C);
Determinant := B*B - 4*A*C;
IF Determinant > 0 THEN BEGIN
  { solve for real and different roots }
  Root1 := (B + SQRT(Determinant))/2/A;
  Root2 := (B - SQRT(Determinant))/2/A;
  WRITELN('Root1 = ',Root1,'
                                Root2 = ', Root2)
ELSE IF Determinant = 0 THEN BEGIN
  { solve for real and equal roots }
  Root1 := B/2/A;
  WRITELN('Roots are ';Root1)
END
ELSE BEGIN
  { solve for imaginary roots }
  Root1 := B/2/A;
  Root2 := SQRT(-Determinant))/2/A;
  WRITELN('Root = ';Root1;' +/-i ';Root2)
END.
```

The Working Environment

A s BASIC has matured and developed, the programming environment for developing software has also improved. Today's compiled BASIC packages offer integrated editors, file managers, debuggers, and a DOS interface. They are a far cry from the old interpreted BASIC environment.

True BASIC

The True BASIC environment is notable for its simple visual appearance (see photo A). The screen is split into two areas: the command history and the screen editor. Typing Help provides you with on-line help for specific topics—which you'll need, because True BASIC does not display a menu for the available environment-related commands.

You can display any directory using the FILES command, with the default aimed at listing *.TRU files in the current directory. True BASIC enables you to change directories, save the file currently being edited under a new name, update the edited file, or start a new one. You can also type True BASIC language statements from the command level. This lets you test predefined functions for proper use or examine results after a program terminates.

Typing RUN causes the program displayed by the editor to start executing. If the True BASIC compiler detects an error, it displays an error message and the line number in the command window. True BASIC points to the nature of the error and to the routines and files (if any) where the offending code is located; the editor does not automatically invoke other files that contain the located compile-time error. The compiler displays a list of errors found in the program.

True BASIC implements DO commands, which let you run secondary programs and external subroutines. Normally, the DO command invokes a utility that interacts with the program in the screen editor buffer. If the filename following the DO command contains a complete True BASIC program, then the invoked program performs a task not directly affecting the edited program; for example, you can invoke a menu-driven DOS shell program to format a disk, copy files, or delete files. Alternatively, you could invoke programs that provide on-line help to accompany your custom programs. But DO commands really shine when they invoke external subroutines that interact with the program in the editor. The True BASIC distribution disk provides external subroutines to perform program formatting, cross-referencing, and tracing via DO commands.

Another versatile feature of the True BASIC environment is the LOAD command, which lets you load BASIC libraries and modules, making them part of the language. This means that an executing program need not explicitly declare loaded libraries or modules, so compiling is faster. (True BASIC is actually a semicompiler that verifies the correctness of the entire program before it executes.)

Turbo Basic

Turbo Basic's environment is similar to the well-received environment in Turbo Prolog (see photo B). The default setting features five windows, including the one-line main menu and the Edit, Message, Run, and Trace windows. The options in the main menu let you invoke the filer, edit a program, compile, compile/run, set compiler switches, select environment options, reconfigure windows, and set up debugging features. The main menu File option lets you manipulate selected files and directories, invoke the DOS shell, and exit.

The commands for the Turbo Basic editor are very similar to WordStar commands in nondocument mode. You can customize the key commands using the Install program. The main




Photo A: The True BASIC programming environment.



Photo B: The Turbo Basic programming environment.




Photo C: The QuickBASIC programming environment.

menu's Compile option features automatic debugging similar to that of True BASIC, except that if Turbo Basic finds an error in an included file, it will load that file into the editor.

Turbo Basic offers three classes of compiler options. The first lets you select the destination of the compiled code—to memory, or to an .EXE file. The second class specifies the compiler toggle switches, such as the 8087 requirement, keyboard break, checking bounds, detecting overflow, and stack checking. The third class of suboptions lets you directly enter the command-line arguments and specify the sizes for the stack, music buffer, and I/O communications. These sizes may also be specified by metacommands embedded in the source code.

The Setup and Window options let you fine-tune certain aspects of the Turbo Basic environment, such as colors, code directories (i.e., include, source, and compiled files), and window configurations. The Debug option permits you to turn tracing on or off, and the Run-Time Error suboption makes Turbo Basic display the message that accompanies the error instead of merely displaying an error number.

QuickBASIC

The new QuickBASIC 4.0 environment (see photo C) comes with a number of very significant enhancements over previous versions. For example, it enables you to open new text windows to edit a specific function or subroutine. This new feature makes the environment responsible for locating your sought routine and placing its code in a separate window.

The QuickBASIC environment initially displays two windows. The editing window occupies most of the screen, and the one-line main menu is located right above it. The second, much smaller window contains two lines reserved for the immediate mode. This mode lets you type BASIC commands and execute them immediately, just as in BASICA or GWBASIC.

The File options perform functions similar to those in Turbo Basic, but with a few differences. The QuickBASIC environment permits you to load (and also unload) more than one file into memory. When the environment loads a QuickBASIC source code file, it precompiles it and (if it uses subroutines) builds an internal subroutine map. Pressing the F2 function key pops up a window that displays the name of the main routine(s) in memory, along with indented lists of subroutines. You use the cursor keys to select a main program or a subroutine. The QuickBASIC environment provides on-line help screens that show the editor's commands, an ASCII table, and the QuickBASIC keywords.

The QuickBASIC editor is connected with the QuickBASIC threaded p-code compiler/interpreter. When you type a line of code and then press Enter or move the cursor, the compiler verifies the new line and immediately flags any syntax error. The editor uses most WordStar nondocument editing commands.

The View options enable you to view code hierarchy and select a code segment, as discussed earlier. You can also view the next routine in the code hierarchy, the next statement, the output screen (even after program execution has terminated), and the code of included files.

The Run options let you create .EXE programs (as either stand-alone files or smaller files requiring the QuickBASIC run-time library), create compiled libraries, and start/restart a program in memory. The Debug options offer debugging tools. You can specify variables to be monitored in the Watch window, and you can also set breakpoints that stop the program when specific lines are reached or when specified expressions attain certain values. Other options let you trace the program execution and keep track of the last 20 statements executed.

early function exit. These enhancements undoubtedly give functions additional power; nevertheless, they still lag a bit behind those of languages like Pascal and C.

While GOSUBs can employ labels to direct their subroutine jumps, a new and more powerful class of callable procedures is taking their place. The procedures have a name and a parameter list. Parameters are passed by value or by reference—the general rule is that expressions are passed by value, and variables (simple or arrays) are passed by reference. Enclosing a simple variable in parentheses causes it to be passed by value, as an expression; QuickBASIC also supports the BYVAL keyword to explicitly specify that a parameter is to be passed by value. The parameter list is the main data interface between the procedure and the calling program unit. The variables in other programming units cannot be accessed or shared without special declarations.

An important feature in these procedures is the ability to handle arrays of any size. The LBOUND and UBOUND functions return the lower and upper array bounds, respectively; they work with both one-dimensional and multidimensional arrays. Turbo Basic implements these predefined functions slightly differently from the proposed ANSI standard (which Quick-BASIC and True BASIC follow). With the LBOUND and UBOUND functions, you can write general-purpose routines for manipulating arrays and matrices much more easily than in Pascal or, to a lesser extent, Modula-2 and C.

BASIC procedures can have local variables. When using local arrays, you must dimension them early in the procedure and remove them before the end. While the BASIC implementations impose a strict data interface between the procedure and other programming units, they differ in implementing local variables and accessing (or sharing) global variables. In Quick-BASIC, you declare local and global variables using STATIC and SHARED, respectively. SHARED variables can also be exported (i.e., created by the procedure and submitted to the pool of global variables). Turbo Basic uses the LOCAL, STATIC, and SHARED declarations to define local, static, and shared global variables within procedures. True BASIC places procedures before the unique END of a program, giving them access to all global variables. By contrast, procedures located beyond the END statement or in external libraries cannot share global variables. All the variables in these procedures are strictly local.

Listings 5a and 5b show the True BASIC and Turbo Basic versions of the same procedure. The listings illustrate using local variables and handling arrays of various sizes.

Modular Approach

QuickBASIC and True BASIC implement modules. These, along with external libraries, foster a new level for structured programming in BASIC. True BASIC modules are made up of functions and procedures, as well as the following sections:

MODULE < name >

PUBLIC <list of exported variables>
PRIVATE <list of local routines>
DECLARE DEF <list of functions>
SHARED <list of variables global in module only>
<module initialization statements>
<function or subroutine declarations>
END

The PUBLIC declaration lists the names of simple variables and arrays exported to client programs. This creates public vari-

continued

```
Listing 3: A QuickBASIC program that demonstrates
DO...LOOP, DO...LOOP UNTIL, and DO WHILE...LOOP.
CLS
DO
  INPUT "Want to calculate a square root? "; A$
  IF A$ = "" THEN A$ = "N"
  A$ = UCASE$ (LEFT$ (A$, 1))
  IF A$ <> "Y" THEN EXIT DO ' exit main loop
    INPUT "Enter a positive number ";X
    PRINT
  LOOP UNTIL X > 0
  s = x / 2
  DO WHILE ABS(S*S - X) > 0.000001
    S = (X/S + S) / 2
  PRINT "Square root of ";X;" = ";S : PRINT
LOOP
END
```

Listing 4: A recursive function written in Turbo Basic. DEF FNFactorial#(N%) IF N% > 1 THEN FNFactorial# = N% * FNFactorial(N%-1) ELSE FNFactorial# = 1.0 END IF END DEF

ables that are global and accessible to all parts of the module, as well as to the program that calls the module. The PRIVATE declaration lists the functions and procedures that are local to the module; all routines that are not listed are strictly private. The DECLARE DEF statement indicates the names of all the functions declared within the module. The SHARED declaration lists the scalar and array variables that are accessible to all the routines in the module, but not to any client program; they should not appear in the routines' argument lists.

Module initialization is carried out automatically before the program starts running; thus, any PUBLIC variable involved in the initialization step must be assigned an initial value from within the module itself. This makes the initialization step independent of the client programs.

The Grand Picture

The new ANSI BASIC standard and the implementations based on it have brought significant improvements to the BASIC programming environment. BASIC programs benefit from structured coding: They're more clearly defined and easier to read and maintain. This structure is apparent at two levels: within the program itself, and in the multiline functions and procedures. The avenue for writing reusable BASIC libraries has reached new and unprecedented levels on microcomputers.

The BASIC revival is indeed real and is worthy of the notice

Listing 5a: *True BASIC listing of a callable procedure.*

```
SUB Basic.Stat(X(), Mean, Sdev)
! Return average and standard deviation
                        of an array X()
LET SumX = 0
LET SumXX = 0
LET Sum = Size(X)
IF Sum < 2 THEN ! return with numeric
                          error values
  LET Mean = -1.0E+30
  LET Sdev = -1.0E+30
 EXIT SUB
END TF
FOR I = LBound(X) TO UBound(X)
   LET SumX = SumX + X(I)
  LET SumXX = SumXX + X(I)^2
NEXT I
LET Mean = SumX / Sum
LET Sdev = SQR((SumXX - SumX^2/Sum)/(Sum-1))
END SUB
```

Listing 5b: Turbo Basic listing of a callable procedure.

```
SUB Basic.Stat(X#(1), Mean#, Sdev#)
' Return average and standard deviation of
                              an array X()
LOCAL Sum#, SumX#, SumXX#, I%
SumX# = 0
SumXX# = 0
Sum# = UBound(X#(1)) - LBound(X#(1))
IF Sum# < 2 THEN ' return with numeric
                           error values
  Mean# = -1.0E+30
  Sdev# = -1.0E+30
 EXIT SUB
END IF
FOR I% = LBound(X#(1)) TO UBound(X#(1))
  SumX# = SumX# + X#(I%)
  SumXX# = SumXX# + X#(I%)^2
NEXT I%
Mean# = SumX# / Sum#
Sdev# = SQR((SumXX# - SumX#^2/Sum#)/(Sum#-1))
END SUB
```

of many veteran BASIC programmers who have migrated to Pascal and C. There was a valid cause for this exodus of programmers. But now, there is a good reason to give BASIC a second look: It's getting better all the time.

BIBLIOGRAPHY

Shammas, Namir. The New BASICs. Redwood City, CA: M&T Publishing, 1987.

Namir Clement Shammas is a columnist for several computer magazines and a freelance writer living in Glen Allen, Virginia. You can reach him on BIX as "nshammas."

Advertise your computer products through BYTE BITS (2" x 3" ads)

For more information call Dan Harper at 603-924-6830

BYTE 70 Main St. Peterborough, NH 03458

Circle 312 on Reader Service Card

Bullet Modem • 19,200 BPS on PSTN Lines • 100% Error Free Data • MNP Class 5, ESP Class 6 AT Command Set E-Tech Research 3333 Bowers Avenue, # 165 Santa Clara, CA 95054 (408) 982-0270, FAX (408) 982-0272

Circle 311 on Reader Service Card

DAME ODADDEDO

	FRAME GRA	ABBERS				
MODEL	RESOLUTION	PRICE with frame grab	PRICE withou frame grab			
HRT 256-4 HRT 256-8 HRT 512-8 HRT 512-24	256 x 256 x 4 256 x 256 x 8 512 x 512 x 8 512 x 512 x 24	495 795 995 1495	NA NA NA 1095			
- IBM PC/XT/AT COMPATIBLE - DIGITALIZE IN REAL TIME - COMPOSITE VIDEO IN - 24 BIT RGB OUT except model HRT 256-4 - IG level gray scale out - SOFTWARE LIBRARY OF IMAGE ANALYSIS ROUTINES - FREE SOFTWARE UPGRADES TO REGISTERED OWNERS - FULL CREDIT ON UPGRADE PURCHASE IN FIRST YEAR RETURN OLD BOARD AND JUST PAY DIFFERENCE						
	INPUT DEVICES	(optional)				
	se (bus or serial) Summagraphics					
7	HRT	HIGH RES TECHI P.O. BOX 76	NOLOGIE			

LEWISTON, N.Y. 14092


FAX 416-497-1988

BASIC PROGRAMMING TOOLS

Whether you're a seasoned expert or just starting out...

We'll help you create programs that run faster, work harder, and simply look better. All Crescent Software products include source code, demonstration programs, clear documentation, and a 30-day guarantee.

 OuickPak More than 65 essential routines for BASIC programmers including windowing, access to DOS and BIOS, searching/sorting string arrays, Lotus™ and pull-down menus, data input, and more. QuickPak is loaded with examples and tutorial information, and comes with The Assembly Tutor—an introductory guide to assembly language from a BASIC perspective. \$69



1000 QuickPak Professional The most comprehensive set of tools ever developed for BASIC programmers. Hundreds of assembler and BASIC subroutines including array manipulation, pop-up utilities, multiple windows, mouse support, scientific and financial functions,

multi-tasking menus, and more. includes dozens of examples and complete applications, \$149

 OBase A superb screen designer and full-featured relational database with BASIC source code to allow customizing. QBase provides a complete database, and is outstanding for creating titles, help screens, and product demos. \$99

 QBase Report Enhances QBase by generating reports with multiple levels of sorting, record updating, and browsing. Report comes with a complete time billing application for computer professionals, \$69



 GraphPak A complete collection of BASIC subroutines for displaying presentation quality 3D bar, line, and pie graphs from within your programs. Includes sophisticated font and tile editors. (EGA/VGA recommended) \$69

Mc. GraphPak Professional All the features of GraphPak plus scientific graphs, 3D surface plots and multiple fonts. Also comes with very fast text-based bar charts. \$149

LaserPak A comprehensive set of subroutines for generating graphics on a LaserJet or compatible Includes scales, grids, text labeling, Hi-Res pattern editor, and control over all LaserJet commands, \$69

QuickMenu A full-featured DOS menu system for novices and experienced users. Define the menu titles and DOS commands for each choice, and they will be executed automatically. QuickMenu is not memory resident, and features context-sensitive help and optional password protection. \$49



QuickTALK magazine is our way of saying thank you. The catalog includes feature articles, tips and tricks, and latebreaking news about BASIC. Call or write for your copy. FREE!



CRESCENT SOFTWARE

11 Grandview Avenue, Stamford, CT 06905 (203) 846-2500

Separate versions available for QuickBASIC and Turbo Basic—*please* specify when ordering. Trade-ups are available to professional versions—call for information. Add \$3 per order for shipping/\$10 overnight—Foreign \$10 per item/\$35 UPS 2nd day. Visa, M/C, C.O.D. and checks accepted.

HIGH RES TECHNOLOGIES

PHONE 416-497-6493

Discover Parallel Processing!

1999 999 9 999

Monoputer"

The Most Cost Effective Transputer Development System

MicroWay's Monoputer is the best selling Transputer-based PC coprocessor in the world. It was the first board available to run the 20 MHz T414 or T800. As a result, it received many rave reviews in the UK (available on request) and became the standard Transputer software development tool. Parallel code can be executed on a single Monoputer or on an array of Monoputers wired together by their external link lines. The Monoputer includes 2 megabytes of 100 nsec DRAM, a 20 MHz T414 or T800 and the MicroWay stand alone Occam Compiler, which generates Transputer code that runs under MS-DOS. Optional tools include our licensed version of the TDS and a Pascal, Fortran, C, and Prolog.

Quadputer

Mainframe Power For Your PC!

MicroWay's **Quadputer** is the most versatile multiple Transputer coprocessor on the market today. It can be purchased with 2, 3, or 4 Transputers, each of which has 1 or 4 megabytes of local memory. Two or more Quadputers can be easily cabled together to build larger parallel processor systems. A single Quadputer using four T800s provides 40 MIPS of CPU and 6 megaflops of NDP throughput at one fiftieth the cost of a comparably performing mainframe.

OEICO 3787 870333 OMO256 S8 1348 10

For more information please call (617) 746-7341. After July, 1988, call (508) 746-7341.




The World Leader in PC Numerics

P.O. Box 79, Kingston, Mass. 02364 USA (617) 746-7341 32 High St., Kingston-Upon-Thames, UK 01-541-5466 St. Leonards, NSW, Australia 02-439-8400

Part 2

WHY MICROCONTROLLERS?



The DDT-51 is a low-cost IBM PC-based Intel 8031/8051 development system

aving explained last month why we want to design projects around a single-chip microcontroller, it's time to talk about getting the software into the microcontroller. As I previously suggested, your options are either burn and crash (burn the program into an EPROM and figure out why it crashed) or use a development system.

The DDT-51 8031 development system I'll describe in this article offers many of the features of more expensive software development systems, at a fraction of the price. Unlike those systems, you can build this one yourself, modify the features to suit your tastes, and wind up with a system tailor-made for your application.

I'll start with the DDT-51 system hardware, then describe the software interface that lets an IBM PC control the target 8031 system.

The DDT-51 Development Tool

Nothing ever works the first time. When you are debugging microcontrollerbased hardware, you need to be able to

load and run a program, stop at breakpoints, single-step through critical parts of the code, disassemble instructions, examine and change registers, and continue where you left off. An ideal development system helps you do all that without using any 8031 system resources: no pins, no ICs, no program RAM-nothing at all. In-circuit emulators (ICEs) come closest to that ideal, because they replace the microcontroller with a hard-wired equivalent of the microcontroller chip—an equivalent that lets you directly observe the chip's (normally hidden) inner functions.

The DDT-51 system isn't quite that ideal, but it comes close. It needs one interrupt input, one output pin, and a 2Kbyte RAM chip to hold debugging code and data. A 40-pin DIP clip attaches directly to the 8031 IC, and there are no other connectors to the target board. Photo 1 shows the prototype DDT-51 development system board, and figure 1 shows a block diagram of the hardware.

The software that runs on the host IBM PC is called DEBUG31. DEBUG31 shows all the 8031's internal RAM and the main registers when the microcontroller is stopped, as illustrated in figure 2. You can load new values into the registers, set a breakpoint to trap the program, and single-step through the code. You use function keys on the host to control all these operations.

Like an ICE, the DDT-51 supplies the data, address, and control lines needed to simulate an 8031's operations, although at a much slower rate. When the connections are disabled, the 8031 will run as though the DIP clip wasn't there.

Under the Hood

As described last month, an 8031 doesn't have an internal program ROM, so it needs an external EPROM (usually a 2764). If you replace that EPROM with a pin-compatible 6264 8K-byte RAM, the DDT-51/PC link can load and change the

continued

Photo 1: *Prototype of the DDT-51* development system.

8031's program. Once you've got the program loaded, the 8031 can execute it normally, just as though it were in EPROM.

The debug RAM is a key component of the DDT-51 system, but some 8031 systems may not need any RAM. Because the DIP clip connects to the 8031 bus control lines, it's easy enough to put the debug RAM on the DDT-51 board. I used a 2K-byte RAM simply because it is the smallest one that's readily available. An 8K-byte RAM would work just as well.

Unfortunately, the 8031 wasn't designed to share its bus control lines with other hardware. All the bus lines float when the RESET input is high (they use tristate drivers), but the program halts until RESET goes low again. The program restarts from address 0000 hexadecimal after a RESET, rather than con-

tinuing where it left off, which is exactly what a RESET should do. What's needed is a dual-ported RAM that can be accessed by either system independently, with separate control, data, and address lines. The two systems can then store and examine data in the common RAM without interaction.

Although the PC and the 8031 can both access the debug RAM, they can't do so simultaneously. To keep the hardware simple, there are no interlocks to prevent collisions (both systems attempting to access the RAM at the same time). If a collision does occur, one processor will always get bad data because the proper buffers are not active. The PC and 8031 programs must adhere to a software gentleman's agreement to prevent RAM conflicts. It turns out that this is not at all difficult to accomplish.

How do they do that? Once the 8031




Figure 1: A block diagram of the DDT-51 development system.

program starts running, the DDT-51 can pull INT1 low to interrupt normal execution. A few debugging instructions added to the 8031 code handle the interrupt and examine a location in the debug RAM to determine what function was requested. The 8031 copies the results into the debug RAM and returns to normal operation, giving DEBUG31 (on the PC) free access to the RAM.

The gentleman's agreement is controlled by two wires: the IRQ line, triggering an 8031 interrupt, and the 8031 HALTED line, which is set while the interrupt handler is in control. Remember that the 8031 isn't halted after the interrupt, but is in the middle of the interrupt handler.

Figure 3a describes the physical connection between the PC and the target system; figure 3b shows the timing diagram that manages access to the debug RAM. DEBUG31 on the PC writes control information into the debug RAM and pulls the IRQ line low. The 8031 responds to the interrupt, examines the debug RAM, and executes whatever functions are needed. When it's done, it sets the HALTED line active and waits for DEBUG31 to restore the IRQ line to a high level. The 8031 then sets HALTED low, reloads the registers, and returns to normal operation in the interrupted program.

Figures 4a and 4b show the DDT-51 system circuit diagram. The DDT-51 system divides neatly into four sections: the PC parallel-port interface, bus buffers to control the various lines, the debug RAM, and an EPROM programmer.

The Port Swings Both Ways

The DDT-51 system trades hardware for software. The DDT-51's hardware pro-




Figure 2: A sample display from the DEBUG31 program, shown here in single-step mode.

vides only essential functions; the software handles most of the logic. DE-BUG31 merely sets and reads bits in the DDT-51 hardware to find out what's going on in the target 8031. Sounds simple enough.

Because speed of interaction between the host PC and the DDT-51 is important, the DDT-51 connects to the PC via a bidirectional parallel port (using the serial port would greatly increase the hardware complexity of the DDT-51). Unfortunately, an irritating problem with the design of the PC is that its standard parallel printer port is output only.

All the hardware needed to read or write 8 bits of data is already in place, but it lacks a connection to enable that function. While you can buy a custom parallel I/O board, I think changing a single trace on the existing board might be worth it to some readers. Figure 5 shows the single cut and addition to convert a standard parallel printer port to bidirectional operation.

Of course, all the clone boards (even the IBM boards) seem to use different IC numbers and assign the bits to different pins on the ICs, so this modification can be a real mystery. If you are unwilling to chop up your printer port card, buy a \$50 clone printer port card. They are usually bidirectional. Some clone cards also omit the input connection between the data bus and pin 14 of the LS174. I suppose they figure that because the output is unused, the input is irrelevant. It's easy to find the two unused pins, however (a modified port will still work correctly with all your other software, simply because the code doesn't know about the change and won't take advantage of it).

DEBUG31 examines each of the three possible printer ports, working down from LPT3, to find which one has the modification installed. This provides a convenient way to check your work. DE-BUG31 will tell you which card it's using.

Creating Five Ports from One

The DDT-51 system needs more than one I/O port to control all its hardware. Rather than burden the PC with more ports, I used an 8255 parallel peripheral interface (PPI) chip and a pair of LS374s to get five more ports. DEBUG31 controls these ports using the four standard printer control lines.

IC9, the control register, holds bits that must be active all the time, like the 8031 RESET and IRQ lines. It also supplies the 8255's register addresses and several bits for the DDT-51's bus logic.

IC12, the system register, holds the

8031 system bus control bits. There are 4 unused bits in this register that can be used for additional functions. The outputs are disabled whenever the 8031 drives the DDT-51's address and data buses, so that there is no conflict.

IC8, the 8255 bus interface, drives the high byte of the external address bus through port B and writes and reads the external data bus using port A. Port C samples the 8031 HALTED line. Other port C bits monitor the outputs of the DDT-51 logic circuits when running diagnostics from the PC.

Every 8031 system has a latch that demultiplexes the low-order byte of the address from the combined address/data bus. You might think that, because the outputs of that latch don't connect to the 8031, the DDT-51 system would need another DIP clip to get access to that part of the address bus. Instead, it is simpler to duplicate the latch, using IC10.

The DDT-51's debug RAM presents a similar problem, since the RAM requires a chip select line and the target 8031 system may not have an address decoder. I added IC11 to provide chip selects on 8K-byte boundaries throughout the 64K-byte address space. The EPROM programming socket, which is empty in normal use, also gets a chip select line from this decoder.

Bus Buffering

Both the 8031 and the DDT-51 system have control lines to read and write the program RAM (normally on the 8031 board) and the debug RAM (on the DDT-51 board). There are more combinations of data, address, and control line directions than might seem possible at first, which is why the logic isn't as simple as you'd expect.

IC9 supplies two control lines, called continued




Figure 3a: Physical connections between the DDT-51 and its host and target systems.




Figure 3b: A timing diagram showing the system's "gentleman's agreement" for controlling access to the debug RAM.

CTLS TO 8031 and CTLS FROM 8031, to select one of three states. The 8031 controls the DDT-51 logic when CTLS FROM 8031 is active, DDT-51 logic controls the 8031 system when CTLS TO 8031 is active, and the two systems are isolated from each other when both lines are inactive.

Setting the direction of the data and address lines isn't a simple task. For example, when the target 8031 system writes to the debug RAM, both the address and data come from the 8031. When it's reading from the debug RAM, the address comes and the data goes. A similar situation, in reverse, occurs when the DDT-51 reads the 8031's program RAM.

IC14 sets the DATA TO 8031 and DATA FROM 8031 lines by deciding which way the data must flow based on the current address, read or write activity, and signal source. This must be handled by hardware because it varies cycle by cycle as the 8031 runs its program.

When the two systems are isolated, the PC can access the debug RAM and the 8031 can access the program RAM without interacting. If either system tries to access the other while they're isolated, the data returned will be indefinite.

You've probably noticed that there's no hardware preventing both the CTLS TO 8031 and the CTLS FROM 8031 lines from being active at once. Further, as the schematic shows, this is definitely an illegal condition; it should never occur with properly operating PC code.

The reason for using an LS374 (IC10) to latch the address should now make sense. The bus buffers can't be activated until the control and address lines indicate in which direction the data should go. When the 8031 system supplies the ALE signal, the DDT-51 hardware accepts the 8031 data bus and tries to latch it in IC10. An LS373 is a *transparent* latch, meaning that the outputs track the inputs whenever the clock is high. When the 8031 lowers ALE, the bus buffers turn off and the data goes away before an LS373 can reliably latch it.

The LS374 is an edge-triggered latch, which means that the outputs change at the upward transition of the clock. Using ALE to clock the latches gives a sharp edge just before the data buffers turn off. This way, the LS374 records the inputs correctly.

Debug RAM

The debug RAM is simply a 6116 2Kbyte static RAM chip, driven by the buffered address and data lines. Either sys-





Figure 4a: The DDT-51 schematic, showing the PC interface and the debug RAM.



tem can access it. DEBUG31 assumes that the debug RAM is located at 8000 hexadecimal.

EPROM Burning

Although the DDT-51 system is used to develop programs using RAM instead of EPROM, there (presumably) comes a time when you've finished the program and you're ready to ship it. At that point, you need an EPROM programmer. DDT-51 incorporates the world's least expensive 2764 EPROM programmer.

The programmer section of figure 4b shows all the hardware required to program a 2764 EPROM. The programming supply voltage comes from two 9-volt batteries hard-wired to add +18 V to the +5-V power supply. A simple emitter follower reduces this 23-V level to 21 V and provides enough current for the programming pulse. The 0.1-microfarad capacitors filter out noise glitches from the logic. You'll have no problem with battery life unless you start using this programmer for production quantities.

It turns out that programming a 2764 EPROM is much like writing to a rather slow RAM. First, you set up the address and data lines, select the chip, and pulse pin 27 low for 50 milliseconds. If pin 1 has +21.0 V on it while pin 27 is low, you've just programmed 1 byte of the EPROM. That's all there is to it.

DEBUG31 can already write data to any 8031 address, so programming an EPROM simply requires an "EPROM burn" software flag to lengthen the write pulse to 50 ms. A manual switch applies 21.0 V to the zero-insertion-force (ZIF) socket.

This system handles code that fits into a single 2764 EPROM. A DIP switch on the DDT-51 system board sets the chipselect address range so you can burn EPROMs at different addresses. And 8K bytes of EPROM holds a lot of 8031 code, particularly for smaller projects. Unlike the Circuit Cellar serial EPROM programmer (see the October 1986 Circuit Cellar), however, there are no circuits to prevent damage occurring when you insert or remove an EPROM from a "live" socket. Make sure you turn the DDT-51 system's power off and disconnect the DIP clip from the 8031 before inserting or removing the EPROM.

Of course, 2764s allow faster "intelligent" programming methods, but I haven't implemented them (I thought an EPROM programmer that required zero additional chips was pretty good). As a result, the DDT-51 system is both the world's least expensive and slowest





Figure 4b: The EPROM programmer subsystem and bidirectional bus buffers.



EPROM programmer. If you start writing long programs, you may want to step up to my serial EPROM programmer.

DEBUG31 Essentials

You might think that DEBUG31 on the PC is written in assembly language to handle all the bit manipulation needed to control the hardware. It turns out that it's all done in Turbo Pascal, which is a whole lot easier to read and understand. All the tricky stuff is handled by a few low-level routines.

At the highest level, DEBUG31.PAS is a simple loop that waits for function keys to be pressed. Each function key triggers a separate procedure to handle whatever is requested. Listing 1 shows the entire main loop, which is easy enough to understand.

Listing 2 shows a procedure called by the main loop (and elsewhere, too). Sys-Reset activates the RESET 8031 line from IC9 and sets up DDT-51 hardware so that the PC has access to the 8031 through the bus buffers. When the RESET line is active, the 8031 has stopped operating and floated all its bus and control lines, so the PC can read or write any hardware on the shared data bus.

SysReset calls SetCR (set the control register IC9), SetSR (set the system register IC12), and Load8255 (interface to the 8255), which are some of the lowest-level routines in the system. Each controls a single IC connected to the printerport data lines. The routine handles all the operations required by other code and provides a convenient set of mnemonics that are easier to remember than the actual bit locations and values.

The 8031 Kernel

The DDT-51 system depends on a small kernel of 8031 code to handle interrupts

and perform functions on behalf of the PC program. This code runs only during INT1 interrupts and must adhere closely to the gentleman's agreement interface to avoid hardware collisions.

Unlike DEBUG31.PAS, KERNEL.ASM must be written in 8031 assembly language and incorporated into any 8031 program that uses the debugging features of DEBUG31, but most of it is located in the 2K-byte debug RAM located on the DDT-51 board. The normal program memory must hold only about two dozen bytes of KERNEL's code, and you can move most of that chunk to any convenient location.

Because the 8031 registers and internal RAM are not directly accessible through the DDT-51 interface, KER-NEL must copy those values into the debug RAM before DEBUG31 can see them. Once they've been copied, the PC can read, display, and change them as




Figure 5: How to make an IBM PC's unidirectional parallel printer port bidirectional.

needed. KERNEL then copies the new values back into the internal locations and returns to the interrupted code.

The software handles breakpoints in a similar manner. DEBUG31 stores the breakpoint address in debug RAM and triggers an interrupt. KERNEL decodes the operation and writes an LJMP instruction at the specified address. The KERNEL breakpoint handler gets control when the 8031 executes the LJMP and copies the internal values into debug RAM.

At the heart of the interrupt-handler routine, the first order of business, as with any interrupt code, is to save all the CPU registers. Later on, these saved values will be copied into debug RAM so that DEBUG31 can reconstruct the actual state of the machine when the interrupt occurred.

If a breakpoint was active, the UndoBP routine removes the LJMP and restores the program RAM so that the next instruction is ready to go. Because an LJMP requires 3 bytes, it may have overwritten one or two instructions following the breakpoint. Regrettably, the 8031 does not have a single-byte software interrupt instruction like the 8088's special INT 3 breakpoint.

The DumpRAM routine copies the internal RAM values into debug RAM as described before, as well as extracting the registers saved on the stack. Remember that the internal RAM reflects the current registers rather than the ones used by the main program. Some internal RAM locations can't be read without introducing side effects: Reading the serial buffer will reset a pending interrupt, which would cause a malfunction in the main code.

Both KERNEL and DEBUG31 increment separate IRQ counters; KERNEL's counter is stored in debug RAM. If DEBUG31's counter differs from KERNEL's version, at least one IRQ got lost, which probably means that the 8031 program is out of control.

Because most of KERNEL is in the debug RAM, DEBUG31 can't read that RAM while the 8031 executes from it. The StepSpin routine is located in 8031 program RAM, which frees up the debug RAM for the PC. The StepSpin code sets 8031 HALTED to indicate that the debug RAM is available, then waits for the PC to raise INT1 when it's done changing the RAM. At that point, it's safe to begin executing from debug RAM again, so the code returns to SpinRet to continue.

The code following SpinRet reads the


```
Listing 1: The DEBUG31. PAS main loop.
(*** setup code omitted here ***)
 PEDEAT
  { Get next key }
  GetKey(key1, key2);
  { Is it an extended key? }
  IF key1 = Chr(ESC)
   THEN BEGIN
    { Which function key? }
    CASE Ord (key2) OF
     59 : ShowHelp;
     60 : SysReset;
     61 : LoadKernel;
     62 : Download:
     63 : SetBurn;
     64 : Writeln('F6 not used');
     65 : SetRegs;
     66 : SetBP;
     67 : SysStep;
     68 : BEGIN
           { Normal, no IRQ }
           SysRun (running, FALSE);
           Writeln('Use F9 to stop/step');
    ELSE;
   END;
  END:
UNTIL (key1 = Chr(ESC)) AND (key2 = Chr(0));
(*** some cleanup code omitted ***)
```

Listing 2: The system reset procedure. { Force reset and take control of bus }

```
PROCEDURE SysReset;
BEGIN
 { Ensure a reset }
 SetCR (Reset 8031, ON);
 { Get control of bus }
 SetCR(IRQ,OFF);
 SetCR(CtlTo8031,ON);
 SetCR(CtlFrom8031,OFF);
 SetCR (AccessOK, ON);
 SetCR (EnableDec, ON);
 { Set up controls }
 SetSR(XRD,OFF);
 SetSR (XPSEN, OFF);
 SetSR (XALE, OFF);
 SetSR(XWR,OFF);
 { Our data and address }
 Load8255 (I55Ctls, I55AoBoCi);
 { Reset IRQ counter }
 IROctr := 0:
 PutRAMbyte (IRQctrB, $00):
 Writeln('8031 hardware is reset');
 { Indicate reset }
 state := reset:
END:
```

FREE BUYER'S GUIDE.

Programmer's Connection is an independent dealer representing more than 250 manufacturers with over 750 software products for IBM personal computers and : compatibles. We have supplied = the programming community: with quality software since 1984 by providing a wide selection of products, competitive pricing, and attention to customer service. Our comprehensive Buyer's Guide includes up-todate product descriptions of a date product descriptions of a wide variety of compilers, interpreters, utility libraries, text editors, relational databases, UNIX tools, and much more. In addition, informative articles by some of todays industry leaders = make the Buyer's Guide a complete reference tool for your = software needs. Call or write today to receive your FREE copy, and find out why Programmer's Connection is your best one-stop connection = for software tools.





US							800-336-1166					
	0		ī.									000 005 1166

 Canada
 800-225-1166

 OH & AK (Collect)
 216-494-3781

 International
 216-494-3781

 FAX
 216-494-5260

Refer to page 39 of this journal for a partial listing of our software products. new run-mode byte from debug RAM and handles the request. This code also installs the new breakpoint LJMP instruction.

Finally, the StuffRAM routine copies the (possibly changed) values from debug RAM back into internal RAM. It inserts the new values for the registers into the right stack locations, so that the main program's registers can be altered by the PC. It does not restore registers with side effects (e.g., the serial transmitter buffer) for the same reason that DumpRAM didn't read from them.

After the registers are restored, the 8031 executes a RETI (return from interrupt) and the interrupted main code resumes execution, perhaps with new register values. (The complete listings for DEBUG31.PAS and KERNEL.ASM are available for downloading from the Circuit Cellar bulletin board system.)

A Middle Ground

Does working on the DDT-51 development system convert me into a software jockey? Certainly not. To maintain a high level of performance in Circuit Cellar designs at a time when the rest of the industry is moving to application-specific ICs (ASICs) and other development-intensive reduced-component custom designs, I have chosen a middle ground of using programmable microcontroller chips.

In the same way that a large board of IC logic chips is reduced functionally to an ASIC, I have lumped the controlling elements of the TTL circuit I usually use into a configurable application-specific controller that can simulate these functions. Using simple three- or four-chip microcontrollers as standard computer engines in my projects, I am now better able to concentrate on presenting applications of technology rather than providing redundant explanations of low-level logic.

The DDT-51 development tool will hopefully help other BYTE readers consider the benefits of this middle ground.

The DDT-51 development system won't handle all possible 8051 target systems, but it will give you a good start. With that in hand, we can continue with other interesting Circuit Cellar project designs.

Experimenters

As is the custom with all Circuit Cellar projects, the software for the DDT-51 development system is available for downloading from my multiline bulletin board free of charge. Call (203) 871-1988. Of course, this downloaded soft-

ware is limited to noncommercial personal use unless licensed otherwise.

Next Month

I'll present a real-world example of multiprocessing. ■

Special thanks for the technical contributions provided for this article by Jeff Bachiochi and Ed Nisley.

Editor's Note: Steve often refers to previous Circuit Cellar articles. Most of these past articles are available in book form from BYTE Books, McGraw-Hill Book Co., P.O. Box 400, Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume I covers articles in BYTE from September 1977 through November 1978. Volume II covers December 1978 through June 1980. Volume III covers July 1980 through December 1981. Volume IV covers January 1982 through June 1983. Volume V covers July 1983 through December 1984. Volume VI covers January 1985 through June 1986.

Circuit Cellar Ink

It's virtually impossible to provide all the pertinent details of a project or cover all the designs I'd like to in the pages of BYTE. For that reason, I have started a bimonthly supplemental publication called Circuit Cellar Ink, which presents additional information on projects published in BYTE, new projects, and supplemental applications-oriented materials. For a one-year subscription (6 issues), send \$14.95 to Circuit Cellar Ink, 12 Depot Square, Peterborough, NH 03458. Credit card orders can call (203) 875-2199.

There is a multiline Circuit Cellar bulletin board system (running TBBS 2.0M) that supports past and present projects in BYTE and Ink. You are invited to call and exchange ideas and comments with other Circuit Cellar supporters. The 300-/1200-/2400-bps BBS is online 24 hours a day at (203) 871-1988.

To receive information about the Circuit Cellar Ink publication for hardware designers and developers, please circle 100 on the Reader Service inquiry card at the back of the magazine.

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. The author of several books on electronics, he can be reached on BIX as "sciarcia."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.




FLOATING-POINT WITHOUT A COPROCESSOR

A high-precision floating-point-emulation library for your PC

ost of the applications for floating-point calculations are obvious: scientific analysis, engineering design, financial calculations. Others, like graphics and desktop publishing (calculations involving reduction and enlargement), are less obvious. Interest in increasing floating-point throughput has grown; this is most apparent in the attention being paid to higher-performance math coprocessors—witness the inclusion of sockets for both the Weitek and the Intel coprocessors on many of the new 80386 machines.

For some situations, a coprocessor is the best answer for hurrying the throughput of floating-point calculations. But for many others, a coprocessor is either not cost-effective (although the prices are coming down-I'm waiting until I can get an 8087 for \$50) or simply unavailable (as is the case with many laptop computers). Software designers of products dependent on floating-point operations cannot assume all targets for their products will have a floating-point coprocessor available. (Apple provides its floating-point support as part of the Standard Apple Numeric Environment [SANE], which is incorporated into the Macintosh's System file.)

I decided on this month's topic partly in response to a comment I heard at a recent seminar: A participant was designing an application and complained that he wanted to include floating-point support but could not find any real working examples. I also believe that it's instructive to investigate the inner workings of a system you take for granted. Who knows? You might improve things and design the



next IEEE standard for floating-point numbers.

The package I designed performs the four basic operations: add, subtract, multiply, and divide. I'll describe these this month. I've also incorporated some basic I/O routines, which will appear next month.

The system is written in 8088 assembly language, and to test it, I provided some simple interface routines with BYTE Small-C. You should be able to modify this interface to hook into your favorite compiler. (You'll find pseudocode listings of the main routines here. The 8088 source code for the package, FLOATPAK.TXT, is available in a variety of formats. See page 3 for details.)

First, let's take a look at the format of floating-point numbers.

Know the Beast

It's important to be clear about the format of floating-point representation. Lord knows it's tough enough to be clear about base-10 floating-point numbers; base-2 floating-point is even worse.

Scientific notation provides a compact means of representing numbers when there is the possibility of wide swings in value. Simply put, even though you don't have room for lots of digits, you can still write very big *and* very small numbers. Instead of writing 1,000,000, you can write 1.0E+6; and instead of writing -.00000032, you can write -3.2E-7.

It's a mathematical shorthand. The expression -3.2E-7 means -3.2×10^{-7} . For a little terminology: -3.2 is referred to as the mantissa, and -7 is the exponent. How can we get this representation into our binary computer? Use the same idea, only make everything base 2.

Figure 1 shows the format my floating-point math package uses. FAC1_EXP stores the exponent, and FAC1_MAN holds the mantissa. Since this is all in base 2, you can express a floating-point number in scientific notation format as follows:

continued

 $\langle FAC1_MAN \rangle \times 2^{\langle FAC1_EXP \rangle}$.

FAC1_MAN is a binary number with both integer and fractional parts. Just as the decimal mantissas above use a decimal point to separate their integer and fractional portions, binary floatingpoint numbers use a binary point to separate integer and fractional portions. Of course, this binary point is an imaginary entity; it has no real existence inside the computer—we just assume its location.

As usual, things are never really quite as simple as they appear at first glance. What I've described is a fairly accurate description of the representation-but with a couple of minor exceptions.

Minor exception number one is that FAC1_EXP is a biased exponent. This simply means that the value stored in FAC1_EXP is the true exponent value plus a bias. Adding a bias allows the package to represent positive and negative exponents. For example, in my package, the bias is 16384. An exponent of 0 would be represented as 16384; +12 would be 16396; and -5 would be 16379. Thus, the exponent has a range of 2+16383 to 2-16383-something like 104931 and 10⁻⁴⁹³¹. As a means of rapidly identifying true zero, the package recognizes FAC1_EXP equal to zero as signaling the special case that the entire number is zero. (The number 16384 isn't something I pulled out of the air. Since FAC1_EXP is 16 bits, a bias of 16384 gives us a 15-bit exponent with the high bit left over to detect exponent overflow.)

Minor exception number two revolves around the fact that the internal represen-

point number is zero.

15

tation of a floating-point number (i.e., how the package sees the number when an operation is being executed) is different from that number's external representation (i.e., how calling routines see the number). Specifically, the internal representation of the number sports an additional word's worth of precision. You'll see how this-and other trickery-becomes important when I get to the floating-point output routine.

You can think of FAC1 as a floatingpoint accumulator-a floating-point register, if you will-internal to math package uses. There are actually two accumulators: FAC1 and FAC2. Each holds one of the two arguments involved in the math operation, and when the addition, subtraction, multiplication, or division is finished, FAC1 holds the result. A third storage location, FAC3_MAN, saves temporary values during the multiplication and division routines.

Now that we've gone over the blueprints, it's time to get to the construction work. As I stated earlier, we begin at the foundation.

Addition

True exponent is FAC1_EXP - 16384. If FAC1_EXP = 0, the floating-

Before you can add two floating-point numbers, you have to do something anyone who has ever added fractional numbers is familiar with: align the decimal points. Only now you're aligning the base-2 equivalent of the decimal point, and in our representation of floatingpoint numbers, this translates to matching up the exponents.

You do this by determining which number has the largest exponent and moving that number into FAC1. The other number goes into FAC2. Then you simply subtract FAC2's exponent from FAC1 and examine the result to determine how many bits to shift FAC2 to line up its binary point with FAC1.

Note that since you've guaranteed that the number in FAC2 has a smaller absolute value than FAC1, the shift will be to the right. Why? What you're doing is matching the exponents of the two numbers, and you accomplish this by adding an amount—call it y—to FAC2_EXP. This has the effect of multiplying the entire number by 2y (just as adding to the exponent of a base-10 floating-point number has the effect of multiplying by 10), so we have to offset that by shifting FAC2's mantissa to the right. (Remember that shifting a binary number right 1 bit divides that number by 2.)

If you have to shift FAC2 more than 78 bits, you can exit the routine immediately; FAC1 is so much larger than FAC2 that the addition will have no effect on the result.

Next, you examine the signs of the two numbers. If they differ, negate the mantissa of FAC2 (since you're really performing a subtraction). You can then go about the business of the actual addition, which looks for all intents and purposes just like addition of 80-bit integers. See listing 1 for the addition pseudocode.

If bit 79 (the highest bit) has been set as a result of the addition, then an overflow must have occurred. This can happen only if FAC1 and FAC2 had the same sign, and if that's the case you don't have to modify FAC1.

However, a subtraction may have taken place (if FAC1 and FAC2 had different signs); in this case, a 1 in bit 79 indicates that the result is a negative number in two's complement form (and that the absolute value of FAC2_MAN was greater than FAC1_MAN). You can determine this by reexamining the FAC1_SIGN and FAC2_SIGN. If they differ, you know the sign of the result is the sign of FAC2, so move FAC2_SIGN to FAC1_SIGN and negate the mantissa of FAC1 to make it positive again.

The last step is to normalize the contents of FAC1, so let's go ahead and talk about normalization. What is it, and why is it important?

Make It Normal


It would be a waste of space to write a floating-point number as 0.00003E-4; it's better to instead write it as 3.0E-9. Likewise, you wouldn't want to write 1,200,000.0E+6; use 1.2E+12 instead.

0 79 FAC1_MAN 80-bit mantissa. The lowest 2 bytes are used internally by the package for extending the precision of the calculations; when the number is returned to the calling routine, only the upper 8 bytes are used. 7 0 FAC1_SIGN: A 1-byte location used to hold the sign bit. When the floatingpoint number is returned to the calling routine, the sign bit is recorded in bit 15 of the exponent.

FAC1_EXP: Biased exponent (bias is 16384).

Figure 1: Floating-point representation. Note that the internal format adds an additional word of precision.

How to create high-performance programs without wasting your time or money



Step 1: The \$19.95 Power C compiler

Power C is the new ANSI compatible C compiler that runs faster than Microsoft C and has more functions than Turbo C[®]. Power C combines high-performance software with superb documentation, all for less than the price of most C books alone. It's your fast route to fast programs without the fast bucks. Compare Power C to the competition and see how much time and money you'll save.

Performance/Price Chart (execution times in seconds)						
	Power C	Quick C®	Turbo C®			
1) fib	23.8	53.4	26.4			
2) sieve	27.6	43.2	25.5			
3) tdbl	3.5	9.0	9.6			
4) diskio	13.5	14.4	14.3			
5) report	11.0	71.7	60.7			
6) drystone	36.6	41.6	31.8			
Compile/Link	73.9	113.5	81.4			
EXE File Size	25120	32092	27184			
Compiler Price	\$19.95	\$99.00	\$99.95			
Debugger Price	\$19.95	N/C	N/A			
Library Source	\$10.00	\$150.00	\$150.00			
Total Cost	\$49.90	\$249.00	\$249.95			

N/C no charge - N/A not available Benchmarks compiled using Make utility, command-line compiler, and medium memory model



Step 2: The \$19.95 Power Ctrace debugger

Power Ctrace is the new state-of-the-art C debugger that makes Microsoft's Codeview look like old technology. Power Ctrace will reduce the time you spend debugging your C programs by at least a factor of 10. With Power Ctrace, you'll be working smarter instead of harder. Actually, you'll be having so much fun that it won't even feel like work anymore.

Unlike other debuggers, Power Ctrace lets you debug graphics programs on a single monitor. You can even debug programs that write directly to video memory. However, the major advantage of Power Ctrace is simple operation. You won't waste any time trying to understand or remember cryptic commands. With Power Ctrace, a single keystroke is all it takes. Help screens show you which key to press and pop-up menus list your options. Invest just 10 minutes with Power Ctrace now and you'll save hours from now on.



Technical Specifications

Power C includes: Power C compiler with integrated Make, Power C Linker, Power C Libraries (450 functions), the Power C book (680 pages), and support for

C book (680 pages), and support for . . .

ANSI standard

IEEE floating point

IEEE floating point 8087/80287 coprocessor auto-sensing of 8087/80287

automatic register variables unlimited program size

mixed model (near & far pointers)
graphics on CGA, EGA, VGA, & Hercules

Optional Products:

Power Ctrace debugger
Library source code

Urder now by calling our toll free number or mail the coupon to Mix Software, 1132 Commerce Drive, Richardson, TX 75081.

1-800-333-0330

For technical support call: 1-214-783-6001

Minimum System Requirements:

DOS 2.0 or later, 320K memory, 2 floppy drives or hard drive Runs on IBM PC, XT, AT, PS/2 and compatibles.

60	day money	back guara	ntoo
			illee ,
Name			
Street			
City State		7in	
Tolophono			
Paying by:	□ Mc	nev Order	☐ Check
□ Visa	□ MC	□ AX	Discover
Card #			
Card Expirati			
Computer Na	ame	Disk Siz	
B 1 1/ \ /		🗆 51/4"	□ 3½"
Product(s) (f			•
	C compiler (\$19.95) ider (\$19.95)	5
	Source Cod		Ď
		library manager)	υ
	usiness Math		\$
Add Shipping			\$
Texas Reside			\$
Total amount			\$
		trademarks of Mix Solered trademarks of M	
		lemark of Borland Inte	

The point: Don't consume space with zeroes; get the most significant nonzero digit near the decimal point. This process is called *normalizing* the number.

You can normalize a binary floating-

END

GOTO NORM FAC1;

point number using a series of shift operations, as shown in listing 2. Since in the base-2 system the only nonzero digit is a 1, normalization amounts to shifting the contents of the mantissa left or right until

a 1 appears in bit 78. Hence, a normalized mantissa in this notation might look (in base 2) like the following:

0.100100111001011

(I've shown only the top 16 bits.) Notice that the topmost bit (bit 79) stays zero. Its job is to play bucket and catch any overflow bit that occurs as the package performs floating-point operations on the number.

Of course, shifting the mantissa left or right is the same a multiplying or dividing (respectively) by 2. So that the value of the floating-point number doesn't change, you must offset the effects of the shift operation by incrementing or decrementing the exponent. The rule is simple: If you shift left (a multiply), offset that by decrementing the exponent; if you shift right (a divide), offset that by incrementing the exponent.

Finally, the normalization routine has to check for exponent overflow and underflow. This will happen if, during the shifting process I just mentioned, the routine increments the exponent above the maximum allowed (overflow) or decrements it to zero (underflow). The normalization routine shown in listing 2 returns an error code if the exponent overflows or underflows. It's up to the calling routine to decide how to handle the situation.

All four of the floating-point routines exit through the normalization routine.

Subtraction

This is tough. You invert FAC2's sign (FAC2_SIGN) and do a floating-point add (see listing 3). Next!

Multiplication

Multiplication is simpler than you probably think. If you can multiply decimal numbers, binary multiplication is a snap. Furthermore, multiplying numbers in scientific notation is not much harder. Just keep two simple rules in mind: 1) Add exponents and 2) multiply mantissas. Adding the exponents is the easy part—it's just a matter of adding two 16-bit numbers. But multiplying the mantissas—that's what we really came here for.

Think of how you learned multiplication in grade school—writing one number above the other, then proceeding across the lower number, multiplying one digit at a time, generating partial products, and adding. It's the same thing here.

Take a look at figure 2a, where two binary numbers are being multiplied. Proceeding from right to left on the lower

```
Listing 1: Floating-point addition.
Add FAC2 to FAC1:
IF FAC1_EXP < FAC2_EXP THEN
   exchange FAC1 and FAC2;
Bits_to_shift = FAC1_EXP-FAC2 EXP;
IF Bits to shift > 78 THEN
   RETURN;
IF FAC1 SIGN <> FAC2 SIGN THEN
   Negate FAC1 MAN;
REPEAT Bits to shift TIMES
   Shift FAC2_MAN right;
Add FAC2_MAN to FAC1_MAN;
IF (FAC1 SIGN<>FAC2 SIGN) AND
    (Bit \overline{63} of FAC1 \overline{MAN} = 1) THEN
      BEGIN
      Negate FAC1 MAN;
      FAC1 SIGN=FAC2_SIGN;
```

Listing 2: Normalizing floating-point numbers. The four primary routines exit through this code.

```
Normalize The Number In FAC1:
NORM FAC1:
IF FAC1 MAN=0 THEN
  FAC1_SIGN=0;
   FAC1 EXP=0;
   RETURN;
IF bit 79 of FAC1_MAN=1 THEN
   BEGIN
   Shift FAC1_MAN right 1 bit;
   FAC1 EXP=FAC1 EXP+1;
   END
WHILE bit 78 of FAC1 MAN=0
   BEGIN
   Shift FAC1 MAN left 1 bit;
   FAC1_EXP=FAC1_EXP-1;
IF bit 15 of FAC1 EXP=1 THEN
   RETURN Exponent overflow error;
IF FAC1 EXP=0 THEN
   RETURN Exponent underflow_error;
RETURN;
```

```
Listing 3: Floating-point subtraction, based on the fact that x-y=x+(-y).

Subtract FAC2 from FAC1:

FPSUB:

FAC2_SIGN = FAC2_SIGN XOR 128;

GOTO FPADD;
```

number (the multiplier), if the digit is a 1, then write the upper number (the multiplicand) under the bar. If the digit is a 0, then write 0 under the bar. (These numbers under the bars are the partial products.) Keep going until you run out of bits in the multiplier. The rightmost digit of each partial product lines up with its generating digit in the multiplier. The result is the sum of the partial products.

You'll notice that the result can have up to twice the number of bits in the multiplier (or multiplicand, whichever has more bits). So when you go to multiply two 80-bit mantissas, the result can be up to 160 bits, the top 80 of which are all that you're really interested in. To multiply binary fractional numbers (the mantissas) so that the lower unwanted bits fall off the right end, see figure 2b.

The process is similar to the one in

figure 2a, with the addition of an accumulated value. You scan the digits of the multiplier from right to left. If the digit is a 1, add the multiplicand to the accumulated value; if the digit is a 0, add a 0 to the accumulated value. Then-and this is the trick-shift the accumulated value to the right prior to the next addition. The result is the same, only we've slid the least-significant bits off to the right.

That pretty much covers the technique used by the floating-point multiplication routine (the pseudocode is shown in listing 4), except for a couple of points: First, since the routine adds biased exponents, it has to subtract the bias from the result (otherwise the result would be doubly biased). Second, the multiplication operation actually shifts FAC3 (which holds the accumulated value, as shown in

continued




Figure 2: (a) Multiplying binary integers. This should remind you of the longhand multiplication you learned on the chalkboard. (b) Multiplying binary fractions. Notice that the result is the same as in (a), but we've shifted least-significant bits off to the right.

Listing 4: Floating-point multiplication.

```
Multiply FAC1 by FAC2
FPMULT:
FAC1 SIGN = FAC1 SIGN XOR FAC2 SIGN;
FAC1 EXP = FAC1 EXP + FAC2 EXP -
           (BIAS+1);
Clear FAC3 MAN;
REPEAT 79 TIMES
 BEGIN
 Shift FAC3 MAN right;
 Shift FAC1 MAN right;
 IF carry=1 THEN
     FAC3 MAN = FAC3 MAN +
                FAC2 MAN;
 END
FAC1 MAN = FAC3 MAN;
GOTO NORM FAC1;
```

Tools and Toolboxes

Modula-2

Applications Generator

Amadeus

Generate Modula-2 programs directly from your own input, and save yourself hours of coding!

Graphics

M2Graph* Controls Hercules cards in Modula-2.

\$ 65

M2EGA*

Controls EGA cards in Modula-2.

\$65

Modula Graphics Toolbox I*

\$ 112

A collection of extremely fast graphics routines for CGA cards written in Modula-2.

Modula Graphics Toolbox II* \$ 188

Comprehensive package of Modula-2 procedures for all currently available graphics cards. Includes grahics window system, font generator, sprite handler, mouse driver, maths routines, as well as pie chart, histogram and line graph func-

Input/Output

LCR-Window Manager* Fast, compact window system.

\$ 133

M2Windows*

\$ 188

Fast, professional window system. Small, high-performance library with integrated menu system and simple mask gene-

Modula Mask & Menu Generator* \$ 360 Development system for creating masks and menus in Modula-2 source code. Mask, menu and frame editor. Supports all colours and attributes

Other Tools

M2 Prolib \$ 495 The professional library **B-Tree ISAM** \$ 290

Ultra fast database Pascal-Modula Converter

Converts Turbo-Pascal to Modula-2.

RTA-Utility Disk 2-10x faster I/O, extended MathLib.

\$ 188

\$ 59

\$30

EMS-Utilities* Make full use of your Megabytes of memory expansion.

M2IEEE-Interface* \$ 144 Modula-2 interface to National Instruments IEEE Interface.

This is only a small selection from our comprehensive list of tools for Modula-2. Demo disks are available for products marked with an asterisk. Send \$ 10 for three demo disks, \$ 20 for seven. There is also a wide choice of books and literature on Modula-2.

We have Modula-2 compilers for the Amiga, HP-UX, IBM/370. PCs (Taylor, M2SDS, JP1), OS-9 and Sun. The list is constantly growing!

Texas residents add 8% sales tax. International Orders add \$ 20 shipping.

The Modula-2 people:



INTERFACE

3336 Richmond, Suite 323 Houston, TX 77098-9990 (713) 523 8422

Dealer inquiries welcome

International

Austria: 0222/4545010 Belgium: 071/366133 France: 20822662

Italy: 02/405174 Scandinavia: +45/3/512014 Switzerland: 01/9455432

United Kingdom: 01/6567333 Germany: 02983/8337; 0731/26932; 0821/85737; 04106/3998:



A. + L. Meier-Vogt Im Späten 23 CH-8906 Bonstetten/ZH Switzerland Tel. (41)(1) 700 30 37

0531/347121

BYTE's Subscriber Benefits Program

Your BYTE subscription brings you a complete menu of the latest in microcomputer technology every 30 days. The kind of broad-based objective coverage you read in every issue. *In addition*, your subscription carries a wealth of other benefits. Check the check list:

BONUSES

- Annual Separate Issues: In addition to BYTE's 12 monthly issues, subscribers also receive our annual IBM PC issue free of charge, as well as any other annual issues BYTE may produce.
- BYTE Deck: Subscribers receive five BYTE postcard deck mailings each year—a direct response system for you to obtain information on advertised products through return mail.
- ▼ Reader Service: For information on products advertised in BYTE, circle the numbers on the Reader Service card enclosed in each issue that correspond to the numbers for the advertisers you select. Drop the post-paid card in the mail and we'll get your inquiries to the advertisers.
- TIPS: BYTE's Telephone
 Inquiry System is available to
 subscribers who need fast
 response from advertisers. After
 obtaining your Subscriber I.D.
 Card, dial TIPS and enter your
 inquiries. You'll save as much
 as ten days over the response to
 Reader Service cards.
- You get access to the BYTEnet: Bulletin Board Service, which allows you to download, via



modem, valuable program listings. There is no connect charge for this service.

- Subscription Service: If you have a problem with, or a question about your subscription, you may call our service department toll-free at 800-423-8272 (in New Jersey call 800-367-0218) during regular business hours (Eastern Time). You can also use Subscription Service to obtain back issues. Should you care to correspond, use the following address: P.O. Box 6821, Piscataway, N.J. 08855.
- Editorial Indices: Available through our customer service department P.O. Box 328, Hancock, New Hampshire 03449.

PAID SERVICES

BIX: BYTE's Information
Exchange puts you on-line 24
hours a day with your peers
via computer conferencing and
electronic mail. All you need to

- sign up is a microcomputer, a modem, and telecomm software. For further information and cost, call 1-800-227-BYTE.
- Program Listings: Listings of programs that accompany BYTE articles are now available on BIX, on disks or in quarterly printed supplements (see reply cards in this issue for cost information), or call 1-800-258-5485.
- Microform: BYTE is available in microform from University Microfilm International in the U.S. and Europe. See Contents page for cost information.

DISCOUNTS

- ▼ One-year subscription at \$22.95
- ▼ Two-year subscription at \$39.95
- Three-year subscription at \$55.95
- One-year group subscription for ten or more at \$18.95 each. (Call or write for details.)

TOLL-FREE NUMBERS FOR YOUR CONVENIENCE:

Subscriptions & Back Issues: 1-800-423-8272 (in N.J., 1-800-367-0218)

BIX: 1-800-227-BYTE

Program Listings Orders: 1-800-258-5485



It's indispensable.



Listing 5: Floating-point division.

```
Divide FAC1 by FAC2:
FPDTV:
IF FAC2 EXP = 0 THEN
   RETURN Division_by_zero_error;
FAC1 SIGN = FAC1 SIGN XOR FAC2 SIGN;
FAC1_EXP = FAC1_EXP - FAC2_EXP + BIAS;
Clear FAC3 MAN;
FAC1_MAN = FAC1_MAN - FAC2_MAN;
REPEAT 80 TIMES
  BEGIN
   Shift FAC3 MAN left;
   Shift FAC1 MAN left;
   IF carry=1 THEN
      FAC1 MAN = FAC1 MAN +
                 FAC2 MAN;
   ELSE
      FAC1 MAN = FAC1 MAN -
                 FAC2 MAN;
      Set bit 0 of FAC3 MAN = 1;
   END IF;
  END
FAC1 MAN = FAC3 MAN;
GOTO NORM FAC1;
```

figure 2b) to the right before each addition, so the result of the multiplication is FAC1 \times FAC2 \times 2. This reduces accuracy loss that can arise from the fact that the routine multiplies binary fractions. This loss of precision is analogous to multiplying .2 and .4, yielding .08 and wasting a digit position on the 0. The routine accounts for the additional multiplication by 2 by subtracting 1 from the exponent of the result (I sneaked this into the part where the routine subtracts the bias from the resulting exponent).

Division

This will sound ridiculously obvious, but floating-point division is a lot like the reverse of floating-point multiplication. Instead of adding exponents, you subtract them. With binary floating-point numbers in particular, instead of a series of shift-right-and-add operations applied to the mantissas, the algorithm consists of shift-left-and-subtract operations.

Again, let's concentrate on the division of binary fractions (the mantissas). The procedure is similar to integer division (a topic I won't go into in great detail, since there are many introductory texts on the subject). At the core of the routine is a loop that compares the divisor (FAC2) to the dividend (FAC1) to determine if the divisor can "go into" the dividend. If so, the routine subtracts the divisor from the dividend (creating a partial remainder), sets the 0th bit in the quotient (FAC3), and shifts everything to the left for the next operation.

You'll notice that the routine doubles up the subtraction and comparison operations: If subtracting the divisor from the dividend generates a borrow (indicating a negative result), the routine reverses the effect of the subtraction by adding the divisor back into the dividend (this is what happens when the divisor won't go into the dividend). This shift-and-subtract process (with an occasional add) is repeated for each bit of the mantissa.

Of course, the complete floating-point division routine must first check for division by zero. This is easy: Since the routines define an exponent of zero as an indicator of true zero, the FPDIV routine simply tests FAC2_EXP. If FPDIV finds that FAC2_EXP is equal to zero, the routine exits with an error condition (see listing 5).

Getting It In and Out

Next month, I'll wrap up the floatingpoint library with a description of the routines for loading and storing the floating-point accumulators, I/O, and some suggestions for extending the package.

Rick Grehan is a BYTE senior technical editor at large. He has a BS in physics and applied mathematics and an MS in computer science/mathematics from Memphis State University. He can be reached on BIX as "rick_g."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH, 03458.

A new concept in managing

Megabytes

of memory

IX-BoX*

Have you ever spent hours

- searching for a letter which you know exists, but can't seem to find?
- looking for an address which you can only remember half of?
- tracking down a variable which was initialised somewhere in your programs, and which is now causing them to crash?
- rummaging through your ultra-modern database, simply because you omitted to define a simple key field when setting it up?
- searching your literature index for an urgently needed article?
- looking and looking, but without success?

Then we can help! IX-BoX will instantly find all your correspondence, addresses, programs. entries, summaries - in fact, anything and everything stored on your computer. IX-BoX delivers the document you require in seconds, and you can carry out any necessary changes to it using the built-in editor. What more could you possibly need?

IX-BoX is much more than a simple information retrieval system, yet it only costs \$ 275

Demo disk costs

\$ 10

* IX-BoX is a trade mark of Snark AG, Zürich.

Farsight

Once you've used the Farsight integrated software package, you'll know the fun of working with and exploiting Megabytes of memory.

Window manager, word processor and spreadsheet together cost only \$ 99

Graphics

\$ 29

Texas residents add 8% sales tax. International Orders add \$ 20 shipping.

The Modula-2 people:



INTERFACE TECHNOLOGIES

3336 Richmond, Suite 323 Houston, TX 77098-9990 (713) 523 8422 Dealer inquiries welcome

International Austria: 0222/4545010

Belgium: 071/366133 France: 20822662 Italy: 02/405174 Scandinavia: +45/3/512014 Switzerland: 01/9455432

United Kingdom: 01/6567333 Germany: 02983/8337; 0731/26932; 0821/85737; 04106/3998:



A. + L. Meier-Vogt Im Späten 23 CH-8906 Bonstetten/ZH Tel. (41)(1) 700 30 37

0531/347121

PUT 420,000 MICRO MENTORS TO WORK.

Advertise in the new BYTE magazine and let the people other people come to for advice help spread your message. We have a total of 420,000 paid readers who are powerful because they're knowledgeable. Each one is a leader in personal computer decision-making at his company. And each one believes that ads in BYTE are a valuable source of information.

- 93% provide advice about *acquiring* micros, peripherals and software, an average of 25 times a month.
- 85% are directly involved in purchasing decisions about microcomputers and related equipment for their company.
- 96% work for a company that currently owns or uses microcomputers.
- ☐ **75%** of these companies plan to buy an average of 145 microcomputers in the next 12 months.

In short, when it comes to making a purchase decision, people listen to BYTE readers. So if you're not planning on advertising in BYTE, you may be planning an advertising schedule without teeth.



BYTE Listings Your way!

It's easy. Now there are three ways to get sourcecode listings that go with BYTE articles—on disk, in print or on line.

LISTINGS ON

DISK BYTE listings on disk are right for you if you want to compile or run programs quickly. Also included on disk are the month's BIX highlights specific to your machine format.

LISTINGS IN

PRINT This print supplement contains sourcecode listings described in the issues of BYTE.

LISTINGS FROM

BIX (BYTE Information Exchange) By joining BIX, you can download BYTE source-code listings at standard BIX rates. See BIX informational ad listed in Reader Service index in this issue.



FOR DIRECT ORDERING CALL TOLL FREE: 800-258-5485

Call: M-F, 8:30 a.m. to 4:30 p.m. Eastern Time

(603-924-9281 for New Hampshire residents)

For credit card orders only.

* Including the Month's BIX Highlights Specific To Your IN USA-**OUTSIDE USA: Machine Format.** Single Annual Single Annual Month Subscription Month Subscription Disks of listings from December (one disk) (13 disks) 1985 to present are available at the (one disk) (13 disks) prices stated at right. Please mark 5¼ inch: \$8.95 \$69.95 \$10.95 \$89.95 the appropriate format and note ☐ IBM PC* (Save \$46.40) (Save \$52.40) the issue date below. If you are ☐ Apple II ordering a subscription, please note the issue date on which you ☐ Kaypro 2 CP/M would like it to begin. ☐ MS-DOS 8 Sector* Month ☐ TI Professional Year 3½ inch: \$9.95 \$79.95 \$11.95 \$99.95 ☐ Apple Macintosh* (Save \$49.40) (Save \$55.40) ☐ Atari ST* ☐ Amiga* ☐ IBM PS/2* IN PRINT 1987 Supplement Issues 1986 Supplement Issues IN USA-IN USA: 1988 Supplement Issues ☐ January through March 1987 for ☐ January through June 1986 for only \$6.95. only \$8.95.

☐ January through March \$6.95 in USA \$7.95 outside USA

Monthly supplements replace quarterly supplements starting in April. Indicate the month you're ordering in the space below.

Month _____

\$2.50 per issue in USA \$3.50 per issue outside USA

Annual Subscriptions:

\$19.00 in USA \$22.00 outside USA

Please note month and year you would like the subscription to begin.

Month _

Year _

- April through June 1987 for only \$6.95. (Includes 1986 Index).
- ☐ July through September 1987 for only \$6.95.
- October through December 1987 for only \$6.95.
- ☐ 1987 subscription only \$18.00.

OUTSIDE USA:

- ☐ January through March 1987 for only \$7.95.
- ☐ April through June 1987 for only
- \$7.95.

 July through September 1987 for only \$7.95.
- ☐ October through December 1987 for only \$7.95.☐ 1987 subscription only \$21.00.

- ☐ July through September 1986 for only \$6.95.
- October through December 1986 for only \$6.95.
- 1986 Annual Subscription for only \$18.00.

OUTSIDE USA:

- ☐ January through June for only \$9.95.
- ☐ June through September for only \$7.95.
- October through December for only \$7.95.
- ☐ 1986 Annual Subscription for only \$21.00.

COMBINED DISK AND PRINT SUBSCRIPTION

Bundled together, giving you the convenience of diskbased source-code plus the ease of reference of print.

If you are ordering a subscription, please note the issue date on which you would like it to begin.

_ Signature _

	IN USA: Annual Subscription	OUTSIDE USA: Annual Subscription
5½ inch: □ IBM PC □ Apple II □ Kaypro 2 CP/M □ MS-DOS 8 Sector □ TI Professional	□ \$89.95 (Save \$58.35)	□ \$109.95 (Save \$75.35)
3½ inch: Apple Macintosh Atari ST Amiga BM PS/2	□ \$99.95 (Save \$61.35)	□ \$119.95 (Save \$78.35)

Please complete in full.	SF	EPTEMBER
Name		Check enclosed
Address		☐ MasterCard ☐ VISA
City	State Zip	U.S. Funds enclosed (If ordering from outside the U.S. please remit in
County or Parish	Country	
Credit Card #		

Date_

Please allow 4-8 weeks for delivery.



FOLD HERE



NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL FIRST CLASS MAIL PERMIT NO. 10 PETERBOROUGH, NH

POSTAGE WILL BE PAID BY ADDRESSEE



One Phoenix Mill Lane Peterborough, NH 03458-9990



FOLD HERE

THE BUYER'S MART A Directory of Products and Services

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

RATES: 1x-\$475 3x-\$450 6x-\$425 12x-\$375 Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accomodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 9. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call Mark Stone at BYTE 603-924-3754.

ACCESSORIES

FREE CATALOG

Thousands of parts and new surplus electronic parts at super low prices. FAST ORDER PROCESSING AND SHIPPING (95% of all orders shipped within 48 hours)

CALL OR WRITE FOR A FREE CATALOG. .

ALL ELECTRONICS CORPORATION

P.O. Box 567, Van Nuys, CA 91408-0567

1-800-826-5432

Inquiry 576.

RE-INK COSTLY FABRIC RIBBONS

Electric ribbon inker comes with FREE 2 oz. bottle ink, roller & roller cover. Specify printer manufacturer and model number. MC/VISA. Money-back guarantee. S&H \$2.50. Canada, Hawali, Alaska, COD \$4H \$5.

ImageWriter Inker \$49.00 Epson Inker \$52.95 Custom Inker—Factory set for your ribbon \$64.95

Bede Tech
8327 Clinton Rd., Cleveland, OH 44144 800-772-4536 In Ohio 216-631-4214

Inquiry 577.

FREE UPS CATALOG

Protect your computer and make it last longer.
Call or write today!

Best Power Technology, Inc.

World's largest manufacturer of uninterrruptible power systems

P.O. Box 280, Necedah, WI 54646 TOLL FREE (800) 356-5794 ext. 1003 or (608) 565-7200 ext. 1003

Inquiry 578.

CUT RIBBON COSTS!

Re-ink your printer ribbons quickly and easily. Do all cartridge ribbons with just one inker! For crisp, black professional print since 1982. You can choose from 3 models:

Manual E-Zee Inker — \$39.50
Ink Master (Electric) — \$159.00

1000's of satisfied users in 5 years. Money back guarantee.

BORG INDUSTRIES
525 MAIN ST., JANESVILLE, IA 50647
1-800-553-2404 In IOWA 319-987-2976

Inquiry 579.

SELF-INKING PRINTER RIBBON

Awarded United States Patent #4701062 Lasts 10-15 times longer than the conventional ribbon For printers using ½" width open spool ribbon:

Okidata 82A-83A-84-92-93 Dec LA 180/120
Teletype-33, 35 Dec LA 30/18M 1443
Star Gemini 10X Teletype-Model 40
Tit 800/810, 820, 880
Contact us by mail, phone or telex and we will floward you a brochure.

CONTROLLED PRINTOUT DEVICES, INC.

POB 869, Baldwin Rd., Arden, NC 28704 (704) 684-9044 • TELEX: (FILMON-AREN) 577454

Inquiry 580.

ACCESSORIES

YOUR OWN COMPUTER PAPER

Put your name and/or department, project, proposal, or report across the bottom of every final presentation page. Send us your copy plus name, address, phone number and printer make and model number and we'll send you FREE SAMPLES

ORMSMART, INC. P.O. Box 592, E. Freetown, MA 02717

Inquiry 581.

ARTIFICIAL INTELLIGENCE

HIGH PERFORMANCE RULES BASED EXPERT SYSTEM "SHELL" (H.E.S.).
Caters for thousands and thousands of rules, integrate with your existing database. Easy to use, no knowledge of programming required. Applications: medical diagnosis, fault diagnosits, business, damin. banking, finance, insurance, law, engineering, education, electricity boards and many other application areas. Available on PC/XTMT, MS-DOS, Xenix, Unix. Demo copy \$84 (with facility to create 300 rules). Full version \$21,000.

HORIZON SOFTWARE LTD.

27 East St., Leicester LE1 6NB. U.K. Tel (44) 533 556550

Inquiry 733.

NanoLISP \$99.99

An MS-DOS Common LISP interpreter that supports most Common LISP operations and strictly adheres to the standard. Numerous advanced and extra features, excellent debugging facilities, sample Al programs, fully-indexed manual, free technical support.

Microcomputer Systems Consultants

P.O. Box 6646, Santa Barbara, CA 93160 (805) 967-2270

NEW Expert System

FirstExpert - expert system generator. Fidiciulously easy yet extremely powerful. No programming needed. Speed up business decisions and analysis. Information transferable to other environments. Amplifies Your intelligence! An ingenious program for a sensational price. Many examples included.

\$99 Call or write for more information.

NovaCast Expert Systems 2530 Berryessa Rd. Suite 607, San Jose, CA 95030 (408) 272-4071 fax: (408) 437-7777

Inquiry 583.

muLISP™ 87 for MS-DOS

Fast, compact, efficient LISP programming environ-ment. muLISP programs run 2 to 3 times faster & take ½ to ½ the space of other LISPs. 450 Common LISP functions, multi-window editing & debugging, flavors, graphics primitives, lessons & help, demo programs, comprehensive manual.

Soft Warehouse, Inc.

3615 Harding Ave., Suite 505, Honolulu, HI 96816 (808) 734-5801

Inquiry 584.

BAR CODES

BAR CODES & BIG TEXT

On EPSON, IBM, OKI dot matrix or LaserJet. Design any format/size on ONE easy screen. 1-120 fileIds/label. 13 text sizes to 1" — readable at 50 ft. AlAG, MIL-STD, 2 of 5, 128, UPC/EAN, Code 39, etc. Color, Reverses, File Inny, FAST—\$279. Other menu-driven bar code programs from \$49.

Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060 (800) 345-4220 In CA: (408) 4 In CA: (408) 458-9938

BAR CODE READERS

From the manufacturer for PC/XT/AT, & PS/2. Attaches as 2nd keyboard, reads as keyed data. External or bus install. With steel wand—\$399. Also Kimtron, Link, Wyse, & RS-232. Portables, Lasers, slot badge readers, and MagStripe too! 30 day \$ back.

Worthington Data Solutions

(800) 345-4220 In CA: (408) 458-9938

PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics text to your program. Print from ANY MS-DOS language. Bar codes: UPC, EAN, 2 of 5, MSI, Code 39. Epson, Oki, IBM dot matrix text up to ½". LaserJet up to 2". Font cartridges not required. \$159–\$239. 30 day \$\$ back.

Worthington Data Solutions 417-A Ingalls St., Santa Cruz, CA 9506 (800) 345-4220 In CA: (408) In CA: (408) 458-9938

COMPLETE LINE OF BAR CODE PRODUCTS

- PrintBar II PrintBar Softfonts
- PrintBar I CodeScan 2000 FREE BROCHURES (916) 622-4640

Bear Rock Software Co.

6069 Enterprise Dr. Placerville, CA 95667

BAR CODE MADE EASY

PERCON® E-Z-READER™ keyboard interfaces and multiuser RS-232 models make it easy to add bar code to virtually any computer/terminal WITHOUT SOFTWARE MODIFICATION. Immediate shipping. <u>Two year</u> warranty. Bar code printing software available. Call for details on fast, accurate, <u>easy</u> data entry. Substantial reseller discounts.

PERCON®

2190 W. 11th St., Eugene, OR 97402 (503) 344-1189

SEPTEMBER 1988 • BYTE 321

THE BUYER'S MART-

BAR CODES

READ & PRINT BAR CODES

Fast, reliable data entry into your programs as if from your keyboard. Internal unit for PC, XT, AT PS/2-M30. RS-232 unit for DOS & Non-DOS systems (incl. all PS/2). Stainless steel wand and LASER interfaces. Powerful Bar Code and Text printing software.

Seagull Scientific Systems
601 University Ave., Suite 150, Sacramento, CA 95825 (916) 386-1776

BAR CODE READERS

Among the industries best and most widely used barcode reader, reads all major barcode formats (code 39, 2 of 5, UPC/EAN, codabar), connects between keyboard & system, advanced CMOS uses keyboard power supply, connects to all IBM compatibles and DIN terminals, completely OS independent, software independent. Same day ship, 1 year warranty, 30 day satisfaction guarantee. CALL for prices too low to advertise.

Solutions Engineering Sales 8653 Georgia Ave., Silver Spring, MD 20910

800-635-6533

Inquiry 585.

DATA INPUT DEVICES

Bar Code & Magnetic Stripe Readers for microcomputers & terminals, including IBM PS/2 & others, DEC, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. Low cost bar code print programs & magnetic encoders are also available. GSA contract #GS00K87AGS5346.

TPS Electronics

4047 Transport, Palo Alto, CA 94303 415-856-6833 Telex 371-9097 TPS PLA

Inquiry 586.

CAD/CAM

New! CADJET for CADKEY3

Call, write or contact your CADKEY dealer for information on the exciting, new CADJET Overlays for CADKEY3. Makes CADKEY3 easy to learn and use. -30 Day Money Back Guarantee!-

HLB Technology 703-977-6520 Blue Ridge, VA 24064 MC/VISA

Inquiry 587.

\$39.95 CAD

Fully featured, symbols, auto dimensioning, hatching, fillets, reads DXF, handles all but the largest drawings. Extremely powerful BASIC-like macros, on line manual plus so much more. Requires IBM XT/AT/PS2 with 640K and hard disk. 20,000 new

PAFEC INC.

5550 Technology Park, Norcross, GA 30092

1-800-52PAFEC (404) 441 (404) 441-9300

Inquiry 588.

CASE

Affordable CASE

A new concept in Computer Aided Engineering for developing PC/DOS applications! C Dispatcher generates fast, efficient C code for command and menu driven applications. Develop, document, and change easily. Many features. For many compilers. \$295.00 MC/Visa

Amaryllis Inc. 563 Wattaquadoc Rd., Bolton, MA 01740 (617) 365-5456

Inquiry 589.

CASE

FINITE STATE COMPILERS

A Case program that develops complex software programs in minutes instead of hours! The COM-PEDITOR forms source Finite State programs in: ADA, BASIC, C, FORTRAN and PASCAL.

IBM PC, XT, AT, PS/2 175K RAM Dos 2.0+ Price: \$175.00 per compiler (With Primer) Sampler \$30

5025 Nassau Circle, Orlando INCORPORATED FL 32808 1-800-537-4753

Inquiry 590.

CD-ROM

Public Data on CD-ROMs

- Econ/Stats I Prices, Employment
 Consu/Stats BLS/Census 1984 consumer data
- Agri/Stats Agricultural series
 Makes tables, DIF, or ASCII
 \$49 each, req. MS-DOS
- · CD-ROM publishing services available

Hopkins Technology
421 Hazel Lane, Hopkins, MN 55343
12) 931-9376 Compuserve 74017,614 (612) 931-9376

Inquiry 591.

COMMUNICATIONS

MULTI-LINE PC-DOS BBS

The Bread Board System (TBBS). Secure, reliable, full-featured commercial information system for IBM XT/AT/386/PS2 or compatible. Menu editor allows customization by nonprogrammers. Kermit, X & Y-Modem. High performance allows up to 32 simultaneous callers. User audit trail. 300/1200/2400/9600 bps.

eSoft, Inc. ard Ave. #2550, Aurora, CO 80014 (303) 699-6565 15200 E. Girard Av

Inquiry 592.

Bi-Directional File X-fers

Multiplex Systems (412) 276-3374 24 hrs.

P.O. Box 16174, Pittsburgh, PA 15242

Inquiry 593.

FAX MACHINES \$395
MURATA FAX 1200/1600 \$795/925
SHARP FAX F0300/F0500 \$1195/1495
TOSHIBA FAX 30100/3300/3700 \$1088/1240/CALL RICOH 10/20 . . . CANON FAX 20 ...\$1295/1595 ...\$1279 PC/XT SYS.Receive/Transmit FAX+Scanner \$1595
PC/XT Telephone Answer & Voicemail \$1195
Prepay prices Visa/MC 2% cod 2% restock 20%
TELEPHONE PRODUCTS CENTER

23591 #213 El Toro Rd., El Toro, CA 92630 714/739-9555

Inquiry 594.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE provides full replacement of hardware, media and purchased software. As little as \$39 a year provides comprehensive coverage. Blanket coverage; no list of equipment needed. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469

(Local 614-262-0559)

SAFEWARE, The Insurance Agency Inc.

Inquiry 595.

COMPUTER RENTALS

ENTA

WEEKLY

MONTHLY YEARLY IBM - APPLE

COMPAQ
Full Stock/Next Day Delivery
Free Service & Maintenance PER MO.

IBM PS/2 Model 50

800 PC-RENTL

Inquiry 596.

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian **Targets for 36 Microprocessors**

Hosts: PC/MS DOS, micro VAX, VAX 8000 Developed and supported at:

ENERTEC, INC.

BOX 1312, Lansdale, PA 19446 215-362-0966 MC/VISA

Inquiry 597.

Professional Series

PseudoCode releases it's PseudoSam Professional Series of cross assemblers. Most popular processors. Macros, Conditional Assembly, and Include Files. Virtually unlimited size. For IBM PC's, MS-DOS 2.0 or greater. With manual for \$35.00. Each additional \$20.00. (MI res. 49% tax). Shipping \$5, Canada \$10, Foreign \$15. Visa/MC. (Dealer Inquiries Welcome).

Kore

6910 Patterson, Caledonia, MI 49316 616-791-9333

Inquiry 598.

CROSS ASSEMBLERS

Macros, PC Compatible, Relocatable, Conditionals, Fast, Reliable fro also: Disassemblers EPROM Programmer Board ... from \$150

MICROCOMPUTER TOOLS CO. Phone (800) 443-0779

In CA (415) 825-4200 912 Hastings Dr., Concord, CA 94518

Inquiry 599.

680X0 Cross Assemblers

Now, inexpensive quality 60000 Cross Assemblar that eye your IBM PC or compatible All versions include adversive island facilities, up to 32 char labels, sorted symbol tables, INCLUDE IBM, RPIN names, ORG, DC, DS, EOU, many other directives (except MACROS), printed manuals. Basic versions create Servicus Linking versions create their Servicots or includes, and include a linker which creates S-records or binary output files. Not copy protected. Minimum requirements are 320K, DGS 23V, 8.1547 o SDO. Basic 6800068010—54995 Linking 68000/68010—58995 Basic 6800068010—54995 Linking 68000/68010—58995 Chacks, VISA, MC accepted. MN recidents +69% sales tax. No PO's or COO's, classes.

Please. RAVEN Computer Systems
Box 12116, St. Paul, MN 55112 (612) 63 (612) 636-0365

Inquiry 600.

Z80/HD64180

SLR Systems cross assemblers run on PC and are compatible with Microsoft M80/L80. \$195.00 for assembler and linker. We have CP/M emulator cards for PC. Up to 12.5 mhz Z80 clock speed, starting at \$249.95! Also Z80/HD64180 C compilers.

Z-World

1772 Picasso Ave., Davis, CA 95616 (916) 753-3722 Please see our ads on page 346.

Inquiry 601.

THE BUYER'S MART-

DATA CONVERSION

MEDIA CONVERSION/DATA TRANSLATION

More than just a straight dump or ASCII transfer!
Word Processing, DBMS, and Spreadsheet data on Disks or Tapes transferred directly into applications running of Mainframes, Minis, Micros, Dedicated Word Processor Typesetters, and Electronic Publishing systems. IBM PS/2 & Macintosh supported #1 in the translation industry!

CompuData Translators, Inc.

3325 Wilshire Blvd., Suite 1202, Los Angeles, CA 90010

(213) 387-4477

1-800-825-8251

Inquiry 602.

DATABASE MGMT. SYSTEMS

dBASE III WORKALIKE \$39

1 on 1 = 3II "a programmable relational DBMS...the menu mode is a fancier and more complete version of dBASE's...faster operation in the interactive mode... at \$39, 1 on 1 = 3II is a great deal for those who would be glad to have a dBASE III Plus clone" *PC MAGAZINE* 5/17/88. \$39 + \$4 s/h AMEX add \$2.00

1 on 1 Computer Solutions

26 Finchwood Dr., Trumbull, CT 06611 203-375-0914 dBASE III is a trademark of Ashton-Tate

Inquiry 603.

DATA/DISK CONVERSION

QUALITY CONVERSIONS

· Disk

 Scanning • Tape *TYPEWRITTEN \$.33 per page to ASCII *TYPESET 6-24 point Low Rates (*WP Formats available) IMAGES

Logos/Line Art/Glossies 1st Run Computer Services Inc.

y, Suite 508, New York, NY 10001 (212) 779-0800

Inquiry 604.

Get the Expertise You Need!

Disk/Disk • Tape/Disk • OCR

Over 1,000 formats! 3½, 5¼, or 8 inch disks; 9 track mag tape; 10 MB Bernoulli cartridge. Data base and word processor translation. Specialists in Government Security Data. Call for free consultation.

Computer Conversions, Inc.

9580 Black Mtn. Rd., Ste J, San Diego, CA 92126

(619) 693-1697

Inquiry 605.

DISK CONVERSIONS

Media transfer to or from: IBM, Xerox, DEC, Wang, Lanier, CPT, Micom, NBI, CT, also WP, WS, MS/WRD, DW3, MM, Samna, DEC DX, MAS 11, Xerox-Writer, ASCII.

FREE TEST CONVERSION

CONVERSION SPECIALISTS 531 Main St., Ste. 835, El Segundo, CA 90245

(213) 545-6551

(213) 322-6319

Inquiry 606.

DISK & TAPE CONVERSIONS AUTOMATICALLY

SAVE TIME AND MONEY
100 formats from Mini, Micro Mainframe, W Word Pro-

cessors, & Typesetters.

TAPE Conversions as low as \$23.00 MB DISK Conversions as low as \$15.00 per Disk Call or write TODAY for a cost saving quotation

CREATIVE DATA SERVICES 1210 W. Latimer Ave., Campbell, CA 95008 (408) 866-6080

Inquiry 607.

DATA/DISK CONVERSION

HEWLETT PACKARD TO MACINTOSH

Translate programs written in Hewlett Packard BASIC to run on the Macintosh. Copy files from HP Technical computers to Macintosh. Custom work quoted. Write:

Oswego Software

5525 N. Broadway St., Indianapolis, IN 46220

Inquiry 608

CONVERSION SERVICES

Convert any 9 track magnetic tape to or from over 1000 formats including 31/2", 51/4", 8" disk formats & word processors. Disk to disk conversions also available. Call for more info. Introducing OCR Scanning Services.

Pivar Computing Services, Inc. 165 Arlington Hgts. Rd., Dept. #B

Buffalo Grove, IL 60089 (312) 459-6010

DEMOS/TUTORIALS

INSTANT REPLAY III
Build Demos, Tutorials, Prototypes, Presentations, Music,
Timed Keyboard Macros, and Menu Systems. Includes Screen Maker, Keystroke/Time Editor, Program Memorizer, and Animator. Rec'd *Great* Reviews! Simply the BEST. Not copy protected. No royalties. 60 day satisfaction money back guar. IBM and Compatb. \$149.95 U.S.Chk/Cr. Crd. Demo Diskette \$5.00

NOSTRADAMUS, INC.

3191 South Valley Street (ste 252)
Salt Lake City, Utah 84109 (801) 487-9662

Inquiry 610.

DESKTOP PUBLISHING

HIGH RESOLUTION MONITOR

- Desktop Publishing and CAD low cost graphics subsystem
 Workstation Resolution for your IBM PC/XT or AT compatible
 1024 x 788 paper white 14" flat screen
 Drivers for Ventura, Page Maker, Windows, GEM and AutoCAD
 Can coexist with another color graphics adapter
 Call NOW \$595 including graphics board, monitor and

- VISA and MasterCard accepted

CATI INC

Hill, CA 95037 HOT LINE 408-778-CATS

Inquiry 611.

DISK COMPATIBILITY

IBM PC's USE Mac DISKS

MatchMaker lets you plug any Macintosh exter-nal floppy drive into an IBM PC. Half size card and software lets you copy to/from, view directory, initialize, or delete files on the Mac diskette. Works with PCs, XTs, ATs, and compatibles. The easy way to move information!

\$149.00 Visa/MC/COD/Chk

Micro Solutions Computer Products 132 W. Lincoln Hwy., DeKalb, IL 60115

Inquiry 612.

DISK DRIVES

HARD DISKS

\$549 Micropolis ST 4096 \$575 Miniscribe \$639 ST251 \$339 ST251-1 \$399 148MB 28ms \$839

> CPU INC (714) 870-9033

Inquiry 613.

DISK DRIVES

PS/2 DRIVES FOR PC's AT's

CompatiKit/PC\$329 CompatiKit/AT

Built-in floppy controllers—no problem. Supports multiple drives and formats. Lets your computer use IBM PS/2 1.4M diskettes *plus morel* Call for further information or to place an order. VISA/MC/COD/CHECK.

Micro Solutions Computer Products 132 W. Lincoln Hwy., DeKalb, IL 60115

Inquiry 614.

DISK DUPE EQUIPMENT

DO YOUR OWN DUPLICATION

Copy 10,000 or only 10 . . , in as little as 15 seconds each with famous Mountain Duplication equipment at the very best prices!! See us for all of your duplication equipment needs from Disks to Drives to Duplicators.

SYSTEMS SUPPORT DATA

223 North Royal Avenue, Front Royal, VA 22630 1-800-231-4355

Inquiry 615.

DISK DUPLICATION

Let us Flatter you!!! See us for all disk duplication needs. 10 disks to 100,000 and more All formats—All systems. Best prices—Our own in-house printing of documentation—labels-sleeves.

DUPLICATION IS THE SINCEREST FORM OF FLATTERY

SYSTEMS SUPPORT DATA

223 North Royal Avenue, Front Royal, VA 22630 1-800-231-4355

Inquiry 616.

DISKETTES

CHEAP DISKS!!!

Although this headline may not convey quality....our 3½" floppy disks do!

100% Certified 720pk only 98¢ 1.44 MEG only \$2.60

SYSTEMS SUPPORT DATA

223 North Royal Avenue, Front Royal, VA 22630 1-800-231-4355

Inquiry 617.

DUPLICATION SERVICES

SOFTWARE DUPLICATION

SATISFACTION GUARANTEED 800-222-0490 NJ 201-462-7628

MEGASoft

P.O. Box 710, Freehold, NJ 07728 See our ads on page 339.

Inquiry 618.

SOFTWARE PRODUCTION

- Disk duplication
- All formats
- Warehousing
- EVERLOCK copy protection
- Drop shippingFulfillment
- 48-hour delivery Label/sleeve printing Consultation &

 Full packaging guidance services Star-Byte, Inc.
713 W. Main St., Lansdale, PA 19446

215-368-1200 800-243-1515

Inquiry 619.

SEPTEMBER 1988 • BYTE 323

THE BUYER'S MART

ELECTRONIC PROJECTS

BUILD TALKING ROBOT!

- Build B.E.R.T.© the Basic Educational Robot Trainer Featured in BYTE April & May / 87 Even a child can program this talking Robot, built
- from off-the-shelf components
 Minimum Kit \$50.00 U.S.
 Complete Kit \$180.00 U.S.

For further information write to

GoCo Dist. Suite 806, 1146 Harwood St. Vancouver, B.C. Canada V6E 3V1

Inquiry 620.

ENTERTAINMENT

NEMESIS™ Go Master™

Go is a popular Oriental game of intellectual complexity and elegance. NEMESIS, recognized worldwide as the best Go program, is an ideal playmate and tutor. Pournelle's game of the month twice: "If you are interested in Go, buy this program." BYTE 7/87

Toyogo, Inc.

76 Bedford St., Ste. 344, Lexington, MA 02173 (617) 861-0488

Inquiry 621.

FLOW CHARTS

FLOW CHARTING II+ HELPS YOU!

Precise flowcharting is fast and simple with Flow Charting II+. Draw, edit and print perfect charts; bold and normal fonts 26 shapes — 95 sizes; fast entry of arrows, bypasses & connectors; Fast Insert Line; shrink screen displays 200-column chart: 40 column edit screen for detail work, much more!

PATTON & PATTON

81 Great Oaks Blvd., San Jose, CA 95119 1-800-525-0082 (Outside CA) 408-629-5376 (CA/Int'l)

Inquiry 622.

STRUCTURED FLOW CHART

NSChart creates Nassi-Shneiderman (structured) flowcharts from a simple PDL. Keywords define structures & text strings appear in the chart. Easy to create, even easier to revisel Automatic chart sizing, text centering. Translators from many languages available. For Mac and IBM PC.

SILTRONIX, INC. P.O. Box 82544, San Diego, CA 92138

1-800-637-4888

Inquiry 623.

GRAPHICS/SOFTWARE

Turbo Geometry Library

Over 150 2&3 dimensional routines, includes Intersections, Transformations, Equations, HiddenLines, Perspective, Curves, Areas, Volumes, Clipping, Planes, Vectors, Distance, Polydecomp, IBM PC and Comp. MAC. MSDOS 2+. Turbo Pascal I. Turbo C. MSC & Turbo Pascal MAC. 400 pg. manual, source code, S1499 5 + 5.00 S&H. VISA, MC, Chk, PO. 30 Day guarantee.

Disk Software, Inc. 2116 E. Arapaho #487, Richardson, TX 75081

(214) 423-7288

Inquiry 624.

HARDWARE

IBM PS/2	2's Up to	41% off! Your Cost
MODEL 50-386	(New)	\$Call
MODEL 60-041	5,295	3,335
MODEL 60-071	6,295	3,777
MODEL 80-041	6,995	4,395
MODEL 80-071	8,495	4,995
MODEL 80-111	8,995	6,095
MODEL 80-311	11,995	8,635
American Micro Compu 2890 Griffin Rd., Suite #	ter Center 4, Ft. Lauderd	(305) 985-9406 iale, FL 33312

Inquiry 625.

HARDWARE

MYRIAD MODEM 2400BPS ONLY \$119

- Hayes compatible
 For IBM PC/XT/AT
- Free Bitcom software
- · 4 Com ports selectable
- & compatibles

 Made in USA
- 2 years warranty

DATA ERA STORE (408) 729-4589

1556 Halford Ave., No. 168, Santa Clara, CA 95051

Inquiry 626.

8096 Microcontroller

Single Board 8096/7, Ser. Interface, 5V only; Assembler+Forth in EPROM+Manual/Software Guide \$400. Add-on EPROM Simulator incl. download S/W \$350. Hardware/Software evaluation package incl. cabling and tutorial books \$580. Cross Compiler (Assembler/Forth) available.

DIGITAL MICRO CONTROL

15617-25th Drive S.E., Mill Creek, WA 98012 (206) 338-2406

Inquiry 627.

CHIP CHECKER

- 74/54 TTL + CMOS 14/4000 CMOS 14-24 Pin Chips 14-24 Pin Chips 9000 TTL 3" + .6" IC widths

Tests/Identifies over 650 digital chips with ANY type of output in seconds. Also tests popular RAM chips. IBM compatible version \$259. C128 + C64 version \$159.

DUNE SYSTEMS

2603 Willa Dr., St. Joseph, MI 49085 (616) 983-2352

Inquiry 628.

Rack-Mounted AT 286 or 386

Industrial, Med-Tech, Laboratory and Comm. needs

Intel 80286 or 80386 CPU daughter card & Passive back
plane (8-10 expansion slots) & Fits standard 19" rack & Heavyduty dual fans & Clean air filter & High-speed, high-qualily hard
disk available & Slide-mounted CPU chassis for easy
maintenance access & Power supply up to 260 Watts. For
details and prices, Contact:

(516) 589-8666 International **Telecommunications Services**

Inquiry 629.

FREE CATALOG

Protect your computer power from black-outs, brown-outs, audio/video hash and surges! Complete line of low cost Emergency Power Supply units, Line Conditioners and Surge Suppressors prevent damage and loss of valuable data. Prevent errors, malfunctions and false printouts! Send for money saving catalog today.

INDUS-TOOL

730 W. Lake St., Chicago, IL 60606 Phone 312-648-2191

Inquiry 630.

PC CARDS/KITS

- 8 bit A/D card, 0-5V 8 bit D/A card, 0-2.5V \$79 Relay driver card, 8 outputs (3A)
- \$79 \$499

JB COMPU-TRONIX

3816 N. Wadsworth Blvd., Wheat Ridge, CO 80033

(303) 425-9586

Inquiry 631.

HARDWARE

ATEST VERSION AWARD BIOS

NOW, you can have the latest AWARD BIOS for your PC/XT, 286 or 386. Upgrade your old machine for VGA, networking and new keyboard and hard drive types. Fast, knowledgeable service, guaranteed results

Call 1-800-423-3400 (9:00 AM to 8:00 PM EST)

KOMPUTERWERK, INC. 851 Parkview Blvd., Pittsburgh, PA 15215 For info., call (412) 782-0384

Inquiry 632.

87C51 PROG. \$125.00

The UPA 87C51 Programming Adapter lets you use your general purpose programmer to program the 87C51, 8751H, AMD8753H, 87C252, and 8752BH. Also lets you program the 87C51/8751H security bits and the 87C51 encryption array. It's very simple and VERY cost effective

LOGICAL SYSTEMS CORPORATION

6184 Teall Station, Syracuse NY 13217 Telex 6715617 LOGS (315) 478-0722

Inquiry 633.

BUY * SELL * TRADE

Apple ● IBM ● Compaq ● Service Parts

Accessories
 Systems

PRE-OWNED Electronics, Inc.

30 Clematis Avenue, Waltham, MA 02154 800-274-5343 FAX 617-891-3556 Service Centers and Dealers welcome

Inquiry 635.

SANYO 550/555 USERS

3.6/7.2MHZ TURBO BD. W/8088-2	\$79.95
IBM STYLE CGA VIDEO BD	\$159.95
IBM STYLE RS-232	\$79.95
SANYO RS-232	. \$49.95
768K MEM/CLK/EXPANSION BD	.\$169.95
20 MEG HARD DISK SYSTEM	\$599.95
COMPOSITE MONO MONITOR	\$109.95
550 COMMUNICATIONS SOFTWARE	. \$49.95
TAMPA BAY DIGITAL	

813-443-7049

1750 Drew St., Clearwater, FL 34615
--- FREE CATALOG --- 813 Inquiry 636.

6800 / 68020 / 68881 COMPLETE DEVELOPMENT SYSTEM

for the 68000, 68020 and 68881 chips-includes the chips, power supply, serial interface with software, 68000/68020 cross assembler (hosted on a PC), documentation, schematic, Operating System, cables. Special Price-\$1100.00

Phone URDA, Inc. 1-800-338-0517

Inquiry 637.

HARDWARE COPROCESSORS

DIGITAL SIGNAL PROCESSOR

DSP products for the IBM PC/XT/AT based on the TI DSF products of the ISM POATAN bases of the TMS32010 and TMS320C25. Designed for applications in communications, instrumentation, speech, and numeric processing. Offered with 12 bit 80 KHz A/D and D/A and continuous data acquisition & playback option. \$650 and up.

DALANCO SPRY
Suite 241, 2900 Connecticut Ave, NW,
Washington DC 20008 (202) 232-7999

Inquiry 638.

THE BUYER'S MART

HARDWARE/ENGINEERING

RF/MICROWAVE PROBLEMS? Soln Laboratories, Inc. would like to help. With laboratory facilities in Norcross, GA and Plano, TX, SOLN Labs has a broad range of experience in solving electronic circuit design problems. Specializing in sP/Microwave circuits, we provide complete R&D service in all areas of electronic technology including microprocessor based systems. Services range from basic consulting turnkey system development. For more information, call or write:

SOLN Laboratories, Inc.

Microwave Systems Division
732A Holcomb Bridge Rd., Norcross, GA 30071 Phone: (404) 449-8536

Inquiry 639.

HARDWARE/PERIPHERALS

BUILD SCALE SYSTEMS FOR LESS

For a fraction of your present cost, you can pro-duce professional computerized weighing systems using building-block interface modules and soft-ware. They're versatile, easy to use and unbeatable

Call or write for brochures, prices and examples taken from our wide industrial experience.

SCALE-TRON INC.

P.O. Box 424, Lachine, Quebec, H8S 4C2 CANADA (514) 634-7083

Inquiry 640.

HUMAN FACTORS

Design Better Screens!

NaviText™ SAM gives you hypertext access to the best user interface design guidelines. SAM helps you evaluate usability, too. It's a human factors consultant on a disk! For PC's, it costs \$295.

Northern Lights Software Corporation 24A Pilgrim Dr., Box 1056, Westford, MA 01886 (508) 692-3600

Inquiry 641.

IMAGE PROCESSING

ZIP Image Processing

ZIP brings video image processing to the PC. Control ImageWise video digitizer, use 1 or 2 serial ports to cap-turedisplay images from any video source. Outstanding image display on EGA/EEGA/VGA in color and 64 gray levels. Call (314) 962-7833 for VISA/MC, or send check \$79 + \$2 s/h. MO add 5.8%.

Hogware Company

470 Belleview, St Louis, MO 63119 (314) 962-7833

Inquiry 642.

INFORMATION

The "Economic Report of the President" has concise tables of the major economic indicators (GNP, Employment, Inflation, Population the deficit, and much more.) The Tables of the 1988 Report are now available on disk in (CAL, WKS, CSV, or TXT) formats for (PC or MAC or most CP/M)- \$49.95

FAIRFACTS

Box 536, San Rafael, CA 94915 Tel. 415-485-1781

Inquiry 643.

INVENTORY MANAGEMENT

STOCK-MASTER 4.0

Commercial grade inventory management software at micro prices.

Supports all 12 Stock Status Reporting transaction types

Trend Analysis Still of Materials

- Vend Analysis
 Ouality Control
 Multiple Locations
 Purchase Order Tracking
 Open Order Reporting
 Serial/Lot # Tracking

Applied Micro Business Systems, Inc. F Riverside Ave., Newport Beach, CA 92663 714-759-0582

Inquiry 644.

LANS

Are you about to spend thousands of dollars for

Novell or 3-COM?

The invisible Network does the same thing, but costs only \$249 per machine. True NETBIOS-compatible Local Area Network with high-speed 1.8 Mbps interface cards, cables, and all networking software. Works great with Multi-user dBASE. Clipper, QuickSilver, FoxBASE+, and all other file-sharing and

Database Specialties (415) 652-3630

P.O. Box 2975, Oakland, CA 94618

LAPTOPS

LAPTOP SPECIALS

Toshiba • Zenith • NEC • DATAVUE • SHARP • NEW! Hard drives available for Tandy 1400 LT & Toshiba 1100+ • AFFORDABLE 5¼" or 3½" DRIVE UNITS for LAPTOPS & DESKTOPS • DICONIX PRINTERS • 768 card for T1000 • 2400 BAUD MODEMS for Laptops • Fast reliable and friendly service. For Low Pricing call

COMPUTER OPTIONS UNLIMITED 201-469-7678 (7 Days, 9 am-10 pm Eastern time)

Inquiry 645.

File Transfer Utility

Both programs have 43-line mode.

Thompson Computing, 587F N. Ventu Park Road, Suite 306, Newbury Park, CA 91320, (805) 498-7653. VISA/MC add 4%.

Inquiry 646.

The ultimate solution for linking laptop computer with any IBM compatible desktop PC. 115, 200 baud transfer rate—faster than yother product available. No installation necessary, easy to use split screen design. Includes incredible "universal cable" that connects any two computers. Transfer entire disks faster than a DOS copy command! Only \$129.95 including universal cable and both 3½" and 5½" disks. "Birdge" owners can trade in for only \$89.95 w/o cable.

Traveling Software, Inc.19310 North Creek Parkway, Bothell WA 98011
1-800-343-8080 (206) 483-8088

Inquiry 647.

LASER PRINTER RECHARGE

Discover How to Save 30%-50% on Toner Cartridges

Let us recharge your toner cartridges for HP Series I & II, Apple, Canon, QMS & others. Also Canon, PC models 10, 14, 20 & 25. Factory-like method, no holes drilled. Send cartridge wicheck for \$3995 to nearest fedgrey. \$39.95 to nearest factory.

Dealerships and Training Available!

Laser Tech

27403 E. Hwy 4 118 N. Van Rensselea Farmington, CA 95230 Rensselear, IN 47978 118 N. Van Rensselear -5440 (219) 886-8233 Add Sales Tax for CA & IN Residents (209) 886-5440

Inquiry 648.

LEGAL

LEGAL DOCUMENT MAKER

All pleadings and documents. Any word processor software. Free Brochure. New! Supra II™

TSC - The Software Company

P.O. Box 872687, Wasilla, AK 99687 (907) 373-6550

Inquiry 649.

MAC

DEVELOPMENT TOOLS

Professional Programmers Extender: Standard Mac interface, lists, printing, graphics, tiling. Extender GraphPac: Quality color graphs. Line, bar, semi-log, customizable symbols.

INVENTION Software (313) 996-8108

Inquiry 650.

MEMORY CHIPS

MEMORY CHIPS 41256-15-12-10 Call 51000 (1 Meg). 4164-15 Call 51258 for Compaq 386. Call Call 8087-3-2 . Call . Call 41128 Piggy Back for AT...Call 41464-12 (64Kx4)......Call 80287-6-8-10 80387 . . Call 414256 (256Kx4) NEC-V-20-8 Call Call Call

ESSKAY

718-353-3353

Inquiry 651.

MUSIC

MIDI — PC/XT

Your MIDI instruments can talk with your PC/XT via a MIDIATOR9. Software INCLUDEDI MT8 Sequencer, Performance Spilter/Auto-Chorder, & MIDI Monitor, Requires Set, OSS 2.0+, Std. Serial Port (COM1 or COM2) & std. cables, Needs no modifications, exp. slot, or power sup. Introductory Price S84.95+5.00 s/h, TX res. add 7.25% tax. MC, VISA, Chark (Jalluw, 10 faws). Check (allow 10 days).

Key Electronic Enterprises

9112 Hwy. 80 W., Suite 221-B, Fort Worth, TX 76116 (817) 560-1912

Inquiry 652.

PC BOARDS

P-C-B ARTWORK MADE EASY!

* Help Screens * Dip & Sip Library
Printer or Plotter Artwork
* Auto-Router available * ICON Menus Requirements: IBM or Compatible PC, 384K RAM, DOS 3.0 or later.

PCBoards: \$99.00 DEMO: \$10.00

PCBoards

2145 Highland Ave./Ste. 201, Birmingham, AL 35205 (205) 933-1122

Inquiry 653.

PROGRAMMERS TOOLS

Microsoft QuickBASIC does Database Management.

db/LIB Database Library is 100% dBASE file compat. Only \$139.00.

AJS Publishing, Inc. (800) 992-3383 (818) 985-3383 in CA.

C or T Pascal Code Instantly

Complete database in just minutes. Draw & Paint your screen, show what fields to use for indexes-That's it-running source code in 6 seconds. Automatic context sensitive help, programmer docs on each program. \$389/TPascal ver. or \$499/TC or MS-C ver.

Call ASCII (800) 227-7681

Inquiry 654.

-THE BUYER'S MART

PROGRAMMERS TOOLS

TLIB™ 4.0 Version Control

The best gets better! They loved TLIB 3.0: "packed with features... [does deltas] amazingly fast...ex-cellen!"—PC Tech Journal Sept 87. "has my highest recommendation"—R. Richardson, Computer Shopper Aug 87. Now TLIB 4.0 has: branching, more keywords, wildcards & file lists, revision merge, LAN and WORM drive support, more. MS/PC-DOS 2.x & 3.x \$99.95 + \$3 s&h. Visa/MC.

BURTON SYSTEMS SOFTWARE (919) 856-0475

Inquiry 655.

TURBO PLUS \$99.95

Programming tools for Turbo Pascal 4.0 Screen Painter, Code Generator, I/O Fields, Dynamic Menus, Programming Unit Libraries, Sample Programs, 280 Page Illustrated Manual. 60 Day Satisfaction Guarantee! Brochures & Demo Diskettes avail. Highly Favorable Reviews! IBM & Compatibles.

Nostradamus Inc.

3191 South Valley St. (Suite 252) Salt Lake City, UT 84109 (801) 487-9662

Inquiry 656.

Get INSIDE!

INSIDEI is a powerful software performance analysis tool for popular PC compilers. INSIDEI measures the execution time of every function or procedure with microsecond accuracy or computes how often each source line is executed. Simply compile your application and INSIDEI does the rest.

Paradigm Systems Inc.

(800) 537-5043 In MA: (508) 478-0499

Inquiry 657.

Modula-2

Our new Potpourri Catalog lists a large number of small, inexpensive modules—many for less than \$25. Please call for your free copy. Inquiries from new authors welcome. From the creators of Repertoire, M2Asynch, DynaMatrix, EmsStorage, Graphix, Macro2, NetMod, and Repertoire/Btrieve Toolkit.

PM 4536 SE 50th, Portland, OR 97206 (503) 777-8844; TLX: 650-2691013

Inquiry 658.

FREE BUYER'S GUIDE

See Page 39

Programmer's Connection is an independent dealer representing more than 250 manufacturers with over 750 software products for IBM personal computers. Call to receive our FREE comprehensive Buyer's Guide or refer to page 39 of this issue to see a partial list of our software products.

Programmer's Connection 800-336-1166 216-494-3781

Inquiry 659.

DISASSEMBLERS

MPU OBJECT CODE on your PC

Relocatable, symbolic disassemblers are now available for the Motorola, Intel, RCA, TI, Rockwell, & Zilog micros! Automatic label generation, assembly capability and much more. Call and ask for what you need.

RELMS™

P.O. Box 6719, San Jose, CA 95150 (408) 356-1210 (800) 448-4880

TWX 910-379-0014 Inquiry 660.

PUBLIC DOMAIN

OUTSTANDING IBM SOFTWARE

ONLY \$2.75/DISK OR LESS

Our collection contains the latest versions of the Best Shareware and Public Domain Programs. Most are menu driven with full documentation. 350" format is also evailable. Orders shipped First Class Within 24 hours and Satisfaction is guaranteed. Write for free printed catalogue or send a 250° stamp for a disk catalogue.

A.C.L. (916) 973-1850 1621 Fulton Ave., Suite #35-B, Sacramento, CA 95825

Inquiry 661.

\$3.00 SOFTWARE FOR IBM PC

Hundreds to choose from, wordprocessors, databases, spreadsheets, games, lotto, communications, business, music, bible, art, education, language and useful utilities for making your computer easier to learn. Most programs have documentation on the disk.

WRITE FOR YOUR FREE CATALOG TODAY!

BEST BITS & BYTES

P.O. Box 8245, Dept-B, Van Nuys, CA 91409 In CA: (818) 781-9975 800-245-BYTE

Inquiry 662.

FREE CATALOGUE PUBLIC DOMAIN/SHAREWARE

 400 IBM PC & compatibles disks •
200 Amiga disks • 125 Atari ST disks
PC disks as low as \$1.25 each, Amiga & ST as low as \$1.60 each! Rent or buy. Free shipping! Call toll free, write or circle reader service for FREE BIG CATALOGUE with full descriptions. Please specify computer-48 hr. turnaround!

Computer Solutions

P.O. Box 354—Dept. B, Mason, Michigan 48854 1-800-874-9375 (M-F 10-6 EST) 1-517-628-2943

Inquiry 663.

RENT SOFTWARE \$1/DISK

Rent Public Domain and User Supported Software for \$1 per diskfull or we'll copy. IBM (3½" also), Apple, C-64, Sanyo 550 and Mac. Sampler \$3. VISA/MC. 24 hr. info/order line. (619) 941-3244 or send #10 SASE (specify computer) Money Back

FutureSystems Box 3040 (T), Vista, CA 92083 office: 10-6 PST Mon-Sat. (619) 941-9761

Inquiry 664.

QUALITY SOFTWARE IBM/COMPATIBLES

Get a Word Processor, Spreadsheet, Database, Money Manager and 5 arcade games plus our 10,000 program catalog for ONLY \$10.00 (+s/h) 800-992-1992 (National)

800-992-1993 (Ca only)

619-942-9998 (Foreign) VISA, MC, AMEX Accepted, (COD + 1.90)

The International Software Library 511-104 Encinitas Blvd., Encinitas, CA 92024

Inquiry 665.

FREE SOFTWARE Buy or Rent \$1/disk

World's largest Free Software Library of IBM PC & Compatibles and Macintosh. Over 3000 programs for Religion, Utilities, Business, Com., Word Processor, Education, and Games on 5.4" and 3.5" format. Best quality, Lowest rate, and Fastest service. For fast free catalogue write to:

SOFTSHOPPE P.O. Box 15022, Ann Arbor, MI 48106 (313) 763-8721

Inquiry 666.

PUBLIC DOMAIN

\$4.00 SHAREWARE \$4.00

IBM-PC Compatible Software

- Over 700 Disks to Choose From
 Not Half Full Like Some Distributors
- Dozens of Programs in All Categories
 Call or Write for FREE Catalog on Disk
 Please specify 5¼" or 3½" Disk —

The Software Kingdom P.O. Box 555, Auburn, NH 0303 1-800-552-DISK (In N.H.) (603) 483-5055

Inquiry 667.

SCANNING SERVICES

Signature Scanning Service

If you have a HP LaserJet Plus, Series II or compatible, have your signature made into a graphic macro. Save time! Save yourself from writer's cramp! Let your LaserJet sign those letters for you! Includes instructions for most popular word processors. One signature only \$50. Three or more, only \$40 each. Logos and letterheads also available from \$125. Send for free samples!

Orbit Enterprises, Inc. P.O. Box 2875-BY, Glen Ellyn, IL 60137 (312) 469-3405

Inquiry 668.

SECURITY

TOTAL PRIVACY \$49

Powerful data protection for PC/AT—documents, databases, spreadsheets—any kind of data file. Ultra Fast, Super, and DES encryption methods. Operate from menu or command line. Help. Quick tutorial in 100 page manual. \$10 Demo. \$49 Introductory price. Satisfaction Guaranteed or your money back.

DIARY 1-800-87-DIARY Visa/MC/COD P.O. Box 70443, Bellevue, WA 98007

FREE copy for cracking our code (No one has)

Inquiry 669.

BIT-LOCK® SECURITY

Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. Reliable/small port transparent security device. PARALLEL or SERIAL port. Countdown and timeout options also available. KEY-LOK™ security at about 1/2 BIT-LOCK cost.

MICROCOMPUTER APPLICATIONS 7805 S. Windemere Circle, Littleton, CO 80120

(303) 922-6410 or 798-7683

Inquiry 670.

SMALL BUSINESS SYSTEMS

SMALL BUSINESS SYSTEMS

SMALL BUSINLESS SYSTEMS

Finally, a compilete computer system classroom designed and field tested with the Small Business Owner in mind. Business capital of America we proudly present "The YESI Collection() (four Efficiency System). Several modules written by New England's Ross Ballard II. If you are starting a new business or have been in business for less han two years, and can work with professional trainers via telephone then the YESI(o) curriculum is for you. Choose from our Starting a New Vehruer. "The Home Based Business," or "Women in Business" seach built around NOR Hardware and our unique accounting software that we help you customize. Ask yourself I your business deserves the best then say "YESI." When or call move from rife brocchium.

ALTERNATIVE BUSINESS TRAINING, INC. 206 Washington Street, Keene, NH 03431 1-800-328-7677 (In NH 357-5111)

Inquiry 671.

SOFTWARE/ACCOUNTING

ACCOUNTING TUTOR \$79.95

Peanuts and Caviar Accounting Software is designed to introduce the principles of accounting and bookkeeping to non-accountants through its software and textbook. It then may be used as your business' accounting software. Being used by educational institutions to teach accounting (e.g., Pepperdine, etc.) \$79.00

COUNTERTRADE PRODUCTS, INC. 5145 Idylwild Tr., Boulder, CO 80301 303-530-5433

Inquiry 672.

THE BUYER'S MART

SOFTWARE/A/I

dBASE BUSINESS TOOLS

- General Ledger Accounts Recybl.
- Purch Ord/Invntory
- * Accounts Payable
- Order Entry
- * Job Costing
- * Sales Analysis
- * Job Estimating

\$99 EA. + s&h w/dBASE 2, 3 or 3+ SOURCE CODE datamar systems

Cr. Crd/Chk/COD

4876-B Santa Monica Ave

San Diego, CA 92107

(619) 223-3344

Inquiry 673.

SOFTWARE/BASIC TOOLS

QuickWindows

As seen in the Microsoft Value-Pack Catalog! Create windows, pop-up and pull-down menus, data-entry screens, and multiple-input dialog boxes quickly and easily. Full support of Microsoft mouse. Join the many Fortune 500 companies using QuickWindows and order your copy today. QuickWindows \$79. Advanced \$139. For Microsoft QuickBASIC or BASCOM. See pg.78, BYTE, March '88.

Software Interphase, Inc. 5 Bradley St., Suite 106 • Providence, RI 02908

Call now for Free Demo Disk (401) 274-5465

Inquiry 674.

SOFTWARE/BUSINESS

DATA ENTRY SYSTEM

Heads-down data entry with two-pass verification for the PC/XT/AT - PS/2 & compatibles. Loaded with features like: Auto dup & skip, verify bypass, range checks, & table lookups. Fully menu driven only \$395.

Call for free 30 day trial period.

COMPUTER KEYES

21929 Makah Rd., Woodway, WA 98020

(206) 776-6443 1-800-356-0203

LP88-SPREADSHEET LP

Our best-selling menu-driven linear programming system now solves problems with 1000 constraints and 5000 variables up to 30 times faster. New version reads/writes Lotus worksheets. to 30 times faster. New version reads/writes Lotus worksneets. Use 1-2-3(5)ymphony as a matrix generator or post processor. Many other features including interactive and batch operation, spreadsheet-style display, equation processor, problem/basis storage, file I/O, Simplex restart, report generator, sensitivity analysis. IENews says: "The flexibility and features of this pro-gram are a bargain at its low price." \$149 with 8087 support and 100-page manual. \$29 for working demo and manual. EASTEDIA CONTINUES. INC.

EASTERN SOFTWARE PRODUCTS, INC.

VA 22309 (703) 360-7600

Inquiry 676.

dFELLER Inventory
Business inventory programs written in modifiable dBASE

source code.

dFELLER Inventory \$150.00

Requires dBASE II or III, PC-DOS/CPM dFELLER Plus \$200.00
with History and Purchase Orders
Requires dBASE III or dBASE III Plus (For Stockrooms)

Feller Associates
550 CR PPA, Route 3, Ishpeming, MI 49849 (906) 486-6024

Inquiry 677

BUSINESS ENGLISH FINANCES

Maintain PAYABLES, VENDORS, EXPENSE CATEGORIES, ASSETS, LIABS. Dictionary-driven English user interface to generate, query, update payables and do financial calculations. Run expense summary reports. LOAD SAVE EDIT English command text. On-screen calculator; Color screens/windows; Payables ASCII export; Fastl Easyl IBM & compatb. min. 512K RAM, 1.2M or HD \$89.

Gemma Software Components 597 Orchard Place, Uniondale, NY 11553 (516) 483-2513

Inquiry 678.

SOFTWARE/BUSINESS

FINANCE MANAGER II

Easy to learn, fully integrated, menu-driven bookkeeping system for small business and personal use. IBM PC, XT, AT, PS/2 or compatible. Try before you buy! General Ledger evaluation copy for only

CALL TODAY! (719) 528-8989 HOOPER INTERNATIONAL: PO Box 62219. Colorado Springs, Colorado 80962

Inquiry 679.

1-2-3° + @RISK = Risk Analysis

Manage risk with @RISK 1-2-3 Add-Inl An @RISK simulation automatically reflects thousands of "what-if" scenarios. ■ View full range of possible outcomes ■ Monte Carlo simulation ■ Graphs in PIC format ■ 30 new probability distribution @functions Now required for all Harvard MBAs FREE DEMO

Palisade Corporation 2189 Elmira Road, Newfield, NY 14867 (607) 564-9993

Inquiry 680.

SOFTWARE/CHURCH

PowerChurch Plus®

Fast, friendly, reliable church administration system. Full fund accounting, mailing lists, membership, contributions, attendance, word processing, accts. payable, payroll, multi-user support, and much more - all for \$695 complete. FREE demo version.

F1 SOFTWARE

P.O. Box 3096, Beverly Hills, CA 90212 (213) 854-0865

Inquiry 681.

ROMAR CHURCH SYSTEMS™

Membership-61 fields plus alternate addresses; labels, letters, reports any field(s). Offering-256 funds; optional pledge; statements; post to 255xlyr. Finance-gen, ledger wbudget; up to 500 subtotals & 99 depts, month & YTD reports anytime for any month. Attendance—8 service times, 250 events per service; 60 consecutive weeks. Available for floppy, 3½ & hard disk. Ad too short! Write for free 48-page guide.

Romar Church Systems, Attn: BJB P.O. Box 4211, Elkhart, IN 46514 (219) 262-2188

Inquiry 682.

SOFTWARE/ENGINEERING

PRACTICAL ENGINEERING TOOLS Hobbyists—Students—Engineers

CIRCUIT DESIGN_CompDes, menu selections from basic electricity to circuit designs.

MATHEMATICS_CompMath, menu selections from general math to statistics, DIGITAL SIGNAL ANALYSIS_CompView. Fourier Analysis of waveforms and filters. PC/MSDOS. \$49 each. VISA/MC

BSOFT SOFTWARE SOFTWARE (614) 491-0832 444 Colton Rd., Columbus, OH 43207

Inquiry 683.

Affordable Engineering Software

FREE APPLICATION GUIDE & CATALOG

Circuit Analysis • Root Locus • Thermal Analysis • Plotret Drivers • Engineering Graphics • Signal Processing
• Active/Passive Filter Design • Transfer Function/FFT
Analysis • Logic Simulation • Microstrip Design •
PC/MSDOS • Macintosh • VISA/MC

BV Engineering • Professional Software 2023 Chicago Ave., Suite B-13, Riverside, CA 92507 (714) 781-0252

Inquiry 684.

SOFTWARE/ENGINEERING

VERSATILE DSP & DISPLAY

PC DATA MASTER is a DOS shell which integrates a full set of signal processing functions: flexible graphics, data file math, DSP utilities, data sampling/generation, and interactive help. Support for CGA, EGA, VGA, Herc & AT&T. Add custom analysis or graphics functions easily using your favorite compiler. \$135. Toolkit \$45. Demo

Durham Technical Images P.O. Box 72, Durham, New Hampshire 03824-0072

(603) 868-5774

Inquiry 685.

Engineer's Aide

Join the Desktop Engineering Revolution!

- Pipelinel/Ductwork Sizing
 Pump/Fan/Compr. Sizing
 Pump/Fan/Compr. Sizing
 Heat Exchanger Sizing
 Fluid Properties Library
 Above programs in one stand alone integrated package for \$695. For IBM PC & Macintosh.

EPCON 1-800-367-3585 (24 hr) 1-805-484-5381 (Ca)

Inquiry 686.

STRUCTURAL ANALYSIS

MICROSAFE: Inexpensive, easy to learn and use Finite Element Analysis for IBM PCs and compatibles. Up to 400 nodes, 600 beams, 500 plates. Graphics. 2-D: \$75, 3-D: \$120, Both: \$160. Overseas add \$20. Evaluation copies. NOT COPY-PROTECTED. Ask for brochure.

MICROSTRESS Corp. (Dep. BM1) 10950 Forest Ave. S., Seattle, WA 98178-3205 (206) 772-0508

Inquiry 687.

SIMULATION WITH GPSS/PCT

GPSS/PC" is an IBM personal computer implementa-tion of the popular mainframe simulation language GPSS. Graphics, animation and an extremely interac-tive environment allow a totally new view of your simula-tions. Simulate complex real-world systems with the most interactive and visual yet economical simulation software.

MINUTEMAN Software

(617) 897-5662 ext. 540 (800) 223-1430 ext. 540

Inquiry 688.

Circuit Analysis — SPICE

Non-linear DC & Transient; Linear AC. Version 3B1 with BSIM, GaAs, JFET, MOSFET, BJT, diode, etc. models, screen graphics, improved speed and convergence. PC Version 2G6 available at \$95.

Call, write, or check inquiry # for more info.

Northern Valley Software 28327 Rothrock Dr., Rancho Palos Verdes, CA 90274

(213) 541-3677

Inquiry 689.

FREE ENGINEERING MAGAZINE

Personal Engineering is a monthly magazine sent free of charge (USA only) to scientists/engineers who use PCs for technical applications. Topics each month include Instrumentation • Data Acq/Control • Design Automation. To receive a free sample issue and qualification form either circle below or send request on letterhead to:

Personal Engineering Communications

Box 1821, Brookline, MA 02146

Inquiry 690.

THE BUYER'S MART-

SOFTWARE/ENGINEERING

EC-Ace ANALOG CIRCUIT ANALYSIS

You can afford to get started with EC-Ace, a subset of the powerful ECA-2 circuit simulator. Includes all the basics and built-in greaters.

the powerful ECA-2 circuit simulator.

• AC, DC, Temperature, Transient

• A full 525 pg. ECA-2 manual.

• Interactive, twice as fast as SPICE.

EC-Ace 2.31 IBM PC or Mac \$145. Call 313-663-8810 for FREE DEMO

Tatum Labs, Inc. 1478 Mark Twain Ct., Ann Arbor, MI 48103

Inquiry 691.

SOFTWARE/FINANCIAL

"THE FINANCIAL PLANNER" SOFTWARE

SAVE 40% Retail \$99.95 -OUR PRICE \$59.95 (+2.00 S/H) PA residents add 6% Tx. Menu Driven program w/printed Manual.

Balance Checkbook

•Loan Amortization Schedule Prepare Budgets
 Prepare Financial Statements
 Manage Investments
 Plan Savings & more

Specify Apple IIc, IIe, IIgs, IBM PC or Compatible. CKS/MC/VISA SHIPPED UPS

SOFTECH INDUSTRIES, INC. 717-584-5191 RD 1, Bx 117A, Dept B901, Hughesville, PA 17737

Inquiry 692.

SOFTWARE/FORECAST

FORECAST PRO

An excellent forecasting package that uses artificial intelligence to help both the beginner and the experienced forecaster achieve top-notch results. Time series analysis techniques include exponential smoothing, Box-Jenkins, & dynamic regression.

CALL NOW FOR A FREE DEMO DISK!

Business Forecast Systems, Inc. 68 Leonard Street, Belmont, MA 02178 (617) 484-5050 TELEX #710-3201382

Inquiry 735.

SOFTWARE/GEOLOGICAL

GEOLOGICAL CATALOG

Geological software for log plotting, gridding/contouring, hydrology, digitizing, 3-D solid modelling, synthetic seismogram, fracture analysis, image pro-cessing, scout ticket manager, over 50 programs in catalog. Macintosh tool Please call, or write, for Free Catalog!

RockWare, Inc.

CO 80033 USA 4251 Kipling St., (303) 423-5645

SOFTWARE/GRAPHICS

TECHNICAL GRAPHICS
TEKMAR is a graphics library for the EGA or Tecmar Graphics Master, Similar to PLOT-10, includes WINDOW, VIEWPORT, AXIS. Support for HP, HI plotters. Curve fitting, complete plotting program. Log, semi-log, multi-axis, 3-D, contours. Jerry Pournelle (Aug 86 Byte): "As good as any I have ever seen..." Demo disks, literature available.

Advanced Systems Consultants 21115 Devonshire St. #329, Chatsworth, CA 91311 (818) 407-1059

Inquiry 693.

E G S

SCIENTIFIC & ENGINEERING GRAPHICS SYSTEM

See "What's New" pg 82, BYTE June, 1988 Log, Data & Linear Axes; Curve Fitting & Smoothing 1-2-3 Interface; Numeric Spreadsheet. Supports all Video Standards, PC Printers & Plotters. 10 Curves w/5000 points each. Plus much more. Call Today.

Edmond Software

1-405-842-0058 3817 Windover Drive Edmond, Oklahoma 73013

Inquiry 694. 328 BYTE • SEPTEMBER 1988

SOFTWARE/GRAPHICS

FPLOT PEN PLOTTER EMULATOR

Use your dot matrix or laser printer as an HP pen plotter. Fast hi-res output. Vary line width. Includes VPLOT virtual plotter utility to capture plotting comands. Supports NEC P5/P6, IBM Proprinter, Epson LQ/MX/FX, HP Laserjet. Uses Hercules, CGA, EGA or VGA for screen preview. \$64 check or m.o.

FPLOT CORPORATION

Suite 605, 24-16 Steinway St., Astoria, NY 11103

212-418-8469

Inquiry 695.

GRAPHICS PRINTER SUPPORT

AT LAST! Use the PrtSc key to make quality scaled B&W or color reproductions of your display on any dot matrix, inkjet, or laser printer. GRAFPLUS supports all versions of PC or MS-DOS with IBM (incl. EGA, VGA), Tecmar, and Hercules graphics boards. \$49.95

Jewell Technologies, Inc. 4740 44th Ave. SW, Seattle, WA 98116 800-628-2828 x 527 (206) 937-1081

Inquiry 696.

FORTRAN PROGRAMMER?

Now you can call 2-D and 3-D graphics routines within your FORTRAN program.

Now you can call 2-D and 3-D graphics routines within you FORTRAN program.

GRAFMATIC: screen routines \$135.
PLOTMATIC: plotter driver 135.
PRINTMATIC: printer driver 135.
For the IBM PC, XT, AT & compatibles. We support a variety of compilers, graphics bds., plotters and printers.

MICROCOMPATIBLES

301 Prelude Dr., Dept. B, Silver Spring, MD 20901 USA (301) 593-0683

Inquiry 697.

SOFTWARE/INVESTMENT

The new Business Week TOP 1000 and Mutual Fund Scoreboard Diskettes use the enormous power of your IBM or compatible PC to select, rate, and compare every equity and fixed income mutual fund on the market (Mutual Fund Scoreboard), and virtually every Business Week 1000 company (TOP 1000 — At the touch of a key. Mutual Fund Scoreboard Diskettes:
\$49.55 each or \$239.90 for subscriptions to both.

TOP 1000 & TOP 1000 ELITE Diskettes:
\$19.90 for the TOP 1000 & \$239 for the ELITE version which offers names & addresses of the top officers tool Order now or receive more information by calling 1-800-553-3575 (in witte Dr. Store Week-Diskettes:

Business Week Diskettes P.O. Box 621, Elk Grove, IL 60009

Inquiry 698.

SOFTWARE/LANGUAGES

FORTRAN for Macintosh

Language Systems FORTRAN is a full-featured FOR-TRAN 77 compiler integrated wMPW. Full ANSI FOR-TRAN 77 plus VAX-type extensions. SANE numerical calculations & data types incl. COMPLEX*16. 68000, 68020 and 68881 object code. Arrays greater than 32K. Link with Pascal, C, MacApp. \$304 w/MPW via air. MC/VISA/Check. MAC+, SE, Mac II. HD req.

Language Systems Corp. 441 Carlisle Drive, Herndon, VA 22070 (703) 478-0181

Inquiry 699.

The SPINDRIFT Library

At last! Now there's a way for FORTRAN programmers to do the things they always wanted to do: Execute other programs via CALL EXEC; edit key control of CURSOR; WINDOWS; POP UP HELP; Wildcard file search; Save/restore screen images; COLOR. 150 subroutines and functions in all. Price: \$149. + \$24H\$ Write for DEMO DISK: \$5 credited to purchase. Specify your Compiler.

Spindrift Laboratories, Ltd.

116 S. Harvard Ave., Arlington Hts., IL 60005 (312) 255-6909

Inquiry 700.

SOFTWARE/LOG,

PC USAGE LOG

The DEDUCT PC business usage, the IRS requires an auditable time and reason log. Danalyze HOW time is spent on PC projects, one needs to KNOW what was done, date, start and ending times. PC USAGE LOG will automatically keep track of all this information. Saved records can then be edited, sorted, and displayed or printed to give summary or detail reports. IBM compatible PC, MS-DOS 2.0 & up, 256K memory, (80x25) monitor. Price \$24.95. Visa/MC/AmExp are OK.

Discovery SoftWare Corporation Post Office Box 17403, Salt Lake City, Utah 84117

1-801-272-3033 Orders & Technical Information

Inquiry 734.

SOFTWARE/PACKAGING

HARD TO FIND COMPUTER SUPPLIES FOR **SOFTWARE DEVELOPERS & POWER USERS**

Cloth binders & slipcases like IBM's. Vinyl binders, boxes, and folders in many sizes. Disk pages, envelopes, & labels. Low quantity imprinting. Bulk disks. Everything you need to bring your software to market. Disk and binder mailers. Much morel Low Prices! Fast service. Call or write for a FREE CATALOG.

Anthropomorphic Systems, Limited 376 E. St. Charles Rd., Lombard, IL 60148 312-629-5160

1-800-DEAL-NOW

Inquiry 701.

SAVE SAVE SAVE SAVE LET'S TALK LABELS

We do disk labels (5¼" & 3½) ● Better ● Faster ● Cheaper ● Because we specialize in disk labels...Let's Talk

We also have Tyvek Sleeves
Mailers

Binders

Vinyl Pages

We are a complete software packaging service.

Hice & Associates 9303 Cincinnati-Columbus Rd., West Chester, OH 45069 513-777-0133

Inquiry 702.

SOFTWARE/SALES & MKTG

HIGH SALES VOLUME

Requires a thorough, fast and friendly lead tracking system. CONTACT PLUS manages your sales contacts through ample tickler dates, autoidaler, phone call history and graph, date stamped notes, mail/merge with history, call analysis reports, and tickler calendars. ASCII import/export. (\$7995 plus \$500 \$84P). Demo disk \$3. IBM PC and compatibles. VISA/MC/COD.

E. Trujillo Software

Albuquerque, NM 87192-1052 PO Box 23052 Orders only: 800-628-2828 ext 581 (505) 881-3223

Inquiry 703.

SOFTWARE/SCANNERS

Optical Character Recognition

Optical Character Hecognition
Stop retyping: PC-OCR** software will convert typed or
printed pages into editable text files for your word processor.
Works with HP ScanJet, Canon and most other scanners.
Supplied with 15 popular fonts. User trainable: you can
teach PC-OCR** to read virtually any typestyle, incl. foreign
fonts. Proportional text, martix printer output, Xerox copies
OK. \$385. Check/VISA/MC/AmExp/COD

Essex Publishing Co.

D. Box 391, Cedar Grove, NJ 07009 P.O. Box 391, Cedar Grove, (201) 783-6940

Inquiry 704.

SOFTWARE/SCIENTIFIC

- DATA ACQUISITION & ANALYSIS ON PC'S Free application assistance. Tell us about your DSP process control, A/D or DA needs. Our expert engineering staff will provide you with a system solution to fit your needs and budget.

 A/D & IEEE 488 boards from MetraByte, Scientific Solutions and Analog
- Devices.
 Analysis software including PRIME FACTOR FFT subroutine library, FOURIER PERSPECTIVE II advanced linear systems analysis, Meru driven software from Unkel, Laborationy Technologies, Outine-Curtis, and Golden. Scientifichengineering 2 & 3D graphics.

 See "What's New" page 80, BYTE July, 1988

 LOW PRICES—Satisfaction GURPATTEED

ALLIGATOR TECHNOLOGIES PO. Box 9706, Fountain Valley, CA 92708 Tel. (714) 850-9984 FAX. (714) 850-9987 MCI. ALLIGATOR

Inquiry 705.

-THE BUYER'S MART

SOFTWARE/SCIENTIFIC

Spectra Calc Data Processing

Acquire and analyze data from commercial or custom analytical instrumentation. Fast real-time display, WYSIWYG plotting. Extremely fast applications for curve fitting, deconvolution, PLS algorithms etc. Spectral search and archive. Array programming language includes matrix, FFT, graphic commands.

395 Main St., Salem, NH 03079 800-862-6004 603-898-7600 FAX 603-898-6228

Inquiry 706.

Do You Need to do This on Your PC?

614 1/8 = 8.386421 liter per sec sec

Lascux1000, "The Intelligent Calculator".
(For IBM PCs) Verify logic of calculations. Reduce steps by 50%. Extensive table of physical constants. Easily customized. Much morel \$59.95 Demo disk \$1.

Lascaux Graphics Bronx, NY 10467

3220 Steuben Ave. (212) 654-7429

Inquiry 707.

ORDINARY/PARTIAL DIFFERENTIAL EQN SOLVER

FOR THE IBM PC & COMPATIBLES

MICROCOMPATIBLES INC.

301 Prelude Dr., Silver Spring, MD 20901

(301) 593-0683

Inquiry 708.

"powerful and easy to use..."

Ask for our free 16 page brochure with complete product descriptions and detailed technical application notes (and for a brief description of two of our products see "What's New", Byte, page 84, July/88).

MicroMath Scientific Software

2034 East 7000 South Salt Lake City, Utah 84121-3144 (801) 943-0290

Inquiry 709.

Scientific/Engineering/Graphics Libraries

Scientific/Engineering/Graphics Libraries
Turbo & Lightspeed Pascal, Modula-2, C
Send for FREE catalogue of software tools for Scientists and Engineers. Includes: Scientific subroutine
libraries, device independent graphics libraries (including EGA, HP plotter and Laserjiet support), scientific charting libraries, 3-D plotting library, data acquisition libraries, menu-driven process control software. Versions available for a variety of popular languages. sions available for a variety of popular languages.

Quinn-Curtis

1191 Chestnut St., Unit 2-5, Newton, MA 02164

Inquiry 710.

SCREEN MANAGER

MENU, WINDOW, and DATA ENTRY Support for the Professional Programmer! Interfaces to most languages. BASIC, C, FORTRAN, COBCL, PASCAL, ASSEMBLER. 100 Page Manual. Thirty day money back guarantee. No Royalties. Trom \$79. Visa/MC

The West Chester Group
P.O. Box 1304, West Chester, PA 19380
(215) 644-4206
CALL FOR FREE DEMO

Inquiry 711.

SOFTWARE/SECURITY

KEEP YOUR PC PRIVATE!

MicroLock PC Security Software protects MS-DOS files and programs from unauthorized access. MicroLock features unlimited passwords, Quick Encryption, Locks Directories, Hides files, Locks .EXE and .COM files, uses one simple control menu w/on-screen help!

Only \$89.95! (+\$3 s/h) 30 DAY MONEY BACK GUARANTEE Check/Visa/MC

MicroNiche, Inc.
The Summit, Suite 110, 4350 Brownsboro Rd.
Louisville, KY 40207 Orders: (502) 893-4526 FAX: (502) 893-4503

Inquiry 634.

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and filetypes including Btrieve and dBASE. Unlimited filesizes, multiple keys and much more! MS-DOS \$149. XENIX \$249.

(702) 588-3737

Opt-Tech Data Processing

P.O. Box 678 - Zephyr Cove, NV 89448

Inquiry 712.

SOFTWARE/TAX PREP

W-2 & 1099 ON FLOPPY

The MAG COLLECTION of programs make an IRS/SSA FOR-MAT floppy from a data entry screen or imported ASCII file. Includes manual and application forms.

- Used nation wide
 Step-by-step data entry
 Free phone support

 Menus, user friendly
 Prints W-2 & 1099
 PC compatible

Illinois Business Machines Inc.

Department MAG 1403 Box 310 Troy Rd., Edwardsville, IL 62025 PH. # (618) 692-6060

Inquiry 713.

SOFTWARE/TOOLS

NATURAL LANGUAGE SOFTWARE

Use JAKE to create a front end to your database, game, or graphics program! JAKE translates English queries and commands into C function calls and data structures. JAKE offers context-sensitive semantic processing; interfaces easily; < 64K mem.

\$495. INTERACTIVE DEMO \$10

ENGLISH KNOWLEDGE SYSTEMS, INC. 5525 Scotts Valley Dr. #22, Scotts Valley, CA 95066 alley Dr. #22, Scotts Va (408) 438-6922

Inquiry 714.

STATISTICS

STATA

Statistics and graphics join to make STATA the most powerful package for the PC. No comparable program is as fast, friendly, and accurate. \$20 Demo. Quantity discount available. Call toll-free for more information. AX/VISA/MC.

1-800-STATAPC

Computing Resource Center 10801 National Boulevard, Los Angeles, CA 90064

(213) 470-4341

Inquiry 720.

THE SURVEY SYSTEM

An easy-to-use package designed specifically for questionnaire data. Produces banner format, cross tabs & related tables, statistics (incl. regression) & bar charts. Codes and reports answers to open-end questions. All reports are camera-ready for professional presentations. CRT interviewing option.

CREATIVE RESEARCH SYSTEMS 15 Lone Oak Ctr., Dept. B, Petaluma, CA 94952

707-765-1001

Inquiry 715.

STATISTICS

RESULTS NOT SIGNIFICANT?

Next time use EX-SAMPLE. Expert program estimates sample size using power analysis for comparisons of means, props, regression, ANOVA, chi-square, log-linear, LISREL, surveys, experiments, many more. Justify sample size to funding agencies, plan sampling budget. Can pay for itself in a single study. IBM/MS-DOS, \$195-\$in. (50% educ. disc.), VISAMCAMEXIPO, 30-day guarantee. Call now for FREE brochure.

The Idea Works, Inc. 100 West Briarwood, Columbia, MO 65203

1-800-537-4866

314-445-4554

Inquiry 716.

STATISTIX™ II

Comprehensive, powerful and incredibly easy-touse. Full screen editor, transformations, linear models (ANOVA, regression, logit, PCA, etc), ARIMA, most standard stat procedures. Clear, well organized documentation. Satisfaction guaranteed. \$169 PC DOS, \$99 Apple II.

NH ANALYTICAL SOFTWARE

P.O. Box 13204, Roseville, MN 55113 (612) 631-2852

Inquiry 717.

NCSS

Professional, easy to use, menu driven statistical system. Used by over 5,000 researchers.

• 5.0 Statistical System — \$99

• 5.1 Graphics (2D & 3D)—\$59

• 5.3 Power Pac Supplement—\$49

• 5.4 Exp. Design/IOC—\$49

• 5.5 Surrival Analysis—\$49

We accept checks, PO's, Visa, MC. Add \$3 s/h.

NCSS-B

865 East 400 North, Kaysville, UT 84037

801-546-0445

Inquiry 718.

EcStatic

\$49.95

A full leatured statistical package that's powerful, convenient, astonishingly easy to use and extraordinarily inexpensive. At last! A statistical package that gives you the tools you need, the clarity you want and at a price you can afford. Ideal for researchers, professionals, and students. Volume discounts available. To order call or write to:

SomeWare In Vermont, Inc.

P.O. Box 215, Montpelier, VT 05602 1-800-451-4580 (496-3173 in Vermont)

Inquiry 719.

Spreadsheet Statistics

NEW! 23 comprehensive statistics and forecasting modules for analyzing LOTUS worksheets. Low cost \$24.95 each. Easy to use. Includes tutoriaf. Basic and advanced statistics with graphics and many user-definable options. Compare. Free brochure.

Walonick Associates, Inc.

6500 Nicollet Ave. S., Minneapolis., MN 55423 (612) 866-9022

Inquiry 721.

TEXT RETRIEVAL

TEXT RETRIEVAL

- GOfer, high speed text retrieval STHE VAL

 GOfer, high speed text retrieval software for IBM PC compatible and Apple
 Macintosh computers. Highly acclaimed.

 *No file conversion or indexing required.

 *Searches for text in ary file. (ASCI), EBCDIC, WordStar, etc.)

 *RAM resident operation for immediate availability, also runs as a standard DOS application—Desk Accessory on the Macintosh

 *Moves text across different file formats (DisplayWrite to WordStar, MS
 Word to WordPerfect, etc.).

 Call or write to order: (VISA, MC, COD, Check)

Microlytics
300 Main St., Suite 1591, East Rochester, NY 14445
(800) 828-6293 (716) 377-0130 in NYS (800) 828-6293

Inquiry 722.

SEPTEMBER 1988 • BYTE 329

THE BUYER'S MART

UTILITIES

Enhanced DOS Commands

Get directory listings of all files that don't match a template. Search all directories for files matching a template. New commands and new versions of existing commands, all with lots of variable options. Plus all commands accept special codes to reduce repetitive en-tries. Get the most from DOS with these time-saving routines. For MS-DOS/PCDOS 2.0 and higher. \$29.95

Driscoll Graphics

135 E. Church, P.O. Box 625 Clinton, MI 49236

Inquiry 723.

MATCH PRINTERS TO PC

Match-A-Printer adapts most printers to PCIPS2 and compatibles. With this resident driver, get the full extended IBM ASCII character set on most printers. French, Spanish, German, Italian, Swedish, Greek, etc., and logic symbols. Works great with Apple Imagewriter and D.M.P., Espon and most daisy-wheel printers. Solve character compatibility now, great for academic and engineering application. Introductory Price S5995 & \$2 S&H. California residents add 6½% sales tax. MO/Checks.

MATCH SOFTWARE

6426 Coldwater Canyon, North Hollywood, CA Toll free # 1 (800) FLOPPYO CA 91606-1113

Inquiry 724.

COPY AT TO PC

The 1.2mB drive has long been known to READ but NOT reliably WRITE on 360kB floppies. With "CPYATZPC" 1.2mB drives CAN reliably WRITE 360kB floppies saving a slot for a second hard disk or backup tape. "CPYATZPC" (Not Copy Protected) offers 'the preferable SOFTWARE SOLUTION." ONLY \$79+\$4 SH VISAMC/COD UPS B/R

MICROBRIDGE COMPUTERS 655 Skyway, San Carlos, CA 94070 Order toll free 1-800-523-8777

415-593-8777 (CA) TELEX EZLNK 62873089 212-334-1858 (NY)

Inquiry 725.

Recover deleted files fast!

Disk Explorer now includes automatic file recovery. You type in the deleted file's name, Disk Explorer finds and restores it. Disk Explorer also shows what's really on disk; view, change or create formats, change a file's status, change data in any sector. MS-DOS \$75 U.S. Check/Credit

QUAID SOFTWARE LIMITED
45 Charles St. E. 3rd Fl.
Toronto, Ontario, Canada M4Y 1S2 (416) 961-8243

UTILITIES

LOGGER®

Logger, for IBM-PC and compatibles, tracks and reports: User, Time on, Time off, Directories used, Programs used, Program start/end time, and calculates totals. Tracks directories/files: Opened, Created, Renamed, Deleted. Completely transparent. Retails for \$74.95 with quantity discounts available.

System Automation Software, Inc. 8555 16th St., Silver Spring, MD 2091 1-800-321-3267 or 1-301-565-8080

Inquiry 726.

FasTrieve®

FasTrieve, for IBM-PC and compatibles, indexes your wordprocessing documents to instantly (< 1 sec.) retrieve text using your search expressions (boolean statements, phrases, spelling variations). Retrieved text can be edited, printed, and saved to disk. Retails for \$99. Discounts available.

System Automation Software, Inc.

8555 16th St., Silver Spring, MD 20910 1-800-321-3267 or 1-301-565-8080

Inquiry 727.

HANDS OFF THE PROGRAM®

- Locks Hard Disk. Restricts Floppy Use.
 Protects Subdirectories.
- Protects Subdirectories.

 Normal Use of DOS Commands and Application Software.

 IBM PC, XT, AT and True Compatibles.

 DOS V2.0 and Higher. Hard Disk System.

 Keep Other People's HANDS OFF Your System.

SYSTEM CONSULTING, INC.

314 Canterbury Dr., Pittsburgh, PA 15238 (412) 963-1624

Inquiry 728.

\$79.95!!

Buy the RED Utilities now! Programs include: Disk cache to speed hard disk. Printer spooler. Batch file compiler. Path command for data files. Wild card exceptions. Protect hard disk from accidental formatting. Sort directories. Over 10 more programs. IBM PC. Visa/MC.

The Wenham Software Company 5 Burley St., Wenham, MA. 01984 (617) 774-7036

Inquiry 729.

UTILITIES

Desktop Publishers!

When you need the best "no-nonsense" tools for Screen Capture and Image Management...

Collage Display Utilities

Dynamic Grayscaling, Image Browsing and Cataloging, and much, much more! Supports EGA, VGA, PS/2, CGA, Hercules, and MDA displays!

Suggested Retail price, only \$8995

Inner Media, Inc. (603) 465-3216, -7195 Fax

Inquiry 736.

WORD PROCESSING

FARSI / GREEK / ARABIC / RUSSIAN

Hebrew, all European, Scandinavian, plus either Hindi, Pun-jabi, Bengali, Gujarati, Tamil, Thai, Korean, Viet, or IPA. Full-featured multi-language word processor supports on-screen foreign characters and NLQ printing with no hardware modifications. Includes Font Editor. \$355 dot matrix; \$150 add'l for laser; \$19 demo. SYI in U.S. incl'd. Req. PC, 640K, graphics. 30 day Guarantee. Mc/VISA/AMEX

GAMMA PRODUCTIONS, INC. 710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401 213/394-8622 Tlx: 5106008273 Gamma Pro SNM

Inquiry 730.

DuangJan

Bilingual word processor for English and: Armenian, Bengali Euro/Latin, Greek, Hindi, Khmer, Lao, Punjabi, Russian, Sinhalese, Tamil, Thai, Viet. \$109+\$5 \$/h (foreign + \$12 s/h). Font editor includ-ed. For IBM with dot-matrix & LaserJet printer. Demo \$6 + \$1 s/h.

MegaChomp Company 3524 Cottman Ave., Philadelphia, PA 19149-1606

(215) 331-2748

Inquiry 731.

PC-Write™ Shareware Ver. 2.71

PC-Write Snareware ver. 2.71
Fast, full featured word processortext editor for IBM
PC. With spell check, screen clip, mailmerge, split
screen, ASCII files, macros. Easy to use. Supports
400 printers - LaserJet+ and PostScript. Software,
User Guide, and Tutorial on 2 disks for \$16. Try it,
then register with us for only \$89 and get User
Manual, 1 year tele-support, newsletter and 2
upgrades. 90-day guarantee. VISA/MC.

Quicksoft 1-800-888-8088 CALL TODAY! 219 First N., #224-BYTC, Seattle, WA 98109

Inquiry 732.







Compusave Marketing Computer Marketing Computer Marketing Computer of the Dreck Marketing Association for

Call: 1-800-624-8949 or 1-800-877-8855

BOARDS
Above Board 286325 NEC MVA 1024789
Adv. Dig. Slave545 Orchid Designer329
AST 4 Port299 Paradise 480 Auto 145
AST 5251-11E545 Paradise VGA+238
ATI VGA Wonder. SAVE Paradise VGA Pro. 352
ATI EGA Wonder172 STB VGA EM299
BOCA RAM AT142 Sigma VGA H252
Genoa EGA HiRes+199 Video 7 V RAM489
Genoa VGA HiRes 429 Video 7 Vega VGA . 252
Hercules VGA242 W. Digit. 1003 WAH99
Artist/Computone/Intel/Metheus/Number 9CALL
Quadram/Talltree/Tseng Labs/Verticom/VMLCALL

DISK DRIVES

MAC Hard DrivesCall	Seagate 20M Kit262
Miniscribe 40M312	Seagate 30M Kit279
Miniscribe 6053509	Seagate 251369
Miniscribe 6085695	Seagate ST251-1429
PlusCard 20M518	Seagate 4096625
	Toshiba 3.5" Kit89
	Genoa/IomegaCALL
Micropolis/Maynard/Maxte	or/Tallgrass/TecmarCALL
COLD	WELL A MARIA

SOFTWARE

Carbon Copy+ 5.0108	Microsoft Works123
DBase III Plus374	Microsoft Word 4.0209
Fastback Plus92	Multimate Advan. II.249
First Publisher 2.075	Top (PC or MAC) Call
Harvard Graph 2.1.275	WordPerfect 5.0239
MACDraw129	Ventura Publisher495
Microsoft Excel PC295	Paradox 2.0429

COMPUTERS

COMICIENS	
AST Model 286CALL Toshiba 1000	739
AST Model 386CALL Toshiba T1200F	1595
Intel 25 MHzCALL Toshiba T1200H.	2265
Mitsubishi 286/1101039 Toshiba 3100/20.	2995
NEC LaptopsSAVE Toshiba 3200	
Samsung Laptops . SAVE Toshiba 5100	A745
Sharp PC-7000A1165 Zenith 183	
Sharp 45211975 Zenith Supersport	1625
Sharp PC-71001745 Zenith Supersport	
Acer 80386:16 MHz/0 Wait/1 Meg Ram	2745
Acer 80386:20 MHz/0 Wait	CALL
NEC Powermate Portable 286/640k/20M	2645
NEC Powermate Portable 286/640k/40M	3095
Sperry PC IT 512k/44M HD/Keyboard	27.95
Samsung S500 AT: 10MHz/40M Drive	1565
Televideo 386: 16 MHz/2m/1.2M Drive	2595
Wyse 2108: 8 MHz/512k/1.2M Drive	1199
Wyse 2112: 12.5 MHz/1M/1.2M Drive	1699
Wyse 2214: 12.5 MHz/0 Wa5it/1.2 Drive	1895
Wyse 386: 16 MHz/1M/1.2M Drive/0 Wait	2795
Unisys 386: 16 MHz/1M/1.2M Drive/0 Wait	
Altos/Apple/Compaq/AT&T/ITT/	CALL
TEDMINIATO	

TERMINALS

08 Microsoft Works123	
74 Microsoft Word 4.0209	Adds 1010299 Wyse 30289
92 Multimate Advan. II.249	IBM 3151379 Wyse 50355
75 Top (PC or MAC) Call	Kimtron KT-70 PC 359 Wyse 60
75 WordPerfect 5.0239	Televideo 905 315 Wyse 85G 379
29 Ventura Publisher495	Televideo 955375 Wyse 99GT469
95 Paradox 2.0	Visual/CIE/Link/Qume/FalcoCALL
	ders are welcome.

PLOTTERS

Calcomp 1023GT 3785	Houston 62	.4495
Calcomp 59023395	HP 7475	1395
Calcomp 1043GT 6275	HP 7550 A	.2895
Enter SP 18003095	HP 7595	7.595
Houston DMP 522795	loline 3700	3045
Houston 41/422095	loline 4000	.3995
Houston 56A3795		
Houston 613295		
Numonics/Taxan/Versatec	JDL/Other Models	CALL

DIGITIZERS

Calcomp12 x12365	Logitech HiRes Mouse98
Calcomp 44 x 603745	Kurta IS 3CALI
Calcomp36 x 483195	Kurta IS 8.5 x 11249
GTCO 24 x361945	Kurta IS 12 x 12315
GTCO 36 x 482395	Kurta IS 12 x 17535
Hitachi 11 x 11439	Summa 12 x 12 +348
Logitech C7 Mouse82	Summa 12 x 18598
MO	

MODEMS

MODEMS					
ATI ETC159	Novation Parrot85				
Anchor 2400E145	Practical 1200165				
AST 96007.79	Prometheus 2400B/2119				
Avatex 1200 Ext95	Prometheus 2400G149				
Hayes 1200279	Racal-Vadic 2400VP399				
Hayes 2400412	USR Courier 2400299				
Incomm T2400 MNP . 235	USR 2400E345				
Migent Pocket109	USR HST 9600649				
	Ven-Tel 18000939				
Multitech 224 EC325	Zoom 2400 HC1.39				
Avatex/Case/Everex/UDS/	Other ModelsCALL				

PRINTERS

Alps Allegro 24362	NEC 5200519
Canon BJ 130795	NEC 5300689
Citizen120D142	NEC P5XL815
Citizen 180D1.58	NEC P9XL1018
Citizen MSP40312	Panasonic 1080M2158
Citizen MSP55469	Panasonic 1091M2198
	Panasonic 1524549
Okidata 390A75	Panasonic 1595429
Okidata 391649	Star NX1000169
	Toshiba P351SX959
Canon 8II1565	NEC LC 8903145
HP Lazer Jet II SAVE	Quadram Postscript 2795
Brother/C.ltoh/Data Produ	ucts/Data SouthCALL
Diconix/Epson/Genicom/G	QMS/OTC/TICALL

MONITORS

Amdek 310A69	PGS Ultra Synch 519
Amdek 1280645	PGS LM 300539
Intercolor 19"VGA1595	
Mitsubishi 1371A489	Taxan 770+5.1
Mitsubishi 20" Auto 1845	Thomson 4160 RGB199
NEC Multisync II562	Thomson EGA299
NEC Multisync +915	Sigma Laser 19"176
NEC Multisync XL.2095	Wyse 70067
NEC Multisync GS179	Verticom 2 Page176
Magnavox Multi512	Zenith 1490598
Seiko 1430: 14", Multiscar	, 1024x768, .26mm649
0011	NIEDO

SCANNERS

Datacopy	730	1095	PGS	LS-300	/w OCR	.965
AST / HP						CALL

HOURS: MON-FRI 7AM-6PM/SAT 9AM-2PM

ARIZONA SALES: (602)437-4855, CUSTOMER SERVICE (602)437-4856 FAX: (602)437-9685

CompuSave: 4207 S. 37th St. Phoenix AZ 85040. Prices reflect cash discounts and are subject to change witho notice. We do not guarantee compatibility. Major credit cards and selected PO's are accepted.

PACIFIC-286-12

- 80286-12
- 1.2MB Floppy Drive (Option \$120 31/2" Drive)

- 1.2MB Floppy Drive (Option \$120.3%" C •640K Ram (Option \$95 for 360K Drive) Serial/Parallel 101-Key Enhenced Key Board SI = 13.3 (1 Wait) SI = 15.2 (Q Wait \$150 Option) 6/12 MHz Key Board Switchable WA2 HD & FD Controller



MONO SYSTEM

W/Mono Monitor
 20 MB Hard Disk

CGA COLOR SYSTEM W/CGA Monitor 20 MB Hard Disk

EGA COLOR SYSTEM W/FGA Card

W/EGA Monitor W/20 MB Hard Disk

\$1195

\$1395

\$1580

LCD-286 PORTABLE

- 10 MHz 80286
- 640K Ram

- Key Board
 LCD Screen
 Super Twist
 Back Lighting
- Serial/Parallel

 1.2 MB Floppy Drive
 80287 Socket
 200 W Power Supply
 0 MB Hard Disk





LCD-386

- 20 MHz SI = 23
- 20 MHz SI = 23
 80386-16
 One 1.2 MB Floppy Drive
 40 MB Hard Disk (ST-251)
 LCD Screen (640x200)
 Key Board
 I/O Serial/Parallel
 - \$2795

- PACIFIC-386
- 80386-16 (20 MHz)

\$1595

- 80386-16 (20 MHz)
 SI = 23
 1 MB Memory
 One 1.2 MB Floppy Drive
 40 MB (Seagate ST-251)
 101 Enhanced Key Board
- 200 W Power Supply
- I/O Card Serial/Parallel
- 80387 Socket



MONO SYSTEM

- W/Mono/P Card
 Mono Monitor

\$2395



EGA COLOR SYSTEM

 W/EGA Card (640x350)
 EGA Monitor \$2785

CRT-PORTABLE 8088

- Compaq Type
 8088-1 10 MHz
- 2 Floppy Drive
 150W Power Supply
- TTL Disply 9" Amber
 Key Board



\$770

CRT-PORTABLE-286

- Conpag Type
- 80286 (10 MHz or 12 MHz)
 One 1.2 MB Floppy Drive
 200 W Power Supply
 TTL Disply 9" Amber

- At Key Board
 I/O Card Serial/Parallel
 WA2 HD & FD Controller
 20 MB Hard Disk

\$1389

PRICE SUBJECT TO **CHANGE WITHOUT NOTICE**

Dealers are welcome Call For Quantity Price

PACIFIC COMPUTER (818) 571-5548

120 E. Valley Blvd., #H, San Gabriel, CA 91776 FAX: 818-571-0905

(800) 346-7207 (California) (800) 421-1102 (Outside California) ORDER ONLY





Electron

24 HOUR ORDER HOTLINE

ALL OTHER INQUIRIES (7AM-5PM PST) 415-592-8121

NEC V20 & V30 CHIPS Replace the 8086 or 8088 in Your IBM PC and No. Increase Its Speed by up to 30%! UPD70108-5 (5MHz) V20 Chip. \$ 7.49 UPD70108-8 (8MHz) V20 Chip. \$ 8.95 UPD70108-10 (10MHz) V20 Chip \$21.95 \$14.95 UPD70116-8 (8MHz) V30 Chip. \$11.95 UPD70116-10 (10MHz) V30 Chip \$24.95 \$19.95

7400						
Part No.	1-9	10+	Part No.	1-9	10+	
7400	29	.19	7485		.55	
7402	29	.19	7486		.35	
7404		.19	7489	2.05	1.95	
7405	35	.25	7490		.39	
7406	39	.29	7493		.35	
7407	39	.29	74121		.35	
7408		.25	74123		.45	
7410	29	.19	74125		.45	
7414		.39	74126	69	.59	
7416	39	.29	74143		3.85	
7417	39	.29	74150	1.35	1.25	
7420	35	.25	74154		1.25	
7430	35	.25	74158	1.59	.99	
7432	39	.29	74173		.75	
7438	39	.29	74174	59	.49	
7442		.45	74175	59	.49	
7445	79	.69	74176	:99	.69	
7446	89	.79	74181	1.95	1.85	
7447	89	.79	74189	1.95	1.85	
7448	. 2.05	1.95	74193	79	.69	
7472	89	.79	74198	1.85	1.75	
7473	39	.29	74221		.89	
7474		.29	74273		1.8	
7475	49	.39	74365		.5	
7476	45	.35	74367	65	.5	

/43/P	MUIND.
74S00	74S188*1.49
74S04	74S189 1.69
74S08	74S196 2.49 1.49
74S10	74S240 1.49
74S32	74S244 1.49
74S74	74S253 .79 .49
74S85 1.79 1.19	74S287*1.49
74S86	74S288* 1.49
74S124 2.75 1.95	74S373 1.49
74S174	74S3741.49
74S175	74S472*2.95
7/	AF PARA SERVICE

		74F139 :69 .59
74F04	.29	74F157
74F08	.29	74F193 2.95
74F10 29	.25	74F240 . 99 .69
		74F244
74F74	.39	74F253 .69 .4
74F86 	.29	74F373
74F138	.69	74F374

MICROPROCESSOR COMPONENTS

Part No. Price	Part No. Price	Part No. Price
D765AC. 4-95 3.95 WD9216 6-95 4.95 S95H90. 9-95 4.95 Z80, Z80A, Z80B SERIES Z80. 1-27 99 Z80-CTC. 1-79 99 Z80-CTC. 1-79 99 Z80-CTC. 1-79 99 Z80-DART. 4.95 Z80-DART. 4.95 Z80-DART. 4.95 Z80A-DIO. 1.69 Z80A-DIO. 1.69 Z80A-DIO. 5-75 Z80B. 3.49 Z80A-PIO. 2-65 Z80B-PIO. 4-29 3.95 Z80B-PIO. 4-39 Z80B-PIO.	8445. 9-95 2.95 6850. 1-95 6850. 1-95 6850. 1-95 6852. 1-96 6852.	8228 29. 29.5 8237-5 4-95 4.49 8243 2-25 1.75 8250.A 6.49 8250.B (For IBM) 6.95 8251.A 1.89 8253-5 1.89 8254-5 2.25 8272 4-95 8279-5 2.95 8741 9.95 8748 (25V) 7.95 8748 (25V) 7.95 8748 (25V) 7.95 8749 (1588) 1.95 8751 (35-12Mtc) 4.95

MICROPROCESSOR SALE!

8052AHBASIC	CPU w/BASIC Interpreter \$29.	95
MC68008L8	32-Bit MPU (8-Bit Data Bus) \$16.95 \$9.	95
MC68701	8-Bit EPROM Microcomputer \$14.	
MC68705P3S	8-Bit EPROM Microcomputer \$14.95 \$9.	95
MC68705U3S	8-Bit EPROM Microcomputer \$10.	95
80286-10	16-Bit Hi Performance MPU \$99.	95
80287-8	Math Co-processor (8MHz) \$245.	95
80287-10	Math Co-processor (10MHz) \$309.	95
80387-16	Math Co-proc. (16MHz) GRID ARRAY \$494.	
80387-20	Math Co-proc. (20MHz) GRID ARRAY \$795.	95
	COMMODORE CHIPS	

LAG570

WD1770. SI3052P. 6504A..

6507. 6510.

6529.

6560. 6567.... 6569....

6572.

8360. . 8501. . 8502.

8563. 8564.

8566. 8701. 8721. 8722.

*251104-04 310654-05. 318018-03 318019-03

318020-04

325302-01

901226-01.

6581 (12V).

6582 (9V)

6545-1.

10.95 9.95 11.95 9.95 . 2.49 1.25 . 1.95 1.19

4.39 2.95

.... 9.95 4.95 2.49

4.95 3.25 ... 10.95

19.95

14.95 12.95 2.95

24.95 15.95 8.95 6.95

14.95 6.9514.95 10.95 8.95 7.95 4.95

.... 15.95 9.95 4.95

24.95 15.95 9.95 . 14.9511.95

9.95 6.95 10.95 8.95

10.95 8.95

... 11.95

74C922 . . . 3.95 74C923 3.95

995 10.95 10.95 10.95 8.95

10.95

Part No.	DINA	AMIC RAMS Price
*4116-15	16,384 x 1	(150ns)1.09
4128-20	131,072 x 1	(200ns) (Piggyback) 9:25 2.75
*4164-100	65,536 x 1	(100ns) 4.25 3.69
*4164-120	65.536 x 1	(120ns)
*4164-150	65,536 x 1	(150ns)
*4164-200	65.536 x 1	(200ns) 2.75 1.95
*TMS4416-12	16.384 x 4	(120ns) 9.95 7.75
*41256-80	262,144 x 1	(80ns) 14.95 13.49
41256-100	262,144 x 1	(100ns) 14.49 12.49
*41256-120	262.144 x 1	(120ns) 19.95 11.95
*41256-150	262,144 x 1	(150ns) 12.95 11.49
*50464-15	65.536 x 4	(150ns) (4464) 9.95
*511000P-10	1.048.576 x	1 (100ns) 1 Meg. 49.95 39.95
*514256P-10	262,144 x 4	(100ns) 1 Meg. 89.95 69.95
	STAT	IC RAMS
*2016-12	2048 x 8	120ns) 4.95
2018-45	2048 x 8	45ns) 6.95
2102		350ns)
2114N		450ne) 99

2018-45	2048 x 8	(45ns) 6.95
2102	1024 x 1	(350ns)
2114N	1024 x 4	(450ns)
2114N-2L	1024 x 4	(200ns) Low Power 1.49
21C14	1024 x 4	(200ns) (CMOS)
5101	256 x 4	(450ns) CMOS 1.95
*6116P-3	2048 x 8	(150ns) CMOS 6:49 5.25
*6116LP-3	2048 x 8	(150ns) LPCMOS 6.95 6.19
*6264LP-12	8192 x 8	(120ns) LP CMOS 19.95 10.95
*6264P-15	8192 x 8	(150ns) CMOS 10.49 7.95
*6264LP-15	8192 x 8	(150ns) LP CMOS 12.95 10.25
6514	1024 x 4	(350ns) CMOS 3.49
*43256-15L	32,768 x 8	(150ns) Low Power 12.95
*62256LP-12	32.768 x 8	(120ns) LP CMOS 17.95
	[PROMS —
TMS2516	2048 x 8	(450ns) 25V 6.95 5.95
TMS2532	4096 x 8	(450ns) 25V 6.95 6.49
TMS2532A	4096 x 8	(450ns) 21V 5.95 4.49
TMS2564	8192 x 8	(450ns) 25V 9.95 7.95
TMS2716	2048 × 8	(450ns) 3 Voltage 9.95 6.95

	EPRUMS —
TMS2516	2048 x 8 (450ns) 25V 6.95 5.95
TMS2532	4096 x 8 (450ns) 25V 6.95 6.49
TMS2532A	4096 x 8 (450ns) 21V 5.95 4.49
TMS2564	8192 x 8 (450ns) 25V 9.95 7.95
TMS2716	2048 x 8 (450ns) 3 Voltage 9.95 6.95
1702A	256 x 8 (1μs)
2708	1024 x 8 (450ns)
2716	2048 x 8 (450ns) 25V
2716-1	2048 x 8 (350ns) 25V
27C16	2048 x 8 (450ns) 25V (CMOS) 5.49
2732	4096 x 8 (450ns) 25V
2732A-20	4096 x 8 (200ns) 21V 4.25
2732A-25	4096 x 8 (250ns) 21V
27C32	4096 x 8 (450ns) 25V (CMOS) 5.95
2764-20	8192 x 8 (200ns) 21V 4.25
2764-25	8192 x 8 (250ns) 21V
2764A-25	8192 x 8 (250ns) 12.5V3.95
2764-45	8192 x 8 (450ns) 21V
27C64-15	8192 x 8 (150ns) 12.5V (CMOS) 6.49
27128-20	16,384 x 8 (200ns) 21V
27128-25	16,384 x 8 (250ns) 21V5.95
27128A-25	16,384 x 8 (250ns) 12.5V5.25
27C128-25	16,384 x 8 (250ns) 21V (CMOS) 6.95
27256-20	32,768 x 8 (200ns) 12.5V 6.95
27256-25	32,768 x 8 (250ns) 12.5V 5.95
27C256-25	32,768 x 8 (250ns) 12.5V (CMOS) . 7.95
27512-20	65,536 x 8 (200ns) 12.5V 13.49
27512-25	65,536 x 8 (250ns) 12.5V 11.95 11.25

55,55 x 8 (250ns) 125V... The EPROMS

2048 x 8 (250ns) 5V Read/Write. 2048 x 8 (250ns) 5V Read/Write. 2048 x 8 (250ns) 5V Read/Write. 2048 x 8 (350ns) 5V Read Only.

955555	. available 3100PLA = C-64)	
555559	74C C	MOS
5	74C00 29	74C174 79
5	74C02	74C175 79
5	74004 29	74C221 1.79
	74C08 35	74C240 69
5	74C10 :35 .19	74C244 1.79
5	74C14 59	740373 1.95
5	74C32 35	74C374 1.95
5	74074 59	740912 8.95
9	74C851.49	740915 99
5	74086 35	740920 4.95
- 1	74C89 5.49 3.95	740921 4.95
5	74000 00	740000 2.05

74C9099 74C154 . . 2.95

325572-01.....14.95 *82S100PLA**....15.95 901225-01....11.95 9.95

MISC. COMPONENTS

		77171		100		
TAN	ΤΔΙ	HM	CA	PΔ	CIT	ORS

.45 .49 .69

IANTALON CALACITORIO					
TM.1/35 .1µf @ 35V	.18	TM4.7/35	4.7µl @ 35V		
TM1/35 1µf @ 35V	.18	TM6.8/35	6.8µ1 @ 35V		
TM2 2/35 2 2 of @ 35V	24	TM10/35	10ut @ 35V		

POTENTIOMETERS

Values available Values available (insert ohms into space marked "XX"): 500Ω, 1K, 2K, 5K, 10K, 20K, 50K, 100K, 200K, 1MEG 43PXX 34 Watt, 15 Turn .99 | 63PXX 1/2 Watt, 1 Turn

TRAN	ISI	STORS	IA i	4D	DIODES	
2222	.13	PN2907		.13	1N4004	.1
2222A	.35	2N4401		.12	1N4148	.0

PN2222	.13	PN2907. 2N4401. 1N270. 1N751.	13	1N4004	.12
2N2222A	.35	2N4401	.12	1N4148	.07
2N3055	.65	1N270	25	1N4735	.25
2N3904	.12	1N751	15	C106B1	.49

	CHES
JMT123 SPDT, On-On 1.19	206-8 SPDT, 16-pin DIP 1.29
MPC121 SPDT, On-Off-On 1.19	MS102 SPST, Momentary .39

D-SUB CONNECTORS					
DB25P Male, 25-pin	.75	DB25S	Female,	25-pin	.79

DDEOT Maic, 20 pm	., 0	DDEOO Telliare, Lo pili	., 0
	IF	DS	
XC556R T134, Red		XC556Y T134, Yellow XC556C T134, Clear/Red	.15

IC SOCKETS

.000	
Low Profile	Wire Wrap (Gold) Level #3
8LP	8WW59
14LP	14WW
16LP	16WW
24LP	24WW1.19
28LP	28WW
40LP	40WW1.89

Soldertail Standard (Gold & Tin) & Header Plug Sockets Also Available

74H	CHI-S	PEED	CMOS
Part No.	Pric		Price
74HC00	. 25 . 1	9 74HC175.	
74HC02	. 25 . 1	9 74HC221.	1.19 .89
74HC04	. 29 . 1		. 99 . 69
74HC08	. 29 . 1		.99 .69
74HC10	.29 .1		. 99 . 79
74HC14	. 49 . 2		. 59 . 39
74HC30	.29 .1	9 74HC259.	
74HC32	. 29 . 2		. 99 . 69
	. 39 . 2		.99 .65
74HC75	.39 .3		
	. 45 . 3		1.29 1.09
74HC85	. 79 . 5		. 99 . 79
	.39 .3		8.9
	. 89 . 6) . 99 . 79
	. 49 . 3) . 59 . 39
	. 69 . 3) .59 .39
	. 49 . 3) . 99 . 89
	.49 .3		1.29 .99
	1.49 1.1		l 1.79 .99
	. 65 . 3		8
74HC174.	. 69 . 4	9 74HC4543	3 1.19 .8

74HCT-- CMOS TTI 74HCT139. 74HCT157. 74HCT174. 74HCT175. 74HCT240. 74HCT244. 74HCT245. 74HCT373. 74HCT374. 74HCT00 74HCT02 74HCT04 29 29 29 29 29 49 49 59 9 .17 9 .17 9 .17 9 .17 17 17 21 25 19 35 . 59 . 69 . 69 . 99 1.19 1.19 74HCT04. 74HCT08. 74HCT10. 74HCT32. 74HCT74. 74HCT86. . 74HCT138.


74HCT00	-00 17	74HCT139 . 59 .35
74HCT02	20 17	74HCT157 69 .19
		74HC1137
74HCT04	.29 .17	74HCT174 . 69 .35
74HCT08	.29 .17	74HCT175 . 69 .39
74HCT10		74HCT240 99 .89
74HC110	.20 .17	74HC1240
74HCT32	.29 .21	74HCT244
74HCT74	.49 .25	74HCT245 1.19 .79
74HCT86	.49 .19	74HCT373 1.19 .55
74HCT138	.59 .35	74HCT374 1.19 .49
/4HC1138	.35	/4HC13/41.19 .49
100000000000000000000000000000000000000	LIN	EAR
DS0026CN TL074CN		I M1450NI 20
D30020CIV	1.55	LM1488N. 49 DS14C88N (CMOS) 1.19 LM1489N. 49 DS14C89N (CMOS) 1.19 LM1496N. 69 MC1648P. 3-49 1.95
1LU/4CN	1.19	LM1466N
TL084CN	99	DS14C88N (CMOS) 1.19
AF100-1CN	8 95	LM1489N
LM307N LM309K	45	DS14C89N (CMOS) 1.19
I M300K	1 25	IM1496N -89 69
LIVISUSIN	1.25	MC1649D 240 105
LM311N	45	LM1871N
LM317T	79	LM18/1N
LM318N	99	LM1872N
LM319N	1 29	LM1896N-1 1.49 .79
LM311N LM317T LM318N LM319N LM323K	3 95	ULN2003A 79
LIVIOZOK	0.00	VP2206 2.05
LM324N	39	LM1872N. 1.95 LM1872N. 1.95 LM1896N-1 1.49 79 ULN2003A 79 XR2206. 3.95 XR2211 2.95
LM338K	4.95	XH2211
LM339N	39	XH22431.95
LM339N	1.79	XR2243. 1.95 26LS29. 3.95 26LS31. 1.19
LM348N	69	26LS31
LM350T	2 95	261 532 1.19
LF351N	30	26LS32 1.19 26LS33 1.49 LM2901N 39 15 LM2907N 1.29
LF351W		114000411 20 45
LF353N. LF355N. LF356N.	49	LIVI29011V
LF355N	/9	LM2907N
LF356N	89	LM2917N (8 pin) 1.95
1F357N	1.09	MC3419CL 6.95 3.95
LM358N	49	MC3446N 1.69 .99
I M360N	219	MC3450P 1.95 .49
LMOCON	1 70	MC3470P 1.95
LIVISOTIV	1.75	MC3471P 1-95 75
LM361N. LM380N-8. LM386N-3. LM387N.	.85	LM2907N. 1.29 LM2917N (8 pin). 1.95 LM3419CL. 6-95 3.95 LM3446N. +69 99 LM34070P. 1.95 LM34070P. 1.99 LM34070P. 1.99
LM386N-3	89	MC3475F
LM387N	99	WC3466F
LM393N		MC3487P 1.09 .99
LM393N	2 95	LM3900N
LEATION	79	LM3905N
TI 407ACNI	40 00	LM3909N
TL49/ACN	9 .99	LM3914N
LF411CN	.95 1.49	LM3909N 99 LM3914N 1.95 LM3916N 1.95
NE555V	29	NE5532
XRL555	59	NE5532
I M556N	49	NE5534
LM556N		7805K (LM340K-5) 1.29
		7812K (LM340K-12) 1.29
LM565N	99	7815K (LM340K-15) 1.29
LM56/V	/9	7805T (LM340T-5)49
NE592N	.69	7812T (LM340T-12) 49
LM741CN	29	7815T (LM340T-15) 49
LM747CN	59	7005K (LM320K 5) 4-25 00
MC1350P 4	00 80	7005T (LW320N-3) T.33 .99
MC1272D 1	00	79051 (LM3201-5)
WIG 13/2P	.99	/54/2 :59 .39
MC13//P	2.29	75477 89 .49
LM565N LM567V NE592N LM741CN LM747CN MC1350P MC1372P MC1377P MC1398P BLM1414N +	.95 4.95	7815K (LM340K-15) . 1.29 7805T (LM340T-5) . 49 7815T (LM340T-12) . 49 7815T (LM340T-15) . 49 7905K (LM320K-5) + 195 . 99 7905T (LM320T-5) . 59 75477 . 59 . 49 MC145106P . 249 . 195 MC145406P . 2.95
IM1414N +	.29 .49	MC145406P2.95

2816A-25 2817A 2865A 52B13 (21V) PARTIAL LISTING • OVER 4000 COMPONENTS AND ACCESSORIES IN STOCK! • CALL FOR QUANTITY DISCOUNTS
*RAM'S SUBJECT TO FREQUENT PRICE CHANGES

oridwide • **QUALITY COMPONENTS · COMPETITIVE PRICING**



JAMECO SOLDERLESS BREADBOARD SOCKETS





JE23	JE23 JE24		JE27		
Part No.	Dim. L" x W"	Contact Points	Binding Posts	Price	
JE20	61/2 x 3/4	200	0	\$ 2.29	
JE21	31/4 x 21/8	400	0	\$ 4.49	
JE22	61/2 x 13/8	630	0	\$ 5.95	
JE23	61/2 x 21/8	830	0	\$ 7.49	
JE24	61/2 x 31/8	1,360	2	\$14.95	
JE25	61/2 x 41/4	1,660	3	\$22.95	
JE26	6% x 5%	2,390	4	\$27.95	
JE27	71/4 x 71/2	3,220	4	\$37.95	

COMPUTER PERIPHERALS

Jameco IBM PC/XT/AT Compatible




Motherboards			
Award BIOS ROMs			
included	JE1	001	
IE1001 477/01	III (DO 000)	•	00.0

Jameco	
JE1007	6/8/10/12MHz (AT) \$349.95
	4.77/10MHz (PC/XT) \$119.95
JE1001	4.77/8MHz (PC/XT) \$ 99.95

Computer Power Protection JE1190 JE1190 Power Base. \$29.95 JE1191 6-Outlet Power Strip \$11.95

> Jameco IBM PC/XT/AT Compatible Keyboards



JE1016 Pictured

	Standard AT layout (XT/AT) \$59.95
JE1016	Enhanced layout (XT/AT) \$79.95

Jameco Extended 80-Column Card for Apple IIe



· 80 Col./64K RAM · Doubles amount of data your Apple I/le can display as well as its memory capacity · Ideal for word processing · Complete with instructions

JE864 \$39.95

ADD12 (Disk Drive II, II+, IIe) \$99.95

DATA BOOKS				
400041	NSC Linear Data Book-Vol. I (88) \$14.95			
400042	NSC Linear Data Book-Vol. II (88) \$ 9.95			
400043	NSC Linear Data Book-Vol. III (88) \$ 9.95			
210830	Intel Memory Handbook (88) \$17.95			
230843	Intel Microsystem Hndbk. Set (88) \$24.95			

U.S. Funds Only Shipping: Add 5% plus \$1.50 Insurance (May vary according to weight)

California Residents: Add 6%, 61/2% or 7% Sales Tax

© 1988 Jameco Electronics 9/88

IBM AT COMPATIBLE KIT Mini-286 6/8/10/12MHz Kit

JE1065	Input/Output Card \$59.95 Regular List \$789.65
JE1043	360K/720K/1.2M Floppy Controller Card \$ 49.95
JE1032	200 Watt Power Supply \$ 89.95
JE1022	5¼" Hi-Density Disk Drive \$109.95
JE1017	Baby AT Flip-Top Case \$ 69.95
JE1015	XT/AT Style Keyboard \$ 59.95
JE1007	Baby AT Motherboard (Zero-K RAM – includes Award BIOS ROMs) \$349.95

JE1059 \$519.95 (EGA Monitor and Card not included) SAVE \$99.70!


JE2009* IBM AT Compatible Kit. \$689.95 JE286M JE2009 Technical Manual. \$29.95 'RAM not included – Minimum RAM configuration 512K (18 Chips 41256-120, see left)

IBM COMPATIBLE DISPLAY MONITORS

12" Amber Monochrome — TTL Input, High Resolution (PC/XT/AT) AMBER..... \$99.95

14" RGB Color — CGA Compatible Amber/Green/Color Switchable, 640 x 200 Resolution (PC/XT/AT)

TTX1410. \$279.95



Resolution - displays up to 16 colors (PC/XT/AT)

14" Multiscan Color - VGA/PGC/EGA compatible, 800 x 600 Max. Reso-CTX1435....

IBM PC/XT/AT COMPATIBLE CARDS

Graphic Display Cards

MasterCard





Now With Diagnostic Software!

JE1050	Mono Graphics Card w/Printer Port (PC/XT/AT) \$59.95
JE1052	Color Graphics Card w/Printer Port (PC/XT/AT) \$49.95
JE1055	EGA Card with 256K Video RAM (PC/XT/AT) \$169.95
JE1071	Multi I/O with Drive Controller and Mono Graphics (PC/XT)

Multifunction, I/O and Expansion Cards I/O Card with Serial, Game, Parallel Printer

JE1060	Port and Real Time Clock (PC/XT)	. \$59.95
JE1061	RS232 Serial Half Card (PC/XT/AT)	
JE1065	I/O Card with Serial, Game and Parallel Printer Port (AT).	
JE1078	Expand to 384K (zero-K on-board) Multifunc. w/Serial Game, Parallel Printer Port & Real Time Clock (PC/XT)	\$69.95
JE1081	2MB of expanded or extended memory (zero-K on-board) (AT)	
JE1082	3MB of expanded or extended memory, parallel printer port, serial port and game port	

OLIVOZ	(zero-K on-board) (AI)\$169.95			
Floppy and Hard Disk Controller Cards				
JE1040	360KB Floppy Disk Drive Controller Card (PC/XT)\$29.95			
JE1041	20/40MB Hard Disk Controller Card (PC/XT)\$79.95			
JE1043	360K/720K/1.2MB Floppy Disk Cont. Card (PC/XT/AT) \$49.95			
JE1045	360K/720K/1.2MB Floppy/Hard Disk Controller Card (AT)			

\$20 Minimum Order

IBM is a registered trademark of International Business Machines





COMPUTER PERIPHERALS

Zuckerboard 30 Meg Hard Disk Drive Board for Tandy 1000, 1000A, 1000SX, 1200, 3000 and 3000HL





30 Megabytes formatted capacity · Uses only one slot · Pre-formatted with MS-DOS T30MB 30MB Hard Disk \$599.95 \$399.95



ST225 20MB Drive only (PC/XT/AT). \$224.95 ST225XT 20MB w/Controller (PC/XT). \$269.95 ST225AT 20MB w/Controller (PC/XT). \$339.95 ST238 20MB w/Controller (PC/XT). \$249.95 ST238XT 30MB Drive only (PC/XT/AT). \$299.95 ST238XT 30MB w/Controller (PC/XT). \$389.95 ST2511 40MB Drive only (PC/XT/AT). \$429.95 ST251AT 40MB w/Controller (PC/XT). \$469.95 ST251AT 40MB w/Controller Card (AT). \$539.95 ST277TT 60MB Drive only (PC/XT/AT). \$499.95 ST277AT 60MB w/Controller (PC/XT). \$549.95 ST277AT 60MB w/Controller (PC/XT). \$69.95		ST225K (Pictured)
ST225AT 20MB w/Controller (AT). \$339.95 ST238 30MB Drive only (PC/XT/AT). \$249.95 ST238KT 30MB w/Controller (PC/XT). \$299.95 ST251 40MB w/Controller (AT). \$389.95 ST251AT 40MB w/Controller (AT). \$429.95 ST251AT 40MB w/Controller (Card (AT). \$539.95 ST277X 40MB w/Controller (PC/XT). \$499.95 ST277XT 50MB w/Controller (PC/XT)AT). \$499.95 S0MB w/Controller (PC/XT)AT). \$499.95	ST225	20MB Drive only (PC/XT/AT) \$224.95
\$T238 30MB Drive only (PC/XT/AT). \$249.95 \$T238AT 30MB W/Controller (PC/XT). \$299.95 \$T238AT 30MB W/Controller (AT). \$389.95 \$T2511 40MB Drive only (PC/XT/AT). \$429.95 \$T251AT 5T251AT 40MB w/Controller Card (AT). \$539.95 \$T277T 50MB w/Controller Card (AT). \$499.95 \$1277XT 50MB w/Controller (PC/XT/AT). \$499.95		20MB w/Controller (PC/XT) \$269.95
\$T238XT \$30MB w/Controller (PC/XT). \$299.95 \$7238AT \$30MB w/Controller (AT). \$389.95 \$7251 \$1251XT \$40MB prive only (PC/XT/AT). \$429.95 \$7251AT \$40MB w/Cont. Card (PC/XT). \$469.95 \$7277 \$1277XT \$60MB w/Controller Card (AT). \$539.95 \$7277 \$60MB w/Controller (PC/XT/AT). \$499.95 \$60MB prive only (PC/XT/AT). \$549.95		20MB w/Controller (AT) \$339.95
ST238AT 30MB w/Controller (AT). \$338.95 ST251 40MB Drive only (PC/XT/AT). \$429.95 ST251AT 40MB Drive only (PC/XT). \$469.95 ST277AT 60MB Drive only (PC/XT/AT). \$499.95 ST277XT 50MB w/Controller (PC/XT). \$499.95 SDMB w/Controller (PC/XT). \$549.95		30MB Drive only (PC/XT/AT) \$249.95
ST251 40MB Drive only (PC/XT/AT). \$429.95 ST251XT 40MB w/Cont. Card (PC/XT). \$469.95 ST251AT 40MB w/Controller Card (AT). \$539.95 ST277 60MB Drive only (PC/XT/AT). \$499.95 ST277XT 60MB w/Controller (PC/XT). \$549.95		30MB w/Controller (PC/XT) \$299.95
ST251XT 40MB w/Cont. Card (PC/XT). \$469.95 ST251AT 40MB w/Controller Card (AT). \$539.95 ST277 60MB Drive only (PC/XT/AT). \$499.95 ST277XT 60MB w/Controller (PC/XT). \$549.95		30MB w/Controller (AT) \$389.95
ST251AT 40MB w/Controller Card (AT)\$539.95 ST277 60MB Drive only (PC/XT/AT)\$499.95 ST277XT 60MB w/Controller (PC/XT)\$549.95		40MB Drive only (PC/XT/AT) \$429.95
ST277 60MB Drive only (PC/XT/AT). \$499.95 ST277XT 60MB w/Controller (PC/XT). \$549.95		40MB w/Cont. Card (PC/XT) \$469.95
ST277XT 60MB w/Controller (PC/XT) \$549.95		40MB w/Controller Card (AT) \$539.95
		60MB Drive only (PC/XT/AT) \$499.95
ST277AT 60MB w/Controller Card (AT) \$639.95		60MB w/Controller (PC/XT) \$549.95
	ST277AT	60MB w/Controller Card (AT) \$639.95

40MB Tape Back-Up

	IOI IDW FC/XI/AI	
XR4 TB40	40MB Tape Back-Up \$3	69.95
1640	40MB Tape Cartridge	\$24.95



Jameco 5.25" PC/XT & AT Compatible **Disk Drives** JE1022 (Pictured)

JE1020 360K Black Bzl. (PC/XT/AT) ... \$ 89.95 JE1021 360K Beige Bzl. (PC/XT/AT) ... \$ 89.95 JE1022 1.2MB Beige Bzl. (PC/XT/AT) . . \$109.95

3.5" PC/XT/AT Compatible Disk Driv

0.0 1 0/	ATTAL Companible DISK Drives
352KU	3.5" 720KB (Bezels and Installation Kit incl.) (PC/XT/AT) \$129.95
MF355B	3.5" 1.44MB (Bezels and Installation Kit incl.) (PC/XT/AT) \$149.95

Datatronics 2400/1200/300 Modems



NEW, Pocket Version! Hayes command compat-ble • Bell 103/212A compatible · Auto-dial/auto-answer · FCC approved 1-year warranty · Includes MaxiMite Communication

	Golfware (except 1200P)
1200P	1200/300 Baud Pocket Modem \$109.95
1200H	1200/300 Baud Internal Modem \$ 69.95
2400S	2400/1200/300 Internal Modem \$139.95
1200C	1200/300 Baud External Modem \$119.95
2400E	2400/1200/300 External Modem \$179.95

TEST EQUIPMENT



Metex M4650:

Handheld, highaccuracy
4½ Digit LCD
Manual ranging with
Overload Protection

Audible continuity tester Tests: AC/DC Voltage, Resistance, Continuity Capacitance, Frequency One Year Warranty Size: 7"L x 31/2"W x 11/2"H

M4650..\$89.95

Data Sheets - 50¢ each Prices Subject to Change

Send \$2.00 Postage for a FREE 1988 CATALOG

FAX Numbers: 415-592-2503 or 415-595-2664

Telex: 176043

1355 Shoreway Rd., Belmont, CA 94002 • 24 HR. ORDER HOTLINE 415-592-8097 • All Other Inquiries (7am-5pm PST) 415-592-8121

DiskMASTER The Ultimate DISKMASTER Diskette Value ... Discover the **Difference** ... 2 FOR 1 LIFETIME WARRANTY

✓ Pkg'd in 6 different colors, bulk or boxed COLOR

100% tested and certified ✓ Guaranteed clipping level of 65% or above

✓ Includes tyvek envelopes (not paper), write protect tabs and user labels

✓ Quality at affordable prices

5-1/4" - 48 TPI DS-DD

DS-HD 96 TPI **IBM-AT Compatible**

BULK COLOR OR GRAY

BOXED

America's CENTECH Premium Quality Color Diskettes

✓ TIMELESS WARRANTY

- √ 75%+ clipping level quaranteed
 √ Each disk 100% tested and certified
- 18 COLORS for data organization ✓ Pkgs. include sleeves, w/p tabs, & ID labels

5-1/4" - 48 TPI DS-DD

DS-HD 96 TPI IBM-AT Compatible

PLASTIC STORAGE BOX COLOR

3-1/2" - 135 TPI

3-1/2" - 135 TPI

DS-DD COLOR

BLACK DS-HD PLASTIC STORAGE BOX

BASE 48 TPI DS-DD 3-1/2" DS-HD

DS-HD 96 TPI IBM-AT Compatible

3-1/2" DS-DD

Call for best prices on Data Cartridges & Pelikan Ribbons

5-1/4" - 48 TPI DS-DD



DS-HD 96 TPI IBM-AT Compatible

Nashua

5-1/4"- 48 TPI DS-DD



DS-HD 96 TPI IBM-AT Compatible

BOXED

5-1/4" DS/DD 48 TPI Exceeds ANSI specifications +6¢ FOR TYVEK

ORDERING INFORMATION

TERMS: P.O. orders accepted, government and schools on net 30. SHIPPING: U.S. orders add \$3.00 per 100 diskettes or fraction thereof, add \$3.00 for COD orders.

PRICE PROMISE: We will better any lower delivered price on the same products and quantities advertised nationally.



1-800-233-2477



334 BYTE • SEPTEMBER 1988



Information Line 1-801-561-0092



COMPANY 1376 W. 8040 S. / WEST JORDAN, UT 84088 HRS: 8 AM TO 5 PM (MTN. TIME)

Circle 36 on Reader Service Card

(1111<u>9</u>(1) Sets The Pace!

Tango's ease-of-use, rich functionality and crisp output have brought tens of thousands of boards to life, quickly and



\$495

\$495

\$495

\$295

Start-to-finish design tools include:

Tango-Schematic With Library Manager. Tango-PCB 1 mil Grid, 9 Layers, Gerber Output. Tango-Route Autoroutes 90+%, Fast!, Tango-Tools 8 Money-Saving Utilities,


Let's discuss your design needs Toll-Free, or order a full function Evaluation Pkg, just \$10. VISA/MC.

800 433-7801 619/695-2000 Satisfaction guaranteed.

ACCEL Technologies, 7358 Trade St., San Diego, CA 92121

Circle 6 on Reader Service Card

8051, 8096, 68HC11, 68008 SINGLE BOARD COMPUTERS



We feature a series of single board computers for process control applications. Available as bare boards or assembled and tested. Optional EPROM resident System Monitors and BASIC interpreters are also available.

> ALLEN SYSTEMS 2151 Fairfax Road Columbus, Ohio 43221 614-488-7122


Fix common problems fast!

You don't need to be an expert diagnose and correct problems involving PC setup. All you need is HELPME™ software! More than 300 tests. On-screen help for understanding and correcting idenproblems. Quick tified identification of system configuration and compatibility. \$99 plus shipping and handling. MC and VISA accepted. California Software Products, Inc., 525 N. Cabrillo Park Drive, Santa Ana, CA 92701 (714) 973-0440.

Circle 38 on Reader Service Card (DEALERS: 39)

ON TARGET ASSOCIATES

Products and Services for Design and Manufacturing Engineers.



We will move your PC/XT/AT products to the Micro Channel, or create your new design.

CALL: (408) 980-7118 for our Free catalog

...the PS/2 leaders. PS/2 and Micro Channel are trademarks of IBM Corp.

EPROM PROGRAMMER

THE EP-1'S A GREAT VALUE AND HERE'S WHY:

READS, PROGRAMS, COPIES OVER 350 EPROM AND EEPROMS FROM 30 MFG'S INICLUDING 2716-27513,2804-28256,27011

READS, WRITES INTEL. MOTOROLA, STRAIGHT HEX & BINARY OPTIONAL HEADS PROGRAM INTEL 874X,8751,8765,18755

MENU-DRIVEN CHIP SELECTION BY MFG & PINNO MODULES

FAST, SLOW, QUICK PULSE PROGRAMMING ALGORITHMS

SPLITS FILES BY BASE ADDRESS AND ODDIEVEN (16 & 32 BIT)

ALL INTELLIGENCE IN UNIT, Z80 MICROPROCESSOR BASED

5, 12,5, 21,25 V PROGRAMMING FOR CMOS & -A SUFFIX PARTS

FREE PC-DOS SOFTWARE

GOLD TEXTOOL ZIF SOCKET

MONEY BACK GUARANTE

ON EYERR WARRES TO 38,400

MONEY BACK GUARANTE

2 FREE FIRMWARE UPDATES

C CHECKSUMS SUPPORTED

UV ERASERS FROM \$34.95

CALL TODAY FOR MORE INFORMATION

CALL TODAY FOR MORE INFORMATION 800/225-2102

BPMICROSYSTEMS

10681 HADDINGTON #190, HOUSTON, TX 77043

713/461-9430 TLX: 1561477 FAX: 713/461-7413

BPTHATA

\$ 3 4 9

Circle 195 on Reader Service Card

UNIVERSAL LOGIC PROGRAMMER

PROGRAMS READS DUPLI

READS, DUPLI-CATES, TESTS AND SECURES HUNDREDS OF 20- AND 24-PIN DEVICES



WITH INDEPENDENT DAC, ADC &
SLEW FUNCTIONS PROGRAM ALMOST ANY LOGIC DEVICE

MENU DRIVEN OPERATION IS EASY TO LEARN AND QUICK
TO OPERATE

CONNECTS TO ANY IBM COMPATIBLE COMPUTER VIA
PARALLEL PRINTER PORT

EDITS FUSE DATA & TEST VECTORS WITH FULL
SCREEN FEITURE

EDITS FUSE DATA & TEST VECTORS WITH A SCREEN EDITOR

TESTS WITH VECTORS & SECURES AFTER PROGRAMMING
SUPPORTS ALL POPULAR PLD DEVELOPEMENT SOFTWARE
GOLD TEXTOOL ZIF IC SOCKET • ONLINE HELP FUNCTION
MONEY BACK GUARANTEE
TOLL-FREE TECH SUPPORT
UPDATABLE VIA FLOPPY
ONE YEAR WARRANTY

• JUST \$798

• JUST \$798


CALL FOR FREE DEMO DISK 800/225-2102

BPMICROSYSTEMS

10681 HADDINGTON #190 HOUSTON, TX 77043 713/461-9430 TLX: 1561477 FAX: 713/461-7413

Circle 36 on Reader Service Card

The Amazing A-BUS



An A-BUS system with two Motherboards A-BUS adapter (IBM) in foreground

Plug into the future

With the A-BUS you can plug your PC (IBM, Apple, TRS-80) into a future of exciting new applications in the fields of control, monitoring, automation, sensing, robotics, etc.

Alpha's modular A-BUS offers a proven method to build your "custom" system today. Tomorrow, when you are ready to take another step, you will be able to add more functions. This is ideal for first time experimenting and teaching.

A-BUS control can be entirely done in simple BASIC or Pascal, and no knowledge of electronics is required!

An A-BUS system consists of the A-BUS adapter plugged into your computer and a cable to connect the Adapter to 1 or 2 A-BUS cards. The same cable will also fit an A-BUS Motherboard for expansion up to 25 cards in any combination.

The A-BUS is backed by Alpha's continuing support (our 11th year, 50000 customers in over 60 countries).

The complete set of A-BUS User's Manuals is available for \$10.

About the A-BUS:

- All the A-BUS cards are very easy to use with any language that can read or write to a Port or Memory. In BASIC, use INP and OUT (or PEEK and POKE with Apples and Tandy Color Computers)
- They are all compatible with each other. You can mix and match up to 25 cards to fit your application. Card addresses are easily set with jumpers.
- A-BUS cards are shipped with power supplies (except PD-123) and detailed manuals (including schematics and programming examples).

Relay Card RE-140: \$129

Includes eight industrial relays. (3 amp contacts. SPST) individually controlled and latched. 8 LED's show status. Easy to use (OUT or POKE in BASIC). Card address is jumper selectable.

> Reed Relay Card RE-156: \$99

Same features as above, but uses 8 Reed Relays to switch low level signals (20mA max). Use as a channel selector, solid state relay driver, etc.

Analog Input Card AD-142: \$129 Eight analog inputs. 0 to +5V range can be expanded to 100V by adding a resistor. 8 bit resolution (20mV). Conversion time 120us. Perfect to measure voltage, temperature, light levels, pressure, etc. Very easy to use

12 Bit A/D Converter AN-146: \$139 This analog to digital converter is accurate to .025%. Input range is -4V to +4V. Resolution: 1 millivolt. The on board amplifier boosts signals up to 50 times to read microvolts. Conversion time is 130ms. Ideal for thermocouple, strain gauge, etc. 1 channel. (Expand to 8 channels using the RE-156 card).

Digital Input Card The eight inputs are optically isolated, so it's safe and easy to connect any


"on/off" devices, such as switches, thermostats, alarm loops, etc. to your computer. To read the eight inputs, simply use BASIC INP (or PEEK). 24 Line TTL I/O

Connect 24 input or output signals (switches or any TTL device) to your computer. The card can be set for: input, latched output, strobed output, strobed input, and/or bidirectional strobed I/O. Uses the 8255A chip.

Clock with Alarm CL-144: \$89 Powerful clock/calendar with: battery backup for Time, Date and Alarm setting (time and date); built in alarm relay, led and buzzer; timing to 1/100 second. Easy to use decimal format. Lithium battery included.

Touch Tone® Decoder PH-145: \$79 Each tone is converted into a number which is stored on the board. Simply read the number with INP or POKE. Use for remote control projects, etc.

A-BUS Prototyping Card PR-152: \$15 31/2 by 41/2 in. with power and ground bus. Fits up to 10 I.C.s



ST-143




CL-144



RE-140



IN-141



Smart Stepper Controller SC-149: \$299

World's finest stepper controller. On board microprocessor controls 4 motors simultaneously. Incredibly, it accepts plain English commands like "Move arm 10.2 inches left". Many complex sequences can be defined as "macros" and stored in the on board memory. For each axis, you can control: coordinate (relative or absolute), ramping, speed, step type (half, full, wave). scale factor, units, holding power, etc. Many inputs: 8 limit & "wait until" switches, panic button, etc. On the fly reporting of position, speed, etc. On board drivers (350mA) for small steppers (MO-103). Send for SC-149 flyer.

Remote Control Keypad Option RC-121: \$49 To control the 4 motors directly, and "teach" sequences of motions.

Power Driver Board Option PD-123: \$89 Boost controller drive to 5 amps per phase. For two motors (eight drivers).

Breakout Board Option BB-122: \$19 For easy connection of 2 motors, 3 ft, cable ends with screw terminal board,

Stepper Motor Driver ST-143: \$79 Stepper motors are the ultimate in motion control. The special package (below) includes everything you need to get familiar with them. Each card drives two stepper motors (12V, bidirectional, 4 phase, 350mAper phase). Special Package: 2 motors (M0-103) + ST-143: PA-181: \$99

Stepper Motors MO-103: \$15 or 4 for \$39 Pancake type, 2¼" dia, ¼" shaft, 7.5°/step, 4 phase bidirectional, 300 step/sec, 12V, 36 ohm, bipolar, 5 oz-in torque, same as Airpax K82701-P2.

Current Developments

Intelligent Voice Synthesizer, 14 Bit Analog to Digital converter, 4 Channel Digital to Analog converter. Counter Timer, Voice Recognition.

A-BUS Adapters for: IBM PC, XT, AT and compatibles. Uses one short slot. AR-133...\$69 Tandy 1000, 1000 EX & SX, 1200, 3000. Uses one short slot. AR-133...\$69 Apple II, II+, IIe. Uses any slot. AR-134 \$49 TRS-80 Model 102, 200 Plugs into 40 pin "system bus" AR-136...\$69 Model 100. Uses 40 pin socket. (Socket is duplicated on adapter). AR-135...\$69 TRS-80 Mod 3,4,4 D. Fits 50 pin bus. (With hard disk, use Y-cable). AR-132...\$49 TRS-80 Model 4P. Includes extra cable. (50 pin bus is recessed). AR-137...\$62 TRS-80 Model I. Plugs into 40 pin I/O bus on KB or E/I. AR-131...\$39 Color Computers (Tandy). Fits ROM slot. Multipak. or Y-cable. AR-138...\$49

A-BUS Cable (3 ft, 50 cond.) CA-163: \$24 Connects the A-BUS adapter to one A-BUS card or to first Motherboard. Special cable for two A-BUS cards: CA-162: \$34

A-BUS Motherboard

Each Motherboard holds five A-BUS cards. A sixth connector allows a second Motherboard to be added to the first (with connecting cable CA-161: \$12). Up to five Motherboards can be joined this way to a single A-BUS adapter. Sturdy aluminum frame and card guides included.

Add \$3.00 per order for shipping. Visa, MC, checks, M.O. welcome. CT & NY residents add sales tax. C.O.D. add \$3.00 extra. Canada: shipping is \$5 Overseas add 10%



HA Products 242-B West Avenue, Darien, CT 06820

Technical info: (203) 656-1806 800 221-0916 Connecticut orders: (203) 348-9436 All lines open weekdays 9 to 5 Eastern time



WE OFFER:

- 1. Same Day Service All orders shipped, insured, within 24 hrs
- 2. Guaranteed Satisfaction Lifetime warranty, 30-day return guarantee
- 3. In-stock Inventory No delays, no disappointments
- 4. No Minimum Order Quantity discounts also available
- 5. Pre-Approved Purchase Orders and Visa & Master-Card Accepted

AND GREAT PRICES!	
5.25 Black Disks, DS/DD	.36 ea.
5.25 Color Disks. 8 Colors	
Available, DS/DD	.46 ea.
5.25 Black Disks, DS/HD.	.82 ea.
5.25 Color Disks, 8 Colors	
Available, DS/HD	.94 ea.
3.5 Blue or Gray Disks,	
DS/DD	1.12 ea.
3.5 Color Disks, 5 Colors	
Available, DS/DD	1.28 ea.

100% certified and tested. Error free lifetime warranty. All disks include generic white box, Tyvek sleeves, labels, write protect tabs, shrink wrapped.

3.80 ea.

3.5 High Density, Black



CONTINUOUS FORM LABELS

Size	Across	Box Qty.	Price/1,000	
23/4 x 7/16	1 across	10,000	\$1.95	
23/4 x 7/16	4 across	20,000	\$1.95	
21/2 x 15/16	1 across	5,000	\$2.18	
21/2 x 15/16	3 across	15,000	\$1.98	
23/4 x 23/4*	1 across	2,500	\$12.00	
23/4 x 1-7/16	1 across	5,000	\$3.00	
3 x 15/16	4 across	20,000	\$2.00	
$3.3 \times 15/16$	4 across	20,000	\$2.05	
31/2 x 15/16	1 across	5,000	\$1.90	
31/2 x 15/16	2 across	10,000	\$1.90	
31/2 x 15/16	3 across	15,000	\$1.90	
31/2 x 15/16	4 across	20,000	\$1.90	
4 x 15/16	1 across	5,000	\$3.21	
4 x 15/16	3 across	15,000	\$3.21	
4 x 1-7/16	1 across	5,000	\$3.25	
4 x 1-7/16	3 across	15,000	\$3.25	
Prices • Des	Prices quoted for full boxes only. * Designed for the 31/2" disk.			

"The Quality Disk & Label Specialist Since 1982" 1040 Broadway

Westville, NJ 08093 609-456-6996 FAX# 609-456-7172

All products assembled in the U.S.A. All orders F.O.B. Westville, NJ C.O.D. orders add \$2.20

9-TRACK MAG. TAPE SUBSYSTEM* FOR THE IBM PC/XT/AT AND...




For information interchange, backup and archival storage, AK Systems offers a 9-track, IBM format-compatible ½" magnetic tape subsystem for the IBM PC, featuring:

- IBM format 1600/3200 and 800 cpi.
- Software for PC-DOS, MS-DOS, XENIX
- Also for AT&T, DEC, VAX, VME, S-100, RS-232, IEEE 488.

nerly IBEX Main

AKSystems

Circle 12 on Reader Service Card



PC488B

IEEE-488 INTERFACE CARD WITH BUILT-IN BUS ANALYZER

- GPBASIC package complements IBM/Microsoft BASIC interpreter and compiler to create a programming environment similar to HP desktop computer. Additional libraries of over 20 high level 488 dedicated functions for C, Pascal or Fortran available (\$50). Powerful menu-driven bus analyzer, which can run in the foreground or in the background while 488 programs or commands are executed, features program stepping, break points and real time bus data capture (4k circular buffer). Instant toggling between foreground and Analyzer screen. Complete Talker/Listener/Controller capability.

 Dipswitch selectable Base Address, IRQ, DMA

Call today for datasheet!! VISA MC AMEX

B&C MICROSYSTEMS

355 West Olive Ave, Sunnyvale, CA 94086 PH: (408)730-5511 FAX: (408)730-5521 TELEX: 984185

Circle 25 on Reader Service Card

Dealers!

Network-OS LAN Systems - Includes Boards, Cabling, Terminators and Software. Two-user hardware and software for under \$1,000 list!

Close-Up Remote Communications - Support your customer without leaving your office. Authored by Cogitate for Norton-Lambert!

Context Sensitive Help for DataFlex, RM/COBOL, Clipper and dBase III - Puts your application's documentation "on line."

DataFlex Database Management - True Multi-User database for MS/PC-DOS, Unix and Xenix. Site licensing available

Dump/Restore-XT - Seven utilities for the MS/ PC-DOS user.

Call or write today for our catalog and pricing!

COGITATE, INCORPORATED

"A Higher Form of Software 24000 Telegraph Road Southfield, MI 48034 (313) 352-2345/Telex: 386581 Visa/MasterCard Accepted

Circle 45 on Reader Service Card

Get the whole story on graphics terminal emulation.



To find out more about software that lets your PC emulate TEKTRONIX™ 4105/6/7/9 and DEC VT100™ terminals, call or write:



GRAFPOINT

4340 Stevens Creeks Blvd., Suite 280, San Jose, CA 95129 (408) 249-7951

Circle 113 on Reader Service Card

IBM PC/VT220

- EM220 · VT220, VT102 emulation
- · File Transfer \$169
 - · 132 Column modes
 - · Color Support
 - · Hot Key

TEK 4105

\$349

- EM4105 · Tektronix 4105 emulation
 - · Tektronix 4010 emulation
 - · VT220, VT102 emulation
 - · Picture files
 - · High resolution hardcopy
 - · VGA and EGA support



Diversified Computer Systems, Inc.

3775 Iris Ave., Suite IB Boulder, CO 80301 (303) 447-9251

Trademarks: VT102, VT220 — DEC: IBM PC, XT — IBM Corp:

Circle 78 on Reader Service Card



RS 232/IEEE 488 Networks

- RS 232/IEEE 488 Networks Stepping & Scape Motor Controls Ruggedized PC's Rack Mig. 80286 & 80386 Laboratory Automation 1 MHZ AU Digital Scopes to 200 MHZ High Spaced Bus Adapters Waveform Synthesizers Data Loggers PC Bus Expansion Chassis And Mutch Motor
- And Much More

Call or write for a FREE handbook today! 203-786-5151 of (9:00 AM to 5:00 PM E.S.T) A How-to-Handbook that enables you to configure the BEST products from the world's leading PC hardware and software vendors into risk free turn-key system solutions that meet your needs.

Toll Free Hotline for application assistance and convenient one stop shopping at competitive prices. 100% Satisfaction Guaranteed.



What's New at

AMERICAN DESIGN COMPONENTS?

"The Source" of the electro-mechanical components for the hobbyist.

EXTERNAL

DISK DRIVE

CHASSIS

With

power

supply (fan cooled).

2 full-ht. drives

2 floppy drives.

Can accommodate:

1 hard drive & 1 floppy

e warehouse 60,000 items at Ve warenouse 60,000 tto....

American Design Components expensive, often hard-to-find components for sale at a fraction of their original cost!

You'll find every part you need either brand new or removed from equipment (RFE) in excellent condition. But quantities are limited. Order from this ad, or visit our retail showroom and find exactly what you need from the thousands of items on display.

OPEN MON.-SAT., 9-5

THERE'S NO RISK!

With our 90-day warranty, any purchase can be returned for any reason for full credit or refund.

EGA COLOR MONITORS...

25 KHz

Operates ideally with the ATI Wonder Card (avail. from American Design for \$199.00). Perfect

for S199.00). Perfect
for text. CAD & other
graphics applications.
Scanning freq. to 25KHz. Std. Hi-Res.: 800 x
560, 752 x 410. Input: 110/220V, 50/60Hz., 75W.
Mtd. in metal chassis. (Hook-up diagram incl.)
Mfr — Hitachi #CD1215DTL.
TESTED — LIKE NEW!

Item #18059 Item #18599 \$179.00 \$189.00

COMMODORE COMPUTERS...



PLUS 4

(Cust. Returns -Tested Good!) Built-in software incl.: a word processor, spread sheet, graphics, & a filing system. Comes complete w/power supply & instruction manual.

\$49.95 Item #19202 VIC 20 -(Cust. Returns — As Is!)
No guarantee. (Power supply not incl.)

Item #18770 \$29.95

INTEGRATED CIRCUITS... STATIC BAMS

	MIICH		
2114	1024 x 4	(450ns)	\$.99
2148-55			3 49
2149	1024 x 4	(45ns)	2.49
2167S-45			3.95
2102L-2			1 90
HM6116LP-3	2048 x 8	(150ns)	11.00
HM6116LP-4	2048 x 8	(200ns)	10.00
6147P			2.95
6167P-6			4.50
6514		•	3.40
	OPROCE		
00001 + -		The state of the s	

IVIICACEA	OCESSORS
8086-i\$ 5.80 80885.50 7653.75	68000P-16\$ 20.00 68020RC16199.00 68881RC12145.00
68008-89.95 68000P-1013.50	R80286-655.00
DYNAV	IIC RAMS

	TENTIO TIPATIO											
4116-200	16,385 X 1 (200ns)\$.69											
4116-250	16,384 x 1 (250ns)49											
4164-150	65,536 x 1 (150ns)1.25											
TMS4164	65,536 x 1 (150ns)2.25											
TMS4416	16,384 x 4 (150ns)12.00											
4.464-150	65,536 x 4 (150ns)15.00											
8118	16,384 x 1 (120ns)49											
41256-150	262,144 x 1 (150ns)15.00											
EPROMS												
2708	1024 x 8 (450ns)\$ 4.95											
2716	2048 x 8 (450ns)3,49											
TMS2532	4096 x 8 (450ns)5.95											
2732	4096 x 8 (450ns)3.95											
2732A-25	4096 x 8 (250ns)3.95											
27C64	8192 x 8 (250ns)4.95											
2764	8192 x 8 (450ns)2.95											
2764A-25	8192 x 8 (250ns)3.55											
2764-250	8192 x 8 (250ns)3.55											
MCM68766	8192 x 8 (350ns) 15.95											
27128A-25	16,384 x 8 (250ns)5.00											
27128-250	16,384 x 8 (250ns)4.25											
27C256	32,768 x 8 (250ns)7.95											
27512	65,536 x 8 (250ns)11.55											

27C128-26

51/4" FULL-HEIGHT HARD DISK DRIVES

40Mb (AT/XT

Compat.)
High speed, 40 ms. access time.

FANS

115VAC, 60Hz., 21W.,

Quantum #Q540

Item #17765 New - \$379.00 10Mb (ST412 Compat.)

Get them while they last!

115 CFM MUFFIN®

3100 RPM, 5-blade model, alu-

USED - Mfr: Centaur/Howard

COMPUTER GRADE

POWER SUPPLY

Other uses-runs CB & car

DC Output:

radios. Comes ready to plug in! DC Output; -5V @ .5 amp. +5V @ 3 amp.

Input: 115V/60Hz. Dimensions:

91/4"W x 33/4"H. (Rubber ft. incl.

Item #9501 New - \$24.95

for blowing or exhaust.

Dimen: 411/16"

NEW - Mfr: IMC

minum housing. Can be mounted

Item #1864 \$9.95

Item #5345 \$5.95

Item #17199 \$99.00 ea

51/4" FULL-HEIGHT DISK DRIVE (IBM® Compat.)



48 TPI,40 Track, Double Side/Double Density Tandon #TM100-2 or equiv.

> Item #7928 \$79.00 New 2 for \$150.00 New

12/24VDC **MUFFIN® TYPE FANS** 55/100CFM



Fig. 1 2"L x 2¹/₄"dia. x 2¹/₄"H

700*

900*

PM 20 72

PM

PM

PM

DC Torque

1" THIN: 5 plastic blades with feathered edges. 8W. Can be mounted for blowing or exhaust. Aluminum housing. Brushless, ball-bearing type. Mfr: - Centaur, #CUDC24K4-601

Item #8541 New - \$19.95 STEPPING MOTORS

for ROBOTICS... Precision steppers

with increments

Step

Angle Volt. oz/in. Type

1.89 1.8

from 1 to 7.5° Speeds up to

5,000 steps.

Item

No.

5275

7630 1.8° 3.0 200

16410 1.8° 12.0

16406 3.6° 120 700*

7014 7.5°

* Grams per Cm.

31/2" MICROFLOPPY DISK DRIVE



1 Mb (unformatted), 135 TPI, 3 ms access time. Power require-ments: +12, +5 volts. Removed from operational computers

TESTED — LIKE NEW! Mfr — NEC, model FD1035 Item #17171 \$79.00 ea

LAMP

Multi-position, 30"

11/2"sq. x 11/4"deep

Mfr. & Part No.

Superior MO61-FF-6201B

Superior MO92-FT-402

Applied Motion 4017-839

Applied Motion 4017-838

Mitsubishi 55SI-25DAYA

completely adjustable swing arm with 3-way metal C-clamp. Has 4" diopter

magnifying lens, w/ruler. Porce-lain lamp socket & on/off switch;

Item #13136 New - \$24.95

Fig. 3

Fig.

21/8"sq. x 1"deep

Price

\$19.95 ea. 2 for \$37.50

\$34.50 ea. 2 for \$59.50

\$9.95 ea. 2 for \$14.95

\$9.95 ea. 2 for \$14.95

\$10.95 ea. 2 for \$19.95

uses up to a 60W bulb. Color: beige. UL listed.

2 for \$150.00 MAGNIFYING

Orig. for Burroughs computer. Dim.: 11"W x 8"H x 12" deep Item #14541 \$59.50 **HIGH-RESOLUTION** TTL MONITORS... (Open

Input: 115/230V, 50/60 Hz.

our item #7928

#1904

#13250



9"- High Resolution 12VDC Green phosphor. Schematic included. Motorola #MD2003-190

Item #17198 New - \$14.95

12"- High Resolution 12VDC, green phosphor. Sub-assemblies, CRT, board & transformer included. Comes w/hook-up diagram.

Item #6811 New - \$19.95

15" Data Display/Monitor Kit Alphanumeric & graphics display. Green phosphor. Input power reg. 24VDC. Bandwidth: 22-72Khz. Consists of 2 subassemblies (monitor & board). Hook-up diagram included. Wells Gardner #15V7025.

Item #16171 New - \$24.95

Please call or write with your requirements!

We carry a full line of ICs & Semiconductors..

+12V @ 6 amp.

HIGH POWER **SWITCHING** POWER SUPPLY



DC Output: +5V @ 18A -5V @ 2.5A +12V @ 2.5A Input: 115/230VAC, 50/60Hz.

Dim: 13"L x 41/2"W x 11/2"H Mfr — Sola #39–139 Item #17210 New - \$29.95

SMART WATCH DS1216

12.0



roller & lithium energy source.
Accepts either 24-pin 2K x 8 or 28pin 8K x 8 CMOS static RAM.
Communication w/Smart Watch
function is established by pattern recognition on a serial bit stream of 64 bits on D.O. Mfr — Dallas Semiconductor Item #15939 New - \$29.95

For all phone orders, call TOLL FREE 800–524–0809. In New Jersey call (201) 939–2710.

Complete microcomputer

PROTOTYPING

DEVICE w/EPROM



INTERFACE — (Z8603)

2Kb ROM; 128 bytes RAM; 321/O lines; up to 62Kb addressable extern, space ea.; 144 byte reg. file;. 124 G.P. reg.; 4 I/C port reg.; 16 status & contr. reg; Full duplex UART; 2 program. 8-bit counter/timers On-chip oscill. accepts crystal or extern. clock drive; 1.5V power supply. TTL compat.

Item #18515 \$24.95

ANTI-GLARE SCREENS...

Glare & reflection filters that improve speed, accuracy & operator comfort...

Monochrome	ltem #19215
BM PC Color	ltem #19216
AT&T Monochrome	Item #19223
Apple Macintosh	Item #19225
Compaq Portable	Item #19226
Vew - \$8.95 ea.;	2/\$15.00
.J. 07074	MINIMUM

ORDER

AMERICAN DESIGN COMPONENTS, 62 JOSEPH STREET, MOONACHIE, N.J. 07074 YES! Please send me the following items-

Item No.	How Many?	Description	Price	Total
			-	
	<u> </u>			
			TOTAL	
Fall F	otherv	ripping & handling: we sh vise specified. Add S3 plu anadian: S3 plus P.O. cos	s 10% of total	
wither	Pplemo)	Sales Tax (N.J. please a	residents only, dd 6% of total)	
146	ryorderi		ORDER TOTAL	
Secretary Secretary				

My check or money order is enclosed.
Charge my credit card. ☐ Visa ☐ Master Card ☐ Amex

Byte-988 Card No Exp. Date Signature Telephone: Area Code Number Name Address City

Zip All inquiries and free catalog requests—call (201) 939-2710.



- Single channel async communication board for IBM PC/XT/AT
- Software selectable to be RS/ 422/485, 232 or Current Loop
- Selectable Address & Interrupt

1-800-553-1170

QUA TECH

478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726

Circle 217 on Reader Service Card

DS-225

Address Selectable

or BS-485

• Selectable & Shareable Interrupts 1-800-553-1170

QUA TECH

Two Serial Ports, RS-232, RS-422

478 E. Exchange St., Akron, OH 44304 TEL: (216) 434-3154 FAX: (216) 434-1409 TLX: 5101012726

Circle 218 on Reader Service Card

 Two Parallel Printer Ports Two 8-Bit Digital I/O Ports

SERIAL/PARALLEL **Communications Board**

- For IBM PC/XT/AT/PS/2
 - Dual channel RS-422/RS-485
 - Selectable/shareable interrupts
 - Differential drivers to 4000 ft.

Immediate delivery

1-800-553-1170

Communications Board



Leaders in Communication Technology 478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726 (216) 434-3154

Circle 219 on Reader Service Card

72 Diaital |



PXB-721 Parallel Expansion Board

- For IBM-PC & Compatibles
- 72 Digital I/O Lines
- Simple Programming
- Uses One Expansion Slot
- **Fast Delivery**

\$195

1-800-553-1170



478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726

Circle 220 on Reader Service Card

MODULAR DATA ACQUISITION



- FOR IBM & Compatibles
- Flexible and Inexpensive
- Money Back Guarantee
- Free Technical Support Fast Delivery 1-800-553-1170



Leaders in Communication Technology 478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726

Circle 221 on Reader Service Card



MXI-100

- GPIB controller board for IBM PC/XT/AT
- Control up to 14 Devices
- User friendly Software Commands
- DMA Transfer to 200k byte/sec. \$345.00 including software

QUA TECH

478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726 (216) 434-3154 800-553-1170

Circle 222 on Reader Service Card



- · For IBM-PC/XT/AT & comp.
- Dual RS-232C interface
- Optional software supports COM1, COM2, COM3, COM4
- Jumper selectable interrupts Fast Delivery 1-800-553-1170



478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726



478 E. Exchange St., Akron, OH 44304 (216) 434-3154 TLX: 5101012726

 For IBM PC/XT/AT and compatibles · Generates user-definable signal Up to 2000 points per envelope \$795.00 1-800-553-1170

Communications Board

MODELS 50, 60, 80

- * DUAL CHANNEL
- ADDRESS SELECTABLE
- BAUD RATE TO 256 K
- INTERRUPT SELECTABLE

1-800-553-1170



Leaders in Communication Technology 478 E. EXCHANGE ST. **AKRON, OH 44304** TLX: 5101012726

(216) 434-3154 FAX: (216) 434-1409



51/4" DS/DD **59**°

3½" DS/DD **1.09**

Price based on quantity of 300 includes sleeves, labels and tabs.

800-222-0490

In NJ 201-462-7628 FAX 201-462-5658

24 Hour Shipment

P.O. Box 710, Freehold, NJ 07728

Circle 164 on Reader Service Card



- UNIVERSAL E(E)PROM PROGRAMMER \$495 (Kits from \$165)
- No personality modules; Menu driven device selection. Built-in Eraser/Timer option (\$50); Conductive foam pad.
- · Direct technical support; Full 1 year warranty
- Stand alone duplication & verify (27XX parts).
- Quick pulse algorithm (27256 under 60 sec).
- 27xx to 1 Mbit; 25xx; 68xx; CMOS; EEPROMS.
- 8741,-2,-4,-8,-8H,-9,-9H,-51,-C51,-52,-55, 9761 & more
- IBM-PC, Apple, CPM or Unix driver; Autobaud RS232.
- Offset/split Hex, Binary, Intel & Motorola 8,16,32 bit.
- Manual with complete schematics. VISA MC AMEX Call today for datasheets !!

B&C MICROSYSTEMS

355 WEST OLIVE AVE. SUNNYVALE, CA 94086 PH: (408) 730-5511 FAX: (408) 730-5521 TELEX: 984185

Circle 26 on Reader Service Card

UNIPRO™

UNIVERSAL PROGRAMMER AND MEMORY/TTL IC TESTER FOR PC/XT/AT



E(E)PROM (16K-1MB) PAL (20 & 24 pins) BIPOLAR 8741/42/48/49/50 CPU 87(C)51/44 CPU DYNAMIC/STATIC RAM & TTL TESTER Option: 4 Socket adaptor only \$585 complete

products available. Individual programorner products available. Individual programmers for E(E)PROM (up to 1MB), PAL, BIPOLAR, 8748 series, 8751 series, Memory/TTL Tester, and gang programmers with 4, 8, & 16 sockets. Also industrial quality EPROM Eraser with timer and safety switch is available (erases 30 of 28 pin eproms at a time).

OEM & Distributor welcome. 10 % educational discount

473 Sapena Ct. #24 Santa Clara, CA 95054 XELTEK Tel (408) 727-6995 FAX (408) 727-6996

VISA M/C AMEX

BUY QUALITY

51/4" DS/DD 3 **100% CERTIFIED** IFETIME WARRANT

Price based on quantity of 250 in bulk includes Tyvek sleeves and label kits.

800-222-0490

In NJ 201-462-7628 FAX 201-462-5658

24 HOUR SHIPMENT

P.O. Box 710, Freehold, NJ 07728 Full service duplication facility

Circle 165 on Reader Service Card





- · Mainframe to PC Data Transfer
- High Speed Backup
 All Software, Complete System
- · Service and Support, easy Installation

call (818) 343-6505 or write to: Contech Computer Corp. P.O. Box 153 Tarzana, Calif. 91356

CONTECH

Circle 58 on Reader Service Card

MICRO CHANNEL ENGINEERING DEVELOPMENT SUPPLIES

INTRODUCING: The PS/2 Burn-In Board!

For Design and Manufacturing Engineers



Backplane for PS/2 Micro Channel

2. Test adapters without power cycling computers

3. Test adapters without damaging computer

4. Optional module and software provides single step bus

CALL now for your FREE Catalog Quality PS/2 compatible products available.

ONTARGET

ON TARGET Associates 1034 W. Maude Ave., # 602 Sunnyvale, CA 94086 (408) 980-7118

FCC APPROVED!



Sub-Mini AT! The Space Saver 3-DR. Capability 8-Expansion Slots!

Basic System:

3-LEDs, Keylock, Reset & Turbo Switch
 200-Watt Power Supply
 8 Full Size Expansion Slots

3 Exposed Half Height Drive

Smaller Foot Print Than XT 6/12MHz 0 Wait State

80287 Math Coprocessor Ready

On Board 0-1MB RAM With 512K

1ea 1.2MB High Density Drive 1ea WDC WA2 Floppy/H.D. Controller BTC-5060 AT Style Keyboard

Assembled, Tested & Burned-in

MAT-1 \$799.00

PERIPHERALS FOR XT AND AT

-(DR XT	
	Floppy Disk Controller With Cable	\$20.00
2.	Hard Disk Controller With Cable	\$72.90
3.	Color Graphics Card With Composit Jack	\$47.10
4.	Color Graphics Card With Printer Port	\$51.80
5.	Mono Graphics Card With Printer Port	\$51.80
6.	Color/Monochrome Graphics Printer Card	*******
	(Runs Color Software on TTL)	\$69.40
7.	Enhanced Graphics Adaptor (EGA)	\$147.10
8.	Smart VGA	\$276.50
9.	Parallel Printer Card	\$17.60
10	Dual Came I/O Card	*****

Serial I/O Card Dual Serial I/O Card \$23.50 \$41.20 Mouse For PC/XT/AT W/Driver Software Multi I/O (Ser/Par/Game/Clk/Ctrlr) \$58.80

15 No Slot Clock With Software 0-576K RAM Card \$27.10 16 \$31.80 \$81.20 \$88.20

8MHz XT Motherboard W/Phoenix BIOS 10MHz XT Motherboard W/Phoenix BIOS 19. 150-Watt Power Supply \$43.50

FOR AT

13.

Floppy/H.D. Controller W/Cables 0-2MB EMS RAM Card With Software \$141.20 \$112.90 O-2MB EMS RAM Card With Software
 Serial/Parallel Card
 6/10MHz AT M.B., 0 Wait, Phoenix BIOS
 B/12MHz AT M.B., 0 Wait, Phoenix BIOS
 8/10MHz Mini AT M.B., 0-W, Award BIOS
 6/12MHz Mini AT M.B., 0-W, Phoenix BIOS
 27. 200-Watt Power Supply \$43.50 \$278.80 \$325.90

10MHz XT Turbo Basic System:

• Baby AT Case
• 1ea Floory 1ea Floppy Disk Controller

 Keylock, LED, Reset & Turbo Sw.

4.77/10MHz Selectable

 8 Expansion Slots 8087 Math Coprocessor

Ready

150-Watt Power Supply

 0-640K On Board With 256K · 1ea 360K Floppy Drive

· 1ea Mono Graphics

\$347.10 74.10

Printer Card

1ea 12" TTL Amber
Monitor With Swivel

1ea XT Style Keyboard
Assembled, Tested & Burned-in

XT10-1 \$495.00

6/10MHz AT-286 Basic System:

 6/10MHz Selectable 6MHz 1-Wait, 10MHz

0-Wait

8 Expansion Slots80287 Math Coprocessor

Ready 200-Watt Power Supply

. 0-1MB On Board With 512K • 1ea 1.2MB Floppy

Disk

1ea Floppy/H.D. Ctrlr.1ea BTC-5060 AT Style KBD

AT10-1 \$777.00

ORDER HOT LINE 1-800-543-5107 Technical Information (714) 990-2097

Hours: Mon. - Fri. 9:00 am - 6:00 pm PST Please write for our complete price list.



JAWIN COMPUTER PRODUCTS 565 W. Lambert Rd., #C Brea, CA 92621



Terms: Please add 5% (or \$2.00, whichever is higher) plus .25* for each \$100.00. CA residents please add 6% sales tax. We accept VISA/MC/Cash. Personal checks please allow 2 weeks to clear. All erchandise is warranted for 1 year unless otherwise stated

Make Money With Your PC

A Revolutionary Software System, designed for maximum profits with minimum setup, now transforms any IBM PC/XT/AT or compatible computer into a secure, reliable Bulletin Board and Information Host System.

Subscription Systems throughout the free world are presently being used in diala-date and matchmaking applications, for multi-user databases and multiple listing endeavors, on-line order taking, along with scores of other lucrative telecommunications tasks.

To learn more about this unique, selfperpetuating opportunity that can adapt to both voice and data environments, contact: PC/WORKS at (805) 654-0721 or FAX (805) 650-0195.

Circle 204 on Reader Service Card



■ soom storage on single disk

- connecting to any host via SCSI
- Plug'n Play to any operating system only \$4995 Limited time only

PANASONIC LS5000 \$2495 - 200 MB

OPTICAL MEDIA

For IBM & Panasonic Optical Drives - **\$52**

We carry a full line of 51/4" & 12" Optical Drives

SKAN TEKNOLOGIES, INC. optical storage systems (212) 809-5570 (516)295-2237

Circle 250 on Reader Service Card

VMEbus Multibus I&II S-100 bus

To achieve performance, you need a performance bus. To find out the latest information on any of the above buses, you need

SUPERMICRO

the magazine for integrators and users of VME, Multibus, and S-100.

SUPERMICRO, PO Box 2089, Provo, UT 84603

To find out how you can receive a trial issue, circle the number below.



NEW -- VERSION 2 OF SOFTWARE AND HARDWARE

-Programs 20 and 24 Pin MMI, NS, TI, AMD, Pin MMI, NS, 11, AMD, ALTERA, CYPRESS, RICOH, and PANATEC PALS. Supports EPLD, polarity, RA, and shared product term types. Functions Include: Read, Write, Verify, Protect, Edit, Print, and File load and save of program. -JEDEC supported. -Software Included



100MHZ LOGIC ANALYZER CARD

\$1199

-24 Channels at 25Khz-25Mhz -6 Channels at 100 Mhz -Internal Clock up to 100 Mhz -External Clock up to 25 Mhz -Threshold Voltage TTL, ECL, or variable from -10 to +100 -Can Stack Multiple Boards or variable from -10 to +10 -Can Stack Multiple Boards -All Software Included

CALL NOW FOR ORDERS AND TECHNICAL INFO (201) 994-6669



Link Computer Graphics, Inc. 4 Sparrow Dr.,

Circle 146 on Reader Service Card



Master Switch is sophisticated yet flexible. Several computers can access one another or share printers and modems. Use serial or parallel interfaces, up to nine ports. The buffer is expandable up to one megabyte. Access a job control menu from each computer to view the queue or cancel, hold, and release jobs. Many other features.

MasterNet software allows computer networking and electronic mail capabilities for PCs.

Other solutions from ROSE

- Printer Sharing
- Multiplexers
- Buffering
- Manual Switches

We design a variety of quality products for computer networking and data communication solutions guaranteed to work.


Dealer and OEM inquiries are welcome.




P.O. BOX 742571 HOUSTON, TX 77274 ELECTRONICS CALL FOR CATALOG 713 933 7673

Circle 235 on Reader Service Card (DEALERS: 236)








Circle 243 on Reader Service Card



Circle 252 on Reader Service Card



DATAFLEX

- Multi-user Database!
- Powerful!
- Multiple Operating System Compatibility!
- Attractive Dealer Pricing!
- Full Dealer Support! Dataflex is a trademark of Data Access Dealer Inquiries Invited



24000 Telegraph Road Southfield, Michigan 48034 USA (313) 352-2345

Circle 46 on Reader Service Card

ANGEL II Universal Print Buffer

SIX MOST USEFUL INTERFACE **DEVICES IN ONE BOX**

By combining all the features of a mega-byte buffer, an interface converter, a prurocal converter, an automatic A.B switch, a code generator, and an interface tester six most useful interface devices in one box the ANGEL II is a buffer in its own class. It hower the in its own class. It gives the maximum value at the lowest cost, it provides the completeness and convenience to the computer user that was never available before. It is the ideal buffer for your Laser printer, Plotter, CAM/CAD, and Desktop Publishing applications. ANGEL II DOES

IT ALL FOR YOU!
THE ANGEL II GIVES YOU THE BEST VALUE IN THE MARKET TODAY!

Angel II-256K \$325.00 Angel II-1M \$645.00 We accept Visa, Mastercard, COD (cash). To order from the U.S. Call Toll-Free:

1-800-263-7487

COMPUTER AGE LTD. P.O. BOX 730 NOBLETON, ONT. LOG INO 1-(416)-859-0370



OUTSTANDING FEATURES

- POWER UP AND GO feature eliminates cablo
- swapping.
 The first buffer that provides graphic compression, and store data theoretically up to 64M With standard RS-232 and Centronics connec
- With standard RS-222 and Clerentois connections. In large of profession choicing healthcast in choicing healthcast in choicing healthcast in Child (Parker) RT RS Rhandhainer, You Not the serial and BSNY ACK control for parisie.

 Memory see in user expandable to 256K, 11M tybes 1 to a Negative for the connection of the control of the

- Copy, Continous Copy, Hexdump, Diagno

Circle 51 on Reader Service Card





PC488A

LOW COST PC/XT/AT INTERFACE FOR IEEE-488 (GPIB/HPIB)

- Includes INSTALLABLE DOS DEVICE DRIVERS and software support for BASIC
 Optional language support for C, PASCAL, FORTRAN and ASSEMBLY \$50
 Selectable base I/O address, IRQ and DMA
 CONTROLLER/TALKER/LISTENER capability
 Customer support via dedicated 24 hours B&C Microsystems BULLETIN BOAB
 Ouantity discounts available

VISA MC AMEX Call today for datasheet!!

B&C MICROSYSTEMS

355 West Olive Ave, Sunnyvale, CA 94086 PH: (408)730-5511 FAX: (408)730-5521 TELEX: 984185

Circle 27 on Reader Service Card

"INDISPENSABLE"

Jerry Pournelle, Byte, 8/87

Vopt is the fast, safe disk organizer. It will quickly eliminate the file fragmentation that slows your disk operations.

Vopt includes Vmap for viewing the organization of your disks plus numerous other utilities that test and report on the efficiency of your system.

Call for a free demo disk!

\$59.95

\$3 shipping/handling CA add 6.5% sales tax.

GOLDEN BOW SYSTEMS



2870 Fifth Ave., Suite 201 San Diego, CA 92103 800/284-3269

Circle 112 on Reader Service Card



23552 Commerce Center Dr. Suite L Laguna Hills CA 92653

Stocking Distributor of Semiconductors

8087 5 • 8 • 10

80287 • 6 • 8 • 10 MEG

16 • 20 MEG

256K • 64K • 128K • V20 • V30

Fast• Reliable • Everytime

Phone:

714-855-0411 714-855-8504

No refund - exchange only - Exchange good for 30 days unless manufacturer warranties merchandise longer

Circle 89 on Reader Service Card

54" DISKS

5 BOX

D-Side D.Den.

31/2" Diskettes

S-Side 1195 D-Side 1650 H-Den 3995

8" Diskettes

S-Side 16 95 S-Side 20 D-Side 23 45 D-Den. 20 D-Den. 23 45

International Orders Accepted

Delaware 1.800.451.1849

Telex#4933362=Fax#405.495.4598



D·Side D·Den. HIGH 1645 1570 1500

> "Worldwide" Orders Accepted

DC 300XLP 19.75 3.5 H·Den. 4795 DC 600A 21.95 8" D·Side D·Den. 2340

Authorized Distributor Magnetic Media Division

Delaware 1.800.451.1849

Telex#4933362 Fax#405-495-4598

Double Side-Double Den

100% Tested & Certified Error Free, at "Minimum 55% Clipping Level or Higher." "Lifetime Warranty." With Tyvek Sleeves & Write on Labels

200 600

each each DEALERS WELCOME

Telex #4933362 = Fax #405-495-4598 Shipping Charges Vary With Quantity Call

Delaware 1.800.451.1849 Diskette Oklahoma 1.800-654-4058
PO BOX 10247, WILLINGTON, DE. 19800
PO BOX 1674, BETHANY, OK. 73009
OMNECLION NEVADA 1.800-621-6221-6291
PO BOX 12396, LAS VEGAS, NV. 8911

Minimum Order 2500 – Visa, MasterCard accepted, COD add 300. UPS delivery. US Mail for APO, FPO AK. HI, or PR add 5% additional for PAL.

SPEECH PRODUCTS

For PCs and compatibles SYNTHESIZER—only \$79.95



The next versatile and best sounding speech product available for under \$4000! The amazing Speech Thing provides text-tospeech as well as PCM and ADPCM speech and music reproduction. Comes with "Thing" D/A converter that attaches to the parallel printer port outside the computer—ideal for laptops. Will not interfere with normal printer operation. Also comes with audio amplifier/speaker and power adapter. Software includes two advanced text-to-speech programs, digitized speech and music files, full screen waveform editor, sampling music keyboard, special effects mixing board, and drivers so you can add speech and sound effects to programs written in BASIC, C, PASCAL, and others. Includes 54 page manual. SPEECH THING—\$79.95.

DIGITIZER—only \$89.95



The Voice Master PC Digitizer is a full 8-bit PCM sampler board. Fits in any available slot. Up to 15,000 samples per second. Input pre-amp has automatic gain control and 4.5 Khz low pass filter. Includes a quality headset microphone. Software included for recording and editing sound files for playback through Speech Thing. Also includes a real-time spectrum display and oscilloscope display as well as assembly language source listings for writing your own drivers. BONUS: Voice recognition program included which is callable via an interrupt vector. Demonstration program written in GWBASIC. VOICE MASTER PC DIGITIZER-\$89.95.

VOICE RECOGNITION only \$49.95



A price/performance break-through! Equal in performance to other systems costing hundreds more \$\$\$. The amazing Voice Master Key program adds voice recognition to just about any program or application. You can voice command up to 256 keyboard macros. Fully TSR and occupies less than 64K. Instant response time and high recognition accuracy. Easy and fun to use-no time and high recognition accordacy. Lasy and full to see his compilers or editors required. Works with CAD, desktop publishing, word processor, spread sheet, even other TSR programs. A genuine productivity enhancer. Voice Master Key can also be called from within a program for adding voice recognition to custom applications. Voice Master Key requires the Voice Master PC Digitizer for operation. (Please note: Voice Master Key will not replace the keyboard or mouse except under certain circumstances. Not to be confused with the still unavailable "voice typewriter.") VOICE MASTER KEY-\$49.95.

BONUS OFFER! Buy Voice Master Key with PC Digitizer for only \$129.95-you save \$10!

BETTER BONUS OFFERI Buy all three: Speech Thing, PC Digitizer, and Voice Master Key for only \$189.95—you save \$20!
ALL OF THESE PRODUCTS ARE OF PROFESSIONAL QUALITY.

ORDER HOTLINE: (503) 342-1271
Monday-Friday, 8 AM to 5 PM Pacific Time
Add \$5 for shipping and handling on all orders. Add an additional \$3 for 2nd day delivery. All goods shipped UPS. Master Card and VISA, money order, cashiers check or personal checks accepted (allow a 3 week shipping delay when paying by personal check). Computer type when ordering. 30 DAY MONEY BACK GUARAN-TEE IF NOT COMPLETELY SATISFIED. ONE YEAR WARRANTY ON HARDWARE. Call or write for FREE product catalog.



COVOX INC. 675-D CONGER ST., EUGENE, OREGON 97402 U.S.A. Tel: 503-342-1271 FAX: 503-342-1283



GANG/SET E)EPROM MULTIPROGRAMMERS TO

Model 135-E: \$99500

- Model 135 is a SET Programmer, GANG Duplicator, & UNIVERSAL Device Programmer.
 Programs virtually all 24, 28, & 32-pin (E)EPROMs.

- RAM expandable to 2MegaByte. Optional support for 40-pin EPROMs, Bipolar PROMs, 40-pin Micros, & (E)PLD/GAL/FPLA Devices.
- 18-Month WARRANTY & 12-Month FREE Device Updates

-800-523-1565 In Florida: 1-407-994-3520

BYTEK Corporation
1021 S. Rogers Cir., Boca Raton, FL 33487
FAX: (407) 994-3615 Telex: 4998369 BYTEK

Circle 37 on Reader Service Card

The BEST

Quality 51/4" DS/DD Diskettes Min. 100

Guaranteed Two-for-One Replacement if found initially defective within six months FREE sleeves, tabs, labels

51/4" COLOR (Min. 100) . 51/4" HIGH DENSITY (Min. 50) with FREE Plastic Case (Min. 10) ... \$4.99 31/2" DS/DD (Min. 50) \$1.09

100% Lifetime Warranty Shipping: \$4.50 per min. order/\$2.00 each addtl. lot

MC/VISA Only 1-800-537-1600

Operator No. 227

Dept. No. 1523 P.O. Box 61000 San Francisco, CA 94161

Circle 168 on Reader Service Card

Motion Control



A card in your PC creates the fast LAB 40 bus which supports up to 8 modules.

User Friendly Packages for PC/XT/AT.

• Intelligent DC Servo: Joystick, numeric control, motion record/playback, C calls. Up to 16 axes. Two axis package w/motors \$1550 (USA).

• 4-Axis Stepper w/source code & motor \$316.

• Scope/FFT 650KHz A/D 4 ch. w/source \$525.

*Modules: 8 & 12 bit A/D, Relay, Stepper, Clock, Servo & Amps, Prog Controller (Forth, A/D, EEPROM, 68HC11, RS-232/422/485, LAB 40).

*Adapter for RS-232 for Mac and others.

*Free immediate technical support & literature. Call (415) 755-1978 or our BBS (415) 755-1524.

75 Southgate, Daly City, CA 94015

omputer (415) 755-1978

(ontinuum Telex: 3727438



l not only a printer buffer!

THIS IS THE MOST SOPHISTICATED
PRINTER BUFFER - MULTIPLEXOR - SWITCH

PRINTER BUFFEK - MULLIPLEXOK - SWILCH WITH TWO SEPRATATE NUTUES (SERIAL AND PARALLEL) AND TWO SEPRATATE OUTPUTS (SERIAL AND PARALLEL) CAN BE USED LIKE STANDARD BUFFER. WITH ANY INPUT TO ANY OUTPUT. BUT ALSO YOU CAN CONNECT 2 COMPUTERS TO 1 PRINTERS, OR 1 COMPUTERS TO 2 PRINTERS, OR 2 COMPUTERS TO 1 PRINTERS AND 2 PRINTERS, OR 2 COMPUTERS TO 1 PRINTERS AND 2 PRINTERS TO 1 PRINTERS COPY AND RESET PUNCTIONS OF THE PRINTERS AND 2 PRINTERS AN

DCB-A-64K \$ 195 DCB-B-256K \$ 255 [*] [2] Power supply and parallel cables are include

ALSO, WE HAVE THE MOST COMPLETE DATA CONVERTER UNIT CONVERTER RS221 SERIAL TO CENTRONICS PARALLEL OR VICE VERSA, JUST BY MOVING JUMPERS BAUD RATE AND PROTOCOL PULLY PROGRAMABLE FROM 165 TO 19200 BAUDS INCLUDES DTR, RTS, XONNOFP, FARIT, VI

\$ 80 (**)

[22] Power supply and cables NOT included



serial<>parallel bi-directional converter



INTECTRA Inc.-Dept.232 2629 TÉRMINAL BLVD MOUNTAIN VIBW-CA-94043

VISA

(415) 967-8818 TX 345545



Circle 104 on Reader Service Card

Serial Data \$495 Introductory Analyzer Offer

DataScout™ turns your PC into a tool for solving RS-232 interfacing problems. Features:



- · Monitor full duplex async data
- Log Monitored Data to Disk
- Post Acquisition Analysis
- Inject Data in Either Direction
- Integrated Breakout Box
- 9 LEDs Monitor Signal Levels Simple menu driven interface

HiTech Equipment Corp. 9560 Black Mill. . . . San Diego, CA 92126

(619) 566-1892

Circle 119 on Reader Service Card

WE WILL NOT BE UNDERSOLD — CALL (800) 654-7762

CAT™8MHZ BASE SYSTEM

 256K (Opt. 640K) • 150 Watt Power Supply • AT Style Keyboard 4.77 or 8 MHZ Keyboard Selectable

• 8087 Socket • 360K Floppy Drive

\$39900



OPTION ' 640 x 200 Color Monitor Graphics Card w/par port

\$71600



12" Mono Amber Monitor Graphics Card w/par port 20 Meg Hard Drive

\$81900

CAT™ 286-10

BASE SYSTEM
512K Exp. to 1 MEG • 200 Watt Power Supply • AT Style Keyboard • Western Digital Controller • 1.2 Meg Floppy • Legal Bios w/manuals • Systems

Documentation • 1 vr war • Clarks

OPTION A AT 12" Mono Amber Monitor Graphics Card w/par port

\$107600



OPTION C AT 12" Mono Amber Monitor Graphics Card w/par port 20 Meg Hard Drive \$139900

\$54600	
6FT PARALLEL CABLE 1490 PANASONIC	PF

KXP1080I 144CPS

KXP10911 192CPS

RINTERS CITIZEN 180D 180CPS 9 Pin 10" . 179 MSP15E 160CPS 9 Pin 15" 369 MSP40 250CPS 9 Pin 10" 369 180D 180CPS 9 Pin 10" 229

Tractors — Sheet Feeders — Cables — Ribbons Available

EV	EREX	MEMORY	&	10	CARDS
-		or XT			890

8900 EV173 Par/Ser/Clock 0-1 Meg XT
EV173A Par/Ser 0-1 Meg AT
EV159 RAM 3000 Lotus/Intel 0-3 Meg 10900 7900 I.O. Par/Ser/Clock 6900 EGA 640 x 350 Auto Switching 14900

ECA INTERFACE	MONITORS GOLDSTAR	COL	COLOR OR MONO INTERFACE 6800									
	SAMSUNG		369	00								
14" KGB Color 64	Amber		2490	90								

640 x 200 Color Monitor Graphics Card w/par port

\$129900

EPSON 3½ DISK DRIVE

1.44 MEG \$109

10 for \$9200



In 5¼ Mounting • 720K \$9900

150 WATT POWER SUPPLY

· Direct PC Replacement \$5900

LI
5 YEAR WARRANTY

EVEREX TAPE BACKUPS

40MB	Mini Cartridge, 1.8MB/min, XT
40MB	Mini Cartridge, 3.6MB/min, AT35900
40MB	Streaming Cassette, 5MB/min w/cont53900
60MB	Streaming Cassette, 5MB/min w/cont61900
60MB	Streaming Cartridge, 5MB/min w/Full cont77900
125MB	Streaming Cartridge, 5MB/min w/Full cont 98900
	External Add 40000

External Add 1950

isylic		٠	٠	٠	٠	٠	•	•	٠	•	٠	٠	•	•	•	٠	٠	•	٠	٠	•	٠	٠	٠	
RA	I	١		l		l	ļ)		Ì		3	1	4		0	۱	E	(S				

				THAI		ď	,	ı	 ч	ц	L	l.	1	L		J						
4164	150	NS,	64	x 1							ov.	Ų.										300
4164	120	NS,	64	x 1								Ċ									:	325
4164	100	NS,	64	Κx	1.						÷			2 7			500					445
41256	150	NS,	25	6K x	1																12	295
41256	120	NS,	25	6K x	1							71			 ı	٠					13	345
41256	100	NS,	25	6K x	1		ú													i	. 13	395
4464	150	NS,	64	K x	4.																. 12	295
1Meg	100	NS,	10	48 x	1		3														.39	900

SETUP INSTRUCTIONS

HARD DRIVES

Seagate

COMPLETE KITS					
ST225 20Meg w/cont. & Cables	-	515	 1/2		26900
ST238 30Meg w/cont. & Cables					29900
ST251 40Meg 1/2 HT 40 Mil w/software					37900
ST251-1 40Meg, 2.8 Mil Sec					47900
S14026 20Meg Full HT 40 Mil					27900
STANGE ROMER Full HT w/coffware				1	CADO

MODEMS

E EVEREX-

EV-920 Evercom 12 300/1200 bps	7400						
EV-940 Internal 300/1200/2400	15900						
EV-945 External 300/1200/2400	23900						
MNP for all of above add \$10.00							
Mead / Hayes Compatible							
1200 Baud w/Bitcom 5 yr. Warranty	6900						
1200 Baud External, 5 yr. Warranty & Software	9900						
2400 Baud Internal, 5 vr. Warranty & Software	12000						

INTEL CODDOCECCODE

	U	MIEL	U	ı	J	ľ	•	İ	Ŋ	U	Ų	8	ľ		3	3		U	Į	ň	ŀ	3)					
Intel	8087	5Mhz																			0.11				100		9900	j
Intel	8087	8Mhz 6Mhz 8Mhz											٠		16	S				ì	Ī			•	•	Ì	14900	j
Intel	80287	6Mhz								('I	A	N	,,			•			•							17900	j
Intel	80287	8Mhz				.,	1	R	G	V	114	٩	.0							٠		į			ì		23900	ı
IIII	00207	TUIVINZ .			٠.																						28900)
intei	8038	7 16Mhz															÷									d	42900)
Intel	80387	20Mhz.				v																					77900	į
A 11 11		- A - A					-		-			-		Total Control														

SIMM RAM UPGRADES 256K x 9 120 NS . . 13900 1 Meg x 9 120 NS . . 64900

EVERYONE'S COST — CLEARANCE

Why pay \$1149 for a C.Itoh

STARWRITER™ F-10

When our 40 cps letter quality daisywheel printer from the same manufacturer is only

ea. 100 for \$249

These printers were originally priced to sell at over \$1100. Through a special arrangement MEAD has purchased these units from a major computer manufacturer and is offering these printers at a fraction of their original cost.

DAISYWHEEL PRINTER MANUFACTURED BY C.ITOH



3 MONTH WARRANTY STANDARD FEATURES

 40 CPS Accepts Paper to 15 inches
 Form Length and Pitch Set from Conrol Panel Industry compatible ribbon, printwheels and control commands
 RS232 Serial Interface

. 6 ft. Serial Cable . . 1900 or XT RS232/Serial Interface 3900 14900 Cut Sheet Feeder. 19900

360K FLOPPY DRIVE • TM100-2A Full Height · Orig. Drive used by IBM List 24900 Mead 8900

IN ORIGINAL IBM BOXES 160K FLOPPY DRIVE • TM 100-1A • 160K

• IBM Pkg & Instructions List 19900 Mead 3900

1 YEAR WARRANTY

10 MEG HARD DRIVE

COGITO • 1/2 Height

• 65 Mil Sec. List 29900 Mead 10900

PRINTER STANDS MANUFACTURED BY EPSON OR IBM

Mead 900

OKI DISK DRIVE

 360K IBM Compatible • 51/4", 1/3 Height • 90 Day Warranty

List 19900

Mead 4900

MITSUBISHI FLOPPY DRIVE

• 51/4" Half Height • Black Face • 1 Year Warranty

1.2 MEG

List 9900 Mead 7900

DATA CARTRIDGE 3M COMPATIBLE

OC1000 59 ea • DC 300 XLP • 45 Meg or Less • Indiv. Wrapped Mead 1400

List 3900

NO SURCHARGE FOR MC/VISA TERMS:

MC • VISA • COD • CASH Purchase Orders from Qualified Firms Personal Checks • AE add 4% 20% Restocking Fee on Non-Defective Returns









702-294-0204

CUSTOMER SERVICE / ORDER STATUS: 9 a.m.-4 p.m. PST

FAX 702-294-1168 narks are Registered with their respective Co.'s. Prices Subject to Change





Add 7090 w/controller

Circle 87 on R	leader Service Card	
*F	REE! Headcleaning	Kit
High Performa	O. S O O	nance People
DS-DD	Quantity Discounts Available	DS-HD
.72* 1.49	3.50"	1.48 4.45
	PC "Formatted" Disks	85
3M Highland	Box Diskettes Bulk w/tyvek, labels, W	47
DC-1000	12.75 DC-300XL	o 19.65
WHOLLY	17.25 DC-600A .	R DISKS
KA		Industry dards
	5.25"	
	in Plastic Storage Box Bulk - Color	
DS/DD Color .	3.50"	. DS/DD Color
1.59	in Plastic Storage Box	3.49
		REE BASF
5.25" DS/DD		/CR TAPE 5.25" DS/HD
.65*	3.50" DS/DD 1.35	.95
60 BASF 5.2	5" DS/DD in Minidex/60	
VV	erbatim	*FREE! DataLifePlus*
5.25" DS/DD		offer inside 5.25" DS/HD
.75	1.49	1.39
DataLitePlu	s w/Teflon, PC Forma	tted85
	Nashua	
5.25" DS/DD		5.25" DS/HD
.49	1.35	.83
	JEK Sol	
BLACK DISI		COLOR DISKS
.29	5.25" DS/DD 48TPI	

*5.25" Bulk Disks with sleeves, labels & w/p tabs, add 6¢ orldwide Special!

.69 5.25" DS/HD 96TPI79

..... 3.50" DS/DD 135TPI **1.19**

Price in U.S. currency per box of ten diskettes includes: COST OF PRODUCT, INSURANCE AND [AIR]FREIGHT (C.I.F. Anywhere in the World!)

BOX OF TEN DISKS: CIF WORLDWIDE BY AIR PRICE:
5.25" DS/DD/48TPI
BASF-5.25" DS/DD in plastic library box 8.50/box
KAO-5.25" DS/HD 'AT' in plastic library box 9.99/box
KAO-3.50" DS/DD in plastic Library box 13.95/box

(Min. order 50 boxes. Orders shipped within USA & Canada via surface-deduct 75¢ per box. Offer expires September 30, 1988. Prices higher on certain destinations where air consolidation not available.)

CALL FOR INFORMATION ON RIBBONS, STORAGE, MAG TAPES AND YOUR NAME & LOGO DISKETTES

TERMS: VISA, Mastercard or AMEX, COD only add \$3.00. Prepaid orders deduct 2% cash discount. PO's accepted from recognized institutions and corporations on Net 30. Shipping: S4/100 or fewer disks. Reduced shipping charges on larger

WE BEAT ANY PRICE!

Information Line: Toll Free Order Line: 1-801-255-0080 1-800-523-9681 TLX-9102404712 FAX-801-572-3327

DISKCO TECHNOLOGIES, INC. 213 Cottage Avenue 1339 Sandy, Utah 84091

RS-232C INTERFACE AND MONITORING EQUIPMENT CATALOG FROM B&B ELECTRONICS

WRITE or CALL for YOUR FREE COMPREHENSIVE B & B ELECTRONICS CATALOG TODAY!



TODAY

nd SAVE

Pages and pages of photo-graphs and illustrated, descriptive text for B&B's complete line of RS-232 converters, RS-422 converters, current loop converters, adapters, break-out boxes, data switches data solitters. short haul modems, surge protectors, and much, much more. Most products meet FCC Part15J.

Your BS-232 needs for quality, service and competitive prices will be more than met by B&B ELECTRONICS.

Manufacturer to you, no middleman! Money-back guarantee! Same-day shipment! One-year war-ranty on products! Technical support available.

Write For Your FREE Catalog Today!

R&R electronics

1502J Boyce Memorial Drive, P.O. Box 1040 • Ottawa, IL 61350 Phone: 815-434-0846

Circle 24 on Reader Service Card

Quelo° 68QQ Software Development

Since 1983, professional quality tools for the entire 68xxx family including the 68030. Hosts: MS-DOS, UNIX and VAX.

C Compilers C Source Level Debuggers **Macro Assembler Packages** Disassemblers Simulators

Systems®, Inc

800/448-8500

FAX: 207/236-6713 Telex: 467210 AVOCET CI

Circle 230 on Reader Service Card

9-Track Tape Subsystem for the IBM PC/XT/AT



Now you can exchange data files between Now you can exchange data files between your IBM PC and any mainframe or minicomputer using IBM compatible 1600 or 6250 BPI 9-Track tape. System can also be used for disk backup. Transfer rate is up to 4 magabytes per minute on PCs and compatibles. Subsystems include 7" or 101/2" or transfer tape drive tape careful and the property of the property of the property of the property of the point of the property of streaming tape drive, tape coupler card and DOS compatible software. For more information, call us today!

IJURLSTAR

9621 Irondale Ave., Chatsworth, CA 91311 Telephone: (818) 882-5822

Circle 226 on Reader Service Card



2400BAU

30 DAY FREE TRIAL

WE AREN'T KIDDING...HIGH PERFORMANCE TEXAS INSTRUMENT CHIP SET. LOW COST, NO COMPROMISE 2400, 1200, 300 BAUD MODEM. FULL FEATURED, HAYES COMPAT-IBLE IBM INTERNAL. SOFTWARE INCLUDED. 30 DAY MONEY BACK TRIAL CALL FOR DETAILS

CompuCom Corporation (408) 732-4500 (CA) (800) ACT ON IT

Circle 48 on Reader Service Card

WE ARE LOOKING FOR:

Distributors who can offer us PC Products (Hard disks, NEC Printers. Monitors, Graphics Cards etc.) quickly, at a competitive price, suitable for sale on the German Market.

WE ARE OFFERING:

PC-Products made in Germany of a high quality, some of which are only available from Germany. (Copy Cards, etc.) for Atari and Amiga PCs.

Hendrik Hasse Computersysteme. Wiedfeldstr. 77 10-4300 Essen West Germany Telefax - 49 201 422575

Circle 303 on Reader Service Card

PROMPT DELIVERY!!! SAME DAY SHIPPING (USUALLY) QUANTITY ONE PRICES SHOWN for JULY 12, 1988

OUTSIDE OKLAHOMA: NO SALES TAX DYNAMIC RAM 1048Kx9 100 ns \$550.00 SIMM 1Mbit 1048Kx1 100 ns 37.50 41256 256Kx1 60 ns 14.25 13.95 41256 256Kx1 80 ns 100 ns 13.50 41256 256Kx1 * 256Kx1 100 ns 13.50 12.95 41256 256Kx1 120 ns 150 ns 11.50 256Kx1 41256 + 64Kx4 120 ns **EPROM** 00 128Kx8 200 ns 2 64Kx8 200 ns 41264 16.95 \$37.50 27C1000 128Kx8 13.95 27C512 250 ns 7.25 27256 32Kx8 16Kx8 250 ns 6.60 \$18.50 43256L-10 32Kx8 100 ns 120 ns 13.75 6264P-12 8Kx8

OPEN 61/2 DAYS, 7:20 AM-10 PM: SHIP VIA FED-EX ON SAT

SAT DELIVERY
INCLUDED ON
ED-EX ORDERS
RECEIVED BY
INCLUDED ON
ED-EX ORDERS
RICHIT BY
ED-EX ORDERS
RECEIVED BY
INCLUDED ON
ED-EX ORDERS
RICHIT BY
ED-EX ORDERS
RECEIVED BY
INCLUDED ON
INCLUDED ON
ED-EX ORDERS
RICHIT BY
ED-EX ORDERS
RECEIVED BY
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
ED-EX ORDERS
RECEIVED BY
ED-EX ORDERS
RECEIVED BY
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED ON
INCLUDED O (918) 267-4961

Circle 176 on Reader Service Card

1.05

TIMELINE INC.

ORDER DESK ONLY

Continental U.S.A. (800) 872-8878

(800) 223-9977

L.A. & Technical Info (213) 217-8912 SALE
OEM INQUIRIES
WELCOME

AST™ RAMPAGE AT



\$59

MEMORY EXPANSION CARD FOR YOUR IBM PC/AT

Can be expanded to 2Mb memory. This card can do EMS and EEMS as well as extended memory. We bought these bulk pack from an OEM, so no AST box or manual. We supply our own manual. Comes with software for printer spooler and Ramdisk. 1 year warranty. RAMPAGE™ card available with O-K memory only. Serial/parallel port card available separately at a very good price.

*ADAPTEC 4000A CONTROLLER

I/O for the ST412-506 Interface Using MFM Encoding

\$79

***DC 600 STYLE TAPES**

10,000 ftpi

ea. 19.95

3-9 17.95 ea.

\$ 15_{ea}.

*ASTADVANTAGE 1-Serial, 1-Parallel Port. For AT. Has extended memory (no EMS or EEMS).

\$79

ZENITH

7" DIAGONAL SCREEN


SEPTEMBER

HIGH RESOLUTION AMBER MONITOR

SUPER

22 MHZ TYPICAL NEW! BANDWIDTH IN BOX \$29.95

- Flat faceplate
- 900 lines at center
 650 lines at corners
- Operates from 12VDC at 1.4 amp
- Vertical input is 47 to 63 Hz
- Horizontal frequency: 15 Khz (adjustable)



4 for \$99.00

For split video (TTL inputs) operation. Not composite video.

VGA COLOR GRAPHICS PACKAGE

POSSIBLE DISPLAY MODES VGA GRAPHICS:

800 x 560 x 16 colors 320 x 200 x 256 colors



ALSO:

640 x 480 x 16 colors

640 x 350 x 16 colors

640 x 200 x 16 colors

640 x 200 black & white

320 x 200 x 4 colors

Hercules Graphics

40 and 80 column character mode



INCREDIBLE!

The manufacturer of this monitor SET THE STANDARD FOR COLOR GRAPHICS. The card is an ATI improved VIP CARD. The package comes with user friendly manual and step-by-step instructions. One year warranty on the monitor, two year warranty on the card.

CALL FOR QUANTITY DISCOUNTS.

- MMMA
- 13" color screen
- Max resolution (800x560)
- Bandwidth: 17 Mhz
- Software selectable to VGA, EGA, CGA, MDA, HGA
- Anti-reflective, coated non-interlaced flicker free screen
- .31 dot pitch

1490 W. ARTESIA BLVD, GARDENA, CA 90247

Continental U.S.A. (800) 872-8878

Inside California (800) 223-9977





L.A. Area & Technical Info. (213) 217-8912

15% Restocking fee for returned orders.

NO SURCHARGE FOR CREDIT CARD ORDERS!


Minimum Order: \$25.00. Shipping & handling charges via UPS Ground: \$.50/lb. UPS Air: \$1.00/lb. Minimum Charge: \$4.00. We accept cashiers checks, MC or VISA. No personal check COD's. California residents add 61/2% sales tax. We are not responsible for typographical errors. All merchandise subject to prior sale. Phone orders welcome. Foreign Orders require special handling. Prices subject to change without notice.




Circle 209 on Reader Service Card



Circle 124 on Reader Service Card





Circle 76 on Reader Service Card



Circle 299 on Reader Service Card






SAFEWARE, The Insurance Agency Inc.

Circle 238 on Reader Service Card



Circle 142 on Reader Service Card



Source level debugging on a remote target system!

Investigate our powerful PC-based, C compiler for embedded Z80 and HD64180 microprocessors. A compiler written for microprocessor engineers. Excellent for the new Hitachi single chip HD647180X microprocessor 495.00 for the compiler. Remote source debugger \$195.00. We have many other products: assemblers, linkers, prototyping SBC's, etc.

Z-World

1772A Picasso Ave. Davis, CA 95616 (916) 753-3722



In Germany: iSystem Tel: 08131/1687

Circle 301 on Reader Service Card

In Germany: iSystem 08131/1687

Priority One

his full featured computer is built from the chips up by one of Korea's biggest firms (they also build cars). But because the price is so low, they made us promise not to print their name in this ad.

These hot new systems come with everything you could want or need-the

things the other guys charge you extra for. This means you get a full 640K RAM memory as a standard feature, instead of a measly 256K that most other systems sold today offer.

At today's chip prices, the memory you need to run programs on their system means a \$200 upgrade-with ours, it's already installed.

Each system is thoroughly tested and backed by a full one year warranty and the assistance of our Toll-Free Technical Support Hotline.

Features:

- 4.77/8MHz Turbo Processing Speed
- 640 Kbytes of RAM memory
- Serial and parallel ports
- 4 Slots for system expansion
- Hercules compatible video
- Clock calendar w/battery backup
- MS-DOS/GW Basic version 3.2
- One year warranty

*Integrated Software Package Included with System FREE!




Single Floppy System without Monitor


\$591.30

20 Mbyte System with Monochrome Monitor

\$879.30



QUANTUM 42.7 Mbyte Hard Disk



No-Slot Clock



MORE SPECTACULAR SPECIALS

	MOIL SILCING	DULAN SI ECIALO	
NEC MultiSync II	\$599.99	Paradise EGA 480	\$169.99
NEC MultiSync GS	\$199.99	Orchid Tiny Turbo	\$279.99
NEC MultiSync+	\$899.99	Orchid Designer VGA	\$299.99
NEC MultiSync XL	\$1954.99	Video 7 VRAM VGA	\$554.99
Taxan 770 Plus	\$499.99	Video 7 VEGA VGA	\$298.99

PRODUCT AND PRICING MAY NOT BE AVAILABLE IN RETAIL STORES











21622 Plummer St., Chatsworth, CA 91311



(800) 423-5922 FAX (818) 709-4362

Same Day Shipping Money Back Guarantee (call for details)

No credit card surcharge - limited to stock on hand

IC's, Parts, Components...Shipped Fast! West Coast's Largest Selection... Call for More

RAM Upgrades!

priced in sets of 9
• 64K/120nsCALL
• 64K/150nsCALL
256K/100ns CALI
 256K/120nsCALI
 256K/150nsCALI

D	YNA	MIC RA	AMS
411 MK 416 416 416 416 416 441	6/200ns 4332/20 4/200ns 4/150ns 4/120ns 64/PIN 01 6/200ns	Call Ons Call Call Call Call Call Call Call NE Call	4464/150ns Call 41256/100ns Call 41256/120ns Call 41256/150ns Call 41264/150ns Call 4128/150ns Call 8118/4517 Call
		Call	1 MEG/100ns Call TMS 4161/150ns Call

STATIC RA	W	S	
2102LP/450ns	\$.99	6116/120ns	\$2.95
2101/450ns	1.79	6116LP/150ns	2.45
2112/450ns	2.69	6264LP/120ns	4.95
2114/450ns			
21142			
2114L/2			
6116/150ns			

74 HU	11	SEKIE2	
74HCT00	\$.25	74HCT161 \$.65	
74HCT02	.25	74HCT163 .65	
74HCT04	.25	74HCT164 .65	
74HCT08	.25	74HCT175 .65	74HCT564 2.99
74HCT10	.25	74HCT240 1.29	
74HCT27	.30	74HCT241 1.29	
74HCT74	.49	74HCT244 1.29	
74HCT138	.50	74HCT245 1.29	
74HCT157	.65	74HCT257 .65	
74HCT160	.65	74HCT259 1.10	74HCT564 2.99

141101100	.00	1 11101200			
LINE	\R	a de la company		Service .	
CA3086 S	1.19	LM566	\$1.10	LM3900	.45
CA3089	1.19	LM567	.75	LM3909	1.25
CA3403	1.19	LM723	.30	LM3911	1.95
LF347N	1.49	LM733	.30	LM3914	2.75
LF348N	1.49	LM741	.30	LM3915	2.75
LF356H	1.99	LM747	.60	LM3916	2.75
LF441	1.69	LM748	.65	LM4024	3.95
LM301	.30	LM1414	1.49	LM4044	3.95
LM309K	1.00	LM1886	3.29	LM4136	1.50
LM317K	295	LM1330	1.95	LM4558	.75
LM317T	1.75	LM 1350	1.25	LM7555	2.50
LM318	1.15	LM1358	1.95	LM7556	2.50
LM319	.95	LM1372	2.25	LM7660	2.95
LM320T-XX	.60	LM1408L8	2.50	LM7663	2.95
LM320K-XX		LM1458	.40	LM78H05	6.95
LM323K	4.25	LM1488	.60	LM78H12	6.95
LM324	.35	LM 1489	.60	LM8038	3.75
LM335D2	1.19	LM1889	2.50	MC3423	1.49
LM336D2	1.19	LM2003	.75	MC3459	2.69
LM337H	2.49	LM2206	3.75	MC3470	2.99
LM337K	4.95	LM2111	1.19	MC3480	6.99
LM338K	6.95	LM2211	2.75	MC3486	1.69
LM340T-XX		LM2240	1.75	MC3487	1.69
LM340K-XX		LM2900	1.19	LM3524	1.99
LM358	.45	LM2901	1.19	TDA1170	5.49
LM376	1.69	LM2917	1.29	TDA1180	5.99
LM380	.95	LM3045	1.19	TL074	1.65
LM386	.95	LM3054	1.99	TL081	.75
LM393	.65	LM3079	1.49	TL082	.85
LM497	2.50	LM3130	.95	TL084	1.25
LM565	.30	LM3140	.95	ULN2003	1.19
LM556	.45	LM3160	1.95	ULN2064	1.79
LM558	.85	LM3161	1.95	ULN2074	1.99
LM564	2.75	LM3162	1.95	ULN2081	1.49
LM565	1.50	LM3852	1.49	ULN2981	1.99

74HC SI	ERIES			
74HC00 . \$.25	74HC125	\$.50	74HC174	\$.65
74HC0225	74HC132	.50	74HC175	.65
74HC0425	74HC133	.50	74HC240	1.29
74HC0825	74HC138	.55	74HC244	1.29
74HC0925	74HC139	.55	74HC245	1.29
74HC1025	74HC148	.75	74HC368	.65
74HC1125	74HC151	.65	74HC373	1:29
74HC1425	74HC153	.65	74HC374	1.29
74HC2025	74HC154	3.75	74HC4020	.99
74HC3225	74HC157	.65	74HC4060	.99
74HC7435	74HC161	.65	74HC4066	.99
74HC8565	74HC166	1.15	74HC4075	.89
74UC110 CE	74UC172	CE	74UC4070	1 40

7400	SE	RIES		5	
7400	\$.18	7474	\$.35	74157	
7402	.18	7475	.35	74158	.65
7404	.18	7476	.35	74173	
7405	.18	7485	.35	74174	
7406	.35	7486	.35	74175	
7407	.35	7490	.35	74176	
7408	.25	7493	.35	74181	
7410	.25	7495	.35	74189	
7414	.35	74121	.35	74193	.65
7420	.25	74123	.45	74195	.65
7426	.25	74125	.45	74198	1.65
7427	.25	74126	.45	74221	.75
7430	.25	74148	.65	74273	1.75
7432	.25	74150	1.20	74365	.50
7438	.25	74151	.65	74366	.50
7442	.30	74153	.65	74367	.50
7446	.85	74154	1.20	74368	.50
7447	.95			0.0000000000000000000000000000000000000	
74C C		PS			
71000 0	OF	710454	20.05	740074	01 00

74C90	1.19	74C373	1.69	740932	14.89
		74C244		74C929	
		74C240		74C923	
74C10		74C221			
		74C175		74C912	
		74C174			
		74C173			
		140 134			

Partial Listing Only!!! Call us for components..

					_
74LS	SE	RIES			
74LS00 S	5.19	74LS125	\$.45	74LS241	\$.99
74LS02	.19	74LS126	.49	74LS242	.99
74LS03	.19	74LS138	.45	74LS243	.99
74LS04	.19	74LS139	.45	74LS244	.99
74LS05	.19	74LS153	.59	74LS245	.99
74LS08	.19	74LS154	1.29	74LS257	.69
74LS09	.19	74LS157	.40	74LS258	.69
74LS10	.19	74LS158	.40	74LS259	.99
74LS14	.35	74LS161	.49	74LS273	.99
74LS27	.28	74LS163 74LS164	.49	74LS322 74LS323	1.79 1.79
74LS30	.25	74LS 164 74LS 165	.49	74LS323	.59
74LS32 74LS47	.20	74LS 165	.99	74LS366	.59
74LS73	.35	74LS100	.49	74LS367	.59
74LS74	.35	74LS174	.49	74LS368	.99
74LS75	.35	74LS175	49	74LS373	.99
74LS76	.35	74LS189	3.95	74LS374	.99
74LS85	.49	74LS190	.49	74LS393	.99
74LS86	.28	74LS191	.49	74LS624	1.89
74LS90	.45	74LS192	.49	74LS629	1.89
74LS93	.45	74LS193	.49	74LS640	1.89
74LS107	.45	74LS195	.49	74LS641	1.89
74LS109	.45	74LS221	.65	74LS670	.99
74LS123	.49	74LS240	.99	74LS688	1.89
TAE C	40	IEC			
74F S					
74F00 \$		74F153		74F243	\$1.29

74F S	ER	ES			
74F00 \$.35	74F153	\$.59	74F243	\$1.29
74F02	.35	74F157	.59	74F244 .	. 1.29
74F04	.35	74F158	.59	74F245 .	. 1.29
74F08	.35	74F160	.59	74F251 .	79
74F10	.35	74F161	.59	74F258 .	79
74F11	.35	74F163	.59	74F280 .	. 2.89
74F20	.35	74F174	.69	74F373 .	. 1.49
74F32	.35	74F175	.69	74F374 .	. 1.49
74F64	.49	74F181	1.99	74F379 .	. 1.99
74F74	.49	74F189	2.99	74F399 .	. 2.99
74F86	.49	74F219	4.99	74F521 .	. 2.99
74F109	.49	74F240	1.29	74F533 .	. 2.99
74F139	.49	74F241	1.29	74F534 .	. 2.99
74F151	.59				
10 00	CV	FTC			

IC SOCK	ETS	
SOLDERTAIL	HR16S/T59	22PINW/W 1.29
8PINL/P \$.10	HR18S/T69	24PINW/W 1.29
14PINL/P12	HR20S/T79	28PINW/W 1.59
16PINL/P12	HR22S/T89	40PINW/W 1.99
18PINL/P16	HR24S/T99	HI RES W/W
20PINL/P20	HR28S/T 1.19	HR8W/W \$.79
22PINL/P22	HR40S/T 1.49	HR14W/W 1.19
24PINL/P25	HR64S/T 4.99	HR16W/W 1.29
28PINL/P27	WIREWRAP	HR18W/W 1.39
40PINL/P29	8PINW/W \$.59	HR20W/W 1.69
48PINL/P99	14PINW/W .59	HR22W/W 1.79
64PINL/P 2.49	16PINW/W .69	HR24W/W 1.99
HI RES	18PINW/W .99	HR28W/W 2.29
HR8S/T \$.39	20PINW/W 1.19	HR40W/W 3.49
HR14S/T49		
CDECIA	FILLICATION	DIA.

SPECIAL FUN	ICTION
VOICE RECOGNITION	16450 - 16 BIT
CHIP SET \$49.95	USART \$16.95
YAMAHA DXY	8250 - 8 BIT
CHIP SET 29.95	USART 6.99
TMS 6100	5832 - CLOCK 3.99
SPEECH CHIP 9.95	58167 - CLOCK 8.99
TMS 5200 SPEECH CHIP	7.95

CMOS				- 100	
CD400218 CD400759 CD400859	CD4017 . \$.59 CD401859 CD402059 CD402449 CD402559 CD402735 CD403029 CD404065 CD404265	CD4047 \$.65 CD4048 .75 CD4049 .29 CD4050 .39 CD4051 .39 CD4052 .59 CD4053 .59 CD4060 1.49 CD4063 1.49 CD4063 29	CD4069 \$.29 CD4070 .29 CD4071 .29 CD4072 .29 CD4076 .65 CD4076 .65 CD4081 .29 CD4082 .29 CD4093 .35 CD4013 1.90	CD4510 . \$.69 CD451169 CD451269 CD451879 CD451979 CD452079 CD452879 CD453879	CD4543 . 8.89 CD455599 CD455699 CD458469 CD14410 . 7.95 CD14411 8.99 CD14412 8.99

CO-PROCESS	ORS V20/30
8087 (5 MHz) \$105. 8087-2 (8 MHz) 160. 80287 (5 MHz) 185. 80287-8 (8 MHz) 265.	80287 10 (10 MHz) 365. V20-5 (5 MHz) \$9.95 V20-8 (8 MHz) 12.95 V30-8 (8 MHz) 17.95
MOS EPROM	S
1702A - 1ms \$5.95	27128 - 450ns \$4.95

Mn2 ELU	IME	
1702A - 1ms	\$5.95	27128 - 450ns \$4.95
2532 - 450ns	4.50	27256 - 200ns 7.95
2564 - 450ns	9.95	27C256 - 250ns 7.95
2708 - 450ns	4.25	27512 - 250ns 13.75
2716	4.95	8741 24.95
2716-1	5.95	8742 24.95
27C16	5.95	8748 16.95
TMS2716-450ns		8749 19.95
(3v)	8.49	8751 49.95
2732 - 450ns	3.95	8755 19.95
2732 - 250ns	4.95	68764 19.95
27C32	6.95	68766 19.95
2764 - 450ns	3.95	68701 24.95
2764 - 250ns	4.95	68705P 19.95
27C64 - 450ns	6.95	2816-EE 7.95
27128 - 250ns	5.95	2864-EE 19.95

Z80 SERIES	14 154 17
Z80CPU \$1.49	Z80ASIO/0\$4.95
Z80CTC 1.49	Z80ASIO/1 4.95
Z80DART 4.49	Z80ASIO/2 4.95
Z80PIO 1.49	Z80ADART 4.99
Z80ACPU 1.99	Z80BCPU 2.99
Z80ACTC 1.99	Z80BCTC 3.99
Z80APIO 1.99	Z80BPI0 3.99
RIPOLAR PR	OMS/PALS

L.	ш	_	7	-1	ш		-111	<u>.,</u>		La	1	Ŀ	A SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSO
828	123				. \$	1.29	7451	189					\$1.69
825	126					1.29	7452	287				ò	1.99
825	129					1.99	7452	889					1.99
825	137					2.99	745	171					4.99
82S	181					7.99	745	172				į.	6.99
	191					11.99	PAL	161	8			ì	4.99
	188					1.29	PAL	201	.8				9.95
		-		-	-	-			0.0	-			
1	$\{I\}$		ŀ	7	li	1135							
803						2.95	-						\$1.95
	5/39					2.95	8216						1.95
808						3.95	8224						1.95

8035/39	2.95	8216 1.95						
8080A	3.95	8224 1.95						
8085A		8237A/S 5.95						
8086		8250 6.95						
8088		8251A/S 1.95						
8088-2		8253-S 1.95						
80186-6 (5MHz)	14.95	8255-S 2.95						
80186-3 (8MHz)	24.95	8257-5 2.95						
80286-6 (5MHz)	19.95	8259-5 2.95						
80286-8 (8MHz)	34.95	8272/765 4.25						
	525.00	8275 24.95						
8202		8279 4.95						
8203	14.95	8284 4.95						
0200	11.00	0.00						
00000 0	COLLE							
68000 SERIES								

68000/8MHz 68010/8MHz 68010/10MHz 68020/12MHz	. 19.95 . 39.95	68020/16MHz 68450	49.95 179.95
6502 SE	RIES		14
6502	\$2.95	6520	\$2.95
65C02	11.95	6522	4.95
6502A			
6502B			9.95
6510	9 95	6551	4 95

6510	9.95	6551		4.9
6800 SEF	RIES	C	1 1	
6800	\$2.95	6821		\$2.9
6802	4.95	6845		4.9
6810	2.95	6850		4.9

SIMM RAM MODULES

CHILL		
for PC'S	64K x 9(150ns) 256K x 9(120ns) 1Mb x 9(120ns)	CALL CALL CALL
for MAC'S	256K x 8(120ns) 1Mb x 8(120ns)	CALL

CRYSTAL	S	Sile Billion
1.000MHz \$3.25 5.	0688MHz \$2.25	15.000MHz \$2.25
1.8432MHz 3.25 6.	000MHz 2.25	16.000MHz 2.25
2.000MHz 2.25 6.	144MHz 2.25	18.000MHz 2.25
2.097152MHz 2.25 6.	5536MHz 2.25	18.432MHz 2.25
2.4576MHz 2.25 8.	000MHz 2.25	20.000MHz 2.25
3.000MHz 2.25 9.	000MHz 2.25	22.1184MHz 2.25
3.2768MHz 2.25 10	0.000MHz 2.25	24.000MHz 2.25
3.579MHz 2.25 1	1.000MHz 2.25	36.000MHz 2.25
4.000MHz 2.25 12	2.000MHz 2.25	48.000MHz 2.25
4.032MHz 2.25 13	3.000MHz 2.25	32.768KHz 1.50
5.000MHz 2.25		

OSCILLA	TORS	
1.000MHz \$5.50 1.8432MHz 5.50 2.000MHz 5.50 2.4576MHz 5.50 2.500MHz 5.50	6.500MHz \$5.50 7.168MHz 5.50 8.000MHz 5.50 9.000MHz 5.50 10.000MHz 5.50	16.000MHz 5.50 10.257MHz 5.50 18.000MHz . 5.50 18.432MHz . 5.50 19.6608MHz . 5.50 20.000MHz . 5.50
4.91520MHz 5.50 5.000MHz 5.50 5.0688MHz 5.50 6.000MHz 5.50	12.500MHz 5.50	22.000MHz . 5.50 24.000MHz . 5.50 24.576MHz . 5.50 37.250MHz . 5.50 43.200MHz . 5.50

CONNECT	OR:	5	A
62PIN ST (PC/XT) 50PIN ST (Apple)	\$1.95 2.50	50PIN W/W (Apple) 62PIN ST (AT)	4.50 4.95
EXTENDE	R C	ARDS	

APPLE \$14.95 \$100 24.95	
PROTO CARD	S
APPLE \$12.95 \$100 19.95	
DIP SWITCH	
1 POSITION \$.49 2 POSTION .59 3 POSTION .69 4 POSTION .69 5 POSTION .79 6 POSTION .79	7 POSTION \$.89 8 POSTION .89 9 POSTION 1.29 10 POSTION 1.29 12 POSTION 1.49

ECONO ZIFS	15 15 15 15 15 15 15 15 15 15 15 15 15 1
	40 PINZIF \$6.95 64 PINZIF 9.95
TEXTOOL ZIF	S
	40 PINZIF \$9.95 64 PINZIF 17.95
IC TEST CLIP	\$

IR IFOI OFIL	
14 PIN \$3.95	40 PIN \$19.95
	64 PIN 39.95
24 PIN 12.95	68 PLCC 69.95
LCC SOCKET	S
68 PIN \$14.95	100 PIN \$22.95
84 PIN 19.95	Call for More

Since 1976...The Nation's TOP Computer Supplier



Advanced Computer Products, Inc.

Mail Order: P.O. Box 17329 Irvine, CA 92713 Retail: 1310-B E. Edinger, Santa Ana, CA 92705

for Fast Service Order by Phone!

NEW PHONE FOR ALL USA 800-FONE ACP 800-366-3227 · 714-558-8813

Call for our NEW 1988 Catalog...

Break Since 1976...The Nation's TOP Computer Supplier



We made a truckload purchase from the factory and while the supply lasts we are offering them at



Unformatted, 40ms, perfect for 286 & 386 AT's ACP...famous since 1976 for delivering the Best Deals!!

PC COMPATIBLE CARDS

ACP Advanced Cards/IBM

Mach III Joystick-IBM . Mach III Joystick-Apple Gamecard III

SPECIAL!! **AST®** Internal 1200 Baud Modem software included.

Factory Direct! Amdek®

TTL Amber Monitor
12", Model 310A, List \$240. While Supply Lasts!

New! RAY-O-VAC® 095 Introductory Price..... AT Replacement

COMPUTERS

Battery

Direct replacement for real-time clocks, AT/286/386



we are also suffering from loss of memory. ACP sells more Memory Upgrade IC's than other other mail order supplier...But!...the present shortage is driving us up a walll. We can't get them at the right

price, but we are getting them. PLEASE BEAR WITH US...as the market price comes down our price will come down.

SELLING Chips? Call us, we're buying.

Special	ZIMDEK
Purchase	
CLOSEOU	JTS!QUADRAM
addition onto board	each 320 Int Card MHzsale 98. Ie 98.
 Liberty Card, EMS, 	окsale 98.
1200 Baud Interna with software	sale 03.
Sharp PC5000 Por Omnitel 1200 Bauc 2 serial/parallel/game.	table sale 149. d Modem /software sale 99.
Diablo 620 Printer	sale 199.

ACP AUVAINED LAUSTING Monographics Wighnite port. SuperEGA Genoa compatible SuperEGA Genoa compatible SuperEGA Genoa compatible Diamond Multi 1/O 2s.p.g.cXT XT Six-Pak compatible (XX XT 286 Accelerator card XT 3KP ABA Commatible (XX XT 286 Accelerator card XT Multi 1/O 4mflopy controller XT data Floopy controller XT 4MF Floop Cord XT/AT Parallel 1/O card AT 5erial 1/O card XT/AT Farallel 1/O card AT 5erial 1/O card XT/AT EPROM programmer AT 3 5Mb w/Multi 1/O, 0K AT SuperMulT 1/O w/floppy S/Z Multi 1/O S/Z Floppy controller 1.4Mb PL assept 1/Mb Ram card	
XT Turbo w/BIOS, 8MHz XT Turbo w/BIOS, 10MHz AT 286 w/BIOS, 10MHz AT Baby w/BIOS, 12MHz AT 386 w/BIOS, 16MHz	
HARDWARE AST Research	
Xformer/286, 512K, 10MHz	699.
AST Hesearch Xtormer286.512X, 10MHz Advantage 2/386, mod.80,1Mb Advantage 2/286, PS/2,0K Advantage Premium 286,512X, Rampage 2/286, PS/2,512X Rampage 286, 512K	725.
Advantage Premium 286,512K	389.
Rampage 2/286,PS/2,512K	499.
	119.
ATI Technologies EGA Wonder 800	. 199.
VGA/VIP	319.
2400etc int. Modem w/MNP-5 . GENOA	. 188.
Super EGA	call.
Super VGA	call.
GULFSTREAM EZ-FAX Board w/software HERCULES	1188.
HERCULES Color Card/ CGA	.149.
Graphics Card Plus	174.
Inboard 386/PC to 386 Inboard 386/AT to 386	888.
Inboard 386/AT to 386 Above Board 2.PS/2 mod50/60 Above Board 286,AT,512K Above Board PS/286,model 30 8087 (5MHz) 8087-1 (10MHz) PS/2 8087-2 (8MHz) 80287-6 (6MHz)	1059.
Above Board 2,PS/2 mod50/60 Above Board 286 AT 512K	329.
Above Board PS/286, model 30.	. 349.
8087 (5MHz)	. 102.
8087-2 (8MHz)	. 158.
8087-2 (8MHz) 80287-6 (6MHz) 80287-8 (8MHz)	185.
80287-6 (6MHz) 80287-8 (8MHz) 80287-10 (10MHz) 80387-16 (16MHz) 80387-20 (20MHz) ORCHID Technology Tiny Turbo 286 -REDUCED! Designer VGA Board RAMQUEST 50/PS/2 2Mh	. 309.
80387-16 (16MHz)	549.
ORCHID Technology	. /99.
Tiny Turbo 286 -REDUCED!	289.
RAMQUEST 50/PS/2, 2Mb	699.
PARADISE	
Autoswitch 480	299.
QUADRAM	
Quad386XT Prosync(640x480,752x410)	.747. 269.
MicrofazerII buffer w/64K Quadsprint XT accellerator Liberty EMS XT card, OK Silver Quadboard, Sixpak comp.	239.
Quadsprint XT accellerator	98.
Liberty EMS XT card, 0K Silver Quadboard, Sixpak comp.	98.
VIDEO 7 VEGA Deluxe Vega VGA	.199.
Vega VGA	299.
INPUT DEVICES	
Advanced GC Keybaseds	1
5160 84key XT/ATswitchable	. 59.
5161 101key XT/ATswitchable . CH Products	. 79.
	39.
Mach II Joystick-Apple	39.

Gamecard III 39.
39. 39.
KRAFT IBM PC/XT/AT Joystick 33. Mouse PC/XT/AT serial 89.
LIGHTGATE Felix for PC/XT/AT
Bus Mouse PC/XT/AT 99. Serial Mouse PC/XT/AT 99. Serial Mouse PS/2 99.
MICROSOFT Bus Mouse w/PC Paintbrush 105. Serial Mouse w/PC Paintbrush 105. Serial PS/2 w/PC Paintbrush 118.
MSC Technologies PC Mouse serial PC/XT/AT 98. PS/2 Mouse serial
PC Mouse bus PC/XT/AT 98. SUMMAGRAPHICS
SummaSketch 449. FLOPPY DISK DRIVES
SONY
31/2'Micro Floppy 1.44Mb 149. TEAC
55BV 360K Floppy/PC/XT/AT 89. TOSHIBA AMERICA FDD4403 31/2* Micro 760K 129.
FDD4403 31/2* Micro 760K 129. 31/2* Micro 1.44Mb w/kit 139. ND040 360K Floppp/CVXT 84. ND04E-G 360K Floppp AT gray 95. ND08DE-G 1.54Mb AT gray 110.
ND04E-G 360K Floppy AT gray 95. ND08DE-G 1.2Mb AT gray 110.
HAND DISK DUIVES
MICROPOLIS 1333A 53Mb Full ht., 30ms 649. 1335 85Mb Full ht.,65ms 849.
MINISCRIBE 3650 43Mb Half ht.,61ms. 389. 6053 53Mb Full ht.,28ms. 649. 6085 85Mb Full ht.,28ms. 849.
8438 38Mh Half ht 65mc Rt L 200
PLUS Development Plus20 Hardcard, 20Mb,49ms 549. Plus40 Hardcard, 40Mb,39ms 719.
SEAGATE
\$1225 25M0.65MS, WMU cont. 299, \$1138 38Mb, 65ms, wWD RLL 398, \$7251 51Mb, 40ms 419, \$7251-1 51Mb, 28ms 499, \$74083 38Mb, 40ms, repuceot. 469, \$74083 38Mb, 40ms, repuceot. 799,
ST251-1 51Mb,28ms. 499. ST4038 38Mb 40ms-REDUCED: 469.
ST4096 96Mb,28ms-REDUCED! 799. WESTERN DIGITAL
WESTERN DIGITAL FilecardPS30 PS/2mod.25/30 389. Filecard30 449.
1006RAH Contr. 1:1interleave 199. 1003RAH Controller RLL/AT 187.
Hilleard30
BACKUP DEVICES
ALPHAMICRO
VLH Video tape 0ackup card 349,
Bernoulli dual20Mb 51/4 ext 1699. Bernoulli dual20Mb 8 ext 1895.
Tri-pak 20Mb cartridge, 51/4" 189. Tri-pak 20Mb cartridge, 8" 2 5 5 .
PS4 Adapter PS/2mod.50,60,80 299.
1100 XT/AT 10Mb backup(int) . 199. 1200 XT 20Mb backup(int) . 369. 145C AT 40Mb backup(int) . 499. 245P PS/2 40Mb backup . 479.
245P PS/2 40Mb backup 479.
1020i AT 20Mb backup(int) 338. 1020i XT 20Mb backup(int) 338.
73LL GRASS Technologies 1020i AT 20Mb backup(int) 338. 1020i XT 20Mb backup(int) 338. 1040i AT 40Mb backup(int) 599. 1040i XT 40Mb backup(int) 599.
Call for External Pricing!

39.	Advanced 386 Clones	-
	Advanced 386 Clones Advanced 386/16base system 1795	
ric) 89.	Advanced386/16 w/40Mb 2195	5.
119.	Advanced386/16base system 1795 Advanced386/16 w/40Mb 2195 Advanced386/16w/80Mb 2495	j.
	Advanced OCC Ol	
k 33.	Advanced286/10base system 849	J.
	Advanced 286 Clones Advanced286/10base system 849 Advanced286/10 w/20Mb 1099 Advanced286/10 w/40Mb 1299).
	Advanced286/10 W/40MD 1299	
	Advanced XT Clones AdvancedXT base system 489	
99.	AdvancedM/XTw/mono/20Mb . 999	
	call for options & details	•
99.	AST Research	
	Premium286Model140 40Mb 2005	
rush 105.	Premium Workstation	
tbrush . 105.	Premium386Model340,40Mb 4699	
3 110.	call for all AST models	
/AT 98	COMPAQ Portable III Model20 call	
98.	Deskpro286 Model20 call	•
AT 98.	Deskpro386 Model40 call	
S	Portable III Model20 call Deskpro286 Model20 call Deskpro386 Model40 call Portable386 Model40 call FPSON	
449.		
IVES	Equity I+	
	Equity II+ call Equity III+ call	
Mb 149.	HYUNDAI	•
	Hyundai286 call	
C/XT/AT., 89.	HyundaiXT call	
4	Hyundai PC LAN Terminal call	
60K 129.	NEC	
kit 139.	Multispeed EL backlit LCD call.	
60K 129. kit 139. VXT 84. AT gray 95.	Multispeed HD, 20Mb call.	
ray 110.	SHARP	
1dy 110.	4501 Laptop single floppy 699.	
ES	4520 Lapton 20Mb 2195	•
	PC7100 Portable, 20Mb 2195	
ms 649.	4502 dual floppy, 640K 1295 4520 Laptop, 20Mb 2195 PC7100 Portable, 20Mb 2195 PC7221 Portable286, 20Mb 2895	
s 849.		
	T1000 Laptop single floppy 779 T1200 Laptop .20Mb 2395 T3100 Laptop.286 .20Mb 2995 T3200 286 full keybd.40Mb 3995 T51100 386 .FGA 40Mb 4995	
ns 389.	T1200 Laptop, 20Mb 2395	
s 649. s 849.	T3200 286 full bashd 40Mb 2006	
ns.RLL 299.	T5100 386, EGA, 40Mb 4995	
t		ì
t 49ms 549. 39ms 719.	NETWORKS	ı
39ms 719.	зсом	ı
VD cont . 299.		
call.	Ethernet card 399. Ethernet II card 399.	
D RLL 398.	WESTERN DIGITAL	
419.	StarLan/Novell starter kit 1077.	
499.	(network for less than \$400/node)	
DUCED! 469.	Ethernet Plus adapter board 239.	
DUCED! 799.	ViaNet LAN software 120. Starhub 329.	
25/30 389.		
440	MODEMS	ı
leave 199. /AT 187.	Advanced MODEMS	•
/AI 187.	1200baud w/software(int) 79.	
T 149. L/XT 98.	1200baud External 89.	
T 89.	1200baud Pocket MODEM 99. 2400baud w/software(int) 149. 2400baud External 159.	
	2400baud External 159.	
4	HAVES	
	Smartmodern 1200B w/sw(int) 299.	
ard 349.	Smartmodem 1200 External 299.	
	Smartmodem 1200B w/sw(int) 299. Smartmodem 1200 External 299. Smartmodem 2400B w/sw(int) 447. Smartmodem 2400 External 447.	
mai 945.	MIGENT	
rnal 945. ext 1699. 1895. i1/4" 189.	Pocket MODEM 1200 129.	
1/4" 400	PROMETHEUS	
255.	2400G External 100	
7/4 . 189. 3 255. /XT/AT . 189. 0.60,80 299.	2400G External 199. 2400B/2 w/software (int) 149. 2400PS PS/2 w/software(int) 299. 1200B/2 w/software(int) sale! 79.	
U,6U,8U 299.	2400PS PS/2 w/software(int) 299.	
	1200b/2 W/software(int) sale! 79.	
ıp(int) 199. nt) 369.	MONITORS	ı
it) 499.	AMDEK	•
479.	VIDEO 310A 12" amber TTL 99. 410A 12" amber grin or white 153. 1280 13" graphics (1280x800) 799.	
ologies	410A 12" amber grn or white 153.	
11) 338	1280 13" graphics(1280x800)	
nt) 338. nt) 599.		
it) 599.	8503 12' Mono(640X480) 229	
1!	IBM MONITORS 8503 12" Mono(640X480) 228. 8512 14" Color analog 527.	

8513 12 EGA(640x480) 595. 8514 16 Hi-res(1024x768) 1395.
8514 16" Hi-res(1024x768) 1395. MAGNAVOX
Multiscan 14" multimode 599.
EGA 14" w/grn&amber switch 399.
EGA 14" w/grn&amber switch 399. CGA 13" color
TTL Mono 12" grn or amber 89.
NEC
NEC Multisync II 13" TTL/analog 595. Multisync Plus 15" VGA/EGA 945. Multisync XL 20" (1024x768) 2275. Monograph sys (1024x1024) 1555.
Multisync Plus 15 VGA/EGA 945.
Multisync XL 20"(1024x768) 2275.
Monograph sys (1024x1024) 1555.
Flatscreen 12" amber TTL 99.
Mono 12' amber TTL 88.
CGA 14" RGB Color 288.
EGA 14 EGAVUGA COIOF 395.
CPD1302 13' Multiscan color 699.
CPD1302 13" Multiscan color 699. CPD1303 13" EGA 569.
WY30 14" terminal
WY30 14" terminal 349. WY50 14" terminal 419. WY60 14" terminal ASCII 519.
PRINTERS
DICONICS/KODAK
150P Portable printer(par) 339
150P Portable printer(par) 339. 300P w/wide carriage(par) 539.
EPSON
EX800.FX286e.FX86e.LQ850.
LQ1050.LQ1000 call.
ACP is full line Epson dealer
HEWLETT PACKARD Laserjet Series II
Laserjet Series II
Deskjet w/laser quality
IBM PRINTERS Proprinter II, 240cps 435. Proprinter X24, 240cps 24pin 635. Proprinter XL24, 240cps 24pin 835.
Proprinter II, 240cps 435. Proprinter X24, 240cps 24pin 635. Proprinter XL24, 240cps 24pin 835.
Proprinter X24, 240cps 24pin 635.
NEC
D2200 24nin/260-2604ni) 200
P2200, 24pin(360x360dpi) 399. P565XL Color, 100cpsNLQ 1095.
P660 Pinwriter, 65cpsNLQ 599.
Ludgo Silentwriter Laser 3649.
OKIDATA
OKIDATA MI 393 180cnsNI 0 995
OKIDATA ML393,180cpsNL0 995. ML182+ parallel 245.
OKIDATA ML393,180cpsNL0 995. ML182+, parallel 245. ML192+, parallel 319.
OKIDATA ML393,180cpsNL0 995. ML182+, parallel 245. ML192+, parallel 319.
OKIDATA M.1391.180cpsNL0 995. M.182+, parallel 245. ML192+, parallel 319. M.1961-, parallel 469. Laserline 6 (reg.IBM int.) 1399.
OKIDATA M.1391.180cpsNL0 995. M.182+, parallel 245. ML192+, parallel 319. M.1961-, parallel 469. Laserline 6 (reg.IBM int.) 1399.
OKIDATA M.1391.180cpsNL0 995. M.182+, parallel 245. ML192+, parallel 319. M.1961-, parallel 469. Laserline 6 (reg.IBM int.) 1399.
OKIDATA M.1391.180cpsNL0 995. M.182+, parallel 245. ML192+, parallel 319. M.1961-, parallel 469. Laserline 6 (reg.IBM int.) 1399.
OKIDATA M.1391.180cpsNL0 995. M.182+, parallel 245. ML192+, parallel 319. M.1961-, parallel 469. Laserline 6 (reg.IBM int.) 1399.
Closed Siehtwiner Laser 3649; OKIDATA 995 ML1392, parallel 245 ML1922, parallel 319 ML1922, parallel 459 Laserine 6 (req. IBM int.) 1399 KXP.1080. 190cp draft.par 185 KXP.1091. 192cps draft.par 188 KXP.1092. 240cps draft.par 339 KXP.1902. 290cps 0cps.lbc. 339 SVS.1952. 49pm. 80cps.lbc. 595
Closed Siehtwiner Laser 3649; OKIDATA 995 ML1392, parallel 245 ML1922, parallel 319 ML1922, parallel 459 Laserine 6 (req. IBM int.) 1399 KXP.1080. 190cp draft.par 185 KXP.1091. 192cps draft.par 188 KXP.1092. 240cps draft.par 339 KXP.1902. 290cps 0cps.lbc. 339 SVS.1952. 49pm. 80cps.lbc. 595
Chico Sientwiner Laser 3649; Chico Am. 333, 180 cps NL 0 995 ML 1822 - parallel 245 ML 1922 - parallel 319 469 Laserime 6 (req. 18M int.) 1399 740
Chico Sientwiner Laser 3649; Chico Am. 333, 180 cps NL 0 995 ML 1822 - parallel 245 ML 1922 - parallel 319 469 Laserime 6 (req. 18M int.) 1399 740
Chico Sientwiner Laser 3649; Chico Am. 333, 180 cps NL 0 995 ML 1822 - parallel 245 ML 1922 - parallel 319 469 Laserime 6 (req. 18M int.) 1399 740
CONSTRUCTOR CONSTRUCTOR
CONSTRUCTOR CONSTRUCTOR
CONSTRUCTOR CONSTRUCTOR
Cooperation Cooperation
Cooperation Cooperation
COORDATA M. 393, 180cpsNL 0
COOKIDATA M.393,180cpsNL0 MI.182+, parallel M.1932+, parallel M.192+, parallel M.1934-, parallel M.193
Cooperation Cooperation
Cooperation Cooperation
CNODATA M. 393, 180cpsNL0 M. 393, 180cpsNL0 M. 182+, parallel M. 193+, parallel M.
COOKIDATA M.393,180cpsNL0 MI.182+, parallel M.1933, parallel M.192+, parallel M.193+, paral
CNODATA M. 393, 180cpsNL0 M. 393, 180cpsNL0 M. 182+, parallel M. 193+, parallel M.
CONSTRUCTION CONTINUE CASE CA
CONSTRUCTION CONTINUE CASE CA
CNODATA M. 393, 180cpsNL0 M. 393, 180cpsNL0 M. 393, 180cpsNL0 M. 182+, parallel M. 192+, parallel M. 193+, parallel M.
CONSTRUCTION CONTINUE CASE CA
COMPUTER COMPUTER
CONSIDERING CONSIDERING
COMPOATS OKIDATA M. 393, 180cpsNL0 M. 1932, parallel KX-P10800, 180cps draft, par KX-P10800, 180cps draft, par KX-P1092, 240cps draft, 132 M. 1932, parallel
COMBOATA COMBOATA
COMPOST Selective Composition Compos
COORDATA M. 393, 180cpsNL0 M. 393, 180cpsNL0 M. 1932, parallel M. 1932, parallel M. 1932, parallel M. 1932, parallel M. 1934, parallel M.
COORDATA M. 393, 180cpsNL0 M. 393, 180cpsNL0 M. 1932, parallel M. 1932, parallel M. 1932, parallel M. 1932, parallel M. 1934, parallel M.
COORDINATE COORDINATE COORDINATE

g.		36	оклюрр
System Saver IIe System Saver IIg Printer Muffler, 80 MICROCOMP 51/4" Rolltop Disk 31/2" Rolltop Disk PC Vacuum Clean CRT Valet (12 x1 Underdesk Keybox	colu ette ette ette er 2')	File	69. 119. 39. SORIES 29. 22. 39. 119.
FLIP n' FILE FNF MiniXT, 100 5 FNF MicroXT, 100 FNF Maxi, 50 8', s FNF Micro, 25 31/ Universal Printer S DISKETTES-II	otai	u	
5 1/4" DS/DD Dis Maxell MD2-D. Verbatim Datalife Fuji MD2D Advanced Color w 5 1/4" DS/HD Hig Maxell MD2-DD	ket DS	tes PC/X	T360K 11. 12. 11. 8. T1.2Mb
Maxell MD2-DD Verbatim Datalife Fuji MD2HD 3 1/2" High Dens Maxell	HD.		23.
Verbatim Datalife Fuji		RS	49. 49. 49.
PRINTER BUF Advanced 64K par Advanced 64K AB SWITCH BOX Advanced 2-positi			129. 169.
Advanced 2-positi Advanced 2-positi Advanced par/ser Advanced ser/par BuffaloSX PC sha Logical Connection INTELLICOM	con con re (i	AB, 2525 verter verter up to 7) 6K	29. 69. 69. 499.
Longlink-Parallel Longlink-Serial Quicklink-Par to S Quicklink-Par to F Megalink-4prt But TRIPPLITE			199. 199. 149. 149. 299.
Isobar4 surge sup Isobar8 surge sup Line Conditioner w Backup Power Sup Backup Power Sup Backup Power Sup Backup Power Sup	ply, ply, ply,	450w 675w	59. 69. 149. 399. 575. 999. 1299.
GOLDSTAR L DM 6135-3.5 DV DM 6235-3.5 DV DM 6335-3.5 DV DM 6133-3.5 DV OS-7020-20MHz OS-7040-40MHz MEMORY UPG	Scc	pe	600
MEMORY UPG 64K or 256K Upgr 1Mb SIMM's or Ra SOFTWARE pcp-not copy	nre	otected	call.
m-copy prote ALDUS-ncp Pagemaker/MAC Freehand/MAC ALPHA SOFTV Advanced Keywork Alpha/three1.0 AMER. SMALL Design CAD 3D 3.	VAI	ed	499. 379. call. 175. 232. 6S-ncp
Paradox v1.1 Paradox v2.0 w/E	MS	&EEMS .	329. 424.
Applause Presenta BOBL AND PRO	agel	110	422. 219. 275. call.
Sidekick plus Sidekick 1.0 sale! o Turbo BASIC 1.0 Turbo PASCAL 4.	ld v	ers	139. 19. 69. 69.

Reflex 1.14	99
Quattro	140
Eureka	99
BRODERBUND-cp	
Print Shop	40
Graphics Library 1 or 2	23
Toy Shop	40 23 37 45
Memory Mate 2.0-ncp	45.
COMPOSERVE	
Subscription kit	29
Groilers Online Encyclopedia	34.
COMPUTER ASSOCIATE	S-ncp
Groilers Online Encyclopedia	339.
Superproject plus v3.0	339
CROSSTALK COMM-nc	,
Crosstalk XVI v3.61 Crosstalk MK4 v1.01	139.
Crosstalk MK4 V1.01	139.
DAC SOFTWARE-ncp	
DAC Easy Light v1.0	49.
DAG Easy Accounting V2.0	69.
DIGITAL RESEARCH-ncp GEM Draw plus v2.01	405
GEM Draw plus v2.01 GEM Desktop Publisher	185 270
EVECUTIVE OVETERS	
XTREE v2.0 XTREE Professional v1.0	cp 45.
XTREE Professional v1 0	. 89.
FUNK SOFTWARE non	03.
FUNK SOFTWARE-ncp Sideways v3.2	42.
InWord v1.0	59.
5th GENERATION-ncp	
Fastback Plus	99.
FOX SOFTWARE	
FOX SOFTWARE Foxbase+ single user	. 220.
GENERIC-non	
GENERIC-ncp Generic CADD 3.0	65.
LIEETBEE non	. 05.
Volkswriter 3 Plus	160
Volkswriter 3 Plus Total Word v1.0	160.
LOTUS	200.
Hal	99
Lotus 123/Hal Bundle	call. 349.
Manuscript	349.
MECA-cp	
Managing your Money, Tobias	. 129.
MICROLYTICS	
Gofer	45.
Wordfinder	
MICROPRO-DCD	
Wordstar Professional Rel 4 Wordstar 2000 Rel 3	. 269.
Wordstar 2000 Rel 3	. 199.
MICRORIM-ncp R:BASE 5000 R Base SystemV	
R:BASE 5000	. 369.
R Base SystemV	. 469.
MICROSOFT-ncp Windows 386 Windows 2.03	
Windows 386	139.
Windows 2.03	66.
Quick C v1.0	69.
Word vd 0	69.
Word v4.0	. 219.
NORTON-ncp	
Utilities 4.0	69.
Commander	49.
Guides(assem,C,bas, or pascal)	59.
PAPERBACK SOFTWARE	
VP Planner sale!	49.
VP Expert	69.
SURPASS SOFTWARE-no	20
Surpass v1.0	299.
SYMANTEC-DCD	
O & A v2.0 O & A Write Grand View	.219.
Q & A Write	. 139.
Grand View	.175.
TRAVELING SOFTWARE	
Laplink Plus	86.
TURNER HALL-ncp	
SQZ! Plus	65.
Note-it Plus(Lotus123 notes)	
Note-it Plus(Lotus123 notes) Cambridge Spreadsheet Anlst 4Word (123 Wordprocessing)	75.
4word (123 Wordprocessing)	65.
XEROX	
Ventura	.499.
WORDPERFECT-ncp WordPerfect v5.0	
WordPerfect v5.0	. 240.
WordPerfect Library v1.1	65.
WordPerfect Executive DataPerfect v2.0	299.
Dutur GIRCUL VZ.U	. 255.

Advanced Computer Products, Inc.

Mail Order: P.O. Box 17329 Irvine, CA 92713 Retail: 1310-B E. Edinger, Santa Ana, CA 92705

for Fast Service Order by Phone!

NEW PHONE FOR ALL USA 800-FONE ACP 800-366-3227 • 714-558-8813

\$25 00 Minimum Mailt ORDER
 No Surcharge for VISA or Mastercard
 Volume purchasing agreements available
 Pricing subject to change without notice
 AQF Pietal's store pricing may any. Not responsible for typos.

Call for our NEW 1988 Catalog...

CHIPCLOC

10-year clock/calendar IN A CHIP!

Easy plug-in 10-year battery Never set date/time again No slot needed # 100% compatible

NOW WORKS WITH PS/2

CHIPCLOK w/software NOW \$49.00

30-day money-back guarantee

COMPUQUEST INC.

801 Morse Ave. Schaumburg, IL 60193

1-800-722-2353

1-312-529-2552 in IL

DATA ACQUISITION TO GO INTERFACE FOR ANY COMPUTER

FREE IBM SOFTWARE

Connects via RS-232. Fully IBM com-

patible. Built-in BASIC. Stand alone

capability. Expandable. Battery

Option. Basic system: 16 ch. 12 bit

A/D, 2 ch. D/A, 32 bit Digital I/O.

Expansion boards available. Direct

(201) 299-1615

P.O. Box 246, Morris Plains, NJ 07950

16-BIT RESOLUTION

ANALOG-TO-DIGITAL

CONVERTER

12,000 SAMPLES/SEC for IBM PC, XT & AT

SINGLE PIECE PRICE

\$475

We manufacture a broad line

Call for quotes on custom

of data acquisition and control

hardware and software for Apple

hardware or complete systems.

LAWSON LABS, INC.

Bus units for many computers.

Circle 93 on Reader Service Card


Circle 49 on Reader Service Card



The \$595 Solution to 8051 **Product Development**

The PDK51 is a powerful and economical choice for the development of 8051-based systems. The PDK51 is used with an IBM-PC or equivalent and includes:

- SIBEC-II 8052 Basic Microcontroller
- SXA51 Cross Assembler
 ROM-Based Monitor/Debugger
- PROM Programmer
- Power Supplies
- Documentation, Tutorial and More Call Now! (603) 469-3232



Main St., P.O. Box 67, Meriden, NH 03770

PL-1000

A VOICE FOR YOUR PC! VOXX Only \$ 79 95



- Unlimited vocabulary Text-to-speech software included Speaks English text and numbers
- Speaks English text and numbers
 Also speaks Spanish and Italian
 16 different, easy to understand voices
 Automatic inflection
 Easy to use with DOS, BASIC, etc...
 Uses one PC/XT/AT type short slot
 Better than units costing much more


Audio amplifier and speaker included

id \$3.00 per order for shipping. sa, MC, checks, M.O. welcome. residents add sales tax. O.D. add \$3.00 extra. inada: shipping is \$5 terseas add 10%



ALPHA Products 242-B West Avenue, Darien, CT 06820

MICROSAT II



- For IBM PC/XT/AT and compatible.
- Satellite data receiver 9600 baud.
- Satellite bulletin board.

707 Johnson Road, Blaine WA 98230 16041597-6298 TLX 04-508306 FAX (604)597-6214

Circle 17 on Reader Service Card

Satellite Communication

Expansion Board

IMMEDIATE

- · Satellite video and audio option - Add \$200

Circle 208 on Reader Service Card

PERSONAL SPACE COMMUNICATIONS

Set up a complete graphics workstation on your PC for under \$100!

PC-PLOT-III graphics terminal emulator software package enables IBM PC's and compatibles to appear to a mainframe as DEC VT-100/200, VT-52 Retrographics VT-640 or Tektronix 4010/4014 and 4027 terminals. The program also provides valuable communication commands and more.

An enhanced version, PC-PLOT-IV, further allows complete Tektronix 4105 terminal emulation.

For more information call 614/882-4786



659-H Park Meadow Rd. Westerville, OH 43081

Circle 175 on Reader Service Card

8051 FAMILY EMULATORS



For info call:

02 22 38 76 38-0 Austria 02 654 1873 Australia 02 65 81 11 Denmark Finland See Sweden 01 69 412 801 France 01 464 2586 Great Britain 03 499034 Israel Korea 02 784 7841 04 886 375 New Zealand See Sweden Norway Portugal 01 83 56 70 03 217 2340 Spain Switzerland 01 740 41 05 08 131 16 87 West Germany 040 92 24 25 Sweden 408 866 1820 USA

noHau CORPORATION

51 E. Campbell Ave., #107E Campbell, CA 95008 (408) 866-1820

Circle 191 on Reader Service Card

REAL WORLD I/O®

DG24 • 24-line digital I/O; 10 MHz 8255. AD500 • 8 channel 12-bit (plus sign) integrating A/D;

programmable gains of 1, 10, & 100. Hi-Z input and 7 AD100 • Single channel version of AD500 with 10 digital \$149

\$239 AD200 • 4 channel, 125 uS, 12-bit A/D board. ADA300 • 8 channel, 25 uS, 8-bit A/D; single D/A; 24 TTL

I/O lines (10 MHz 8255). \$239

DA600 • Fast settling dual 12-bit D/A. \$169
PD200 • Prototype/development board with address decoder, buffer; 100 + page application/project manual. XB40 • External connection/prototype board with cable. \$49 All boards include BASIC, Pascal, C, and Forth drivers.

30 day return; 1 year warranty. Call for "Real World Interfacing" application notes. Real Time Devices, Inc.

P.O. Box 906 State College, PA 16804 (814) 234-8087

Circle 234 on Reader Service Card

COLUMBIA FALLS, MT 59912 800-321-5355 or 406-387-5355

Circle 145 on Reader Service Card

and IBM computers.

5700 RAIBE ROAD

California Digital

17700 Figueroa Street • Carson, California 90248





Color Monitor

Ideal for CAD/CAM and Desk Top publishing applications. The Roland CD/240 color monitor has a resolution of 720 pixels by 400 lines on a .31mm dot pitch 12" non-glare screen. VGA specifications in text mode EGA in

graphic mode.

Comparable monitor and card packages retail at over \$1095. California Digital has made a special purchase and is able to offer the CD/240 and 132 column VGA/EGA graphic card for only \$389.

20" Analog Color

Ever try gathering a classroom of stu-dents around a 12 inch monitor? This 20 inch analog RGB monitor is the ideal solution. High screen resolution of 1200 pixels by 950 lines allow extra fine detail without the dots looking like golf balls.
256 colors and VGA compatible.
Super value originally sold for over
\$2000. Only 350 available.



ck-Link 300 gives you an instant link to any dial up data base. Such as Dow Jones, Union or the Source. The Quick-Link has four user programmable log-onkeys, allowing some permanent street of the programmable permanent of the password. All this join is permanently stored in non-volatile RAM. on is permanently stored in non-volatile RAM. In modern and 1200 bad auxiliary printer port.

Dragon Computer 1395 \$ 89



The Dragon comes complete with 64K Byte of memory, serial modem port along with a printer interface. This unique microcomputer features Motorola's advanced 6809E microprocessor and comes standard with Microsoft Color Basic, data base manager, and a complete word processing package. The computer outputs color composite video along with RIF. video that allows the unit to be used in conjunction with any color television.



	One	Two	Ten
TEC501 1/2 height sgl.side	49	39	35
TANDON 65L/2 360K, 1/2 ht.	79	75	72
TANDON 101/4 full ht. 96 TPI.	99	89	79
FUJITSU 51/4" half height	95	89	82
MITSUBISHI new 501 half ht.	119	109	105
MITSUBISHI 504A AT comp.	149	139	135
TEAC FD55BV half height	109	99	89
TEAC FD55FV 96 TPI, half ht.	119	109	105
TEAC FD55GF for IBM AT	149	139	135
PANASONIC 455 Half Height	109	99	89
PANASONIC 475 1.2 Meg./96	119	115	109
Switching power supply			49
Dual enclosure for 51/4" drives			59

3½" DISK DRIV	ES		
SONY MP-53W 720K/Byte	129	125	119
SONY MP-73W, 2 Meg.	159	149	call
TEAC 35FN 720 K/Byte	129	119	115
TEAC 35HN/30, 2 Meg.	159	149	145
51/4" form factor kit			20
O' DICK DDIVE	:6		_

QUME 842 double sided 189 179 175 QUME 841 single sided 119 109 99 SHUGART 851R dbl. sided 319 309 299	O DISK DRIVES			
	QUME 842 double sided	189	179	175
CHIICADT 0E4D dbl cided 240 200 200		119	109	99
SHOGAN I OS IN GDI. SIGEG 319 309 299	SHUGART 851R dbl. sided	319	309	299
REMEX RFD4000 dbl. sided 189 179 165	REMEX RFD4000 dbl. sided	189	179	165
OLIVETTI 851 189 179 165	OLIVETTI 851	189	179	165



Head Crash, Power Spikes or just poor disk maintenance...

Don't loose data because you didn't back up. The All/40 is an inexpensive way to save and restore files in the event that your data has been distroyed.

This 40 megabyte half height tape back is manufactured by North Americas largest producer of data retrieval equipment.

No need to purchase a separate tape controller... the ALL/40 Not need to putrates a separate tape controller. The DAV of attaches directly to your existing floppy disk controller. Supplied software allows your computer to back up any time Day or Night. Come back in the morning and 40 megabytes of irreplacable data has been stored on one Scotch DC/2000 data cassette. Back up entire hard disk, modified files only, or by file name. Loss of data is inevitable but when you are backed up on an ALL/40 its not a catastrophe.



The Hitachi 672/XD is a four color 11 by 17 (B size) plotter with superior accuracy and repeatability (.3mm). The 672 accepts HPGL 7475 commands and is both Centronics parallel and RS232C compatible. The 672 plots at a fast eight inches per second in axial

direction and eleven inches at an angle of 45 degrees. The plotter also features a self contained digitizing function that allows data to be entered into your computer from printed graphs and blue prints.

Four different color pens are supplied with the plotter but a wide variety of technical pens are available.

2400 Baud Modem

lievable value at only \$119.

Fully compatible with the Hayes command set and CC/ITT V.22 standards. Error correcting, autobauding and "adaptive equalization" allow the MAX/2400 to maintain reliable data transmission over marginal phone lines.

Manufactured by Maxon Systems, one of the Worlds largest producers of consumer electronics. Orginally priced at \$295. While supplies last California

Smarteam 2400



The Smarteam 2400 offers all the features of the Haves Sm for a fraction of the price. Now is your opportunity to purchase a 2400 baud modem for only \$239. **Also available**: The MiniTeam 1200 at only \$129.

MODEMS	-
Avatex 1200E external, Hayes compatible	
CTS 1200 baud modem	89
Hayes Smartmodem 2400 baud modem	529
Smarteam 2400 Hayes Compatible	
Smarteam 1200 Hayes Compatible, 300/1200	119
Smarteam 1200B IBM 1200 baud card	119
UltraLink 1200 data and voice, Bell 202	59
U.S. Robotics 2400 baud Direct, internal	139
U.S. Robotics 9600 bps. Courier HST	
Signalman Mark VI, 300 baud internal PC	35

21 Megabyte Gold Card



The Gold Card from Silicon Valley Computers features shock mounted automatic head unloading, 15 watt drive coupled with a 2K/byte sector buffer and advanced OMTI controller for maximum reliability, 30,000 hour MTBF and ful 2 year warranty – the best cost per megabyte hardcard available. Also available the 30 Meg. Gold Card at only \$419.



The NEC PC/8500 laptop computer incorporates a 25 line liquid crystal display and modem that plugs directly into any RJ/11 wall jack. An auto log/on feature instructs the 8500 to phone the users host computer and automatically send password and log/on information. The computer also includes both serial and Centronics parallel ports packaged in this six pound laptop. This is the ideal computer for Realtors, insurance people or any individual that requires immediate access to remote information. ROM based telecommunication software, spreadsheet and Wordstar also make the 8500 a great computer for students. Files can be transferred from this CP/M computer to any other including the IBM/PC.

Heath H/89

Hard to believe... but we found a stash of brand new Zenith/Heath Model H/89 computers. These computers feature the Zilog Z-80 CPU and operate under CP/M. The unit incorporates a 12 inch green screen, three serial ports and one 5½" disk drive. Zenith's original price was \$1895. We have 350 units available for sale, while supplies last we are offering the H/89 at only \$179. Word processing and communication software included.

40 Megabyte Hard Disk Kit

Forty megabyte internal hard disk drive, controller and cables all for only \$397

The kit includes the a 40 millisecond Miniscribe 3650 drive and a half slot Western Digital





Best of all it's FREE... almost. California Digital's Fall catalog is now available. Rather than indiscriminately just giving them away, we are asking that a \$5.00 contribution be made to one of the following charitable organizations.

American Cancer Society American Heart Assoc American Red Cres
For your generosity, you will receive California Digital's color catalog offering over 3000
computer related products. You will also receive a \$5.00 credit certificate that may be applied
toward any merchandise offered by California Digital. See it's almost free.
Please make your check (do not send each) payable to the charitable experiention

Name		
Address		
ACCOUNT NAME OF		
City/Zip		





VISA

8:00 AM to 5:00 PM **Pacific Time**

Every year since 1973, customers from virtually every nation in the free World have chosen California Digital for their data processing requirements. If its computer, California Digital has it... complete minisystem or just one microchip. California Digital offers over 10,000 unique computer products. Regardless of how specialized your data processing requirements... California Digital is your one stop shopping solution.

TECHNICAL & CALIFORNIA (213) 217-0500 TOLL FREE ORDER LINE (800) 421-5041

/licrode

Complete customer satisfaction...superior service...friendly, knowledgeable personnel quality merchandise... providing the best values in leading edge technology.

STATIC RAMS

2112	256×4	(450ns)	2.99
2114	1024×4	(450ns)	.99
2114L-2	1024×4	(200ns)(LOW POWER)	1.49
TMM2016-100	2048x8	(100ns)	1.95
HM6116-4	2048×8	(200ns)(CMOS)	3.29
HM6116-3	2048×8	(150ns)(CMOS)	3.95
HM6116LP-4	2048x8	(200ns)(CMOS)(LP)	4.29
HM6116LP-3	2048×8	(150ns)(CMOS)(I.P)	4.95
HM6116LP-2	2048×8	(120ns)(CMOS)(LP)	5.49
HM6264LP-15	8192×8	(150ns)(CMOS)(LP)	6.49
HM6264LP-12	8192x8	(120ns)(CMOS)(LP)	6.99
HM43256LP-15	32768x8	(150ns)(CMOS)(LP)	12.95
HM43256LP-12	32768×8	(120ns)(CMOS)(LP)	14.95
11044325CL D 10	22760-0	/100VCMOSVI PI	10 05

DYNAMIC RAMS

4116-250	16384×1	(250ns)	.49
4116-200	16384×1	(200ns)	.89
4116-150	16384×1	(150ns)	.99
4116-120	16384×1	(120ns)	1.49
MK4332	32768×1	(200ns)	6.95
4164-150	65536x1	(150ns)	2.89
4164-120	65536×1	(120ns)	3.19
MCM6665	65536x1	(200ns)	1.95
TMS4164	65536x1	(150ns)	1.95
4164-REFRESH	65536×1	(150ns)(PIN 1 REFR	(ESH) 2.95
TMS4416	16384×4	(150ns)	3.75
41128-150	131072×1	(150ns)	5.95
TMS4464-15	65536×4	(150ns)	7.95
41256-150	262144x1	(150ns)	12.45
41256-120	262144x1	(120ns)	12.95
41256-100	262144×1	(100ns)	13.45
HM51258-100	262144x1	(100ns)(CMOS)	6.95
1 MB-120	1048576×1	(120ns)	34.95
1 MB-100	1048576×1	(100ns)	37.95

EPROMS

2708	1024×8	(450ns)(25V)	4.95
2716	2048×8	(450ns)(25V)	3.49
2716-1	2048×8	(350ns)(25V)	3.95
TMS2532	4096x8	(450ns)(25V)	5.95
2732	4096x8	(450ns)(25V)	3.95
2732A	4096x8	(250ns)(21V)	3.95
2732A-2	4096x8	(200ns)(21V)	4.25
27C64	8192x8	(250ns)(12.5V CMOS)	4.95
2764	8192×8	(450ns)(12.5V)	3.49
2764-250	8192x8	(250ns)(12.5V)	3.69
2764-200	8192×8	(200ns)(12.5V)	4.25
MCM68766	8192×8	(350ns)(21V)(24 PIN)	15.95
27128	16384×8	(250ns)(12.5V)	4.25
27C256	32768x8	(250ns)(12.5V CMOS)	7.95
27256	32768×8	(250ns)(12.5V)	5.95
27512	65536x8	(250ns)(12.5V)	11.95
27C512	65536x8	(250ns)(12.5V CMOS)	12.95
	WWV-Prog	rem Voltage	

xxV: Program Voltage MEMORY PRICES SUBJECT TO CHANGE DUE TO MARKET CONDITIONS. PLEASE CALL TO CONFIRM PRICE

SPOTLIGHT 1 MB EPROMS

128K x 8 ORGANIZATION # 200 NS

S	■ CMOS DESIGN FOR LOW POWER
PIN ARRANGEMENT	<i>\$34.95</i>

			The second second		the Control of the Co
8000			82	00	
031	3.95	8203	14.95	8255-5	1.59
1035 1039	1.95	8205 8212	1.49	8259 8259-5	1.95
052AH BASIC 1080	2.49	8216 8224	1.49	8257 8272	2.25 4.39
085	1.95	8228	2.25	8274	4.95
1086 1088	6.49 5.99	8237 8237-5	3.95 4.75	8275 8279	16.95
088-2	7.95	8243	1.95	8279-5	2.95
1155 1155-2	2.49 3.95	8250 8251	6.95 1.29	8282 8283	3.95 3.95
741	9.95	8251A	1.69	8284	2.25
1748 1749	7.95 9.95	8253 8253-5	1.59 1.95	8286 8287	3.95 3.95
755	14.95	8255	1.49	8288	4.95

MATH COPROCESSORS



5 MHz \$99.95 8 MHz \$159.95 10 MHz \$229.95 6 MHz \$179.95 8 MHz \$249.95 10 MHz \$309.95 16 MHz \$799.95 8087 8087-2 8087-1 80287 80287-8 80287-10 10 MHz 80387-16 16 MHz 80387-20 20 MHz

6500 1.0 MHz

6502	2.25
65C02 (CM	IOS) 7.95
6520	1.65
6522	2.95
6526	13.95
6532	5.95
6545	2.95
6551	2.95
2.0 A	HZ
6502A	2.69
6520A	2.95
6522A	5.95
6522A	11 95

2.0 MHz			
6502A	2.69		
6520A	2.95		
6522A	5.95		
6532A	11.95		
6545A	3.95		
6551A	6.95		
3.0 MHz			

6800

6502B

1.0 MHz		
6800	1.95	
6802	2.95	
6803	3.95	
6809	2.95	
6809E	2.95	
6810	1.95	
6820	2.95	
6821	1.25	
6840	3.95	
6843	4.95	
6844	6.95	
6845	2.75	
6847	4.75	
6850	1.95	
6883	22.95	

6803	3.95
6809	2.95
6809E	2.95
6810	1.95
6820	2.95
6821	1.25
6840	3.95
6843	4.95
6844	6.95
6845	2.75
6847	4.75
6850	1.95
6883	22.95
2.0	MHZ
68B00	2.95
68B02	3.95
68B09E	5.49
68B09	5.99
68B21	1.85
68B45	4.95
68B50	1.75
68000	9.95

Z-80 2.5 MHz Z80-CPU 4.0 MHz

Z80A-CPU

Z80A-CTC	1.69
Z80A-DART	5.95
Z80A-DMA	5.95
Z80A-PIO	1.89
Z80A-SIO 0	5.95
Z80A-S10 1	5.95
Z80A-SIO 2	5.95
6.0 MH	Iz
Z80B-CPU	2.75
Z80B-CTC	4.25
Z80B-PIO	4.25
Z80B-DART	6.95

CLOCK

CIRCUITS		
MM58167	9.95	
MM58174	9.95	
*******	2 05	

BIT RATE **GENERATORS**

95
95
T

INTERSIL

ICL7106	9.95
ICL7107	10.95
ICL7660	1.99
ICL8038	3.85
ICM7207A	5.95
ICM7208	15.95

DISK

CONTROLLERS		
1771	4.9	
1791	9.9	
1793	9.99	
1795	12.9	
1797	12.99	
2791	19.99	
2793	19.9	
2797	29.9	
8272	4.39	
UPD765	4.3	
MB8876	12.9	
MB8877	12 9	
1691	6.9	
2143	6 9	
9216	6.2	

UAN	I 9
AY5-1013	3.95
AY3-1015	4.95
TR1602	3.95
2651	4.95
IM6402	3.95
IM6403	9.95
INS8250	6.9
NS16450	10.99

MISC.

1000	
ADC0804	2.99
ADC0809	3.85
DAC0800	3.29
DAC0808	1.95
DAC1022	5.95
MC1408L8	3 1.95
8T28	1.29
8T97	.59
DP8304	2.29
9334	1.75
9368	2.85
9602	.69
ULN2003	.79
MAX232	7.95
MC3470	1.95
MC3487	2.95
AY5-3600	PRO 11.95

V 20 SERIES

	U JEN	
V20*	5 MHz	8.95
V20.	8 MHz	10.95
V20'	10 MHz	12.95
V30	8 MHz	13.95
	places 808	
spee	d up PC 10	0-40°
100		100
100		-
F -	N/CTA	

CRYSTALS 32.768 KHz 1.0 MHz 2.95

1.8432	2.95
2.0	1.95
2.4576	1.95
3.579545	1.95
4.0	1.95
5.0	1.95
5.0688	1.95
6.0	1.95
6.144	1.95
8.0	1.95
10.0	1.95
10.738635	1.95
12.0	1.95
14.31818	1.95
16.0	1.95
18.0	1.95
18.432	1.95
20.0	1.95
22.1184	1.95
24.0	1.95
32.0	1.95

NECHI ATORS

1.0MHz	5.95
1.8432	5.95
2.0	5.95
2.4576	5.95
2.5	5.95
4.0	4.95
5.0688	4.95
6.0	4.95
6.144	4.95
8.0	4.95
10.0	4.95
12.0	4.95
16.0	4.95
18.432	4.95
20.0	4.95

PALS				
16L8	\$2.95			
16R8	\$2.95			
16R6	\$2.95			
16R4	\$2.95			

74F/745 74F00

	7-71	
	74F00	.35
	74F02	.35
	74F04	.35
	74F08	.35
U.	74F10	.35
ĸ	74F32	.35
	74F64	.55
	74F74	.39
	74F86	.55
	74F138	.79
	74F139	.79
	74F253	.89
	74F157	.89
	74F240	1.29
	74500	.29
	74502	.29
	74504	.29
	74508	.35
	74510	.29
	74532	.35
	74574	.49
	74586	.35
	745112	.50
	745124	2.75
	745138	.79
	745153	.79
	745157	.79
	745158	.95
	745163	1.29
	745175	.79
	745195	1.49
	745240	1.49
	745241	1.49
	745244	1.49
	745280	1.95
	745287	1.69
	745288	1.69
	745299	2.95
	745373	1.69
	745374	1.69 4.95
	74S471 74S571	4.95 2.95
	1/455/1	2.95

74L500

74LS00	16	74LS112	29	74LS241	69
74LS01	18	74LS122	45	74LS242	.69
74LS02	17	74LS123	49	74LS243	.69
74LS03	18	74LS124	2 75	74LS244	.69
74LS04	16	74LS125	39	/4LS245	79
74LS05	18	74LS126	39	74LS251	.49
74LS08	18	74LS132	39	74LS253	49
74LS09	18	74LS133	49	74LS257	39
74LS10	16	74LS136	39	74LS258	49
74LS11	22	74LS138	39	74LS259	1.29
74LS12	22	74LS139	39	74LS260	49
74LS13	26	74LS145	99	74LS266	39
74LS14	39	74LS147	99	74LS273	79
74LS15	26	74LS148	99	74LS279	39
74LS20	17	74LS151	39	74LS280	1.98
74LS21	22	74LS153	39	74LS283	.59
74LS22	22	74LS154	1 49	74LS290	89
74LS27	23	74LS155	59	74LS293	89
74LS28	26	74LS156	49	7415299	1.49
74LS30	17	74LS157	35	74LS322	3.95
74LS32	18	74LS158	29	74LS323	2.49
74LS33	.28	74LS160	29	74L3365	39
74LS37	26	74LS161	39	74LS367	39
74LS38	26	74LS162	49	74LS368	.39
74LS42	39	74LS163	39	74LS373	79
74LS47	75	74LS164	49	74LS374	79
74LS48	.85	74LS165	65	74LS375	95
74LS51	17	74LS166	95	74LS377	79
74LS73	29	74LS169	95	74LS390	1 19
74LS74	.24	74LS173	49	74LS393	79
74LS75	29	74LS174	39	74LS541	1.49
74LS76	29	74LS175	39	74LS624	1.95
74LS83	49	74LS191	49	74LS640	.99
74LS85	.49	74LS192	69	74LS645	.99
74LS86	.22	74LS193	69	74LS670	.89
74LS90	39	74LS194	69	74LS682	3.20
74LS92	49	74LS195	.69	74LS688	2.40
74LS93	39	74LS196	.59	74LS783	22.95
74LS95	49	74LS197	.59	25LS2521	2.80
74LS107	34	74LS221	.59	26LS31	1.95
74LS109	36	74LS240	69	26LS32	1.95
					

LINEAR

7400

	_					
7400 7402	19		TL071 TL072	69	LM567 NE570	79
7402	19		TL074	1.95	NE592	98
7406	29		TL082	99	LM723	49
7407	29		TL084	1.49	LM733	98
7408	24		LM301	34	LM741	29
7410	.19		LM309K	1.25	LM747	69
7411	25		LM311	59	MC1330	1.69
7414	49		LM311H	89	MC1350	1.19
7416	.25		LM317K	3.49	LM1458	.35
7417	25		LM317T	69	LM1488	49
7420	.19		LM318	1.49	LM1489	49
7430	19		LM319	1.25	LM1496	85
7432	.29		LM320 se		ULN2003	.79
7438	.29		LM323K	3.49	XR2206	3.95
7442	49		LM324	34	XR2211	2.95
7445	.69		LM331	3.95	LM2917	1.95
7447	89	100	LM334	1 19	CA3046	89
7473	.34		LM335	1.79	CA3146	1.29
7474	.33		LM336	1.75	MC3373	1.29
7475	45		LM338K	4.49	MC3470	1.95
7476	.35		LM339	.59	MC3480	8.95
7483	50		LM340 se		MC3487	2.95
7485	.59		LF353	59	LM3900	49
7486	.35	21.3	LF356	.99	LM3911	2.25
7489	2.15		LF357	99	LM3909	.98
7490	.39		LM358	.59	LM3914	1.89
7493	35		LM380	89	MC4024	3.49
74121	49		LM383	1.95	MC4044 RC4136	3.99
74123 74125	45	1.9	LM386	45	RC4558	.69
74125	1.35		LM394H	5.95	LM13600	1.49
74151	.55	12	TL494	4.20	75107	1.49
74153	.55	(4)	TL497	3.25	75110	1.95
74154	1.49		NE555	29	75150	1.95
74157	.55	14	NE556	49	75154	1.95
74159	1.65	W3	NE558	79	75188	1.25
74161	.69	8.1	NE564	1.95	75189	1.25
74164	85	20	LM565	95	75451	.39
74166	1.00		LM566	1.49	75452	.39
74175	89		NE590	2.50	75477	1.29
74367	.65				TO-3. T TO-	

CMOS/HIGH SPEED CMOS

4001	.19	4066	.29	74HC154	1.09
4011	.19	4069	.19	74HC157	.55
4012	.25	4070	.29	74HC244	.85
4013	.35	4081	.22	74HC245	.85
4015	.29	4093	.49	74HC273	.69
4016	.29	14411	9.95	74HC373	.69
4017	.49	14433	14.95	74HG374	.69
4018	.69	14497	6.95	74HCT00	.25
4020	.59	4503	.49	74HCT02	.25
4021	.69	4511	.69	74HCT04	.27
4023	.25	4518	.85	74HCT08	.25
4024	49	4528	.79	74HCT32	.27
4025	.25	4538	.95	74HCT74	.45
4027	.39	4702	9.95	74HCT138	.55
4028	.65	74HC00		74HCT139	.55
4040	.69	74HC02		74HCT161	.79
4042	.59	74HC04		74HCT240	.89
4044	.69	74HC08		74HCT244	.89
4046	.69	74HC10		74HCT245	.99
4047	.69	74HC14		74HCT273	.99
4049	.29	74HC32		74HCT373	.99
4050	.29	74HC74		74HCT374	.99
4051	.69	74HC86		74HCT393	.99
4052	.69	74HC13		74HCT4017	1.19
4053	.69	74HC13		74HCT4040	.99

JDR Microdevices and the JDR Microdevices logo are registered trademarks of JDR Microdevices. IBM, AT, PS/2 are trademarks of International Business Machines

CAPACITORS **TANTALUM**

6.8	15V	42	2.2	35V	.19
10	15V	.45	4.7	35V	.39
22	15V	.99	10	35V	.69
		DIS	i C		
10pf	50V	.05	.0014	50V	.05
22	50V	.05	.005	50V	.05
33	50V	.05	.01	50V	.07
47	50V	.05	.05	50V	.07
100	50V	.05	.1	12V	.10
220	50V	05	1	501/	12

MONOLITHIC

01µ1 04 7 µ1		$.1\mu^{\dagger}$ $.47\mu^{\dagger}$	50V 50V	
	100000			

			ULI II	_			
RA	ADIAL		AXIAL				
1,4	25V	.14	1,11	50V	.14		
4.7	50V	.11	10	50V	.16		
10	50V	.11	22	16V	.14		
47	35V	.13	47	50V	.19		
100	16V	.15	100	35V	.19		
220	35V	.20	470	50V	.29		
470	25V	.30	1000	16V	.29		
2200	16V	.70	2200	16V	.70		
4700	25V	1.45	4700	16V			

BYPASS CAPACITORS

.01 μ CERAMIC DISC 100/\$5.00 .01 μ MONOLITHIC 100/\$10.00 .1 μ CERAMIC DISC 100/\$6.50 .1 μ MONOLITHIC 100/\$12.50

"SNAPABLE"

HEADERS

CAN BE SNAPPED APART TO MAKE ANY SIZE HEADER, ALL WITH .1" CENTERS

1x40 STRAIGHT LEAD ...99
1x40 RIGHT ANGLE LEAD ...49
2x40 2 STRAIGHT LEADS 2.49
2x40 2 RIGHT ANGLE LEADS 2.99

11 ii

D	115C	RETE	
1N751	.15	4N28	.69
1N414825	1 00	4N33	.89
1N400410	1100	4N37	1.19
1N5402	.25	MCT-2	.59
KBP02	.55	MCT-6	1.29
2N2222	.25	TIL-111	.99
PN2222	.10	2N3906	.10
2N2907	.25	2N4401	.25
2N3055	.79	2N4402	.25
2N3904	.10	2N4403	.25
4N26	.69	2N6045	1.75
4N27	.69	TIP31	.49

RESISTOR NETWORKS

9 RESISTOR 7 RESISTOR

8 RESISTOR

10 PIN 8 PIN 16 PIN

16 PIN

VOLTAGE **REGULATORS**

7805T	49	7812K	1.39
7808T	.49	7905K	1.69
7812T	.49	7912K	1.49
7815T	.49	78L05	.49
7905T	.59	78L12	.49
7908T	.59	79L05	.69
7912T	.59	79L12	1.49
7915T	.59	LM323K	4.79
7805K	1.59	LM338K	6.95

SOLDER STATION

- ADJUSTABLE HEAT SETTING TEMPERATURE READOUT
- # REPLACEMENT TIPS AVAILABLE \$2.95



SHORTING

BLOCK5

5/\$1.00

WIREWRAP PROTOTYPE CARDS

FR-4 EPOXY GLASS LAMINATE WITH GOLD PLATED EDGE-CARD FINGERS SILK SCREENED LEGENDS, MOUNTING BRACKETS INCLUDED



FOR PS/2

R-PR32	32 BIT PRO
R-PR16	16 BIT CAF
R-PR16PK	PARTS KIT
R-PR16V	16 BIT CAR

JDR-PR10PK

JD

JD

IBM-PR2

OTOTYPE CARD RD WITH I/O DECODING LAYOUT FOR JDR-PR16 ABOVE RD FOR VIDEO APPLICATIONS

FOR AT

16 BIT CARD WITH I/O DECODING LAYOUT PARTS KIT FOR JDR-PR10 ABOVE

FOR YT

WITH +5V AND GROUND PLANE AS ABOVE WITH I/O DECODING LAYOUT

EXTENDER CARDS

FOR PROTOTYPE DEBUGGING AND TROUBLESHOOTING





EXT-8088 FOR XT SYSTEM 29.95 EXT-80286 FOR AT SYSTEM 39.95 EXT-16 MICROCHANNEL 16-BIT 69.95 EXT-32 MICROCHANNEL 32-BIT 99.95

69.95 49.95

15.95

34.95

12.95

27.95

15 RESISTOR 7 RESISTOR 13 RESISTOR *WHY THOUSANDS*

CHOOSE JDR

- **QUALITY MERCHANDISE**
- COMPETITIVE PRICES
 MOST ORDERS SHIPPED IN 24 HOURS
 FRIENDLY, KNOWLEDGEABLE STAFF
 30-DAY MONEY BACK GUARANTEE

- TOLL FREE TECHNICAL SUPPORT EXCELLENT CUSTOMER SERVICE

CALL FOR VOLUME QUOTES

ENI DERI ESE RREADROARDS

		-/			
WBU-D	100 TIE PTS.	2.95	WBU-204	1660 TIE PTS.	24.95
WBU-T	630 TIE PTS.	6.95	WBU-206	2390 TIE PTS.	29.95
WBU-204-3	1360 TIE PTS.	17.95	WBU-208	3220 TIE PTS.	39.95



YES PE-240T YES

Model Timer PE-140 NO

PF-140T

SPECTRONICS CORPORATION

EPROM ERASERS

Intensity (uW/Cm²)

8,000

9.600

\$89

\$189

Chip Capacity

9

12

DATARASE

• ERASES 2 EPROMS IN 10 MINUTES
• VERY COMPACT, NO DRAWER
• THIN METAL SHUTTER PREVENTS

UV LIGHT FROM ESCAPING §34.95

IDC CONNECTORS/RIBBON CABLE

OPDED BY	CONTACTS						
ONDER BY	10	20	26	34	40	50	
IDHxxS	.82	1.29	1.68	2.20	2.58	3.24	
IDHxxSR	.85	1.35	1.76	2.31	2.72	3.39	
IDHxxW	1.86	2.98	3.84	4.50	5.28	6.63	
IDHxxWR	2.05	3.28	4.22	4.45	4.80	7.30	
IDSxx	.63	.89	.95	1.29	1.49	1.69	
IDMxx		5.50	6.25	7.00	7.50	8.50	
IDExx	.85	1.25	1.35	1.75	2.05	2.45	
RCxx	1.60	3.20	4.10	5 40	6 40	7.50	
	IDHxxSR IDHxxW IDHxxWR IDSxx IDMxx IDExx	10 10 10 10 10 10 10 10	10 20 10HxxS .82 1.29 10HxxSR .85 1.35 10HxxW 1.86 2.98 10HxxW 2.05 3.28 10Sxx .63 .89 10Mxx 5.50 10Exx .85 1.25	10 20 26	To Co Co Co Co Co Co Co	Total Tota	

D-SUBMINIATURE CONNECTORS

DESCRIPTION		ORDER BY		CONTACTS						
		ONDER BY	9	15	19	25	37	50		
SOLDER CUP	MALE	DBxxP	.45	.59	.69	.69	1.35	1.85		
SOLDEN COP	FEMALE	DBxxS	.49	.69	.75	.75	1.39	2.29		
RIGHT ANGLE PC SOLDER	MALE	DBxxPR	.49	.69		.79	2.27			
MIGHT ANGLE TO SOLDEN	FEMALE	DBxxSR	.55	.75		.85	2.49			
WIREWRAP	MALE	DBxxPWW	1.69	2.56		3.89	5.60			
WINEWNAP	FEMALE	DBxxSWW	2.76	4.27		6.84	9.95			
IDC RIBBON CABLE	MALE	IDBxxP	1.39	1.99		2.25	4.25			
IDC HIBBON CABLE	FEMALE	IDBxxS	1.45	2.05		2.35	4.49			
HOODS	METAL	MHOODxx	1.05	1.15	1.25	1.25				
110003	GREY	HOODxx	.39	.39		.39	.69	.75		

ORDERING INSTRUCTIONS

OFFICERING INSTRUCTIONS: INSERT THE NUMBER OF CONTACTS IN THE POSITION MARKED "xx" OF THE "ORDER BY" PART NUMBER LISTED EXAMPLE: A 15 PIN RIGHT ANGLE MALE PC SOLDER WOULD BE DB15PR.

MOUNTING HARDWARE 59¢

IC SOCKETS/DIP CONNECTORS

OPDED DV	CONTACTS								
ONDER BY	8	14	16	18	20	22	24	28	40
xxST	.11	.11	.12	.15	.18	.15	.20	.22	.30
xxWW	.59	.69	.69	.99	1.09	1.39	1.49	1.69	1.99
ZIFxx		4.95	4.95		5.95		5.95	6.95	9.95
AUGATxxST	.62	.79	.89	1.09	1.29	1.39	1.49	1.69	2.49
AUGATxxWW	1.30	1.80	2.10	2.40	2.50	2.90	3.15	3.70	5.40
ICCxx	.49	.59	.69	.99	.99	.99	.99	1.09	1.49
IDPxx	.95	.49	.59	1.29	1.49		.85	1.49	1.59
	ZIFxx AUGATxxST AUGATxxWW ICCxx	xxST .11 xxWW .59 ZIFxx AUGATxxST .62 AUGATxxWW 1.30 ICCxx .49	8 14 11 11 11 12 12 13 14 15 16 16 17 16 16 16 16 16	8 14 16 11 12 12 12 13 14 15 14 15 15 16 16 16 16 16 16	R 14 16 18 xxST .11 .11 .12 .15 xxWW .59 .69 .69 .19 ZIFxx 4.95 4.95 AUGATxxST .62 .79 .89 1.09 AUGATxxWW 1.30 1.80 2.10 2.40 ICCxx .49 .59 .69 .99	ONDER BY 8 14 16 18 20 xxST .11 .11 .12 .15 .18 xxWW .59 .69 .69 .99 9 1.09 ZIFxx 4.95 4.95 5.95 AUGATxxST .62 .79 .89 1.09 1.29 AUGATxxWW 1.30 1.80 2.10 2.40 2.50 ICCxx 49 .59 .69 .99 .99 .99	R 14 16 18 20 22 xxST .11 .11 .12 .15 .18 .15 xxWW .59 .69 .69 .99 .10.9 1.39 ZIFxx 4.95 4.95 5.95 AUGATxxXV .62 .79 .89 1.09 1.29 1.39 AUGATxxww 1.30 1.80 2.10 2.40 2.50 2.90 ICCxx .49 .59 .69 .99 .99 .99 .99	B 14 16 18 20 22 24 xxST .11 .11 .12 .15 .18 .15 .20 xxWW .59 .69 .99 .99 1.09 1.39 1.49 ZIFxx 4.95 4.95 5.95 5.95 AUGATxxXV .62 .79 .89 1.09 1.29 1.39 1.49 AUGATxxWW 1.30 1.80 2.10 2.40 2.50 2.90 3.15 ICCxx .49 .59 .69 .99	R 14 16 18 20 22 24 28 xxST .11 .11 .12 .15 .18 .15 .20 .22 xxWW .59 .69 .69 .99 .109 .39 .109 .26 .95 .69 ZIFxx .495 .495 .595 .595 .69 .69 AUGATxxST .62 .79 .89 .109 .129 .139 149 1.69 AUGATxxww 1.30 1.80 2.10 2.40 250 .29 .35 .30 1.09 ICCxx .49 .59 .69 .99

FOR ORDERING INSTRUCTIONS, SEE D-SUBMINIATURE CONNECTORS, ABOVE

3 VOLT LITHIUM BATTERY \$1.95 \$1.49 HOLDER



RS-232 BREAKOUT BOX

FOR TROUBLESHOOTING SERIAL COMMUNICATIONS

- OPEN/CLOSE INDIVIDUAL CIRCUITS
- 20 JUMPERS CROSS-CONNECT ANY TWO CIRCUITS
- # 10 LEDS SHOW CIRCUIT ACTIVITY



GENDER CHANGERS

FOR 25 PIN D-SUBMINIATURE CONNECTORS

GENDER-FF FEMALE-MALE
GENDER-MM MALE-MALE
GENDER-MF MALE-FEMALE
GENDER-NM NULL MODEM
GENDER-JB JUMPER BOX GENDER-MT MINITESTER





7.95 7.95 8.95 14 95





ADAPTOR CABLE FOR IBM, APPLE II





JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030 LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110

RETAIL STORE: 1256 SOUTH BASCOM AVE., SAN JOSE, CA (408) 947-8881 HOURS: M-F 10-7 SAT. 9-5 SUN. 12-4

Terms: Minimum order \$10.00. For shipping and handling include \$2.50 for UPS ground and \$3.50. UPS air Orders over 1 lb and foreign orders may require additional shipping charges—please contact the sales department for the amount. CA residents must include applicable sales tax. Prices are subject to change without notice: We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale. A full copy of our terms is available upon request. Items pictured may only be representative.



OLL FREE 800-53£ **COPYRIGHT 1988 JDR MICRODEVICES**

CONTINENTAL U.S. AND CANADA

OR Microdevices®

Complete customer satisfaction...superior service...friendly, knowledgeable personnel quality merchandise...providing the best values in leading edge technology.



IT S TIME TO TRADE UP NOW THAT JDR BREAKS THE PRICE BARRIER ON 2400 BAUD MODEMS

AUTO DIAL ANSWER

SELF TEST ON POWER-UP

- TOUCHTONE OR PULSE DIALING
- HAYES & BELL SYSTEMS COMPATIBLE
 FULL OR HALF DUPLEX
 MIRROR II COMMUNICATIONS SOFTWARE INCLUDED

MCT-12I 1200 BAUD 1/2 CARD

\$ 69.95

EXTERNAL MODEMS

MCT-12E 1200 BAUD MCT-24E 2400 BAUD

\$ 99.95 \$169.95

COMPUTER

ATTRACTIVE, STURDY STEEL CASES FIT THE POPULAR SIZED MOTHERBOARDS AND INCLUDE SPEAKERS, FACEPLATES, EXPANSION SLOTS, FRONT PANEL KEYLOCKS, LED INDICATORS AND ALL NECESSARY



CASE-FLIP FOR 8088 MOTHERBOARDS **CASE-SLIDE FOR 8088 MOTHERBOARDS** CASE-286 FOR 286 MOTHERBOARDS **CASE-JR FLIP-TOP FOR MINI 286**

■ INCLUDES 150 WATT POWER SUPPLY

\$34.95

\$39.95 \$149.95

POWER UPPLIES

PS-135 135 WATT

135 WATTS

PS-150 150W MODEL \$69.95

PS-200 200 WATT 200 WATTS

+ 5V 22A, + 12V 8A 5V 5A, -12V 5A



- LETTER QUALITY AT 20 CPS. 132 COLS
- 12. 15 PITCH & PROPORTIONAL SPACING
- SERIAL & PARALLEL INTERFACE AUTO PAPER LOAD, FRICTION FEED
- AUTO PAPER LOAD. FRIC



NEAR TYPESET QUALITY AFFORDABLE AT LAST

■ 8 PAGES PER MINUTE ■ 300 DPI RESOLUTION¹
■ 1 YEAR WARRANTY ■ CHOICE OF EMULATION BOARDS
MULTI-PRINTER EMULATION BOARD:

BOULTFRINTER EMOLATION BOARD.
EPSON FX-80 EMULATION—NOTHING ELSE REQUIRED
IBM PC GRAPHICS, PROPRINTER & DIABLO 630
EMULATION REQUIRES ADDITIONAL FONT CARD

HP LJ+ EMULATION BOARD:
HP LASERJET EMULATION—3 RESIDENT FONTS &
2 PITCHES ADDITIONAL FONT CARD AVAILABLE

1 5MB RAM CARD \$139.95 EXTRA FONT CARDS \$199.95 TONER CARTRIDGES \$59.95 PES FIRST PUBLISHER \$99.95



MONITOR & CARD **TOGETHER**

- 800 X 560 MAXIMUM RESOLUTION
- # 640 X 480 IN 16 COLORS
- 320 X 200 IN 256 COLORS # IBM STYLE
- ANALOG MONITOR
 FULLY VGA, EGA.
 CGA, HERCULES & MONOCHROME COMPATIBLE





NEC MULTISYNC

\$599.95 ORIGINAL CGA EGA PGA COMPATIBLE MONITOR AUTO FREQUENCY ADJUSTMENT

- RESOLUTION AS HIGH AS 800 X 560

CASPER EGA

\$399.95

- 15 75 21 85 KHz SCANNING FREQUENCIES
 640 X 200 350 RESOLUTION = 31 MM DOT PITCH
 14" BLACK MATRIX SCREEN = 16 COLORS

CASPER RGB

\$279.95

- COLOR GREEN AMBER SWITCH . 39MM DOT PITCH
- 640 X 240 RESOLUTION 14 NON-GLARE SCREEN RGB IBM COMPATIBLE CABLE INCLUDED

SAKATA MONOCHROME

\$69.95

- IBM COMPATIBLE TTL INPUT
- 12 NON-GLARE SCREEN CABLE FOR IBM PC INCLUDED

SAMSUNG MONOCHROME MONITOR

MONITOR STANDS

MODEL MS-100
TILTS AND SWIVELS
STURDY PLASTIC CONSTRUCTION

MODEL MS-200

\$39.95

\$129.95

\$12.95

TILTS AND SWIVELS # BUILT-IN SURGE SUPRESSOR # INDEPENDENTLY CONTROLS UP TO 5 AC OUTLETS

KEYBOARDS

FULL DNE YEAR WARRANTY

MCT-5339 ENHANCED STYLE LAYOUT

■ AUTOSENSE FOR XT OR AT COMPATIBLES
■ LED INDICATORS ■ AUTO REPEAT FEATURE
■ SEPARATE CURSOR PAD

MCT-5060 STANDARD LAYOUT \$59.95

\$79.95

\$64.95

SOFTWARE AUTOSENSE FOR XT OR AT COMPATIBLES

■ LED INDICATORS ■ AUTO REPEAT FEATURE

MAXI-5WITCH KEYBOARDS MCT-5339 ENHANCED STYLE LAYOUT \$84.95

■ STANDARD ENHANCED KEYBOARD LAYOUT

TACTILE FEEDBACK

LIGHTED NUM. CAPS. AND SCROLL LOCK

NUMERIC & CURSOR KEYPADS. 12 "F" KEYS

MAX-5060 STANDARD LAYOUT



PC MAGAZINE'S EDITORS CHOICE PC MAGAZINE S EDITORS CHOICE

ALL MODELS HAVE SERIAL SUPPORT (COM1 COM2), 200
DPT RESOLUTION LOTUS 1-2-3 SHELL SELF-INSTALLING
SOFTWARE AND POINT EDITOR

SERIAL MOUSE W/PC PAINTBRUSH BUS MOUSE W/PC PAINTBRUSH \$99.95 \$99.95 BUS MOUSE W/PC PAINTBRUSH/CAD \$149.95

.5" FLOPPY

1 AA MR 31/2" DRIVE

■ ULTRA HIGH DENSITY
■ ALSO WORKS WITH 720K DISKS
FDD-1.44 x BLACK FACEPLATE
FDD-1.44 x BEIGE FACEPLATE

\$149.95 \$149.95

720K 3½" FLOPPY DRIVE FDD-3.5 x (FORXT) FDD-3.5 x (FORAT)

\$129.95



THE NEW ST-251-1 DRIVE IS 30% FASTER WITH AN AVERAGE ACCESS TIME OF 28 MS. EASY TO INSTALL HALF-HEIGHT ST-251-1

WITH MCT-HDC CONTROLLER WITH MCT-AFH CONTROLLER WITH MCT-HDC CONTROLLER WITH MCT-AFH CONTROLLER

20 MB, 65 MS, 5T-225

30 MB RLL, 65 MS, 5T-238 WITH MCT-RLL CONTROLLER
WITH MCT-AFH-RLL CONTROLLER

1/2 HEIGHT DRIVES

40 MB, 40 MS, 5T-251 WITH MCT-HDC CONTROLLER WITH MCT-AFH CONTROLLER

30 MB, 40 MS, ST-4038

80 MB, 28 MS, ST-4096

60 MB RLL, 40 MS, 5T-277 WITH MCT-RLL CONTROLLER WITH MCT-AFH CONTROLLER

FULL HEIGHT DRIVES

DRIVE \$269.00 360K 51/4" DRIVE

RELIABLE DIRECT DRIVE \$339.00

\$225.00

\$249.00

\$429.NN

\$499.00

\$299.00

\$389 00

\$469.00

\$539.00

\$639.00

\$559.00

\$895.00

\$24.95

MOTOR

DOUBLE-SIDED DOUBLE-DENSITY FD-55B

TEAC DISK



% HEIGHT FLOPPY DISK DRIVES

51/4" TEAC FD-55G DS/HD 1.2M 51/4" FUJITSU M2551A DS/DD 360K \$129.95 51/4" FUJITSU M2553K DS/HD 1.2M 51/4" DS/DD 360K \$69.95 51/4" DS/DD 12M \$109.95 51/4" DS/DD 12M \$109.95 31/2" MITSUBISHI DS/DD (FOR AT OR XT) \$129.95

ARCHIVE XL APE BACK-UP

■ EASY-TO-USE MENU DRIVEN

SOFTWARE USES STANDARD QIC DATA FORMAT

FULL & INCREMENTAL BACK-UP

PARTIAL & FULL RESTORE

-FOR XT S & AT S AR5540 AT S ONLY 2X FASTER TAPE NOT INCLUDED

TAPE CARTRIDGE-40 MB \$24.95

20MB HARD DISK ON A CARD

SAVES SPACE AND REDUCES POWER CONSUMPTION

JUST A NOTE TO LET YOU KNOW THAT MY SALESPERSON, HELEN MORSE, AT YOUR COMPANY HAS BEEN VERY HELPFUL AND COURTEOUS. THIS IS A PLEASANT CHANGE FROM MOST TELEPHONE SALESPEOPLE I DEAL WITH. PLEASE PASS MY THANKS TO HELEN.
I PLAN ON DOING FREQUENT BUSINESS
WITH JDR AS MY NEW COMPANY, ODEM INC,
GETS GOING, AND HELEN'S ATTITUDE AND
HELPFULNESS ARE A MAJOR REASON WHY I LIKE DOING BUSINESS WITH YOU.

S 51/A" HALF-MEIUN"

96 T.P.I.
100% IBM COMPATIBLE
DOUBLE-SIDED QUAD DENSITY

BACK UP 40 MB IN 40 MINUTES

AR5240

■ IDEAL FOR PC S WITH FULL HEIGHT FLOPPIES ■ LEAVES ROOM FOR A HALF LENGTH CARD IN

ADJACENT SLOT



BARGAIN HUNTER'S CORNER FLOPPY DISK DRIVE BY MITSUBISHI 51/4" HALF-HEIGHT

•**69**⁹⁵

SPECIAL ENDS 8/31/88 ONLY

INTERFACE CARDS FROM MODULAR CIRCUIT TECHNOLOGY

\$569.00

\$639.00

DISPLAY ADAPTORS MONOCHROME GRAPHICS CARD \$59.95

TRUE HERCULES COMPATIBILITY ■ PARALLEL PRINTER PORT CONFIGURES AS CPT1 OR LPT2 . USES VLSI CHIPS TO ENSURE RELIABILITY MCT-MGP

ENHANCED GRAPHICS ADAPTOR \$149.95

100% IBM COMPATIBLE PASSES IBM EGA DIAGNOSTICS ■ 256K OF VIDEO RAM ALLOWS 640 X 350 IN 16 OF 64 COLORS . COMPATIBLE WITH COLOR AND MONOCHROME ADAPTORS

COMPATIBLE WITH IBM GRAPHICS STANDARDS

SUPPORTS RGB COLOR & COMPOSITE MONOCHROME
#640 320 x 200 RESOLUTION LIGHT PEN INTERFACE
MCT-CG

MULTIFUNCTION CARDS

MONOGRAPHICS MULTI I/O \$119.75

TOTAL SYSTEM CONTROL FROM A SINGLE SLOT!

CTRL 2 FLOPPY S SERIAL PARALLEL GAME PORT
CLOCK CAL # RUN COLOR GRAPHICS SOFTWARE ON A
MONOCHROME MONITOR
MCT.MGMIN MCT-MGMI0

MULTI I/O FLOPPY CONTROLLER \$79.95

PERFECT COMPANION FOR OUR MOTHERBOARDS ■ SUPPORTS UP TO 2 360K FLOPPIES 720K WITH DOS 3 2 ■ SERIAL PARALLEL GAME PORT CLOCK CALENDAR

MCT-MIO MIO-SERIAL—2ND SERIAL PORT

\$15.95

MULTI I/O CARD 659.95 WSLITTIO CARD

USE WITH MCT-FH FOR A MINIMUM OF SLOTS USED

■ SERIAL PORT CLOCK CALENDAR WITH BATTERY BACK

UP ■ PARALLEL PRINTER PORT ADDRESSABLE AS LPT1 MCT-IO

286/386 MULTIFUNCTION \$139.95

ADDS UP TO 3 MB OF RAM TO YOUR AT ■ USER EXPANDABLE TO 1.5 MB OR 3 MB WITH OPTIONAL PIGGYBACK BOARD (0 K INSTALLED) ■ INCLUDES SERIAL AND PARALLEL PORT

MCT-AMF-MC PIGGYBACK BOARD \$29.95 286/386 MULTI I/O CARD USE WITH MCT-ATFH FOR MINIMUM OF SLOTS USED

SERIAL PARALLEL AND GAME PORTS USES 16450 SUPPORT CHIPS FOR HIGH SPEED OPS

AIO-SERIAL -2ND SERIAL PORT

MEMORY CARDS 576K RAM CARD \$59.95

A CONTIGUOUS MEMORY SOLUTION IN A SHORT SLOT ■ USER SELECTABLE CONFIGURATION UP TO 576K ■ USES 64K & 256K RAM CHIPS (ZERO K INSTALLED)

EXPANDED MEMORY CARD

2 MB OF LOTUS INTEL MICROSOFT COMPATIBLE MEMORY FOR AN XT © CONFORMS TO LOTUS INTEL EMS © USER EXPANDABLE TO 2 MB © CAN BE USED AS EXPANDED OR CONVENTIONAL MEMORY RAMDISK AND SPOOLER

MCT-AEMS 286/386 VERSION

DRIVE CONTROLLERS

FLOPPY DISK CONTROLLER OUALITY DESIGN FOR SINGLE SLOT CONTROL OF 4 FLOPPY S INTERFACES UP TO 4 FDD S TO AN IBM PC OR COMPATIBLE . SUPPORTS BOTH DS DD AND DS QD MCT-FDC

1.2 MB FLOPPY CONTROLLER \$69.95
ADD VERSATILITY AND CAPACITY TO YOUR XT
S SUPPORTS 2 DRIVES BOTH MAY BE 360K OR 1 2 MB
ALLOWS DATA TO FLOW FREELY FROM XT S TO AT S

FLOPPY/HARD CONTROLLER \$139.95

XT SYSTEM STARVED FOR SLOTS? THIS CARD FREES ONE UP # INTERFACES UP TO 2 FDD S & 2 HDD S. CABLING FOR 2 FDD 1 HDD # SUPPORTS BOTH DS DD & DS QD DOS 3 2 MCT-FH

286/386 FLOPPY/HARD CARD \$149.95

FLOPPY HARD DISK CONTROL IN A TRUE AT DESIGN SUPPORTS UP TO 2 360K 720K 1 2MB FDD S AS WELL AS 2 HDD S USING STANDARD CONTROL TABLES MCT-AFH

286/386 RLL CONTROLLER \$199.95

IMPROVE SPEED AND STORAGE OF YOUR AT COMPATIBLE # SUPPORTS UP TO 2 RLL HARD DISCS AND 2 FLOPPY DRIVES # SUPPORTS 360 720 1 2 MB IN 5 25 8 3 5 MCT-AFH-RU

INBOARD 386/PC \$895.00

UPGRADE YOUR XT TO A 386 FOR LESS THAN \$1000 # 16 MHZ PROCESSOR REPLACES 8088 # 1 MB
INSTALLED # EXPAND TO 3MB WITH PIGGYBACK CARD
5 YR WARRANTY

PCIB1200 PCIB1200 PCIB1210 PCMB4020 PCMB4120

1MB PIGGYBACK CARD 512K ABOVE BOARD 512K ABOVE BOARD

\$369.95 \$399.95

JDR MICRODEVICES, 110 KNOWLES DRIVE, LOS GATOS, CA 95030 LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110

FREE 800-538 **COPYRIGHT 1988 JDR MICRODEVICES**

BUILD YOUR OWN SYSTEM



OVER 20,000 JDR SYSTEMS HAVE ALREADY BEEN BUILT. EASY TO ASSEMBLE IN JUST 2 HOURS WITH A SCREWDRIVER. SAVE MONEY AND LEARN ABOUT YOUR COMPUTER AT THE SAME TIME.

12 MHZ MINI-286

- 12 MHZ BABY AT MOTHERBOARD
- 256K RAM MEMORY
- MINI-AT CASE W POWER SUPPLY AT STYLE KEYBOARD
- 1 2 MB FLOPPY DRIVE
- FLOPPY HARD DRIVE CONTROLLER
- MONOCHROME MONITOR
- GRAPHICS ADAPTOR

10 MHZ *TURBO 8088*

INCLUDES SERIAL PORT, 2 PARALLEL PORTS CLOCK CALENDAR AND GAME ADAPTOR RUNS COLOR GRAPHICS ON A MONOCHROME MONITOR

- MOTHERBOARD
- 256K RAM MEMORY
 135 WATT POWER SUPPLY
 FLIP-TOP CASE
- AT STYLE KEYBOARD
- 360K FLOPPY DRIVE MONOGRAPHICS I O CARD
- MONOCHROME MONITOR

16 MHZ 1 MB 386

- MYLEX 386 MOTHERBOARD
- 1 MB RAM ON BOARD
- 200 WATT POWER SUPPLY AT STYLE CASE
- FNHANCED AT STYLE KEYBOARD
- 12 MB FLOPPY DRIVE
 AT FLOPPY HARD CONTROLLER
 MONOCHROME MONITOR

- MONOGRAPHICS CARD

VIDEO INSTRUCTIONS WITH KIT PURCHASE IT'S A JDR EXCLUSIVE EASY TO FOLLOW 20 MINUTE VHS TAPE SHOWS YOU STEP-BY-STEP HOW TO BUILD ANXT COMPATIBLE SYSTEM. WITHOUT KIT \$19.95

MOTHERBOARDS

TURBO 4.77/8 MHZ

\$99.95

12 MHZ MINI 80286

\$399.95

\$1549.00

- # 4 77 OR 8 MHZ OPERATION WITH 8088-2 & OPTIONAL
- 8087-2 CO-PROCESSOR
 FRONT PANEL LED SPEED INDICATOR AND RESET SWITCH SET SUPPORTED
 CHOICE OF NORMAL TURBO MODE OR SOFTWARE
- SELECT PROCESSOR SPEED

■ 8 SLOT (2 EIGHT BIT, 6 SIXTEEN BIT) AT MOTHERBOARD

KEYLOCK SUPPORTED, RESET SWITCH, FRONT PANEL

MCT-TURBO

MCT-XMB STANDARD MOTHERBOARD

HARDWARE SELECTION OF 6 OR 8 MHZ

SOCKETS FOR 1 MB OF RAM AND 80287

- \$87.95

MCT-M286-12 MCT-M286 10 MHZ MINI 80286 BOARD

RELIABILITY

SUPPORTS 256K-1024K MEMORY

\$389.95

80286 6/8 MHZ

BATTERY BACKED CLOCK

LED INDICATOR

MCT-286

\$379.95

■ 1 MB RAM ON BOARD

- # 8 SLOTS, 2 8-BIT, 6 16-BIT # SUPPORTS 80287 MATH CO-PROCESSOR

16 MHz MYLEX 386

SUPPORTS 80387 W ADAPTOR

64 KB CACHE FOR NEAR 0 WAIT STATE USES AMI BIOS


MCT-386 MB

MCT-386 MB-4 4 MB MEMORY INSTALLED \$2649.00 MCT-386 MB-MCB MATH CO-PROCESSOR ADAPTOR BOARD \$149.00

6 MHz. 10 MHz (0 1 WAIT STATE). 12 MHz (1 WAIT STATE)

■ USES ZYMOS ASIC'S FOR LESS CHIPS, GREATER

BE-CHARGEABLE HIGH CAPACITY NI-CAD BATTERY
 6 16-BIT SLOTS, 28-BIT SLOTS
 MOUNTS IN STANDARD XT CASE



10 MHZ SINGLE CHIP

- SINGLE CHIP USES LESS POWER IMPROVES RELIABILITY
 KEY SELECTABLE SPEED, 4 77 MHz OR 10 MHz
 2 3 TIMES FASTER THAN A STANDARD
- RESET SWITCH, KEYLOCK AND SPEED POWER INDICATORS SUPPORTED

MCT-TURBO-10

DEVELOPMENT

EPROM PROGRAMMER

PROGRAMS 27XX & 27XXX EPROMS UP TO 27512

- SUPPORTS VARIOUS PROGRAMMING FORMATS AND VOLTAGES
- SPLIT OR COMBINE CONTENTS OF SEVERAL EPROMS OF DIFFERENT SIZES

 READ. WRITE, COPY, ERASE CHECK AND VERIFY


 SOFTWARE FOR HEX AND INTEL HEX FORMATS

MCT-EPROM

356

4 GANG PROGRAMMER \$189 00 MCT-EPROM-4 MCT-EPROM-10 10 GANG PROGRAMMER \$299.95 MCT-PAL MCT-MP

PAL PROGRAMMER PROCESSOR PROG \$199.95





- 1 YEAR WARRANTY ON *MCT PRODUCTS*
- **30 DAY** MONEY BACK GUARANTEE
- TOLL-FREE TECHNICAL SUPPORT
- **NEXT DAY AIR** SHIP AVAILABLE

Microdevices ®

JDR MICRODEVICES, 110 KNOWLES DRIVE. LOS GATOS, CA 95030 LOCAL (408) 866-6200 FAX (408) 378-8927 TELEX 171-110









the HUSKY[™]

EPROM

PLD


MICRO

GANG

SET



Circle 42 on Reader Service Card



Circle 304 on Reader Service Card (DEALERS: 305)



PC based PROGRAMMER

\$599.00*

From A Name You Can Trust

LOGICAL DEVICES, INC.

1201 N.W. 65th Place, Ft. Lauderdale, FL 33309

Telex 383142 Fax (305) 974-8531

(305) 974-0967

1-800-331-7766



\$89.95

DE

- Allows you to use your computer as a control system for environmental controls, equipment automation, experiments, robotics or other applications which require software control of external devices.
- Provides output channels to control 16 relays. Expandable to 128 relays.
- Wide variety of relay and contact configurations available.
- Plugs into serial port (RS-232, 1/0, printer, etc.)
- Use with IBM and compatibles, Tandy Apple and most other computers.

24 HOUR ORDER LINE (614) 464-4470 Visa, MasterCard, American Express, COD

ELECTRONIC ENERGY CONTROL, INC. 380 S. Fifth Street, Suite 604 Columbus, Ohio 43215

Electronic Products, Inc. 1633-6 Sycamore Ave. Bohemia, NY 11716

BEST GUARANTEED QUALITY & PRICE

- AT 80286 MOTHER BOARD
- 6/8/12/up to 16 MHz CALL
- 4.77/10 MHz Turbo Board \$59.50
- 4.77/8 MHz Turbo Board \$56.00
- Multi I/O Card w/Cable \$38.00
- 1.2 M & 360K Floppy Disk Controller Card w/Cable \$36.00 Available
- I/O plus card for AT \$ 36.00
- Floppy Disk Controller
- Card w/Cable \$14.00 Game Card \$12.00
- Printer Card \$12.00
- ORDER LINE NYS 1-800-842-4246 Outside NY (516) 567-6730 FAX (516) 567-6731 Serial Card \$14.00 Monchrome Graphic Card
- w/8 pieces RAM CHIPS \$42.00 or w/2 pieces RAM CHIPS \$48.00 Color Graphic Card w/printer port \$42.00
- 41256-15 RAM CHIP \$11.50 41256-12 RAM CHIP \$10.65
- \$3.00 Handling Charge Shipped UPS COD Prices are F.O.B. NY

* Due to factors beyond our control, prices are subject to change w/o notice. *

Quantity

Discount

5¼" DSDD .74 ea. 3½" DSDD1.59 ea. 51/4" DSDD .54 ea. 3½" DSDD1.49 ea. **Y**5¼" DSDD **.73 ea.** 3½" DSDD**1.69 ea.** Prices based on Min 100 Diskettes วบD .27 ea. Min 800 BULK 51/4" DSDD .27 ea. Min 800 31/2" DSDD 1.09 ea. Min 100. Sleeves & Labels Included Lifetime Warranty 100% Certified Shipping at Cost - Same Day 716-298-5035

FAX # 716-297-2749 DATA DIRECT

Prices may be subject to change without notice

Circle 68 on Reader Service Card

DATA CARTRIDGES

600 A	Min 5	ea.
300 XLP	Min 5	ea.
2000	Min 5 17.50	ea.

EPSON ORIGINAL RIBBONS

MX, FX, RX 80 series . . Min 4 doz. 4.49 ea. MX, FX, RX 100 series Min 4 doz. 5.89 ea. LQ 1000 Min 4 doz. **6.29 ea.**

Call for pricing on LASER CARTRIDGES COMPUTER TAPE, RIBBONS

716-298-5035 FAX # 716-297-2749 DATA DIRECT

Prices may be subject to change without notice

Circle 69 on Reader Service Card

PRINTER BUFFERS

DEI manufactures a complete line of high performance data buffers. What ever your applications, we have a buffer to meet your requirements at an affordable price.

\$295 & UP Printer Buffers 256K-1M Plotter Buffers 256K-20M \$495 & UP

Remote Data Collection for

PBX call records 256K-20M \$495 & UP

Serial or parallel data ports, battery back-up, internal modems, data compression, special protocols, and custom programming are available on all units. Call today with your data buffering requirements. Our design engineers will assist you in selecting the right model for your job.

1-800-247-5419

DICKERSON ENTERPRISES, INC.

8101 North Milwaukee Ave., Niles, IL 60648 In Illinois or Dealer Inquiries: (312) 966-4884

EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue Each reference is to the first page of the article or section in which the company name appears

INQU	IRY#	COMPANY	PAGE	INQU	JIRY#	COMPANY	PAGE	INQU	IRY#	COMPANY	PAGE
	ABACUS		11	757	CORNER	STONE TECHNOI	LOGY	889	LASERM	ASTER	164
961		TECHNOLOGY		986				897		EE SOFTWARE	
957				987		SYSTEMS		394		MPUTER	
768		C		988	CTX INT	ERNATIONAL	282	395	LOGITE	CH	67, 282
788		I-WESLEY		000				778			
752		ED LOGIC RESEA		989	DATA GE	NERALPY	203		MACNE	AL-SCHWENDL	FR 11
		ED RESEARCH PI		926 376		X		956		COMPUTER	
		Y NETWORK		771		TH TECHNOLOGI		396		IC FOUR	
968			282	884		DDUCTS			MATSUS	HITA ELECTRI	C11
923		AN DATA	202	942		ORM TECHNOLOG				V-HILL	
		IOLOGY AN HOME BUSINI		927	DEST		203				11
		IATION		797		COMMUNICATION		397	MEGASO		242 202
969		AN RESEARCH				IATES		006		NOLOGY	
940				255		RESEARCH		906		AN SOFTWARE MS	
		DEVICES		377	DOTRON	IIX	282			RE	
	ANALYT	ICS	288	378	E-MACH	INES	282	793		ADVICE	
		FTWARE		928	EIT		203	398		CELLULAR	
970		ERNATIONAL		379		O MECHANICAL				IUNICATIONS .	282
883	APPLE C	OMPUTER 13	5, 164, 282	•••		MS		399		DISPLAY SYSTE	
955 959				380	ELECTR	OHOME	282	400		RAPHIC IMAGI	
971					FAR POI	NT ENGINEERING	G 11	-		RO INTERNATION	
941	APPLIED	CREATIVE		381		ECHNOLOGIES		854	MICROS	OFT	89, 123, 143
		OLOGY	103	956		TWARE		935	MICDOS	OET DD ECC	. 51
779	ARCHIM	EDES SOFTWARE	E 67		FUJITSU		243	930		OFT PRESS EK LAB	
787	ASHTON	-TATE6	7, 123, 135	929	GAMMA	LINK	203	401		OUCH SYSTEM	
934					GAZELL	E MICROCIRCUI	TS 11	402		TTEC	
958		T. DOIL	105 202	885	GENER A	L COMPUTER	164			DIA LAB	
894	ASTRES	EARCH	195, 282	784		C SOFTWARE		403	MITSUB	A	282
972 973	AYTEI		282	775		SOFTWARE	67	404	MITSUB	ISHI ELECTRON	NICS
974		ONTROLS				WASHINGTON ERSITY	288			ICA	
				382		AR ELECTRONIC		405	MONITE	ERM	67, 282
		LE INSTITUTE CO		202		NATIONAL		761	MOTOR	DLA	11
		ORATORIES		383		VEST TECHNOLO					
975		N COMPUTER	200	896	GRID SY	STEMS	183	406		USA	
,,,		MS	282	753	HERT7 (COMPUTER	. 67	960		CKET SOFTWAI	
976	BFA SAL	ES	282	755		ΓT-PACKARD				MES RESEARCI	
977	BLUE CH	IIP INTERNATION	NAL282	384		SALES OF AMER				ER ANGLEY RESEA	
852	BORLAN			762	HONEY	WELL BULL ITAL	IA 67			ER	
943		NATIONAL		773		ON INSTRUMENT				AL CENTER FO	
924 786	BROOK I	ROUT TECHNOLO OFTWARE	JGY203	385		AI ELECTRONICS			ATMO	SPHERIC RESE	ARCH147
700		OKS			AMER	ICA	282			AL INSTITUTES	
				386	IBM		54, 164, 282			TH	
978		ELECTRONICS		886						AL INSTRUMEN	
936		ARIE		944				407		CROELECTRON ME ELECTRON	
770		CABLE LEQUIPMENT		887		I MPUTER		-7 U /		WIE ELECTRON	
770		HE MELLON		387 388		иротек Н		769		E	
		RSITY	288	389		RIAL COMPUTER				BORATORIES	
979		L TOUCH		307		CE		907	NU-MEC	GA TECHNOLOG	GIES219
980		INTERNATIONA		795		IATION RESEARC		408	ORIENT	EC OF AMERIC	A 282
		CELLAR INK		390		LOR		764		SINESS MACHIN	
001		HANCEMENTS	11	767		ATIONAL COMPU					
981	COLORG	IUNICATIONS	282	000		TATE ELECTRON		409 410		D BELL NIC INDUSTRIA	
763		NICATIONS AUTO		888	III QUN	ИЕ	104	931	IANASO	NIC INDUSTRIA	AL 203, 202
		TROL				SE BROADCASTIN		411	PDS VID	EO TECHNOLO	GY282
794	COMMU	NICATIONS RESE	EARCH		JOHN W	ILEY & SONS	51	412	PERSON	AL COMPUTER	
2,255		·		391	KAYPRO)	282			HERALS	
982		COMPUTER	5	392		N		766		R SYSTEMS	
983		\DD		857				939		ONITIMED	TING 103
984 985		L SYSTEMS		393		SYSTEMS	282	413		CONSUMER FRONICS	282
703		NATION TECHNO				EIL APPLIED	200	800		R SOFTWARE	
751		A TECHNOLOGIE				LIGENCE COMPUTER SYST		414		R SYSTEMS	
						COMI CILICOTOI					

INQU	J IRY #	COMPANY	PAGE
799 415	PRIAM PRIME SO PRINCETO	E-HALLDLUTIONS	143 67
776	PRODUCT	IS ION SYSTEMS OLOGIES	
851	PROXIMIT	TY SOFTWARE.	89
416 890 417 932 418	QMS QUADRAI	ARCH	164 203, 282
419	QUIMAX	SYSTEMS	282
420 856		IOE GOETHIA DE	
938 421 782 422 792 937	RELISYS : ROCHE SY ROLAND !	ICE SOFTWARE YSTEMSDGTHERS	282 67 282
423 424	SAMSUNC	F AMERICA S ELECTRONICS	
425 772	SANYO BU SCRIPTEL SENTIENT	CA JSINESS SYSTEN IT SYSTEMS DLOGY	AS282 67
774 426 791	SEQUITER SHARP EL SOFTWAR SONY MIC	R SOFTWARE LECTRONICS LE PUBLISHING CROSYSTEMS	67 282 11, 67
427 853 933	SOTA TEC SPECTRAL STANFOR INSTITU	AMERICA HNOLOGY FAX D RESEARCH JTE	
428	SUPERMA	D UNIVERSITY C TECHNOLOG ANALYSIS	Y282
756 429 430 431 962	TANDY/RATATUNG TAXAN US TECMAR.	SS TECHNOLOG ADIO SHACK	282 282 282
432 433 891	TEXAS A& TEXAS INS	IX M UNIVERSITY STRUMENTS 11, 164, 24	7288 3, 257, 282
925 892 434	THE LASE	PLETE PC R CONNECTION MACHINES	N164 288
435	SYSTEM 3A COMPU	I INFORMATION S JTER	282
436 908 437 895	3LYNX TE TOOLS & T	CHNOLOGIES ECHNIQUES AMERICA1	282
798 955		G SOFTWARE	
855 438	TSI	COMPUTER	89

шиди	JIKI #	COMPANY	PAGE	INQ	UIRY #	COMPANY	PAGE
	COMM	MY LABORATORY		441	WELLS A	AMERICAN	282
439		COMP				N DIGITAL	
765		EK		442	WYSE TE	ECHNOLOGY	282
440	UNITED	SILICON STRUCTU SITY OF FLORIDA	JRES 11	443		COMPUTER MENT	282
	UNIVER	SVILLESITY OF MICHIGAL	4	783	YAMAHA	T A ELECTRONIC SY ON	STEM
893	VIDEOT: ASSOC	PER EX INDUSTRY LIATION EARCH	147	444 957	ZENITH	DATA SYSTEMS	. 129, 282

COMING UP IN BYTE

PRODUCTS IN PERSPECTIVE:

NIOTITES "

October will see the continuation of our **new column format**. This includes special pieces devoted to business applications, the Macintosh, computer communications, OS/2, and hands-on hardware and software construction projects. And don't forget Computing at Chaos Manor and Applications Plus.

A whole new class of 80386 systems can give you the performance of an 80386 for a lot less money than the high-end systems. These clones don't push for that extra bit of performance and don't offer a lot of frills. But the tradeoff is an attractive price—around \$3000. October's **Product Focus** will compare a dozen of these clones.

System reviews: Next month, we'll give the 20-MHz 80386-based System 310 from Dell Computer a full going-over. Another review examines three portables: the Amstrad PPC640, the Epson Equity LT, and the USA Micro Laser Compact XT.

A hardware review examines five low-end scanners for the Macintosh.

Software reviews: Given the current interest in object-oriented development, you may want to take a look at our review of C-TALK from CNS. C-TALK adds object-oriented extensions to a number of C implementations. In another review, we'll look at a diagnostic facility for C on MS-DOS computers called PC-Lint from Gimpel Software. Also in for scrutiny will be Borland's Turbo Prolog 2.0.

Application reviews include D, the Data Language, a fast database manager for MS-DOS computers from CalTex; EGA Paint 2005 from RIX SoftWorks; and Borland's high-powered word processor for MS-DOS systems, Sprint.

IN DEPTH:

HyperCard and hypertext embody similar techniques. Each is a tool for linking disparate facts together, even if those facts are not all initially contained in the same place. Our InDepth section will take a look at some outstanding "hyper" examples and explain the technology behind the linkages.

FEATURES:

Mark Waller will continue his discussion on microcomputer power with an article on **power backup systems**. Waller, an authority on electrical power management, will provide practical advice for buying the best system for your needs. Additionally, Peter Wayner will present a piece on a structured writing program.

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

* Correspond directly with company

Alphabetical Index to Advertisers

Advertising Supplement included with this issue: CMO (U.S. and Canada Subscribers)

* Correspond directly with company.

inquiry i		Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
	ORDCRAFT 284	343 MICRO TECHNOLOGY				* COMPS. FO	R THE BLIND . 88PC-8
296 XE	ELTEK	344 MICROPROC. ENGIN		Mid-Atlantic	88 M/AT 1-8		UL INT'L 88PC-13
	ENITH DATA SYSTEMS 99	345 MITSUBISHI KASEI			ANALOS ESTADOS AND AND LESS		AC 88PC-7
299 ZE	ERICON 346	346 NOVELL DEV. PROD. DIV.		* BYTE TIPS	88M/AT-6		
	DRTECH 125	347 OLIVETTI		491 COMPUTERLAN	E 88M/AT-5		P. SQUARE 88PC-4
	WORLD 346	348 PRECISION DATA		492 KEN GORDON P		 MICROCOMP. 	MKTG. COUNCIL 88PC-6
302 Z-	WORLD 346	358 RHV	. 88IS-32		G. COUN. 88M/AT-7	* MICROMINT	
		349 ROTRON	. 88IS-10	* MICROMINT	88M/AT-8		IGINEERING 88PC-15
INITEDAL		350 SEMI-TECH MICRO	88IS-9	493 OWL COMP. SER	RVICE 88M/AT-1		IGINEERING 88PC-15
	ATIONAL SECTION 88IS 1-40	* SOFTLINE CORP			8 88M/AT-6		88PC-11
Νο Νοπ	h American inquiries please.	351 S-100	. 88IS-17	494 SF MICRO	88M/AT-3		GRAPHICS 88PC-14
004 45	2500	352 S-100	. 88IS-17	495 SF MICRO	88M/AT-3		88PC-9
321 At	BECO 88IS-14 DER 88IS-39	353 TASTRONIC CONTROLS		496 VUTEK	88M/AT-2	525 SF MICRO .	88PC-9
322 AL	L DOWNLOADING 88IS-36	354 TVM				526 TATUNG SC	ENCE & TECH.88PC-1
	NALYTICAL ENGINES 88IS-36	355 USA SOFTWARE		Northeast	88 NE 1-16		CONSULTING88PC-8
	CL 88IS-34	356 VCN	. 88IS-15			527 VUTEK	88PC-10
	X 88IS-34	357 WARREN POINT INT'L	. 88IS-34	536 APPLIED PROG. EL			
	UE CHIP TECHNOLOGY 88IS-34			537 COMPARE COM		Southeast	88 SE 1-8
	TE BACK ISSUES 88IS-22	REGIONAL SECTIONS		538 COMPARE COM			
	YTE BITS 88IS-18	REGIONAL SECTIONS		539 CORTEX CORP.		* BYTE TIPS	88SE-4
	YTE MARKETING 88IS-38	Midwest 88		540 DRESSELHAUS			S INT'L 88SE-3
	YTE SUB. MESSAGE 88IS-30	Midwest 88	WW 1-12	541 D-DATA	88NE-6		S INT'L 88SE-3
	ALEND 88IS-23	476 ALTEX ELECTRONICS	OOMW E	542 INTERFACE GRO 543 KEN GORDON P		503 KNAPCO	88SE-1
	OMPUADD	* BYTE TIPS		544 MICROCOMP. S		504 MARLIN MIC	RO 88SE-5
	UBIX	477 COMPARE COMPUTER			88NE-8,9		ILL BOOKS 88SE-7 MKTG, COUNCIL 88SE-6
	AIR COMPUTER SYSTEM 88IS-28	478 COMPARE COMPUTER		545 PC LINK CORP.			
	ATEX 88IS-35	* COMPS. FOR THE BLIND		546 PIONEER SYSTE		FOE OMECA MIC	RO SYSTEMS 88SE-2
	ONEX 88IS-11	479 D-DATA		547 POWER COMPU	TED SONE-14	505 OWIEGA WILC	NO 5151EMS 885E-2
334 FA	CIT AB	480 HARD DRIVES INT'L	88MW-3	548 SPEAR TECHNO		Southwest	88 SW 1-8
335 G/	AMMA PRODUCTIONS . 88IS-20	481 HARD DRIVES INT'L	88MW-3	549 UNIQ TECH		Southwest	99 2M 1-9
336 G/	AMMA PRODUCTIONS . 88IS-20	482 KEITHLEY DAC	88MW-9	040 OHIG ILOH		512 ALTEY ELEC	TRONICS 88SW-1
337 GF	REY MATTER 88IS-21	483 KORE	88MW-4	Pacific Coast	88 PC 1-16	* BYTE TIPS	
338 GT	TCO CORP 88IS-37	 MICROCOMP, MKTG, COUNCIL 	88MW-8		00101-10	* COMPS FOR	RTHEBLIND 88SW-4
339 IS	E DATA 88IS-26	* MICROMINT	88MW-12	550 3-F ASSOCIATES	88PC-16		AC 88SW-8
340 IN	IES 88IS-36	* ROBT. TINNEY GRAPHICS		514 ALTEC TECH.CC	BP 88PC-10		LL BOOKS 88SW-3
341 KI	RIN	484 SPEAR TECHNOLOGY					MKTG. COUN 88SW-5
	OGIC PROGRAM ASSOC. 88IS-26	486 Y.E.S. MULTINATIONAL	BAMW-6	515 COMPUTERLAN			GRAPHICS 88SW-6,7

BYTE ADVERTISING SALES STAFF:

Dennis J. Riley, Director of Sales, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281 Jennifer L. Bartel, West Coast Sales Manager, 8111 LBJ Freeway, Dallas, Tx 75251, tel. (214) 644-1111

NEW ENGLAND ME, NH, VT, MA, RI, ONTARIO CANADA & EASTERN CANADA John C. Moon (617) 262-1160 McGraw-Hill Publications 575 Boylston Street Boston, MA 02116

ATLANTIC NY, NYC, CT, NJ (NORTH) Leah G. Rabinowitz (212) 512-2096 McGraw-Hill Publications 1221 Avenue of the Americas-36th Floor New York, NY 10020

(203) 968-7111 McGraw-Hill Publications Building A—3rd Floor 777 Long Ridge Road Stamford, CT 06902

PA, NJ (SOUTH), MD, VA, W.VA, DE, D.C. (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia, PA 19102

SOUTHEAST NC, SC, GA, FL, AL, TN (404) 252-0626 McGraw-Hill Publications 4170 Ashford-Dunwoody Road Suite 420 Atlanta, GA 30319

MIDWEST IL, MO, KS, IA, ND, SD, MN, KY, OH, WI, NB, IN, MI, MS Bob Denmead (312) 751-3740 McGraw-Hill Publications Blair Building 645 North Michigan Ave. Chicago, IL 60611

SOUTHWEST, ROCKY MOUNTAIN CO, WY, OK, TX, AR, LA Karl Heinrich (713) 462-0757 McGraw-Hill Publications 7600 W. Tidwell Rd. —Suite 500 Houston, TX 77040

SOUTH PACIFIC SOUTHERN CA, AZ, NM, LAS VEGAS Jack Anderson (714) 557-6292 McGraw-Hill Publications 3001 Red Hill Ave. Building #1—Suite 222 Costa Mesa, CA 92626

Tom Harvey (213) 480-5243 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010

NORTH PACIFIC HI, WA, OR, ID, MT, NORTHERN CA, NV (except LAS VEGAS), UT, W. CANADA Mike Kisseherth (415) 362-4600 McGraw-Hill Publications 425 Battery Street San Francisco, CA 94111

Bill McAfee (415) 349-4100 McGraw-Hill Publication 951 Mariner's Island Blvd.— San Mateo, CA 94404

Karen Lennie McGraw-Hill Publishing Co. 34 Dover St. London W1X 4RR England 01 493 1451

Emilio Zerboni McGraw-Hill Publishing Co. Via Flavio Baracchini 1 20123 Milan, Italy (2) 89010103

BYTE BITS (2x3) Dan Harper (603) 924-6830 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

The Buyer's Mart (1x2) Mark Stone (603) 924-3754 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

Regional Advertising (So. CA, Mid-Atlantic, New York/New England) Elisa Lister (603) 924-6830 **BYTE Publications** One Phoenix Mill Lane Peterborough, NH 03458

(Southeast, Southwest) Denise Vernier (603) 924-9281 BYTE Publications One Phoenix Mill Land Peterborough, NH 03458

Liz Coyman (603) 924-9281 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

Seavex Ltd. 400 Orchard Road, #10-01 Singapore 0923 Republic of Singapore Tel: 734-9790 Telex: RS35539 SEAVEX

Seavex Ltd. 503 Wilson House 19-27 Wyndham St. Central, Hong Kong Tel: 5-260149 Telex: 60904 SEVEX HX Regional Advertising (Pacific NW, Midwest, New York/New England) Scott Gagnon (603) 924-6830 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

BYTE Deck Mailings National Ed Ware (603) 924-6166 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

A/E/C Computing Deck Computing for Engineers Mary Ann Goulding (603) 924-9281 BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

International Advertising Sales Staff:

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria 222 75 76 84

Mrs. Gurit Gepner McGraw-Hill Publishing Co. PO Box 2156 Bat Yam, 59121 Israel 3 866 561 321 39

Serving Germany, Austria, & Switzerland McGraw-Hill Publishing Co. 34 Dover St. London W1X 4BR England 01 493 1451

Mrs. Maria Sarmiento Pedro Teixeira 8, Off. 320 Iberia Mart 1 Madrid 4, Spain 1 45 52 891

Michael Karnig Andrew Karnig & Associates Finnbodavagen S-131 31 Nacka, Sweden 8-44 0005

Mr. Alain Faure McGraw-Hill Publishing Co. 128 Faubourg Saint Honore 75008 Paris (1) 42-89-03-81

Hiro Morita McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bldg. 3-2-5 Kasumigaseki, Chiyoda-Ku Tokyo 100, Japan 3 581 9811

Mr. Ernest McCrary Empresa Internacional de Comunicacoes Ltda. Rua da Consolacao, 222 Conjunto 103 01302 Sao Paulo, S.P., Brasil Tel: (11) 259-3811 Telex: (100) 32122 EMBN

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

Inquiry No.

546 PIONEER SYSTEMS 88NE-16 231 RADIO SHACK CIV

Page No.

* Correspond directly with company

Index to Advertisers by Product Category

	HARDWARE	
361	ADD	INS
321	ABECO 881	S-14
16	ALPHA PRODUCTS	335
21 25	ATI TECHNOLOGIES	
27	B&C MICRO	341
327	BINARY TECHBLUE CHIP TECHNOLOGY 881	350
40	CAPITAL EQUIPMENT	
•	COMPUTER CONTINUUM	
59	DATRAN	
111	GENOA	79
338 340	GTCO CORP	S-37
131	IO TECH	
145		350
167 181	MENDELSON ELECTRONICS MICROWAY	
•	MICROWAY	
191	NOHAU CORP	
194 196	ON TARGET	122
208	PERSONAL SPACE COMM	. 350
217	QUATECH	. 338 . 338
218 219	QUA TECH	
223	QUATECH	. 338
225 234	QUA TECH	
235	ROSE ELECTRONICS	
243	SEA LEVEL	
264 268	SUPERMICRO TALKING TECHNOLOGY	
301	Z-WORLD	
362	DR	IVES
266	SYSGEN	7:
363	HARDWARE PROGRAMM	AER!
•	AVOCET	. 35
26	B&C MICRO	. 33
36 36	BP MICROSYSTEMS BP MICROSYSTEMS	. 33
37	BYTEK	. 34
115 114	GTEK, INC.	. 10
483	KORE88	
	LINK COMPUTER	. 34
	LOGICAL DEVICES	
	XELTEK	
364	INSTRUMENTA	TIOI
	ELEXOR	
130	IO TECH	. 23
	KEITHLEY DAC	
	KEITHLEY DAC	
513	ON TARGET	
	KEYBOARDS/	MIC
194 365 122	KEYBOARDS/	. 14

`	, ,,	Advertisers	Dy I
	Inquii	ry No. Page No.	Inquiry
	366	MASS STORAGE	334 F
			313 F
	12 14		314 F
	14	ALPHA MICRO 187 ALPHA MICRO	108 C
	*	MAXELL DATA PRODUCTS 7	118
	345	MITSUBISHI KASEI 88IS-25	130
	226	QUALSTAR	156 N
	269	SEAGATE TECHNOLOGY 259 TALLGRASS TECHNOLOGIES . 47	157 M
	270	TALLGRASS TECHNOLOGIES . 47	235 F
	271	TANDON 180,181	11 \
	272	TANDON 180,181	• /
		MISCELLANEOUS	299 2
		MISSELLANESS	371
	7	AD LIB, INC 261	-
	17	ALPHA PRODUCTS 350	28
	42 49	CENTROID	372
	62	CUESTA SYSTEMS40	-
	90	EASTMAN KODAK91	101 F
	92	ELECT. ENERGY CONTROL 357 INTECTRA	102
	128	INTEGRAND 200	149
	169	MERRITT COMPUTERS 54	150
	201	PARA SYSTEMS 61	284
	277	TELEBYTE TECHNOLOGY 60 VICTORY ENTERPRISES 144	496 \ 527 \
	288	VICTORY ENTERPRISES 144	527
	367	MODEMS/MULTIPLEXORS	373
	48	COMPUCOM CORP 344	13
	81	DELTA GOLD	220
	95 96	EVEREX	221
	311	E-TECH RESEARCH 301	222
	120	HOLMES MICROSYSTEMS 110	224
	121 520	HOLMES MICROSYSTEMS 110 MICROCOMP. SQUARE 88PC-4	289
	544	MICROCOMP. SQUARE 88NE-2	516
	283	TOUCHBASE	374
	286	UNIVERSAL DATA SYSTEMS . 236	374
	368	MONITORS	321 322
	3	3LYNX TECH. CORP 253	10
	185	NANAO	10
	186	NANAO	514
	•	NEC HOME ELEC. DIV 43	:
	210		:
	244 273		329
	274		539
	354		70
		NETWORK HARRINADE	71 79
	369	NETWORK HARDWARE	80
		COGITATE	333 97
		DRESSELHAUS 88NE-3	98
	126	IMC173	105
	132 208	PERSONAL SPACE COMM 350	339 166
		ROSE ELECTRONICS 340	173
		SUNCOAST SYSTEMS 58	174
١	307		521
١	353	TASTRONIC CONTROLS . 88IS-18	521
	370	PRINTERS/PLOTTERS	•
		COMPUTER AGE 341	192 347
١	65		505
l	66	C.ITOH ELECTRONICS 171	493
1	82	DICKERSON ENTERPRISES 357	198

82 DICKERSON ENTERPRISES . . 357

Jy	i Todaot oato
Inqui	
334 313 314 108 117 118 130 156 157 193 235 11	FACIT AB
	BAY TECHNICAL ASSOC 267
372	SCANNERS/DIGITIZERS
101 102 119 149 150 284 496 527	FLAGSTAFF 102 FLAGSTAFF 102 HITECH EQUIP. CORP. 342 LOGITECH 74,75 LOGITECH 74,75 TPS 252 VUTEK 88M/AT-2 VUTEK 88PC-10
373	SOFTWARE SECURITY
13 60 220 221 222 224 256 289 516	ALADDIN
374	SYSTEMS
321 322 9 100 514 539 700 71 79 80 333 97 98 105 339 166 173 174 522 522 192 347 505	CORTEX CORP. 88NE-7 DATAWORLD 211 DATAWORLD 2211 DELL COMP. (N. AMER.) 160-163 DELL COMP. (INT'L) 160,161 ELONEX 88IS-11 EVEREX 28,29 EVEREX 28,29 GATEWAY 2000 10 ISE DATA 88IS-26 MICRO EXPRESS 182 MICRO EXPRESS 183 MICRO EXPRES

232 233 494 495 524 525 484 548 262 275 276 526 281 282 549 298 301	RAINBOW TECH. 179 RAINBOW TECH. 179 RAINBOW TECH. 179 SF MICRO 88M/AT-3 SF MICRO 88M/AT-3 SF MICRO 88PC-9 SF MICRO 88PC-9 SF MICRO 88PC-9 SPEAR TECHNOLOGY 88NE-1 SUNTRONICS 106 TATUNG 109 TATUNG 109 TATUNG 109 TATUNG SCIENCE & TECH 88PC-1 TOSHIBA AMERICA INC. 152,153 TOSHIBA AMERICA INC. 152,153 TOSHIBA AMERICA INC. 152,153 UNIQ TECH 88NE-5 ZENITH DATA SYSTEMS 99 Z-WORLD 346 TERMINALS CURTIS INC. 54
	SOFTWARE
451	APPLE2/MAC APPLICATIONS Scientific/Technical
	IO TECH
452	APPLE2/MAC CAD
	GENERIC SOFTWARE 199 GENERIC SOFTWARE 199
453	APPLE2/MAC LANGUAGES
230	QUELO 344
454	IBM/MSDOS APPLICATIONS— Business/Office
205 229	NANTUCKET. 142 NOVELL DEV. PROD. DIV. 88IS-31 ORACLE 77 PARSONS TECHNOLOGY 45 PERSOFT 85
	Scientific/Technical
	ASYST SOFTWARE TECH 209

76 DAYTRON ELECTRONIC 346

188 NATIONAL INSTRUMENTS ... 133

Advertising Supplement included with this issue: CMO (U.S. and Canada Subscribers)

* Correspond directly with company.

Inqui	ry No. Page No.	Inqui	ry No. Page No.	Inqu	ry No.	Page No.	Inqui	ry No.	Page No.
189	NATIONAL INSTRUMENTS 133	357	WARREN POINT INT'L IS-34		INT'L PREVIEW SOC	140		BACK IS	SUES 364
	PATTON & PATTON 20		WINTEK CORP 340		JADE COMPUTER	The same of the sa			301
	PERSONAL TEX								
		300	ZORTECH 125		JAMECO		359		88IS-18
	PRECISION PLUS SOFTWARE . 92	462	IDM/MODOS HTH ITIES		JAWIN COMPUTER	A CONTRACTOR OF THE SECOND CONTRACTOR			LUB 192,193
	SPECTRUM249	462	IBM/MSDOS—UTILITIES	2112121	JAWIN COMPUTER		•		ATION 318
261	STSC 233			138	J.D.R. MICRODEVICES	. 352,353	•	BYTE MARKE	TING 320
	Manager Manager (Manager Manager)		A + L MEIER VOGT 317	139	J.D.R. MICRODEVICES	. 354,355		BYTE MARKE	TING 88IS-38
456	IBM/MSDOS APPLICATIONS—		A + L MEIER VOGT 319		J.D.R. MICRODEVICES				ESSAGE 94
	Miscellaneous	22	ATRON 66		KIRIN				ESSAGE 88IS-30
		29	BLAISE		KNAPCO				88MW-2
159	MAP INFO. SYSTEMS 18		CALIF. SOFTWARE PROD 334		KNAPCO				88M/AT-6
		39					_		
457	IBM/MSDOS APPLICATIONS—		CRESCENT SOFTWARE 301	504	MARLIN MICRO				88PC-2
	Spreadsheet				MCGRAW-HILL BOOKS		•		88SE-4
-	Spreadsheet		DATACODE INC		MCGRAW-HILL BOOKS	. 88SW-3	•	BYTE TIPS	88SW-2
331	DAIR COMPUTER SYSTEM 88IS-28		DAYBREAK TECH 227	163	MEAD COMPUTER	343	52	COMPUTER B	OOK CLUB, THE . 97
331	DAIN COMPOTEN STSTEM 8613-26		DAYBREAK TECH 227	164	MEGASOFT	339	•	COMPS. FOR	THE BLIND 88MW-6
458	IDM/MCDOC CAD	315	HIGH RES TECHNOLOGIES 301	165	MEGASOFT	339			THE BLIND . 88PC-8
456	IBM/MSDOS—CAD	342	LOGIC PROGRAM ASSOC. 88IS-26		MEP (MICRO ELECTR. P				THE BLIND 88SW-4
•	ACCEL TECH	182	MIX SOFTWARE 315				64		
	ACCEL TECH		NU-MEGA 88PC-11	1/1	MICRO COM				ARCH 336
	AMER. SMALL BUS. COMPS 50		QUARTERDECK128	-	MICROCOMP. MKTG. COUN.				190
23	AUTODESK 81	220		•	MICROCOMP. MKTG. COUN.	88PC-6	99	EXEC. AUDIAL	REHAB SOC 36,37
	RHV 88IS-32		RAIMA		MICROCOMP. MKTG. COUN.	88M/AT-7		EXPOCONSU	L INT'L 88PC-13
	WINTEK CORP 5		RAIMA	•	MICROCOMP. MKTG. COUN.		542		ROUP 88NE-15
		253	SOFTWARE DEV. SYS 221		MICROCOMP. MKTG. COUN.				PRODS 88M/AT-4
463	IBM/MSDOS COMMUNICATIONS		SUPERSOFT96		MICROMINT				N PRODS 88NE-4
			TURBO POWER 104						
	CLEO SOETWARE		VERMONT CREATIVE S/W 269		MICROMINT				GARDEN 115
	CLEO SOFTWARE 202	201			MICROMINT				ICES
	DCS (DIVERSIFIED COMP.) 336	291	WHITE CRANE SYSTEMS 114		MICROMINT	88SE-8	305	LOGICAL DEV	ICES 357
113	GRAFPOINT	404	CTUED LANGUAGES		MICROMINT	88M/ST-8	•	MACMILLAN E	BOOK CLUBS, INC.17
141	KEA SYSTEMS 112	464	OTHER—LANGUAGES	176	MICROPROCESSORS U	NLTD. 344	162	MCGRAW-HIL	L BOOKSTORE . 266
142	KEA SYSTEMS 346			183	MONTGOMERY GRANT	119			LNRI 177
204	PC WORKS 340	302	Z-WORLD 346	5,02,03	M.H.I		344		OR ENGIN 88IS-18
	SOFTRONICS 340				NITRO MICRO				PRESS 46
		2.		199	PACIFIC COMPUTER				PRESS 46
459	IBM/MSDOS-LAN	40	BAAU						
	ISMINISTED EAR	46			PACIFIC COMPUTER				CGRAW-HILL 230
332	DATEX		ORDER/RETAIL		PC LINK CORP		294	WORDCHAFT	284
	ROSE ELECTRONICS 340		OND ENTITION IN		POWER COMPUTER				
		550	3-F ASSOCIATES 88PC-16	348	PRECISION DATA	. 88IS-28			
	SIMPLE-NET SYSTEMS 146			209	PRINCETON DISKETTE	346	46	,	DECKTOD
	SIMPLE-NET SYSTEMS 146		ADV. COMPUTER PROD 348,349		PRINTERS PLUS	88M/AT-6	467		DESKTOP
	SOFTWARE LINK 27		ALTEX ELECTRONICS 88MW-5						
255	SOFTWARE LINK 27		ALTEVELECTRONICO COMMI	211	PRIORITY ONE	347			TUBLISHING
		512	ALTEX ELECTRONICS 88MW-1		PRIORITY ONE				PUBLISHING
		•	AMER. DESIGN COMPONENTS337	212	PROG'S CONNECTION	39	308		
460	IBM/MSDOS—GRAPHICS	324	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36	212 213	PROG'S CONNECTION PROG'S CONNECTION	39 312	308		168,169
-	IBM/MSDOS—GRAPHICS	324	AMER. DESIGN COMPONENTS337	212 213 214	PROG'S CONNECTION PROGRAMMER'S PARA	39 312 DISE 62,63	308		
-		324 536	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36	212 213 214 215	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP	39 312 DISE 62,63	_	ADOBE	168,169
356	VCN	324 536 24	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC.88NE-12,13	212 213 214 215	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS	39 312 DISE 62,63 105 132	308	ADOBE	168,169
-	IBM/MSDOS—GRAPHICS	324 536 24	AMER. DESIGN COMPONENTS 337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC. 88NE-12,13 B&B ELECTRONICS	212 213 214 215	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAPROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS	39 312 DISE 62,63 105 132 88MW-10	_	ADOBE	
356	VCN	324 536 24	AMER. DESIGN COMPONENTS 337 ANALYTICAL ENGINES . 881S-36 APPLIED PROG. ELEC. 88NE-12,13 8&B ELECTRONICS	212 213 214 215	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS	39 312 DISE 62,63 105 132 88MW-10 88PC-14	468	ADOBE	CRUITMENT
356 461	VCN	324 536 24 325	AMER. DESIGN COMPONENTS 337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL	212 213 214 215	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAPROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS	39 312 DISE 62,63 105 132 88MW-10 88PC-14	468	ADOBE RE ASC EMPLOY	CRUITMENT MENT 150
356 461 4	IBM/MSDOS—GRAPHICS VCN	324 536 24 325	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS	39 312 DISE62,63 105 132 88MW-10 88PC-14	468	ADOBE RE ASC EMPLOY	CRUITMENT
356 461 4 5	IBM/MSDOS—GRAPHICS VCN 88IS-15 IBM/MSDOS—LANGUAGES A + L MEIER VOGT 317 A + L MEIER VOGT 319	324 536 24 325 • • 47 477	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L	39 312 DISE 62,63 105 132 88MW-10 88PC-14 88SW-6,7	468	ADOBE RE ASC EMPLOY	CRUITMENT MENT 150
356 461 4 5 30	IBM/MSDOS—GRAPHICS VCN 88IS-15 IBM/MSDOS—LANGUAGES A+L MEIER VOGT 317 A+L MEIER VOGT 319 BORLAND CII	324 536 24 325 • • 47 477 478	AMER. DESIGN COMPONENTS 37 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAPHORAMMER'S SHOPP.C. PLUS. ROBT. TINNEY GRAPHICS. ROBT. TINNEY GRAPHICS. ROBT. TINNEY GRAPHICS. SABINA INT'L SCHWAB.	39 312 DISE 62,63 105 135 88MW-10 88PC-14 88SW-6,7 330	468	ADOBE RE ASC EMPLOY	CRUITMENT MENT 150
356 461 4 5 30 31	IBM/MSDOS—GRAPHICS VCN 88IS-15 IBM/MSDOS—LANGUAGES A+L MEIER VOGT 317 A+L MEIER VOGT 319 BORLAND CII BORLAND CII	324 536 24 325 47 477 478 537	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 881S-36 APPLIED PROG. ELEC.88NE-12,13 8&B ELECTRONICS	212 213 214 215 216	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAMPROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII	39 312 DISE 62,63 105 132 88PC-14 88PC-14 88SW-6,7 330 330	468	ADOBE RE ASC EMPLOYI HENDRIK HAS	CRUITMENT MENT
356 461 4 5 30 31 32	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 237 240 242 350	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO	39 312 DISE 62,63 105 132 .88MW-10 88PC-14 .88SW-6,7 330 NG191 88IS-9	468	ADOBE RE ASC EMPLOYI HENDRIK HAS	CRUITMENT MENT 150
356 461 4 5 30 31 32 33	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 881S-36 APPLIED PROG. ELEC.88NE-12,13 8&B ELECTRONICS	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAL PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER	39 312 DISE 62,63 	468 19 303 *	RE ASC EMPLOY HENDRIK HAS	CRUITMENT MENT 150 SSE COMP. SYS. 344 ELLANEOUS
356 461 4 5 30 31 32 33 328	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAPICS PROGRAMMER'S SHOPP.C. PLUS. ROBT. TINNEY GRAPHICS. ROBT. TINNEY GRAPHICS. SABINA INT'L. SCHWAB. SCIENCE & ENGINEERII SEMI-TECH MICRO. SHAMROCK COMPUTER SILLICON SPECIALTIES	39 312 DISE 62,63 105 132 .88MW-10 88PC-14 .88SW-6,7 330 330 NG191 88IS-9 139	468 19 303 *	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI	CRUITMENT MENT
356 461 4 5 30 31 32 33 328	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL . 351 COMPACT DISK PRODS. INC . 98 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPUSAVE . 331 COMP. DISC. WAREHOUSE . 122	212 213 214 215 216 2 237 240 242 350 245 55	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES		468 19 303 *	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS 344 BCL 88IS-34 BUYERS MART 321-330 CALIFORNIA DIGITAL 351 COMPACT DISK PRODS. INC 98 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 331 COMP. DISC. WAREHOUSE 122 COMPUTER SURPLUS STORE 346	212 213 214 215 216 2 237 240 242 350 245 55	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAPICS PROGRAMMER'S SHOPP.C. PLUS. ROBT. TINNEY GRAPHICS. ROBT. TINNEY GRAPHICS. SABINA INT'L. SCHWAB. SCIENCE & ENGINEERII SEMI-TECH MICRO. SHAMROCK COMPUTER SILLICON SPECIALTIES		468 19 303 *	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216	PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES		468 19 303 *	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET .	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54 55	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES SKAN TEKNOLOGIES, IN SN'W ELECTRONICS		468 19 303 *	ADOBE RE ASC EMPLOY HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54 55 56	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 237 240 242 350 245 55 56 250 251	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS. ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SPECIALTIES SILICON SPECIALTIES SPECIALTI	39	468 19 303 *	ADOBE RE ASC EMPLOY HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 94	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54 55 56	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 237 240 242 350 245 55 56 250 251	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES SKAN TEKNOLOGIES, IN SN'W ELECTRONICS SOFTLINE CORP. SOLUTION SYSTEMS		468 19 303 *	ADOBE RE ASC EMPLOY HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 94 116	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54 55 56 515	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC . 88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC		468 19 303 *	ADOBE RE ASC EMPLOY HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 94 116 129	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54 55 56 515 491 58	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 216 237 240 242 350 245 55 56 250 251 257 263 351	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB. SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES SKAN TEKNOLOGIES, IN SN'W ELECTRONICS. SOFTLINE CORP. SOLUTION SYSTEMS SUPER K ELECTRONIC IS-100		468 19 303 * :	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 94 116 129	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 54 55 56 515 491 58 69	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 216 237 240 242 350 245 55 56 250 251 257 263 351	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC		468 19 303 *	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 94 116 129 137	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 53 54 55 56 515 491 58 69 68	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 216 216 227 242 350 245 56 250 251 257 267 267 267 267 267 267 267 267 267 26	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB. SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES SKAN TEKNOLOGIES, IN SN'W ELECTRONICS. SOFTLINE CORP. SOLUTION SYSTEMS SUPER K ELECTRONIC IS-100	39	468 19 303 * :	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 116 129 137	IBM/MSDOS—GRAPHICS	324 5366 244 3255 47 477 478 537 538 50 53 54 55 55 56 65 515 58 69 68 88	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS 344 BCL 88IS-34 BUYERS MART 321-330 CALIFORNIA DIGITAL 351 COMPACT DISK PRODS. INC 98 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPUTER 88NE-10 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTERLANE 88PC-3 C	212 213 214 215 216 237 240 242 350 251 55 56 250 251 263 351 352 267	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES , IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC IS-100 . S-100 . S-100 . S-100 . S-100 .		468 19 303 * :	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 116 129 137 144 151	IBM/MSDOS—GRAPHICS	324 5366 24 325 477 478 537 538 50 55 56 51 549 158 69 68 85 86	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL . 351 COMPACT DISK PRODS. INC. 98 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPUTER SOMPUTER . 122 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 354 DISKETTE CONNECTION . 341	212 213 214 215 216 225 237 240 242 255 56 250 251 257 263 351 352 267 55	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC IS-100 . S-100 . S-100 . S-100 . S-100 . S-100 . SC. SYSTEMS . TELEMART		468 19 303 * : : : : : : : : : : : : : : : : : :	ADOBE RE ASC EMPLOY! HENDRIK HAS MISCI BEST WESTE! NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 94 116 129 137 144 151 152	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 55 55 56 515 491 58 69 68 88 68 86 87	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 2144 215 216 216 217 240 242 255 250 251 352 267 55 56	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SILICON SOFTLINE CORP. SOLUTION SOLUTION SOLUTION STEMS SUPER K ELECTRONIC I S-100 S. C. SYSTEMS TELEMART TELEMART TELEMART	39	468 19 303 * : 195 238	ADOBE RE ASC EMPLOY HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET . SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 94 116 129 137 144 151 152 153	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 55 55 56 515 491 58 69 68 88 68 86 87	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL . 351 COMPACT DISK PRODS. INC. 98 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPUTER SOMPUTER . 122 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 354 DISKETTE CONNECTION . 341	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SILICON SPECIALTIES SILICON SPECIALTIES SKAN TEKNOLOGIES, IN SN'W ELECTRONICS SOFTLINE CORP SOLUTION SYSTEMS SUPER K ELECTRONIC I S-100 S-100 S-100 S.C. SYSTEMS TELEMART TIMELINE		468 19 303 * 	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (CRUITMENT MENT
356 461 4 5 30 31 323 33 328 43 44 83 84 116 129 137 144 151 152 153 154	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 537 54 55 56 515 491 58 68 85 86 87 88	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 227 242 350 242 350 251 257 263 351 352 55 56 62 250 257 257 263 351 352 262 263 351 352 353 353 353 353 354 355 355 355 355 355	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII . SEMI-TECH MICRO . SHAMROCK COMPUTER . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 . S-100 . S-0. SYSTEMS . TELEMART . TELEMART . TIMELINE . USA SOFTWARE		468 19 303 * 	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 94 116 129 137 144 151 152 153 154 158	IBM/MSDOS—GRAPHICS	3244 3255 244325 3255 477477 4788 5375 5385 505 5155 566 699688 86988 87788	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES & 88IS-36 APPLIED PROG. ELEC . 88NE-12,13 B&B ELECTRONICS	212 213 2144 215 216 216 217 240 242 250 251 250 251 352 267 755 56 280 355 290	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SICION SYSTEMS SUPER K ELECTRONIC SOFTLINE CORP. SOLUTION SYSTEMS SUPER K ELECTRONIC S-100 S-10		468 19 303 * 	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 116 129 137 144 151 152 153 154 160	IBM/MSDOS—GRAPHICS	3244 5364 325 47 477 478 537 548 558 566 515 566 87 88 88 89 89 479	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL . 351 COMPACT DISK PRODS. INC. 98 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPUTER SOMPUTER . 331 COMP. DISC. WAREHOUSE . 122 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 357 COMPUTERLANE . 88PC-3 COMPUTERLANE . 88M/AT-5 CONTECH . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 341 DISKETTE CONNECTION . 341 DISKETTE CONNECTION . 344 DISKS TO GO . 336 DYNAMIC ELECTRONICS . 341 D-DATA . 88MW-11	212 213 2144 215 216 216 217 240 242 250 251 250 251 352 267 755 56 280 355 290	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII . SEMI-TECH MICRO . SHAMROCK COMPUTER . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 . S-100 . S-0. SYSTEMS . TELEMART . TELEMART . TIMELINE . USA SOFTWARE		468 19 303 * 	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 116 129 137 144 151 152 153 154 160	IBM/MSDOS—GRAPHICS	324 536 24 325 47 477 478 537 538 50 515 56 69 68 85 86 87 88 89 95 479 541	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS	212 213 2144 215 216 216 217 240 242 250 251 250 251 352 267 755 56 280 355 290	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SICION SYSTEMS SUPER K ELECTRONIC SOFTLINE CORP. SOLUTION SYSTEMS SUPER K ELECTRONIC S-100 S-10		468 19 303 * 	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 116 129 137 144 151 152 153 154 160	IBM/MSDOS—GRAPHICS	. 324 325 325 47 477 478 537 538 50 53 54 55 56 69 88 88 88 89 479 479 337	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC. 88NE-12,13 B&B ELECTRONICS 344 BCL 88IS-34 BUYERS MART 321-330 CALIFORNIA DIGITAL 351 COMPACT DISK PRODS. INC 98 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPUTER 88NE-10 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 339 DATA DIRECT 339 DATA DIRECT 357 DISC INTERNATIONAL 334 DISKETTE CONNECTION 341 DISKOTECH 344 DISKS TO GO 336 DYNAMIC ELECTRONICS 341 D-DATA 88MW-11 D-DATA 88MS-64 GREY MATTER 88IS-21	212 213 2144 215 216 216 217 240 242 250 251 250 251 352 267 55 56 280 355 290	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILICON SPECIALTIES SICION SYSTEMS SUPER K ELECTRONIC SOFTLINE CORP. SOLUTION SYSTEMS SUPER K ELECTRONIC S-100 S-10		468 19 303 * 195 238 469 140 175 227 239	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM SANTA CRUZ	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 16 1129 137 144 151 152 153 154 158 160 178 .	IBM/MSDOS—GRAPHICS	3244 3255 447325 477477 4785 5375 5385 5491 5869 6885 86687 8788 89479 5411 337	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL . 351 COMPACT DISK PRODS. INC. 98 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPUTER . 331 COMP. DISC. WAREHOUSE . 122 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 337 COMPUTER LANE . 88PC-3 COMPUTER ANGELOUSE . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 341 DISKOTECH . 344 DISKSTOR . 341 DISKOTECH . 344 DISKSTOR . 341 D-DATA . 88MW-11 D-DATA . 88NE-11 D-DATA . 88NE-21 HARD DRIVES INT'L . 88MW-3	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP. SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 . S-100 . S-100 . S-100 . S-100 . S-101 . S-102 . STELEMART . TELEMART . TELEMART . TIMELINE . USA SOFTWARE . WAREHOUSE DATA PROY . V.E.S. MULTINATIONAL	39 312 312 318 318 318 319 318 319 319 319 319 319 319 319 319 319 319	468 19 303 * 195 238 469 140 175 227 239	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTE NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM SANTA CRUZ	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 116 129 137 144 151 152 153 160 178	IBM/MSDOS—GRAPHICS	3244 5364 325 47 477 478 537 548 557 568 857 888 888 889 879 8479 8479 8479 8481 8479 8479 8479 8479 8479 8479 8479 8479	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES . 88IS-36 APPLIED PROG. ELEC.88NE-12,13 B&B ELECTRONICS . 344 BCL . 88IS-34 BUYERS MART . 321-330 CALIFORNIA DIGITAL . 351 COMPACT DISK PRODS. INC. 98 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88MW-7 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPARE COMPUTER . 88NE-10 COMPUTER . 331 COMP. DISC. WAREHOUSE . 122 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTER WAREHOUSE . 56,57 COMPUTERLANE . 88PC-3 COMPUTERLANE . 88PC-3 CONTECH . 357 DATA DIRECT . 357 DATA DIRECT . 357 DATA DIRECT . 357 DISC INTERNATIONAL . 334 DISKETTE CONNECTION . 341 DISKOTECH . 344 DISKOTECH . 344 DISKOTECH . 344 DISKOTECH . 388MW-11 D-DATA . 88MW-11 D-DATA . 88MW-11 D-DATA . 88MW-3 HARD DRIVES INT'L . 88MW-3	212 213 2144 215 216 216 217 240 242 250 251 250 251 352 267 55 56 280 355 290	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 .	39 312 312 318 312 318 319 319 319 319 319 319 319 319 319 319	468 19 303 * 195 238 469 140 175 227 239	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM SANTA CRUZ	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 94 116 152 153 154 158 160 178 177	IBM/MSDOS—GRAPHICS	. 324 325 325 477 477 478 537 538 50 53 54 55 56 86 87 88 89 479 88 89 479 479 480 481 337 480 481	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC. 88NE-12,13 B&B ELECTRONICS	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 .	39 312 312 318 312 318 319 312 318 319 319 319 319 319 319 319 319 319 319	468 19 303 * 195 238 469 140 175 227 239 470 323	ADOBE RE ASC EMPLOYING HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. OF THE CONTROL OF THE CON	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 94 116 152 153 154 158 158 160 178 177 182	IBM/MSDOS—GRAPHICS	• 3244 3255 477477 4778 537 538 500 533 545 555 566 681 878 889 479 479 480 481 502	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC. 88NE-12,13 B&B ELECTRONICS 344 BCL 88IS-34 BUYERS MART 321-330 CALIFORNIA DIGITAL 351 COMPACT DISK PRODS. INC 98 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPUTER 88NE-10 COMPUTER 88NE-10 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 357 DISC INTERNATIONAL 334 DISKETTE CONNECTION 341 DISKOTECH 341 DISKOTECH 341 D-DATA 88MW-31 D-DATA 88NE-6 GREY MATTER 88IS-21 HARD DRIVES INT'L 88MW-3 HARD DRIVES INT'L 88MW-3 HARD DRIVES INT'L 88MW-3 HARD DRIVES INT'L 888MS-3	212 213 214 215 216 	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP. SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 . S-100 . S-100 . S-100 . S-100 . S-101 . S-102 . STELEMART . TELEMART . TELEMART . TIMELINE . USA SOFTWARE . WAREHOUSE DATA PROY . V.E.S. MULTINATIONAL	39 312 312 318 312 318 319 312 318 319 319 319 319 319 319 319 319 319 319	468 19 303 * 195 238 468 140 175 227 239 470 323 450	ADOBE ASC EMPLOYI HENDRIK HASS MISCI BEST WESTEINEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM SANTA CRUZ ON-LIN AL DOWNLOA BIX	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 49 41 116 1151 1152 1153 1154 1158 1160 1178 1177 1182 230	IBM/MSDOS—GRAPHICS	• 3244 3255 477477 4778 537 538 500 533 545 555 566 681 878 889 479 479 480 481 502	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC. 88NE-12,13 B&B ELECTRONICS	212 213 2144 215 216 237 242 242 250 251 257 253 253 253 254 255 256 280 280 282 287 292 486	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS ROBT. TINNEY GRAPHICS ROBT. TINNEY GRAPHICS SABINA INT'L SCHWAB SCIENCE & ENGINEERII SEMI-TECH MICRO SHAMROCK COMPUTER SILLICON SPECIALTIES SKAN TEKNOLOGIES, IN SN'W ELECTRONICS SOFTLINE CORPSOLUTION SYSTEMS SUPER K ELECTRONIC S-100 S	39	468 19 303 * 195 238 469 140 175 227 239 470 323 450 326 326	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM SANTA CRUZ ON-LIN AL DOWNLOA BIX	CRUITMENT MENT
356 461 4 5 30 31 32 33 328 43 44 83 84 49 41 116 1151 1152 1153 1154 1158 1160 1178 1177 1182 230	IBM/MSDOS—GRAPHICS	3244 5364 3255 447 477 478 537 537 549 555 669 688 87 889 87 889 479 541 337 480 481 502 124	AMER. DESIGN COMPONENTS337 ANALYTICAL ENGINES 88IS-36 APPLIED PROG. ELEC. 88NE-12,13 B&B ELECTRONICS 344 BCL 88IS-34 BUYERS MART 321-330 CALIFORNIA DIGITAL 351 COMPACT DISK PRODS. INC 98 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88MW-7 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPARE COMPUTER 88NE-10 COMPUTER 88NE-10 COMPUTER 88NE-10 COMPUTER SURPLUS STORE 346 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 56,57 COMPUTER WAREHOUSE 357 DISC INTERNATIONAL 334 DISKETTE CONNECTION 341 DISKOTECH 341 DISKOTECH 341 D-DATA 88MW-31 D-DATA 88NE-6 GREY MATTER 88IS-21 HARD DRIVES INT'L 88MW-3 HARD DRIVES INT'L 88MW-3 HARD DRIVES INT'L 88MW-3 HARD DRIVES INT'L 888MS-3	212 213 2144 215 216 237 242 242 250 251 257 253 253 253 254 255 256 280 280 282 287 292 486	PROG'S CONNECTION PROG'S CONNECTION PROG'S CONNECTION PROGRAMMER'S PARAI PROGRAMMER'S PARAI PROGRAMMER'S SHOP P.C. PLUS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . ROBT. TINNEY GRAPHICS . SABINA INT'L . SCHWAB . SCIENCE & ENGINEERII SEMI-TECH MICRO . SHAMROCK COMPUTER SILICON SPECIALTIES . SILICON SPECIALTIES . SKAN TEKNOLOGIES, IN SN'W ELECTRONICS . SOFTLINE CORP . SOLUTION SYSTEMS . SUPER K ELECTRONIC . S-100 .		468 19 303 * 195 238 469 140 175 227 239 470 323 450 326 326	ADOBE RE ASC EMPLOYI HENDRIK HAS MISCI BEST WESTEI NEC INFO. SY ON TARGET SAFEWARE TINNEY, ROBT. (KADAK MICROPLOT QUANTUM SANTA CRUZ ON-LIN AL DOWNLOA BIX	CRUITME MENTSSE COMP. SYS ELLANEC RNSTEMSST

	1985	1986	1987	1988
Jan.	\$6.00			\$6.00
Feb.	\$6.00	\$6.00	\$6.00	
March	\$6.00		\$6.00	\$6.00
April	\$6.00		\$6.00	
May	\$6.00	¥	\$6.00	\$6.00
June	\$6.00	\$6.00	\$6.00	\$6.00
July		\$6.00	\$6.00	\$6.00
Aug.	\$6.00	\$6.00	\$6.00	\$6.00
Sept.	\$6.00	\$6.00	\$6.00	
Oct.	\$6.00	\$6.00		
Nov.	\$6.00			
Dec	\$6.00	\$6.00		

BACK	ISSUES	FOR	SALE
		I	

SPECIAL ISSUES and INDEX			
BYTE '83-'84 INDEX	\$2.00		
BYTE 1985 INDEX	\$2.50		
BYTE 1986 INDEX	\$2.00		
BYTE 1987 INDEX	\$2.50		
1985 INSIDE THE IBM PCs	\$4.75		
1986 INSIDE THE IBM PCs	\$5.00		
APPLICATIONS SOFTWARE TODAY SPECIAL	\$4.00		

Circle and send requests with payments to:

BYTE Back Issues One Phoenix Mill Lane Peterborough, NH 03458 (603) 924-9281

	(003) 2212	201
☐ Check enclosed Payments from foreign countries must be made in U	S funds payable at a US ban	k.
□ VISA □ MasterCard		
CARD #	Exp. Date	· 6.
Signature		
The above prices include postage in the US. Please add \$.50 per copy for Canad face delivery). Please allow 4 weeks for domestic delivery and 12 weeks for foreig	n delivery. V	er copy to foreign countries (sur-
European customers please refer to Back Issue order form in International Adver-	rtising section of book.	
Name		
Address		
City	State	Zip

TIPS		SUBSCRIBERS ONLY!* Use BYTE's Telephone Inquiry Processing System Using TIPS can bring product information as much as 10 days earlier.
SEND FOR YOUR 1) SUBSCRIBER I.D. CARD		If you are a new subscriber or have lost your I.D. card, circle #1 on the Reader Service Card; attach mailer label. We will immediately send your personal TIPS subscriber card.
GET PREPARED	2)	Write your Subscriber Number, as printed on your Subscriber I.D. Card, in boxes in Step 5 below. (Do not add 0's to fill in blank boxes)
	3)	Write numbers for information desired in boxes in Step 7b below. (Do not add 0's to fill in blank boxes.)
CALL TIPS	4)	Now, on a Touch-Tone telephone dial: (413) 442-2668 and wait for voice commands.
ENTER YOUR SUBSCRIBER AND ISSUE NUMBERS	5)	When TIPS says: "Enter Subscriber Number" (Enter by pushing the numbers and symbols [# or * enclosed in the boxes] on telephone pad ignoring blank boxes) Enter \(\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	6)	When TIPS says "Enter magazine code & issue code" Enter ① 囲 ⑨ 圏 囲 囲
ENTER YOUR INQUIRIES	7a)	When TIPS says "Enter (next) Inquiry Number" Enter one inquiry selection from below (ignore blank boxes)
	b)	Repeat 7a as needed (maximum 17 inquiry numbers)
		1. □ □ □ □ 〒 6. □ □ □ 〒 10. □ □ □ 〒 14. □ □ □ 田 □ 2. □ □ □ 田 〒 7. □ □ 田 田 □ 11. □ □ □ 田 □ 15. □ □ 田 田 □ 3. □ □ □ 田 田 □ 12. □ □ □ 田 □ □ 田 □ □ 田 □ □ 田 □ □ 田 □ □ 田 □ □ □ 田 □ □ □ 田 □ □ □ 田 □ □ □ 田 □ □ □ 田 □ □ □ 田 □ □ □ □ 田 □ □ □ □ 田 □
END SESSION	8)	End session by entering ★ ★ ᠑ ① Ⅲ Ⅲ
ı	9)	Hang up after hearing final message If you are a subscriber and need assistance, call (603) 924-9281.

If you are not a subscriber fill out the subscription card found in this issue or, call BYTE Circulation 800-423-8912.

^{*}Domestic and Canadian Subscribers Only!

Information Retrieval Service

To assist you in making your evaluations, purchasing decisions, or recommendations, you can request further information directly from the manufacturer or service company on products and services advertised in this issue. There is no charge, no obligation. Just complete and mail the attached post-paid, self-addressed reply card, and we'll do the rest.



Circle numbers on reply card which correspond to numbers assigned to items of interest to you.



Check all the appropriate answers to questions "A" through "F".



Print your name and address and mail.

Fill out this coupon carefully, PLEAS	SE PRINT. Requests cannot be	CIRCLE FOR FREE INFORMATION	SEPTEMBER 489RSU
honored unless the zip code is includ from cover date.	ed. This card is valid for 6 months	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	6 17 18 19 20 21 22 23 24 25 26 27
from cover date.		28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	
A. What is your primary job function?			0 71 72 73 74 75 76 77 78 79 80 81
(Check one only)	D. Your next step after information	82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97	
□ Business Owner, General	is received:	109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124	
Management, Administrative	□ Purchase order	136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178	
2 MIS/DP, Programming	2 Evaluation	190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205	5 206 207 208 209 210 211 212 213 214 215 216
3 Engineering/Scientific, R&D	3 Specification/Recommendation	217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232	
 Professional (law, medicine, accounting) 	E. Please indicate the product	244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259	250 254 255 256 257 256 259 240 241 242 243
5 Other	categories for which you	271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286	3 287 288 289 290 291 292 293 294 295 296 297
	influence the selection or	298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313	3 314 315 316 317 318 319 320 321 322 323 324
B. How many people does your	purchase at your (or your client's) company or organi-	325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340	341 342 343 344 345 346 347 348 349 350 351
company employ?	zation. (Check all that apply).	352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367	368 369 370 371 372 373 374 375 376 377 378
□ 25 or fewer	☐ Microcomputers	379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394	
2 🗆 26–99	2 Peripherals	406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421	
3 □ 100-499 4 □ 500-999	3 Software	433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475	
		487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502	
5 □ 1000 or more	The same of	514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529	
C. Reason for request: (Check all	F. For how many microcomputers do you influence the purchase	541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556	
that apply).	of products at your (or your	568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583	3 584 585 586 587 588 589 590 591 592 593 594
Business use for yourself	client's) company or organi-	595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610	611 612 613 614 615 616 617 618 619 620 621
2 Business use for your	zation?	622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637	
company	1 □ 1 3 □ 5-9	649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664	
3 Personal use	2 □ 2-4 4 □ 10 or more	676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691	
3.4		703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745	
Name		757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772	
Title		784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799	
Company		811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826	
		838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880	
Address		892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907	
City	State	919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934	935 936 937 938 939 940 941 942 943 944 945
Zip Teleph		946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988	962 963 964 965 966 967 968 969 970 971 972



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 DALTON, MA

POSTAGE WILL BE PAID BY ADDRESSEE



READER SERVICE PO Box 298 Dalton, MA 01227-0298 USA NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

FREE Information Retrieval Service

To assist you in making your evaluations, purchasing decisions, or recommendations, you can request further information directly from the manufacturer or service company on products and services advertised in this issue. There is no charge, no obligation. Just complete and mail the attached post-paid, self-addressed reply card, and we'll do the rest.



Name

Title_

Company.

Circle numbers on reply card which correspond to numbers assigned to items of interest to you.

Fill out this coupon carefully. PLEASE PRINT. Requests cannot be

Telephone_



Check all the appropriate answers to questions "A" through "F".



757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810

811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 826 829 830 831 832 833 834 835 836 847 848 845 846 847 848 849 850 851 852 853 854 855 856 857 853 859 860 861 862 863 864

973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999

Print your name and address and mail.



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 DALTON, MA

POSTAGE WILL BE PAID BY ADDRESSEE



READER SERVICE PO Box 298 Dalton, MA 01227-0298 USA NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



SEPTEMBER 489RSU

nonored unless the zip code is include	d. This care	d is valid for 6 months	1	2	3	4	5	3 7	8	9	10 11	12	13	14	15 16	17	18 45	19	20	21	22 2	23 2	4 25	26	27
from cover date.			28	29	30	31	32 3	3 34	35	36	3/ 30	39	67	60	60 70	71	72	73	74	75	76	77 7	R 70	80	R1
A. What is your primary job function? (Check one only) 1	is receiv □ Puro □ Eval	chase order uation			192		194 19	5 196	2 143 9 170 6 197	144 1 171 1 198 1	45 146 72 173 99 200	5 147 3 174 0 201	148 175 202	149 1 176 1 203 2	77 178	152 179 206	99 126 153 180 207	154 181 208	101 128 155 182 209	210 2	211 2	12 21	3 214		
 ∃ Engineering/Scientific, R&D □ Professional (law, medicine, 		cification/Recommendation indicate the product	244	245	246	247	221 22 248 24	9 250	251	252 2	53 25	4 255	256	257 2	58 259	260	261	262	263	264 2	265 2	66 26	37 268	269	270
accounting) 5 Other	categor	ies for which you ce the selection or	298	299	300 3	301	275 27 302 30 329 33	3 304	305	306 3	07 30	8 309	310	311 3	112 313	314	315	316	317	318	319 3	320 32	21 322	323	324
that apply). Business use for yourself Business use for your company	client's	se at your (or your) company or organi- (Check all that apply).	352	353	354	355	329 33 356 35 383 38	7 358	359	360 3	61 36	2 363	364	365 3	66 367	368	369	370	371	372	373 3	374 37		377	378
	1 ☐ Mic 2 ☐ Peri 3 ☐ Soft 4 ☐ Acc	rocomputers pherals ware essories and supplies	433 460 487	434 461 488 515	435 462 489 516	436 463 490 517	410 41 437 43 464 46 491 49 518 51	8 439 5 466 2 490 9 520	9 440 6 467 3 494 0 521	441 4 468 4 495 4 522 5	42 44 69 47 96 49 23 52	3 444 0 471 7 498 4 525	445 472 499 526	446 4 473 4 500 5 527 5	147 448 174 475 501 502 528 529	3 449 5 476 2 503 9 530	450 477 504 531	451 478 505 532	452 479 506	453 4 480 4 507 5	454 4 481 4	155 45 182 48 109 51	56 457 33 484 10 511	3 539	459 486 513 540
	do you of pro	w many microcomputers influence the purchase ducts at your (or your	541 568 595		570	571	545 54 572 57 599 60	3 57	4 575	576 5	77 57	8 579	580	581 5	582 583	3 584	585	586							594
	client's zation?) company or organi- 3 □ 5-9	649	650	651	652	626 62 653 65 680 68	4 65	5 656	657 6	58 65	9 660	661	662 6		4 665	666	667	668	669			72 673		675
3 □ Personal use	2 🗆 2–4	4 □ 10 or more					707 70 734 73																		

THE DESKTOP COMPUTER FOR PEOPLE WHOSE MINDS ARE AT WORK EVEN WHEN THEIR BODIES AREN'T.



Presenting the PowerMate[™] Portable. Desktop power to go. The second s

If you happen to be one of those rare individuals whose minds don't punch out at five o'clock, we have some good news for you.

It's called the PowerMate Portable. And thanks to some workaholic engineers at NEC, this nifty little dynamo is everything a desktop computer is.

Plus it's portable. Which means you can use it anywhere. At work. At home. Or on the road. It boggles the mind.

And speaking of mind boggling, check out what's under the hood: Intel 80286™

technology, full-size internal AT-compatible expansion slots, an optional internal modem, 20 or 40 MB hard disk and EGA resolution on a backlit LCD display. Call 1-800-343-4418 and find out more about PowerMate Portable from NEC. The quick pick-me-up for the "Thank Goodness it's Monday" crowd.



For the name of the dealer nearest you, call 1-800-343-4418. In Canada, call 1-800-387-4313. NEC Information Systems, Dept. 1610, 1414 Massachusetts Ave., Boxborough, MA 01719

Tandy Computers: Because there is no better value.™

The New Tandy® 5000 MC







- 20 MHz Intel® 80386 microprocessor
- 2MB RAM, expandable to 16MB
- Intel 82385 Memory Cache controller
- Built-in VGA graphics
- Five IBM Micro Channel™ expansion slots, plus two dedicated memory slots
- 80387 coprocessor socket
- Supports MS-DOS®, MS® OS/2 and multiuser SCO® XENIX® operating systems

Our most powerful 386[™] based computer . . . made in America.

The new Tandy 5000 MC Professional System is strictly business, from the look of its 256,000-color VGA graphics to the tactile feel of its keyboard.

Inside is pure performance, from the 80386 processor operating at 20 MHz to the fast memory with cache that provides RAM-fast access to your data.

The 5000 MC comes with a built-in 1.44MB 3½" floppy drive. There's room inside for a second 3½" drive (or hard drive) and two 5½" floppy, hard or tape drives. Choose from ST-506 or ESDI—and SCSI support is coming.

Expand the memory to
16MB using two dedicated expansion
slots, and you can
still add five IBM®
Micro Channel
compatible expansion adapters.

And the 5000 MC is a natural as the hub of a multiuser system or as a file server in a 3Com® office workgroup.

A Tandy 5000 MC with an 84MB hard disk drive is only \$6999. Check out the new alternative in personal computing.

Radio Shack COMPUTER CENTERS

A DIVISION OF TANDY CORPORATION